Eda Eskut

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1594487/publications.pdf

Version: 2024-02-01

358 papers 17,025 citations

65 h-index 23514 111 g-index

368 all docs 368 docs citations

368 times ranked

9394 citing authors

#	Article	IF	CITATIONS
1	Precise determination of the mass of the Higgs boson and tests of compatibility of its couplings with the standard model predictions using proton collisions at 7 and 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2015, 75, 212.	1.4	541
2	Event generator tunes obtained from underlying event and multiparton scattering measurements. European Physical Journal C, 2016, 76, 155.	1.4	499
3	Observation of long-range, near-side angular correlations in proton-proton collisions at the LHC. Journal of High Energy Physics, 2010, 2010, 1.	1.6	497
4	Study of high-p T charged particle suppression in PbPb compared to pp collisions at $\frac{s_{N}}{2012,72,1}$. European Physical Journal C, 2012, 72, 1.	1.4	369
5	Combined measurements of Higgs boson couplings in proton–proton collisions at \$\$sqrt{s}=13,ext {Te}ext {V} \$\$. European Physical Journal C, 2019, 79, 421.	1.4	355
6	Observation of the diphoton decay of the Higgs boson and measurement of its properties. European Physical Journal C, 2014, 74, 3076.	1.4	342
7	Observation of a new boson with mass near 125 GeV in pp collisions at $q=1$ and 8 TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	320
8	Search for dark matter, extra dimensions, and unparticles in monojet events in protonâ \in proton collisions at \$\$sqrt{s} = 8\$\$ s = 8 \$\$,{mathrm{TeV}},\$\$ TeV. European Physical Journal C, 2015, 75, 235.	1.4	320
9	Searches for electroweak production of charginos, neutralinos, and sleptons decaying to leptons and W, Z, and Higgs bosons in pp collisions at 8ÂTeV. European Physical Journal C, 2014, 74, 3036.	1.4	241
10	Transverse-momentum and pseudorapidity distributions of charged hadrons in pp collisions at $q=0.9\$ and 2.36 TeV. Journal of High Energy Physics, 2010, 2010, 1.	1.6	230
11	The CHORUS experiment to search for νμ →νÏ,, oscillation. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1997, 401, 7-44.	0.7	209
12	Suppression of non-prompt J/lˆr, prompt J/lˆr, and \$ Upsilon \$(1S) in PbPb collisions at \$ sqrt $\{\{s_{ext}NN\}\}\}\} = 2.76$ \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	200
13	Extraction and validation of a new set of CMS pythia8 tunes from underlying-event measurements. European Physical Journal C, 2020, 80, 4.	1.4	198
14	Measurement of the differential cross section for top quark pair production in pp collisions at $\$$ sqrt $\{s\} = 8$,ext $\{TeV\}$ $\$$ s = 8 TeV. European Physical Journal C, 2015, 75, 542.	1.4	191
15	Centrality dependence of dihadron correlations and azimuthal anisotropy harmonics in PbPb collisions at $\sqrt{s_{NN}} = 2.76$ mbox TeV . European Physical Journal C, 2012, 72, 1.	1.4	181
16	Search for heavy neutrinos and \$\$mathrm {W}\$\$ W bosons with right-handed couplings in proton–proton collisions at \$\$sqrt{s} = 8,ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2014, 74, 3149.	1.4	179
17			

#	Article	IF	CITATIONS
19	Measurement of Higgs boson production and properties in the WW decay channel with leptonic final states. Journal of High Energy Physics, 2014, 2014, 1.	1.6	169
20	Search for dark matter and large extra dimensions in monojet events in pp collisions at sqrt s = 7} TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	168
21	Measurement of the inclusive W and Z production cross sections in pp collisions at \$ sqrt $\{s\} = 7$ \$ TeV with the CMS experiment. Journal of High Energy Physics, 2011, 2011, 1.	1.6	158
22	Study of the inclusive production of charged pions, kaons, and protons in pp collisions at $q=0.9, 2.76, mbox{and }7~mbox{TeV}$. European Physical Journal C, 2012, 72, 1.	1.4	154
23	Search for supersymmetry in hadronic final states with missing transverse energy using the variables $\hat{l}\pm$ T and b-quark multiplicity in pp collisions at $\frac{1}{2} = 8 \text{ mathrm} $ TeV $\frac{1}{2} = 8 \text{ mathrm}$ T	1.4	147
24	Strange particle production in pp collisions at sqrt s = 0.9 and 7 TeV. Journal of High Energy Physics, 2011, 2011, 1.	1.6	139
25	Prompt and non-prompt J/ $\hat{\Gamma}$ production in pp collisions at \$sqrt{s} = 7\$ TeV. European Physical Journal C, 2011, 71, 1.	1.4	135
26	A search for a doubly-charged Higgs boson in pp collisions at $q=7 \mod TeV$. European Physical Journal C, 2012, 72, 1.	1.4	129
27	Measurement of differential top-quark-pair production cross sections in pp collisions at $q=0$ mathrm{TeV}\$. European Physical Journal C, 2013, 73, 1.	1.4	125
28	Evidence for the 125 GeV Higgs boson decaying to a pair of $\ddot{\text{l}}_{\text{n}}$ leptons. Journal of High Energy Physics, 2014, 2014, 1.	1.6	123
29	Precision luminosity measurement in proton–proton collisions at \$\$sqrt{s} = 13,hbox {TeV}\$\$ in 2015 and 2016 at CMS. European Physical Journal C, 2021, 81, 800.	1.4	123
30	Measurements of inclusive W and Z cross sections in pp collisions at $\$$ sqrt $\{s\}$ = 7 $\$$ TeV. Journal of High Energy Physics, 2011, 2011, 1.	1.6	122
31	CMS tracking performance results from early LHC operation. European Physical Journal C, 2010, 70, 1165-1192.	1.4	120
32	Searches for long-lived charged particles in pp collisions at $\$ sqrt $\{s\}$ = 7 and 8 TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	118
33	Search for a light charged Higgs boson in top quark decays in pp collisions at sqrt s} = 7;TeV S. Journal of High Energy Physics, 2012, 2012, 1.	1.6	117
34	Charged particle multiplicities in pp interactions at $\$$ sqrt $\{s\}$ = 0.9 $\$$, 2.36, and 7 TeV. Journal of High Energy Physics, 2011, 2011, 1.	1.6	106
35	Search for new physics in the multijet and missing transverse momentum final state in proton-proton collisions at $\$ sqrt $\{s\}$ $\$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	100
36	Dependence on pseudorapidity and on centrality of charged hadron production in PbPb collisions at \$ sqrt $\{\{s_{ext}NN\}\}\}\}$ = 2.76 \$ TeV. Journal of High Energy Physics, 2011, 2011, 1.	1.6	99

#	Article	IF	CITATIONS
37	Measurement of the underlying event activity at the LHC with $\$ sqrt $\{s\} = 7 \$ TeV and comparison with $\$ sqrt $\{s\} = 0.9 \$ TeV. Journal of High Energy Physics, 2011, 2011, 1.	1.6	97
38	Search for supersymmetry in hadronic final states using M T2 in pp collisions at $q=1$ Sqrt space $q=1$ Sqrt for Journal of High Energy Physics, 2012, 2012, 1.	1.6	95
39	Searches for invisible decays of the Higgs boson in pp collisions at s $\$\$$ sqrt $\$\$$ = 7, 8, and 13 TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	95
40	Search for a Higgs boson in the mass range from 145 to 1000 GeV decaying to a pair of W or Z bosons. Journal of High Energy Physics, 2015, 2015, 1.	1.6	92
41	Measurements of differential and double-differential Drellâ \in "Yan cross sections in protonâ \in "proton collisions at \$\$sqrt{s} = 8\$\$ s = 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2015, 75, 147.	1.4	88
42	Measurement of jet fragmentation into charged particles in pp and PbPb collisions at \$ $qt{\{s_{mathrm{NN}}\}}$ = 2.76 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	85
43	Study of double parton scattering using $W+2$ -jet events in proton-proton collisions at \$ sqrt{s} \$ = 7 TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	85
44	Search for massive resonances in dijet systems containing jets tagged as W or Z boson decays in pp collisions at s $\$$ sqrt $\{s\}$ $\$$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	85
45	Study of the production of charged pions, kaons, and protons in pPb collisions at $\$$ sqrt $\{s_{NN}\} = \$$ s N N = 5.02 $\$$, ext $\{TeV\}$ TeV. European Physical Journal C, 2014, 74, 2847.	1.4	85
46	Measurement of the single-top-quark t-channel cross section in pp collisions at $q=7 $ TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	83
47	Measurement of prompt and nonprompt charmonium suppression in \$\$ext {PbPb}\$\$ collisions at 5.02\$\$,ext {Te}ext {V}\$\$. European Physical Journal C, 2018, 78, 509.	1.4	83
48	J/î and î (2S) production in pp collisions at \$ sqrt {s} = 7{ext{Tev}} \$. Journal of High Energy Physics, 2012, 2012, 1.	1.6	81
49	Search for neutral MSSM Higgs bosons decaying to a pair of tau leptons in pp collisions. Journal of High Energy Physics, 2014, 2014, 1.	1.6	81
50	Search for physics beyond the standard model in dilepton mass spectra in proton-proton collisions at $s = 8 $ \$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	78
51	Studies of azimuthal dihadron correlations in ultra-central PbPb collisions at \$ sqrt{{{s_{NN }}}} \$ =2.76 TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	77
52	Study of exclusive two-photon production of W+W \hat{a} in pp collisions at \$ sqrt{s}=7 \$ TeV and constraints on anomalous quartic gauge couplings. Journal of High Energy Physics, 2013, 2013, 1.	1.6	75
53	Studies of dijet transverse momentum balance and pseudorapidity distributions in pPb collisions at $\frac{1}{5}$ TeV. European Physical Journal C, 2014, 74, 1.	1.4	75
54	Measurement of the $f(w) ^{+} \$ mathrm $f(w)^{-} \$ W + W - cross section in pp collisions at $f(s) = 8$ s = 8 TeVand limits on anomalous gauge couplings. European Physical Journal C, 2016, 76, 401.	1.4	74

#	Article	IF	CITATIONS
55	Measurement of the X(3872) production cross section via decays to JſĨĨ€ + Ï€ ∹ in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	73
56	Search for a standard model Higgs boson produced in association with a top-quark pair and decaying to bottom quarks using a matrix element method. European Physical Journal C, 2015, 75, 251.	1.4	73
57	Search for additional neutral MSSM Higgs bosons in the Ï,, Ï,, final state in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	73
58	Measurement of the t-channel single-top-quark production cross section and of the $ V $ tb $ CKM $ matrix element in pp collisions at $ = 8 $ TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	70
59	Measurement of the \$ mathrm $\{t\}$ overline $\{mathrm\{t\}\}$ \$ production cross section in the dilepton channel in pp collisions at \$ sqrt $\{s\}$ =7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	69
60	Search for massive resonances decaying into pairs of boosted bosons in semi-leptonic final states at s $\$ sqrt{s} $\$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	69
61	Search for anomalous production of multilepton events in pp collisions at $\$$ sqrt $\$$ = 7,TeV $\$$. Journal of High Energy Physics, 2012, 2012, 1.	1.6	68
62	Search for a standard-model-like Higgs boson with a mass in the range 145 to 1000 GeV at the LHC. European Physical Journal C, 2013, 73, 2469.	1.4	68
63	Measurement of the differential and double-differential Drell-Yan cross sections in proton-proton collisions at $\$ sqrt $\{s\}$ = 7 TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	68
64	Measurement of the inclusive 3-jet production differential cross section in proton–proton collisions at 7 TeVÂand determination of the strong coupling constant in the TeVÂrange. European Physical Journal C, 2015, 75, 186.	1.4	68
65	Long-range and short-range dihadron angular correlations in central PbPb collisions at \$ sqrt {{{s_{ext{NN}}}}} \$  = 2.76 TeV. Journal of High Energy Physics, 2011, 2011, 1.	1.6	65
66	Measurement of differential cross sections for the production of a pair of isolated photons in pp collisions at $\$$ sqrt $\{s\}=7$,ext $\{TeV\}$ $\$$ s = 7 TeV. European Physical Journal C, 2014, 74, 3129.	1.4	65
67	Measurement of the sum of WW and WZ production with W+dijet events in pp collisions at \$sqrt{s} = 7 mbox{TeV}\$. European Physical Journal C, 2013, 73, 2283.	1.4	64
68	Search for electroweak production of charginos and neutralinos in multilepton final states in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	63
69	Measurement of the W+Wâ^' cross section in pp collisions at $q = 7 \text{ mbox} $ TeV} and limits on anomalous $q = 1 \text{ mbox} $ and q	1.4	62
70	Measurement of differential cross sections for Higgs boson production in the diphoton decay channel in pp collisions at $\$$ qrt $\{s\}=8$,ext $\{TeV\}$ $\$$ s = 8 TeV. European Physical Journal C, 2016, 76, 13.	1.4	62
71	Search for resonant and nonresonant new phenomena in high-mass dilepton final states at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.	1.6	62
72	Measurement of prompt $J/\tilde{\Gamma}$ pair production in pp collisions at s \$\$ sqrt{s} \$\$ = 7 Tev. Journal of High Energy Physics, 2014, 2014, 1.	1.6	61

#	Article	IF	Citations
73	Design, performance, and calibration of CMS forward calorimeter wedges. European Physical Journal C, 2008, 53, 139-166.	1.4	60
74	Measurement of the ratio of the inclusive 3-jet cross section to the inclusive 2-jet cross section in pp collisions at $q=7 \text{ mathrm} TeV$ and first determination of the strong coupling constant in the TeV range. European Physical Journal C, 2013, 73, 1.	1.4	60
75	Measurement of the lepton charge asymmetry in inclusive W production in pp collisions at \$ sqrt {s} = 7;{ext{TeV}} \$. Journal of High Energy Physics, 2011, 2011, 1.	1.6	59
76	Search for anomalous \$ toverline t \$ production in the highly-boosted all-hadronic final state. Journal of High Energy Physics, 2012, 2012, 1.	1.6	58
77	Jet production rates in association with W and Z bosons in pp collisions at	1.6	58
78	Studies of jet mass in dijet and W/Z + jet events. Journal of High Energy Physics, 2013, 2013, 1.	1.6	58
79	Nuclear effects on the transverse momentum spectra of charged particles in pPb collisions at $\frac{s_{mathrm {NN}}}{5.02}$ s NN = 5.02 $\frac{TeV}{5}$ TeV. European Physical Journal C, 2015, 75, 237.	1.4	58
80			

#	Article	IF	Citations
91	Measurement of the $\{m t\}$ ar $\{m t\}$ production cross section and the top quark mass in the dilepton channel in pp collisions at sqrt s = 7 \$ TeV. Journal of High Energy Physics, 2011, 2011, 1.	1.6	53
92	Final results on oscillation from the CHORUS experiment. Nuclear Physics B, 2008, 793, 326-343.	0.9	52
93	Measurement of the $\$$ toverline $\{t\}$ $\$$ production cross section in the dilepton channel in pp collisions at $\$$ sqrt $\{s\}$ $\$$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	52
94	Search for exclusive or semi-exclusive $\hat{I}^3\hat{I}^3$ production and observation of exclusive and semi-exclusive e+e \hat{I}^3 production in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	51
95	Search for the associated production of the Higgs boson with a top-quark pair. Journal of High Energy Physics, 2014, 2014, 1.	1.6	51
96	Beam test results from a fine-sampling quartz fiber calorimeter for electron, photon and hadron detection. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1997, 399, 202-226.	0.7	50
97	First measurement of the underlying event activity atÂtheÂLHCÂwith \$sqrt{s} = 0.9\$ ÂTeV. European Physical Journal C, 2010, 70, 555-572.	1.4	50
98	Study of the underlying event at forward rapidity in pp collisions at \$ sqrt{s}=0.9,2.76,;mathrm{and};7;mathrm{TeV} \$. Journal of High Energy Physics, 2013, 2013, 1.	1.6	50
99	Search for new physics with jets and missing transverse momentum in pp collisions at sqrt = 7 TeV. Journal of High Energy Physics, 2011, 2011, 1.	1.6	49
100	Search for leptonic decays of $W\hat{a}\in \mathbb{Z}^2$ bosons in pp collisions at \$ sqrt {s} = {7} \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	49
101	Measurement of pseudorapidity distributions of charged particles in proton–proton collisions at \$\$\$qrt{s} = 8\$\$ s = 8 ÂTeV by the CMS and TOTEM experiments. European Physical Journal C, 2014, 74, 1.	1.4	49
102	Search for new physics in events with same-sign dileptons and jets in pp collisions at $q = 8$ TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	48
103	Observation of Y(1S) pair production in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	48
104	Measurement of the cross section and angular correlations for associated production of a Z boson with b hadrons in pp collisions at $\$ sqrt{s} $\$ = 7 TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	47
105	Search for new physics with same-sign isolated dilepton events with jets and missing transverse energy at the LHC. Journal of High Energy Physics, 2011, 2011, 1.	1.6	46
106	Search for narrow resonances and quantum black holes in inclusive and b-tagged dijet mass spectra from pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	46
107	Search for disappearing tracks in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	46
108	Search for third-generation scalar leptoquarks decaying to a top quark and a $\$$ au $\$$ i, lepton at $\$$ qrt $\{s\}=13$,ext $\{Te\}$ ext $\{V\}$ $\$$ s = 13 Te. European Physical Journal C, 2018, 78, 707.	1.4	46

#	Article	IF	CITATIONS
109	Search for heavy bottom-like quarks in 4.9 fba $^{\circ}$ 1 of pp collisions at \$ sqrt {s} = 7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	45
110	Search for microscopic black holes in pp collisions at $q=8$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	44
111	Search for a light charged Higgs boson decaying to c s \hat{A}^- \$\$ mathrm{c}overline{mathrm{s}} \$\$ in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1-37.	1.6	44
112	Search for decays of stopped long-lived particles produced in protonâ \in proton collisions at \$\$sqrt{s}= 8,ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2015, 75, 151.	1.4	44
113	Search for standard model production of four top quarks with same-sign and multilepton final states in proton–proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2018, 78, 140.	1.4	44
114	Measurement of top quark–antiquark pair production in association with a W or Z boson in pp collisions at \$\$sqrt{s} = 8\$\$ s = 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2014, 74, 3060.	1.4	43
115	Identification techniques for highly boosted W bosons that decay into hadrons. Journal of High Energy Physics, 2014, 2014, 1.	1.6	43
116	Constraints on the pMSSM, AMSB model and on other models from the search for long-lived charged particles in protonâ \in proton collisions at \$\$sqrt{s} =8,ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2015, 75, 325.	1.4	43
117	Measurement of the top-quark mass in TeV where TeV is the states in pp collisions at TeV in TeV . European Physical Journal C, 2012, 72, 1.	1.4	42
118	Search for low mass vector resonances decaying into quark-antiquark pairs in proton-proton collisions at $s=13 \$$ sqrt $\{s\}=13 \$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	42
119	Search for electroweak production of charginos and neutralinos using leptonic final states in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	41
120	Measurement of the $\mathrm{mathrm}\{t\}$ overline $\mathrm{mathrm}\{t\}$ \$\forall t\times^\gamma\$ production cross section in the all-jets final state in pp collisions at \$\sqrt\{s\}=8\$\$ s = 8 \$ext {TeV}\$\$ TeV. European Physical Journal C, 2016, 76, 128.	1.4	41
121	Search for third-generation scalar leptoquarks and heavy right-handed neutrinos in final states with two tau leptons and two jets in proton-proton collisions at $s=13 \$$ sqrt $\{s\}=13 \$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	41
122	Search for same-sign top-quark pair production at $\$$ sqrt $\{s\} = 7 \$$ TeV and limits on flavour changing neutral currents in the top sector. Journal of High Energy Physics, 2011, 2011, 1.	1.6	40
123	Search for heavy Majorana neutrinos in same-sign dilepton channels in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	40
124	Measurement of the Higgs boson production rate in association with top quarks in final states with electrons, muons, and hadronically decaying tau leptons at $\$$ qrt $\{s\} = 13$,ext $\{Te\}$ ext $\{V\}$ $\$$. European Physical Journal C, 2021, 81, 378.	1.4	40
125	Search for resonances in the dilepton mass distribution in pp collisions at $\$$ sqrt $\{s\}$ = 7 $\$$ TeV. Journal of High Energy Physics, 2011, 2011, 1.	1.6	39
126	Inclusive b-jet production in pp collisions at $sqrt \{s\} = 7TeV$. Journal of High Energy Physics, 2012, 2012, 1.	1.6	39

#	Article	IF	Citations
127	Measurement of the $Z\hat{l}^{3*}\hat{a}\in \infty+\hat{a}\in \infty$ b-jet cross section in pp collisions at \$ sqrt {s} = 7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	39
128	Search for the standard model Higgs boson produced in association with a top-quark pair in pp collisions at the LHC. Journal of High Energy Physics, 2013, 2013, 1.	1.6	39
129	Measurement of the ZZ production cross section and search for anomalous couplings in 2â,,"′ final states in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	39
130	Measurement of the production cross sections for a Z boson and one or more b jets in pp collisions at s $$$ sqrt ${s}$ $$$ = 7 TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	39
131	A search for νμ→νÏ,, oscillation. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1998, 424, 202-212.	1.5	38
132	Search for heavy stable charged particles in pp collisions at sqrt s= 7;extTeV} 5. Journal of High Energy Physics, 2011, 2011, 1.	1.6	38
133	Measurement of the top-quark mass in $\mbox{mathrm{t}}\$ events with lepton+jets final states in pp collisions at $\$ sqrt{s}=7 $\$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	38
134	Measurement of the \$mathrm{{tar{t}}}\$ production cross section in pp collisions at \$sqrt{s}=7\$ TeV using the kinematic properties of events with leptons and jets. European Physical Journal C, 2011, 71, 1.	1.4	37
135	Measurement of the WZ production cross section in pp collisions at $\$$ sqrt $\{s\} = 7$ \$\$ s = 7 and 8 $\$$ s,ext $\{TeV\}$ \$\$ TeV and search for anomalous triple gauge couplings at $\$$ sqrt $\{s\} = 8$,ext $\{TeV\}$ \$\$ s = 8 TeV. European Physical Journal C, 2017, 77, 236.	1.4	37
136	Search for heavy Higgs bosons decaying to a top quark pair in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	1.6	37
137	Measurement of the Drell-Yan cross section in pp collisions at $\$$ sqrt $\$$ = 7 $\$$ TeV. Journal of High Energy Physics, 2011, 2011, 1.	1.6	36
138	Search for new particles in events with energetic jets and large missing transverse momentum in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.	1.6	36
139	Measurement of the top-quark mass in all-jets $\frac{1}{2}$ whose $\frac{1}{2}$ where $\frac{1}{2}$ is $\frac{1}{2}$ where $\frac{1}{2}$ is $\frac{1}{2}$ in percentage of the top-quark mass in all-jets $\frac{1}{2}$ in the to	1.4	35
140	Search for heavy Majorana neutrinos in $e\hat{A}\pm e\hat{A}\pm + jets$ and $e\hat{A}\pm \hat{I}\sqrt{4}$ $\hat{A}\pm + jets$ events in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	35
141	Measurements of production cross sections of the Higgs boson in the four-lepton final state in proton–proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$. European Physical Journal C, 2021, 81, 488.	1.4	35
142	Search for νμâ†'νÏ,, oscillation using the Ï,, decay modes into a single charged particle1This paper is dedicated the memory of Yasushi Ishii, a bright colleague and a good friend, whose loss has caused us great sorrow.1. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1998, 434, 205-213.	to 1.5	34
143	Observation of Z decays to four leptons with the CMS detector at the LHC. Journal of High Energy Physics, 2012, 2012, 1.	1.6	34
144	Search for microscopic black holes in pp collisions at $\$$ sqrt $\{s\} = \{ext\{7TeV\}\}\$ \$. Journal of High Energy Physics, 2012, 2012, 1.	1.6	34

#	Article	IF	CITATIONS
145	Search for supersymmetry in final states with missing transverse energy and 0, 1, 2, or \hat{a} % ± 3 b-quark jets in 7 TeV pp collisions using the variable \hat{l} \pm T. Journal of High Energy Physics, 2013, 2013, 1.	1.6	34
146	Searches for supersymmetry using the M T2 variable in hadronic events produced in pp collisions at 8 TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	34
147	Search for a heavy right-handed W boson and a heavy neutrino in events with two same-flavor leptons and two jets at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	34
148	Measurement of the underlying event in the Drellâ€"Yan process in protonâ€"proton collisions at \$sqrt{s} = 7~mbox{TeV}\$. European Physical Journal C, 2012, 72, 1.	1.4	33
149	Search for new physics in events with same-sign dileptons and b jets in pp collisions at $q=0$ sqrt $q=0$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	33
150	Search for heavy resonances decaying to two Higgs bosons in final states containing four b quarks. European Physical Journal C, 2016, 76, 371.	1.4	33
151	Search for heavy neutrinos and third-generation leptoquarks in hadronic states of two \ddot{l} , leptons and two jets in proton-proton collisions at \$\$ $\frac{13}{5}=13$ \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	33
152	Measurement of exclusive $\{\{\{uprho_{}^{}\}\}_{}^{}\}\{\{left(\{770\}ight)\}\}_{}^{}\}\}$ $\{0\}$ \$\$\$\$\$photoproduction in ultraperipheral pPb collisions at \$\$sqrt{smash [b]{s_{_}{mathrm}}}} = 5.02,ext {Te}ext {V} \$\$. European Physical Journal C, 2019, 79, 702.	1.4	33
153	Search for dark matter produced in association with a leptonically decaying \$\${mathrm{Z}} \$\$ boson in protonâ€"proton collisions at \$\$\$qrt{s}=13,ext {Te}ext {V} \$\$. European Physical Journal C, 2021, 81, 13.	1.4	33
154	Search for top squark pair production using dilepton final states in $\{p\}$ {ext $\{p\}$ } {ext $\{p\}$ } \$ collision data collected at $\{p\}$ = 13,ext $\{TeV\}$ \$. European Physical Journal C, 2021, 81, 3.	1.4	33
155	Measurement of $\ \{ext\{B\}\}\$ overline $\{ext\{B\}\}\$ angular correlations based on secondary vertex reconstruction at $\$ sqrt $\{s\} = 7$, $\{ext\{TeV\}\}\$ $\$. Journal of High Energy Physics, 2011, 2011, 1.	1.6	32
156	Search for supersymmetry in pp collisions at $\$$ sqrt $\{s\} = 7 \$$ TeV in events with a single lepton, jets, and missing transverse momentum. Journal of High Energy Physics, 2011, 2011, 1.	1.6	32
157	Search in leptonic channels for heavy resonances decaying to long-lived neutral particles. Journal of High Energy Physics, 2013, 2013, 1.	1.6	32
158	Jet and underlying event properties as a function of charged-particle multiplicity in proton–proton collisions at \$sqrt {s}= 7 ext{TeV}\$. European Physical Journal C, 2013, 73, 2674.	1.4	32
159	Measurements of the $\mbox{\$mathrm}{Z}$ \$\$ Z \$\$mathrm{Z}\$\$ Z production cross sections in the \$\$2mathrm{I} 2u \$\$ 2 I 2 ν channel in protonâ€"proton collisions at \$\$sqrt{s} = 7\$\$ s = 7 and \$\$8~. European Physical Journal C, 2015, 75, 511.	1.4	32
160	Shape, transverse size, and charged-hadron multiplicity of jets in pp collisions at $q=7$; TeV $q=$	1.6	31
161	Measurement of the triple-differential cross section for photon $+$ jets production in proton-proton collisions at $\$ sqrt $\{s\}$ $\$ = 7 TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	31
162	Measurement of electroweak production of two jets in association with a Z boson in protonase "proton collisions at $s=0$ European Physical Journal C, 2015, 75, 66.	1.4	31

#	Article	IF	CITATIONS
163	Search for top squark pair production in pp collisions at $s=13 \$\$ $ sqrt $\{s\}=13 \$\$ $ TeV using single lepton events. Journal of High Energy Physics, 2017, 2017, 1.	1.6	31
164	On the differences between high-energy proton and pion showers and their signals in a non-compensating calorimeter. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1998, 408, 380-396.	0.7	30
165	Radiation-hardness studies of high OHâ^' content quartz fibres irradiated with electrons. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2002, 490, 444-455.	0.7	30
166	Design, performance, and calibration of CMS hadron-barrel calorimeter wedges. European Physical Journal C, 2008, 55, 159-171.	1.4	30
167	Measurement of Bose-Einstein correlations in pp collisions at sqrt s = 0.9 s and 7 TeV. Journal of High Energy Physics, 2011, 2011, 1.	1.6	30
168	Search for new physics in events with same-sign dileptons and b-tagged jets in pp collisions at $\$ sqrt $\$ = 7 $\$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	30
169	Search for a Higgs boson in the decay channel H \hat{a} † ZZ(*) \hat{a} † q\$ overline {ext{q}} \$ \hat{a} ," \hat{a} " \hat{a} ," + in pp collisions at \$ sqrt {s} = 7 \$TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	30
170	Measurement of the W-boson helicity in top-quark decays from $\mbox{mathrm{t}}$ overline{mathrm{t}} \$ production in lepton+jets events in pp collisions at $\mbox{sqrt{s}=7 }$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	30
171	Search for neutral MSSM Higgs bosons decaying into a pair of bottom quarks. Journal of High Energy Physics, 2015, 2015, 1.	1.6	30
172	Search for massive WH resonances decaying into the \$\$ell u mathrm{b} overline{mathrm{b}} \$\$ \hat{a} ," \hat{l} /2 b b \hat{A}^- final state at \$\$sqrt{s}=8\$\$ s = 8 \$\$~ext {TeV}\$\$ TeV. European Physical Journal C, 2016, 76, 237.	1.4	30
173	Measurements of the associated production of a Z boson and b jets in pp collisions at $\{s\} = 8$, ext $\{TeV\}$ \$\$ s = 8 TeV. European Physical Journal C, 2017, 77, 751.	1.4	30
174	The CMS barrel calorimeter response to particle beams fromÂ2ÂtoÂ350 GeV/c. European Physical Journal C, 2009, 60, 359-373.	1.4	29
175	Search for supersymmetry in events with b jets and missing transverse momentum at the LHC. Journal of High Energy Physics, 2011, 2011, 1.	1.6	29
176	Correlations between jets and charged particles in PbPb and pp collisions at s N N = $2.76 \$$ sqrt{s_{mathrm{NN}}}= $2.76 \$$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	29
177	Search for lepton flavour violating decays of the Higgs boson to \hat{l}_4 , and \hat{e}_8 , in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	29
178	Search for supersymmetry in final states with two oppositely charged same-flavor leptons and missing transverse momentum in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.	1.6	28
179	Study of Z production in PbPb and pp collisions at s N N = $2.76 \$$ sqrt{s_{mathrm{NN}}}= $2.76 \$$ TeV in the dimuon and dielectron decay channels. Journal of High Energy Physics, 2015, 2015, 1.	1.6	27
180	Search for pair production of vector-like T and B quarks in single-lepton final states using boosted jet substructure in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	27

#	Article	IF	CITATIONS
181	Measurements of Higgs boson production cross sections and couplings in the diphoton decay channel at $\$$ sqrt{mathrm{s}} $\$$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.	1.6	27
182	Search for physics beyond the standard model in opposite-sign dilepton events in pp collisions at	1.6	26
183	Search for resonant \$ mathrm{t}overline{mathrm{t}} \$ production in lepton+jets events in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	26
184	Ratios of dijet production cross sections as a function of the absolute difference in rapidity between jets in proton–proton collisions at \$sqrt{s} = 7 mathrm{TeV}\$. European Physical Journal C, 2012, 72, 1.	1.4	26
185	Search for the standard model Higgs boson in the H → ZZ → 2â,"2ν channel in pp collisions = {7};{ext{TeV}} \$. Journal of High Energy Physics, 2012, 2012, 1.	at \$ sqrt ·	{ext{s}}
186	Measurement of the production cross section for pairs of isolated photons in pp collisions at $\$$ sqrt $\{s\} = 7$; TeV $\$$. Journal of High Energy Physics, 2012, 2012, 1.	1.6	26
187	Search for Wâ \in 2 â†' tb decays in the lepton + jets final state in pp collisions at \$ sqrt{s} \$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	26
188	Measurement of the W boson helicity in events with a single reconstructed top quark in pp collisions at $s = 8 $ \$\$ sqrt s =8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	26
189	Measurement of the inclusive jet cross section in pp collisions at $\$\$qrt\{s\} = 2.76$,ext $\{TeV\}$ \$\$ s = 2.76 TeV. European Physical Journal C, 2016, 76, 1.	1.4	26
190	Search for nonresonant Higgs boson pair production in final states with two bottom quarks and two photons in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.	1.6	26
191	Measurement of energy flow at large pseudorapidities in pp collisions at sqrt s = 0.9 3 and 7 TeV. Journal of High Energy Physics, 2011, 2011, 1.	1.6	25
192	Forward–backward asymmetry of Drell–Yan lepton pairs in pp collisions at \$\$sqrt{s} = 8\$\$ s = 8 \$\$,mathrm{TeV}\$\$ TeV. European Physical Journal C, 2016, 76, 325.	1.4	25
193	Search for high-mass resonances in final states with a lepton and missing transverse momentum at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	25
194	Measurement of the $mathrm{t} \ production cross section in the \ n,+jets channel in pp collisions at \ production \ p$	1.4	24
195	Search for physics beyond the standard model in events with two leptons, jets, and missing transverse momentum in pp collisions at s $$$ sqrt ${s}$ $$$ = 8 TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	24
196	Search for vector-like T quarks decaying to top quarks and Higgs bosons in the all-hadronic channel using jet substructure. Journal of High Energy Physics, 2015, 2015, 1.	1.6	24
197	Search for new particles decaying to a jet and an emerging jet. Journal of High Energy Physics, 2019, 2019, 1.	1.6	24
198	Measurements of $f^{p} {\mathrm{p}} {\mathrm{p}} {\mathrm{p}} {\mathrm{p}} {\mathrm{p}} {\mathrm{production cross sections and constraints on anomalous triple gauge couplings at f^{z} {\mathrm{production cross sections and constraints on anomalous triple gauge couplings at f^{z} {\mathrm{production cross sections and constraints on anomalous triple gauge couplings at } = 13,ext {\mathrm{TeV}} $	1.4	24

#	Article	IF	CITATIONS
199	Inclusive b-hadron production cross section with muons in pp collisions at $\$$ sqrt $\{s\}$ = 7; $\{ext\{TeV\}\}$ $\$$. Journal of High Energy Physics, 2011, 2011, 1.	1.6	23
200	Measurement of WZ and ZZ production in pp collisions at $\$$ sqrt $\{s\}$ = 8,ext $\{TeV\}$ $\$$ s = 8 TeV in final states with b-tagged jets. European Physical Journal C, 2014, 74, 2973.	1.4	23
201	Observation of top quark pairs produced in association with a vector boson in pp collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	23
202	Measurement of the jet mass in highly boosted $f(t)=0$ where $f(t)=0$ where $f(t)=0$ we shall be described as $f(t)=0$ where $f(t)=0$ where $f(t)=0$ where $f(t)=0$ is a sum of the jet mass in highly boosted $f(t)=0$ where $f(t)=0$ is a sum of the jet mass in highly boosted $f(t)=0$ where $f(t)=0$ is a sum of the jet mass in highly boosted $f(t)=0$ is a sum of the jet mass in hig	1.4	23
203	Search for heavy resonances decaying to tau lepton pairs in proton-proton collisions at $s=13 $ \$\$ sqrt $\{s\}=13 $ \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	23
204	Measurement of the transverse momentum spectra of weak vector bosons produced in proton-proton collisions at $s = 8 $ \$\$ sqrt $\{s\}=8 $ \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	23
205	Measurement of the top quark mass using single top quark events in proton-proton collisions at $s=8$ of the value of the top quark mass using single top quark events in proton-proton collisions at $s=8$ of the value of the va	1.4	23
206	Search for resonant $\$$ mathrm{t}overline{mathrm{t}} $\$$ production in proton-proton collisions at $\$$ sqrt{s}=13 $\$$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	23
207	Search for a light pseudoscalar Higgs boson in the boosted $\hat{l}/4\hat{l}/4\ddot{l},\ddot{l},$ final state in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	1.6	23
208	Search for large extra dimensions in the diphoton final state at the Large Hadron Collider. Journal of High Energy Physics, 2011, 2011, 1.	1.6	22
209	Search for physics beyond the standard model in events with Ï,, leptons, jets, and large transverse momentum imbalance in pp collisions at \$sqrt{s}=7 mathrm{TeV}\$. European Physical Journal C, 2013, 73, 2493.	1.4	22
210	Search for t t \hat{A}^- \$\$ mathrm{t}overline{mathrm{t}} \$\$ resonances in highly boosted lepton+jets and fully hadronic final states in proton-proton collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	22
211	Search for massive resonances decaying into WW, WZ or ZZ bosons in proton-proton collisions at s = $13 \$$ sqrt $\{s\}=13 \$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	22
212	Measurement of differential cross sections and charge ratios for t-channel single top quark production in protonâ \in "proton collisions at \$\$sqrt{s}=13\$\$ \$\$,ext {Te}ext {V}\$\$. European Physical Journal C, 2020, 80, 370.	1.4	22
213	Performance studies of a full-length prototype forÂtheÂCASTORÂforward calorimeter at the CMS experiment. European Physical Journal C, 2010, 67, 601-615.	1.4	20
214	Measurement of the inclusive Z cross section via decays to tau pairs in pp collisions at sqrt s = 7 TeV. Journal of High Energy Physics, 2011, 2011, 1.	1.6	20
215	Search for exotic resonances decaying into WZ/ZZ in pp collisions at $q=7$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	20
216	Search for supersymmetry in pp collisions at $\sqrt{s} = 7$ TeV in events with a single lepton, jets, and missing transverse momentum. European Physical Journal C, 2013, 73, 2404.	1.4	20

#	Article	IF	CITATIONS
217	Measurements of the \$ mathrm{t}overline{mathrm{t}} \$ charge asymmetry using the dilepton decay channel in pp collisions at \$ $q^2 = 7 \text{TeV}$. Journal of High Energy Physics, 2014, 2014, 1.	1.6	20
218	Search for the production of dark matter in association with top-quark pairs in the single-lepton final state in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	20
219	Search for $\$$ mathrm $\{t\}$ overline $\{mathrm\{t\}\}$ mathrm $\{H\}$ $\$$ production in the all-jet final state in proton-proton collisions at $\$$ sqrt $\{s\}$ =13 $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	20
220	Search for rare decays of $\$$ mathrm $\{Z\}$ \$\$ Z and Higgs bosons to $\$$ {mathrm $\{J\}$ /psi $\}$ \$\$ J / I and a photon in proton-proton collisions at $\$$ \$sqrt $\{s\}$ \$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2019, 79, 94.	1.4	20
221	Measurement of differential and integrated fiducial cross sections for Higgs boson production in the four-lepton decay channel in pp collisions at $s=7$ \$\$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	19
222	Search for charged Higgs bosons produced in vector boson fusion processes and decaying into vector boson pairs in proton–proton collisions at \$\$sqrt{s} = 13,{ext {TeV}} \$\$. European Physical Journal C, 2021, 81, 723.	1.4	19
223	Search for quark compositeness in dijet angular distributions from pp collisions at sqrt = 7 TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	18
224	Measurements of the differential jet cross section as a function of the jet mass in dijet events from proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	18
225	Search for resonant pair production of Higgs bosons decaying to bottom quark-antiquark pairs in proton-proton collisions at 13 TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	18
226	Measurement of the differential Drell-Yan cross section in proton-proton collisions at $\$\$$ sqrt{mathrm{s}} $\$\$ = 13$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	18
227	MUSiC: a model-unspecific search for new physics in proton–proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$. European Physical Journal C, 2021, 81, 629.	1.4	18
228	Combined searches for the production of supersymmetric top quark partners in proton–proton collisions at \$\$sqrt{s} = 13,ext {Te}ext {V} \$\$. European Physical Journal C, 2021, 81, 970.	1.4	18
229	Search for low-mass dilepton resonances in Higgs boson decays to four-lepton final states in protonâ∈"proton collisions at \$\$sqrt{s}=13,ext {TeV} \$\$. European Physical Journal C, 2022, 82, 290.	1.4	18
230	Search for stopped long-lived particles produced in pp collisions at sqrt s = ext7TeV} 9. Journal of High Energy Physics, 2012, 2012, 1.	1.6	17
231	Measurement of the \$ Lambda_{mathrm{b}}^0 \$ lifetime in pp collisions at \$ $qt{s}=7 $ TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	17
232	Search for standard model production of four top quarks in the lepton $+$ jets channel in pp collisions at $s=8$ \$\$ sqrt{ s }=8 \$\$ TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	17
233	Probing color coherence effects in pp collisions at \$\$sqrt{s}=7,ext {TeV} \$\$ s = 7 TeV. European Physical Journal C, 2014, 74, 2901. Measurement of the ratio of the production cross sections times branching fractions of B c ± â€‱â†' ]∫¨i€	1.4 ±	17
234	and B± â†' J/ľr̀K ± and â,,¬ B c ± â†' J / ľr Ï€ ± Ï€ ± Ï€ â*" / â,,¬ B c ± â†' J / ľr Ï€ ± \$\$ mathrm{mathcal{B}}left({mathrm{B}}_{mathrm{c}}^{pm} o mathrm{J}/psi {pi}^{pm} }{pi}^{pm} Tj ETQq0 0 0 r		lock 10 Tf 50

2015, 1.

#	Article	IF	Citations
235	Search for Higgs boson off-shell production in proton-proton collisions at 7 and 8 TeV and derivation of constraints on its total decay width. Journal of High Energy Physics, 2016, 2016, 1.	1.6	17
236	Dose rate effects in the radiation damage of the plastic scintillators of the CMS hadron endcap calorimeter. Journal of Instrumentation, 2016, 11, T10004-T10004.	0.5	17
237	Measurement of electroweak-induced production of \hat{W}^3 with two jets in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV and constraints on anomalous quartic gauge couplings. Journal of High Energy Physics, 2017, 2017, 1.	1.6	17
238	Constraints on the double-parton scattering cross section from same-sign W boson pair production in proton-proton collisions at $s=8$ \$\$ sqrt{ s }=8 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	17
239	Search for $Z\hat{I}^3$ resonances using leptonic and hadronic final states in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	17
240	Measurement of charged particle spectra in minimum-bias events from proton–proton collisions at \$\$sqrt{s}=13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2018, 78, 697.	1.4	17
241	Measurement of the inclusive production cross sections for forward jets and for dijet events with one forward and one central jet in pp collisions at	1.6	16
242	Measurement of the $\mbox{mathrm{t}}\$ production cross section in the all-jet final state in pp collisions at $\$ sqrt{s}=7 $\$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	16
243	Measurement of the hadronic activity in events with a Z and two jets and extraction of the cross section for the electroweak production of a Z with two jets in pp collisions at $\$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	16
244	Measurement of jet multiplicity distributions in $\frac{t}{\text{voverline}} \{t\} \$ t t \hat{A}^- production in pp collisions at $\frac{s}{\text{vor}} = 7$, ext $\{\text{TeV}\} $ s = 7 TeV. European Physical Journal C, 2014, 74, 3014.	1.4	16
245	Measurement of dijet azimuthal decorrelation in pp \hat{A} collisions at $\frac{1}{5}=8$, mathrm TeV \$\$ s = 8 TeV. European Physical Journal C, 2016, 76, 536.	1.4	16
246	Search for a massive resonance decaying into a Higgs boson and a W or Z boson in hadronic final states in proton-proton collisions at $s = 8 $ \$ sqrt $\{s\}=8 $ \$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	16
247	Measurement of the production cross section of a WÂboson in association with two b jets in pp collisions at $\$$ sqrt $\{s\} = 8\{$, mathrm $\{\{TeV\}\}\}$ $\$$ s = 8 TeV. European Physical Journal C, 2017, 77, 92.	1.4	16
248	Search for new physics in top quark production in dilepton final states in proton-proton collisions at $\$$ sqrt $\{s\} = 13$,ext $\{TeV\}$ $\$$ s. European Physical Journal C, 2019, 79, 886.	1.4	16
249	Search for a fermiophobic Higgs boson in pp collisions at $\$$ sqrt $\$$ = 7 $\$$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	15
250	Measurement of the mass difference between top and antitop quarks. Journal of High Energy Physics, 2012, 2012, 1.	1.6	15
251	Search for new physics in events with photons, jets, and missing transverse energy in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	15
252	Measurement of top quark polarisation in t-channel single top quark production. Journal of High Energy Physics, 2016, 2016, 1.	1.6	15

#	Article	IF	CITATIONS
253	Measurement of the t t \hat{A}^- \$\$ mathrm{t}overline{mathrm{t}} \$\$ production cross section using events with one lepton and at least one jet in pp collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	15
254	Search for new physics in final states with a single photon and missing transverse momentum in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	15
255	Search for third-generation leptoquarks and scalar bottom quarks in pp collisions at \$ sqrt{s}=7;TeV \$. Journal of High Energy Physics, 2012, 2012, 1.	1.6	14
256	Search for s channel single top quark production in pp collisions at $s = 7 $ \$\$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	14
257	Search for electroweak production of a vector-like quark decaying to a top quark and a Higgs boson using boosted topologies in fully hadronic final states. Journal of High Energy Physics, 2017, 2017, 1.	1.6	14
258	Search for supersymmetry in events with at least one photon, missing transverse momentum, and large transverse event activity in proton-proton collisions at $s=13 $ \$ sqrt{ $s}=13 $ \$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	14
259	Measurements of the pp \hat{a} †' WZ inclusive and differential production cross sections and constraints on charged anomalous triple gauge couplings at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	14
260	Measurement of inclusive and differential Higgs boson production cross sections in the diphoton decay channel in proton-proton collisions at $$$ sqrt ${s}=13$ \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	14
261	Search for dark matter particles produced in association with a Higgs boson in proton-proton collisions at $\$$ sqrt{mathrm{s}} $\$$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	1.6	14
262	Search for dark photons in Higgs boson production via vector boson fusion in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.	1.6	14
263	Search for long-lived particles decaying to leptons with large impact parameter in proton–proton collisions at \$\$sqrt{s} = 13,ext {Te}ext {V} \$\$. European Physical Journal C, 2022, 82, 153.	1.4	14
264	Search for light resonances decaying into pairs of muons as a signal of new physics. Journal of High Energy Physics, 2011, 2011, 1.	1.6	13
265	Measurement of the underlying event activity in pp collisions at $\$$ sqrt $\$$ = 0.9 $\$$ and 7 TeV with the novel jet-area/median approach. Journal of High Energy Physics, 2012, 2012, 1.	1.6	13
266	Search for heavy quarks decaying into a top quark and a W or Z boson using lepton + jets events in pp collisions at $q=0$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	13
267	Search for single production of vector-like quarks decaying to a Z boson and a top or a bottom quark in proton-proton collisions at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	13
268	Jet properties in PbPb and pp collisions at $\$$ sqrt{s_{mathrm{N};mathrm{N}}}=5.02 $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	13
269	Inclusive search for highly boosted Higgs bosons decaying to bottom quark-antiquark pairs in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	1.6	13
270	Search for supersymmetry in final states with two or three soft leptons and missing transverse momentum in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	13

#	Article	IF	CITATIONS
271	Design, performance, and calibration ofÂtheÂCMSÂhadron-outerÂcalorimeter. European Physical Journal C, 2008, 57, 653-663.	1.4	12
272	Search for supersymmetry in the vector-boson fusion topology in proton-proton collisions at $s=8$ \$\$ sqrt{ s }=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	12
273	Measurement of the energy density as a function of pseudorapidity in proton–proton collisions at \$\$sqrt{s} =13,ext {TeV} \$\$. European Physical Journal C, 2019, 79, 1.	1.4	12
274	Search for new physics in top quark production with additional leptons in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV using effective field theory. Journal of High Energy Physics, 2021, 2021, 1.	1.6	12
275	Development and validation of HERWIGÂ7 tunes from CMS underlying-event measurements. European Physical Journal C, 2021, 81, 312.	1.4	12
276	Search for a right-handed W boson and a heavy neutrino in proton-proton collisions at $\$$ sqrt $\{s\}$ \$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	12
277	Observation of weak neutral current neutrino production of J/r̂. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2001, 503, 1-9.	1.5	11
278	Search for new physics with long-lived particles decaying to photons and missing energy in pp collisions at $\$ sqrt{s}=7 $\$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	11
279	Forward energy flow, central charged-particle multiplicities, and pseudorapidity gaps in W and Z boson events from pp collisions at $sqrt{s}=7$ TeV. European Physical Journal C, 2012, 72, 1.	1.4	11
280	Search for the standard model Higgs boson in the H \hat{a} † ZZ \hat{a} † \hat{a} , "+ \hat{a} ," \hat{a} ", + \hat{i} , \hat{a} " decay channel in pp collisions at \hat{a} = $\{7\}$; {ext{TeV}} \$. Journal of High Energy Physics, 2012, 2012, 1.	sart 1.6	11
281	Measurement of the $Z\hat{l}^3$ production cross section in pp collisions at 8 TeV and search for anomalous triple gauge boson couplings. Journal of High Energy Physics, 2015, 2015, 1.	1.6	11
282	Measurement of the transverse momentum spectrum of the Higgs boson produced in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV using H â†' WW decays. Journal of High Energy Physics, 2017, 2017, 1.	1.6	11
283	Search for heavy resonances decaying into a vector boson and a Higgs boson in final states with charged leptons, neutrinos and b quarks at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	11
284	Search for nonresonant Higgs boson pair production in the $\$$ mathrm{b}overline{mathrm{b}} mathrm{b}) s\$ final state at $\$$ sqrt{s} $\$$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	11
285	Search for a heavy Higgs boson decaying into two lighter Higgs bosons in the ττbb final state at 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.	1.6	11
286	Charm and beauty hadroproduction models: QGSMvs. lund. Il Nuovo Cimento A, 1993, 106, 389-419.	0.2	10
287	Search for supersymmetry in events with a lepton, a photon, and large missing transverse energy in pp collisions at sqrt = 7 TeV. Journal of High Energy Physics, 2011, 2011, 1.	1.6	10
288	Measurements of the pp \hat{a} †' $\hat{W}^{\hat{j}\hat{l}^3}$ and pp \hat{a} †' $\hat{Z}^{\hat{l}^3}$ cross sections and limits on anomalous quartic gauge couplings at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	^S 1.6	10

#	Article	IF	CITATIONS
289	Search for a heavy resonance decaying into a Z boson and a vector boson in the $\$ u overline{u}mathrm{q}overline{mathrm{q}} \$\$ final state. Journal of High Energy Physics, 2018, 2018, 1.	1.6	10
290	Search for a heavy resonance decaying to a top quark and a vector-like top quark in the lepton $+$ jets final state in pp collisions at $\$$ sqrt $\{s\} = 13$,ext $\{TeV\}$ $\$$ s $= 13$ TeV. European Physical Journal C, 2019, 79, 1.	1.4	9
291	Angular analysis of the decay B+ \hat{a} †' K \hat{a} -(892)+ \hat{i} 1/4+ \hat{i} 1/4 \hat{a} ' in proton-proton collisions at \$\$ sqrt{mathrm{s}} \$\$ = TeV. Journal of High Energy Physics, 2021, 2021, 1.	8 1.6	9
292	Search for a heavy vector resonance decaying to a $f(z) = 13$, where $f(z) = 13$, and a Higgs boson in proton-proton collisions at $f(z) = 13$, and $f(z) = 13$, where $f(z) = 13$, and $f(z) = 13$, and $f(z) = 13$, where $f(z) = 13$, and $f(z) $	1.4	9
293	Search for supersymmetry in final states with photons and missing transverse momentum in proton-proton collisions at 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	8
294	Azimuthal separation in nearly back-to-back jet topologies in inclusive 2- and 3-jet events in $f(x) = 13$, ext $f(x) = 13$,	1.4	8
295	Search for chargino-neutralino production in events with Higgs and W bosons using 137 fba 1 1 of proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.	1.6	8
296	Study of quark and gluon jet substructure in Z+jet and dijet events from pp collisions. Journal of High Energy Physics, 2022, 2022, 1.	1.6	8
297	Probing effective field theory operators in the associated production of top quarks with a Z boson in multilepton final states at $$$ sqrt ${s}$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.	1.6	8
298	Energy resolution and the linearity of the CMS forward quartz fibre calorimeter pre-production-prototype (PPP-I). Journal of Physics G: Nuclear and Particle Physics, 2004, 30, N33-N44.	1.4	7
299	Search for the standard model Higgs boson produced in association with W and Z bosons in pp collisions at $\$ sqrt{s}=7 $\$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	7
300	Measurements of the pp \hat{a}^{\dagger} W $\hat{A}\pm\hat{I}^3\hat{I}^3$ and pp \hat{a}^{\dagger} Z $\hat{I}^3\hat{I}^3$ cross sections at \$\$ sqrt{mathrm{s}} \$\$ = 13 TeV and limits anomalous quartic gauge couplings. Journal of High Energy Physics, 2021, 2021, 1.	; on 1.6	7
301	Predictions for secondary particle production at existing and future hadron-hadron colliders. Il Nuovo Cimento A, 1992, 105, 1371-1393.	0.2	6
302	Measurement of the cross section for production of $\$$ boverline b X $\$$ decaying to muons in pp collisions at $\$$ sqrt $\{s\}$ = 7 $\$$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	6
303	Comparison of the Z/\hat{l}^3 \hat{a}^- + jets to \hat{l}^3 + jets cross sections in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	6
304	Distributions of topological observables in inclusive three- and four-jet events in pp collisions at $s=7$ s = 7 s,ext {TeV}\$ TeV. European Physical Journal C, 2015, 75, 302.	1.4	6
305	Measurement of the mass of the top quark in decays with a J/ $\hat{\Gamma}$ meson in pp collisions at 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	6
306	Search for supersymmetry in events with a photon, a lepton, and missing transverse momentum in proton-proton collisions at $\$$ sqrt $\{s\} = 13 \$$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	6

#	Article	IF	Citations
307	Measurements of triple-differential cross sections for inclusive isolated-photon+jet events in ${\rm p}_p$ athrm p collisions at $\rm ext{s} = 8$, ext ${\rm TeV}$ \$. European Physical Journal C, 2019, 79, 969.	1.4	6
308	Search for decays of the 125 GeV Higgs boson into a Z boson and a ϕor ϕ meson. Journal of High Energy Physics, 2020, 2020, 1.	1.6	6
309	Search for the associated production of the Higgs boson with a top-quark pair. , 2014, 2014, 1.		6
310	Measurement of double-parton scattering in inclusive production of four jets with low transverse momentum in proton-proton collisions at $$$ sqrt ${s}$ $$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	6
311	Inclusive and differential cross section measurements of single top quark production in association with a Z boson in proton-proton collisions at $$$ sqrt ${s}$ $$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	6
312	Search for heavy resonances decaying to ZZ or ZW and axion-like particles mediating nonresonant ZZ or ZH production at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	6
313	Effects of radiation and their consequences for the performance of the forward calorimeters in the CMS experiment. Nuclear Instruments & Methods in Physics Research B, 2002, 187, 66-78.	0.6	5
314	Search for a W′ boson decaying to a vector-like quark and a top or bottom quark in the all-jets final state. Journal of High Energy Physics, 2019, 2019, 1.	1.6	5
315	Measurement of differential cross sections for Z bosons produced in association with charm jets in pp collisions at $\$\$$ sqrt $\$\$$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.	1.6	5
316	In-medium modification of dijets in PbPb collisions at $\$$ sqrt{s_{mathrm{NN}}} $\$$ = 5.02 TeV. Journal of High Energy Physics, 2021, 2021, 1.	1.6	5
317	Measurement of energy flow at large pseudorapidities in pp collisions at (sqrt $\{s\}$ = 0. $\{9\}$) and 7 TeV. , 2011, 2011, 1.		5
318	Measurement of single-diffractive dijet production in proton–proton collisions at \$\$sqrt{s} = 8,ext {Te}ext {V} \$\$ with the CMS and TOTEM experiments. European Physical Journal C, 2020, 80, 1164.	1.4	5
319	Search for flavor-changing neutral current interactions of the top quark and the Higgs boson decaying to a bottom quark-antiquark pair at $$$ sqrt{s} $$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	5
320	Measurement of the top quark mass using events with a single reconstructed top quark in pp collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.	1.6	5
321	Search for long-lived particles decaying into muon pairs in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV collected with a dedicated high-rate data stream. Journal of High Energy Physics, 2022, 2022, .	1.6	5
322	Measurement and QCD analysis of double-differential inclusive jet cross sections in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	5
323	Search for electroweak production of charginos and neutralinos in proton-proton collisions at $\$\$$ sqrt $\$\$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	5
324	Search for single production of a vector-like T quark decaying to a top quark and a Z boson in the final state with jets and missing transverse momentum at $\$\$ $ sqrt $\{s\}$ $\$\$ = 13$ TeV. Journal of High Energy Physics, 2022, 2022, .	1.6	5

#	Article	IF	Citations
325	Search for pair production of excited top quarks in the lepton + jets final state. Journal of High Energy Physics, 2014, 2014, 1.	1.6	4
326	Search for dark matter particles in proton-proton collisions at $s = 8 $ \$\$ sqrt $\{s\}=8 $ \$\$ TeV using the razor variables. Journal of High Energy Physics, 2016, 2016, 1.	1.6	4
327	Measurement of differential cross sections in the kinematic angular variable "•* for inclusive Z boson production in pp collisions at \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	4
328	Search for ZZ resonances in the $2\hat{a}$, " $2\hat{l}$ ½ final state in proton-proton collisions at 13 TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	4
329	Event shape variables measured using multijet final states in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	4
330	Search for resonant production of second-generation sleptons with same-sign dimuon events in protonâ \in proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2019, 79, 305.	1.4	4
331	Search for supersymmetry in proton-proton collisions at $\$\$$ sqrt $\$\$$ = 13 TeV in events with high-momentum Z bosons and missing transverse momentum. Journal of High Energy Physics, 2020, 2020, 1.	1.6	4
332	Search for higgsinos decaying to two Higgs bosons and missing transverse momentum in proton-proton collisions at $\$\$$ sqrt $\$\$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, .	1.6	4
333	Test beam results of CMS quartz fibre calorimeter prototype and simulation of response to high energy hadron jets. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1998, 409, 593-597.	0.7	3
334	Study of hadronic event-shape variables in multijet final states in pp collisions at $s = 7 $ \$\$ sqrt{s} = 7 \$\$ TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	3
335	Calibration of the CMS hadron calorimeters using proton-proton collision data at â^šs = 13 TeV. Journal of Instrumentation, 2020, 15, P05002-P05002.	0.5	3
336	Search for the lepton flavor violating decay \ddot{l} , \hat{a}^{\dagger} $3\hat{l}$ in proton-proton collisions at \$\$ sqrt{mathrm{s}} \$\$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.	1.6	3
337	Study of Drell-Yan dimuon production in proton-lead collisions at $\$$ sqrt $\{s_{NN}\}$ $\$$ = 8.16 TeV. Journal of High Energy Physics, 2021, 2021, 1.	1.6	3
338	Measurement of the (toverline{t}) production cross section in the dilepton channel in pp collisions at (sqrt{s}) = 8 TeV., 2014, 2014, 1.		3
339	Search for long-lived particles produced in association with a Z boson in proton-proton collisions at $\$$ sqrt $\{s\}$ \$\$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	3
340	Measurement of the inclusive and differential t \$ overline{ t } \$\$ \hat{i} 3 cross sections in the single-lepton channel and EFT interpretation at \$\$ sqrt{ s } \$\$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.	1.6	3
341	Status report on CHORUS experiment at CERN. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1995, 360, 254-257.	0.7	2
342	Test beam of a quartz-fibre calorimeter prototype with a passive front section. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1997, 400, 267-278.	0.7	2

#	Article	IF	CITATIONS
343	Search for an excited lepton that decays via a contact interaction to a lepton and two jets in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	1.6	2
344	Measurements of the differential cross sections of the production of Z + jets and \hat{I}^3 + jets and of Z boson emission collinear with a jet in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.	1.6	2
345	Measurement of the Z boson differential production cross section using its invisible decay mode (Z →) Tj ETQq1 I Physics, 2021, 2021, 1.	l 0.78431 1.6	4 rgBT /Ov€ 2
346	Measurements of angular distance and momentum ratio distributions in three-jet and $\{Z\}$ + two-jet final states in $\{p\}$ {ext $\{p\}$ } collisions. European Physical Journal C, 2021, 81, 852.	1.4	2
347	Observation of tW production in the single-lepton channel in pp collisions at $\$\$ $ sqrt $\$\$ = 13$ TeV. Journal of High Energy Physics, 2021, 2021, 1.	1.6	2
348	Measurement of prompt open-charm production cross sections in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.	1.6	2
349	Search for a heavy resonance decaying into a top quark and a W boson in the lepton+jets final state at $\$$ sqrt $\$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	2
350	Measurement of the inclusive $\mbox{mathrm{t}}$ werline{mathrm{t}} \$\$ production cross section in proton-proton collisions at \$\$ sqrt{s} \$\$ = 5.02 TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	2
351	Search for heavy resonances decaying to a pair of Lorentz-boosted Higgs bosons in final states with leptons and a bottom quark pair at $$$ sqrt ${s}$ $$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, .	1.6	2
352	Measurement of the inclusive and differential t\$\$ overline{t} \$\$ \hat{I}^3 cross sections in the dilepton channel and effective field theory interpretation in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, .	1.6	2
353	Brightness and uniformity measurements of plastic scintillator tiles at the CERN H2 test beam. Journal of Instrumentation, 2018, 13, P01002-P01002.	0.5	1
354	Study of dijet events with large rapidity separation in proton-proton collisions at $\$\$$ sqrt $\{s\}$ $\$\$$ = 2.76 TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	1
355	Search for a heavy resonance decaying to a top quark and a W boson at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV in the fully hadronic final state. Journal of High Energy Physics, 2021, 2021, 1.	1.6	1
356	Observation of B\$\$^0\$\$ \$\$ightarrow \$\$ \$\$uppsi \$\$(2S)K\$\$^0_mathrm $\{S\}$ uppi ^+uppi ^-\$\$ and B\$\$^0_mathrm $\{s\}$ \$\$ \$\$ightarrow \$\$ \$\$uppsi \$\$(2S)K\$\$^0_mathrm $\{S\}$ \$\$ decays. European Physical Journal C, 2022, 82, .	1.4	1
357	Radioactive source calibration test of the CMS Hadron Endcap Calorimeter test wedge with Phase I upgrade electronics. Journal of Instrumentation, 2017, 12, P12034-P12034.	0.5	O
358	Search for natural supersymmetry in events with top quark pairs and photons in pp collisions at $\$$ sqrt $\{s\}=8$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	0