# Eda Eskut

#### List of Publications by Citations

Source: https://exaly.com/author-pdf/1594487/eda-eskut-publications-by-citations.pdf

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

 352
 12,186
 56
 93

 papers
 citations
 h-index
 g-index

 368
 13,858
 4.9
 1.17

 ext. papers
 ext. citations
 avg, IF
 L-index

#	Paper	IF	Citations
352	Precise determination of the mass of the Higgs boson and tests of compatibility of its couplings with the standard model predictions using proton collisions at 7 and 8[Formula: see text]. <i>European Physical Journal C</i> , <b>2015</b> , 75, 212	4.2	399
351	Observation of long-range, near-side angular correlations in proton-proton collisions at the LHC. <i>Journal of High Energy Physics</i> , <b>2010</b> , 2010, 1	5.4	389
350	Study of high-p T charged particle suppression in PbPb compared to pp collisions at (sqrt{s_{mathrm{NN}}}=2.76~mathrm{TeV}). European Physical Journal C, <b>2012</b> , 72, 1	4.2	316
349	Observation of a new boson with mass near 125 GeV in pp collisions at (sqrt{s}=7) and 8 TeV. Journal of High Energy Physics, <b>2013</b> , 2013, 1	5.4	261
348	Search for dark matter, extra dimensions, and unparticles in monojet events in proton-proton collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , <b>2015</b> , 75, 235	4.2	250
347	Event generator tunes obtained from underlying event and multiparton scattering measurements. <i>European Physical Journal C</i> , <b>2016</b> , 76, 155	4.2	250
346	Observation of the diphoton decay of the Higgs boson and measurement of its properties. <i>European Physical Journal C</i> , <b>2014</b> , 74, 3076	4.2	239
345	Transverse-momentum and pseudorapidity distributions of charged hadrons in pp collisions at $(sqrt\{s\} = 0.9)$ and 2.36 TeV. <i>Journal of High Energy Physics</i> , <b>2010</b> , 2010, 1	5.4	201
344	Suppression of non-prompt J/ $\square$ prompt J/ $\square$ and ( Upsilon )(1S) in PbPb collisions at ( sqrt {{{s_{text{NN}}}}} = 2.76 ) TeV. Journal of High Energy Physics, <b>2012</b> , 2012, 1	5.4	184
343	Searches for electroweak production of charginos, neutralinos, and sleptons decaying to leptons and W, Z, and Higgs bosons in pp collisions at 8 TeV. <i>European Physical Journal C</i> , <b>2014</b> , 74, 3036	4.2	183
342	The CHORUS experiment to search for 🛭 🏖 scillation. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>1997</b> , 401, 7-44	1.2	166
341	Search for top-squark pair production in the single-lepton final state in pp collisions at (sqrt{s}=8 mathrm{TeV}). European Physical Journal C, 2013, 73, 1	4.2	162
340	Centrality dependence of dihadron correlations and azimuthal anisotropy harmonics in PbPb collisions at (sqrt{s_{NN}}= 2.76 mbox{TeV}). European Physical Journal C, 2012, 72, 1	4.2	158
339	Search for dark matter and large extra dimensions in monojet events in pp collisions at (sqrt {s} = {7}) TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	155
338	Combined measurements of Higgs boson couplings in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2019</b> , 79, 421	4.2	153
337	Search for heavy neutrinos and [Formula: see text] bosons with right-handed couplings in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2014</b> , 74, 3149	4.2	149
336	Measurement of Higgs boson production and properties in the WW decay channel with leptonic final states. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	144

335	Study of the inclusive production of charged pions, kaons, and protons in pp collisions at ( $sqrt{s} = 0.9, 2.76,mbox{and}7~mbox{TeV}$ ). European Physical Journal C, <b>2012</b> , 72, 1	4.2	133
334	Search for invisible decays of Higgs bosons in the vector boson fusion and associated ZH production modes. <i>European Physical Journal C</i> , <b>2014</b> , 74, 2980	4.2	131
333	Measurement of the inclusive W and Z production cross sections in pp collisions at (sqrt $\{s\} = 7$ ) TeV with the CMS experiment. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5.4	121
332	Prompt and non-prompt J/ $\mathbb{I}$ production in pp collisions at (sqrt{s} = 7) TeV. European Physical Journal C, <b>2011</b> , 71, 1	4.2	118
331	A search for a doubly-charged Higgs boson in pp collisions at (sqrt ${s} = 7 \text{ mbox}{TeV}$ ). European Physical Journal C, <b>2012</b> , 72, 1	4.2	111
330	Measurements of inclusive W and Z cross sections in pp collisions at (sqrt $\{s\} = 7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5.4	104
329	Measurement of differential top-quark-pair production cross sections in pp collisions at (sqrt{s} = 7 mathrm{TeV}). <i>European Physical Journal C</i> , <b>2013</b> , 73, 1	4.2	102
328	Evidence for the 125 GeV Higgs boson decaying to a pair of 🛭 eptons. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	101
327	Search for a light charged Higgs boson in top quark decays in pp collisions at (sqrt $\{s\} = 7; TeV$ ). Journal of High Energy Physics, <b>2012</b> , 2012, 1	5.4	101
326	CMS tracking performance results from early LHC operation. European Physical Journal C, 2010, 70, 11	65412197	2 99
325	Measurement of the differential cross section for top quark pair production in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2015</b> , 75, 542	4.2	98
324	Searches for long-lived charged particles in pp collisions at (sqrt{s}) = 7 and 8 TeV. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	96
323	Search for supersymmetry in hadronic final states using M T2 in pp collisions at (sqrt{s}=7) TeV. Journal of High Energy Physics, <b>2012</b> , 2012, 1	5.4	92
322	Charged particle multiplicities in pp interactions at (sqrt $\{s\}$ = 0.9), 2.36, and 7 TeV. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5.4	89
321	Dependence on pseudorapidity and on centrality of charged hadron production in PbPb collisions at (sqrt {{{s_{knN}}}}} = 2.76 ) TeV. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5.4	87
320	Search for supersymmetry in hadronic final states with missing transverse energy using the variables and b-quark multiplicity in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2013</b> , 73, 2568	4.2	82
319	Search for new physics in the multijet and missing transverse momentum final state in proton-proton collisions at ( $sqrt{s}$ ) = 8 TeV. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	81
318	Strange particle production in pp collisions at (sqrt {s} = 0.9) and 7 TeV. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5.4	78

317	Search for massive resonances in dijet systems containing jets tagged as W or Z boson decays in pp collisions at (sqrt $\{s\}$ ) = 8 TeV. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	74
316	Searches for invisible decays of the Higgs boson in pp collisions at ( $sqrt{s}$ ) = 7, 8, and 13 TeV. Journal of High Energy Physics, <b>2017</b> , 2017, 1	5.4	74
315	Search for a Higgs boson in the mass range from 145 to 1000 GeV decaying to a pair of W or Z bosons. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	73
314	Measurement of jet fragmentation into charged particles in pp and PbPb collisions at ( sqrt{{{s_{mathrm{NN}}}}} = 2.76 ) TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	73
313	Study of the production of charged pions, kaons, and protons in pPb collisions at [Formula: see text]5.02[Formula: see text]. <i>European Physical Journal C</i> , <b>2014</b> , 74, 2847	4.2	71
312	Search for neutral MSSM Higgs bosons decaying to a pair of tau leptons in pp collisions. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	70
311	Measurement of the single-top-quark t-channel cross section in pp collisions at (sqrt{s}=7) TeV. Journal of High Energy Physics, 2012, 2012, 1	5.4	70
310	Measurement of the underlying event activity at the LHC with ( $sqrt {s} = 7$ ) TeV and comparison with ( $sqrt {s} = 0.9$ ) TeV. Journal of High Energy Physics, <b>2011</b> , 2011, 1	5.4	70
309	Search for physics beyond the standard model in dilepton mass spectra in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	69
308	J/land (PS) production in pp collisions at ( sqrt {s} = 7{text{Tev}} ). Journal of High Energy Physics, 2012, 1	5.4	69
307	Studies of dijet transverse momentum balance and pseudorapidity distributions in pPb collisions at (sqrt{s_{mathrm{NN}}} = 5.02) (,text {TeV}). European Physical Journal C, <b>2014</b> , 74, 1	4.2	67
306	Search for anomalous production of multilepton events in pp collisions at (sqrt $\{s\}$ = 7,TeV). Journal of High Energy Physics, 2012, 2012, 1	5.4	65
305	Measurement of the (mathrm{t}overline{mathrm{t}}) production cross section in the dilepton channel in pp collisions at (sqrt{s}=7) TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	64
304	Extraction and validation of a new set of CMS pythia8 tunes from underlying-event measurements. <i>European Physical Journal C</i> , <b>2020</b> , 80, 4	4.2	61
303	Study of double parton scattering using W + 2-jet events in proton-proton collisions at ( sqrt $\{s\}$ ) = 7 TeV. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	61
302	Studies of azimuthal dihadron correlations in ultra-central PbPb collisions at (sqrt{{{s_{NN }}}}) = 2.76 TeV. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	60
301	Search for massive resonances decaying into pairs of boosted bosons in semi-leptonic final states at (sqrt{s}) = 8 TeV. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	59
300	Search for anomalous (toverline t) production in the highly-boosted all-hadronic final state. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	57

# (2014-2013)

299	Study of exclusive two-photon production of W+Win pp collisions at (sqrt{s}=7) TeV and constraints on anomalous quartic gauge couplings. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	56
298	Measurement of the W+Wltross section in pp collisions at (sqrt{s} = 7mbox{ TeV}) and limits on anomalous WWland WWZ couplings. <i>European Physical Journal C</i> , <b>2013</b> , 73, 1	4.2	56
297	Long-range and short-range dihadron angular correlations in central PbPb collisions at (sqrt {{{s_{text{NN}}}}} ) = 2.76 TeV. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5.4	56
296	Search for a standard model Higgs boson produced in association with a top-quark pair and decaying to bottom quarks using a matrix element method. <i>European Physical Journal C</i> , <b>2015</b> , 75, 251	4.2	55
295	New results from a search for Eland El-Eloscillation. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2001</b> , 497, 8-22	4.2	53
294	Search for ( {text{B}}_{text{s}}^0 ) -县	5.4	52
293	Measurements of differential and double-differential Drell-Yan cross sections in proton-proton collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , <b>2015</b> , 75, 147	4.2	50
292	Measurement of the ratio of the inclusive 3-jet cross section to the inclusive 2-jet cross section in pp collisions at (sqrt{s} = 7 mathrm{TeV}) and first determination of the strong coupling constant in the TeV range. European Physical Journal C, 2013, 73, 1	4.2	50
291	Search for a standard-model-like Higgs boson with a mass in the range 145 to 1000 GeV at the LHC. <i>European Physical Journal C</i> , <b>2013</b> , 73, 2469	4.2	49
290	Nuclear effects on the transverse momentum spectra of charged particles in pPb collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , <b>2015</b> , 75, 237	4.2	48
289	Measurement of the t-channel single-top-quark production cross section and of the $ V $ tb CKM matrix element in pp collisions at ( sqrt{s} ) = 8 TeV. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	48
288	Measurement of the ( $\{\{rm\ t\}bar\{rm\ t\}\}$ ) production cross section and the top quark mass in the dilepton channel in pp collisions at ( $sqrt\ \{s\} = 7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5.4	48
287	Measurement of the relative prompt production rate of and in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2012</b> , 72, 2251	4.2	46
286	Search for new physics with same-sign isolated dilepton events with jets and missing transverse energy at the LHC. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5.4	46
285	Search for new physics with jets and missing transverse momentum in pp collisions at (sqrt {s} = 7) TeV. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5.4	46
284	Combined search for electroweak production of charginos and neutralinos in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	45
283	Exclusive $\Box \oplus \Box$ Theoduction in proton-proton collisions at (sqrt {s} = {7}) TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	45
282	Search for the associated production of the Higgs boson with a top-quark pair. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	45

5.4

39

264

Study of the underlying event at forward rapidity in pp collisions at (

sqrt{s}=0.9,2.76,;mathrm{and};7;mathrm{TeV}). Journal of High Energy Physics, 2013, 1

# (2016-2013)

263	Measurement of the ZZ production cross section and search for anomalous couplings in 200 final states in pp collisions at (sqrt{s}=7) TeV. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	39
262	Search for same-sign top-quark pair production at (sqrt {s} = 7) TeV and limits on flavour changing neutral currents in the top sector. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5.4	39
261	Search for new physics in events with same-sign dileptons and jets in pp collisions at (sqrt{s}) = 8 TeV. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	38
260	Search for microscopic black holes in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	38
259	Measurement of the lepton charge asymmetry in inclusive W production in pp collisions at (sqrt {s} = 7;{text{TeV}}). <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5.4	38
258	A search for Ebscillation. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>1998</b> , 424, 202-212	4.2	38
257	Measurement of the [Formula: see text] cross section in pp collisions at [Formula: see text] TeVand limits on anomalous gauge couplings. <i>European Physical Journal C</i> , <b>2016</b> , 76, 401	4.2	38
256	Constraints on parton distribution functions and extraction of the strong coupling constant from the inclusive jet cross section in pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , <b>2015</b> , 75, 288	4.2	37
255	Jet production rates in association with W and Z bosons in pp collisions at (sqrt $\{s\} = 7 \{\text{text}\{\text{TeV}\}\}\)$ ). Journal of High Energy Physics, <b>2012</b> , 2012, 1	5.4	37
254	Measurement of masses in the [Formula: see text] system by kinematic endpoints in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2013</b> , 73, 2494	4.2	37
253	Search for narrow resonances and quantum black holes in inclusive and b-tagged dijet mass spectra from pp collisions at (sqrt{s}=7) TeV. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	37
252	Measurement of pseudorapidity distributions of charged particles in proton $\beta$ roton collisions at (sqrt{s} = 8) TeV by the CMS and TOTEM experiments. <i>European Physical Journal C</i> , <b>2014</b> , 74, 1	4.2	37
251	Design, performance, and calibration of CMS forward calorimeter wedges. <i>European Physical Journal C</i> , <b>2008</b> , 53, 139-166	4.2	37
250	Measurement of prompt and nonprompt charmonium suppression in collisions at 5.02. <i>European Physical Journal C</i> , <b>2018</b> , 78, 509	4.2	37
249	Measurement of the top-quark mass in (mathrm $\{t\}$ ) overline $\{mathrm\{t\}\}$ ) events with dilepton final states in pp collisions at (sqrt $\{s\}=7$ mbox $\{TeV\}$ ). European Physical Journal C, <b>2012</b> , 72, 1	4.2	36
248	First measurement of the underlying event activity at the LHC with ( $sqrt{s} = 0.9$ ) TeV. European Physical Journal C, <b>2010</b> , 70, 555-572	4.2	36
247	Search for disappearing tracks in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	35
246	Measurement of differential cross sections for Higgs boson production in the diphoton decay channel in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2016</b> , 76, 13	4.2	35

245	Search for the standard model Higgs boson produced in association with a top-quark pair in pp collisions at the LHC. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	35
244	Search for third-generation scalar leptoquarks and heavy right-handed neutrinos in final states with two tau leptons and two jets in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	35
243	Measurement of the (mathrm{{tbar{t}}}) production cross section in pp collisions at (sqrt{s}=7) TeV using the kinematic properties of events with leptons and jets. <i>European Physical Journal C</i> , <b>2011</b> , 71, 1	4.2	35
242	Search for microscopic black holes in pp collisions at ( sqrt $\{s\} = \{\text{text}\{7\text{TeV}\}\}\)$ ). Journal of High Energy Physics, <b>2012</b> , 2012, 1	5.4	34
241	Search for heavy stable charged particles in pp collisions at ( sqrt $\{s\} = 7; \{\text{text}\{\text{TeV}\}\}\)$ ). Journal of High Energy Physics, <b>2011</b> , 2011, 1	5.4	34
240	Search for Ebscillation using the Edecay modes into a single charged particle. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>1998</b> , 434, 205-213	4.2	34
239	Search for decays of stopped long-lived particles produced in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2015</b> , 75, 151	4.2	33
238	Search for new physics in events with same-sign dileptons and b jets in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	33
237	Search for a light charged Higgs boson decaying to (mathrm{c}overline{mathrm{s}}) in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1-37	5.4	33
236	Identification techniques for highly boosted W bosons that decay into hadrons. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	32
235	Search for resonances in the dilepton mass distribution in pp collisions at (sqrt $\{s\} = 7$ ) TeV. Journal of High Energy Physics, <b>2011</b> , 2011, 1	5.4	32
234	Search for supersymmetry in pp collisions at ( sqrt $\{s\} = 7$ ) TeV in events with a single lepton, jets, and missing transverse momentum. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5.4	32
233	Measurement of the Drell-Yan cross section in pp collisions at ( sqrt $\{s\} = 7$ ) TeV. Journal of High Energy Physics, <b>2011</b> , 2011, 1	5.4	32
232	Search in leptonic channels for heavy resonances decaying to long-lived neutral particles. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	30
231	Inclusive b-jet production in pp collisions at (sqrt {s} = 7TeV). <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	30
230	Observation of Z decays to four leptons with the CMS detector at the LHC. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	30
229	Measurement of the top-quark mass in ( mathrm{t}overline{mathrm{t}}) events with lepton+jets final states in pp collisions at ( sqrt{s}=7 ) TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	30
228	Measurement of the underlying event in the Drell $\mathbb B$ an process in proton $\mathbb B$ roton collisions at (sqrt{s} = 7~mbox{TeV}). European Physical Journal C, <b>2012</b> , 72, 1	4.2	30

227	Search for supersymmetry in final states with missing transverse energy and 0, 1, 2, or <b>B</b> b-quark jets in 7 TeV pp collisions using the variable <b>B</b> T. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	29	
226	Observation of Y(1S) pair production in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	29	
225	Measurement of top quark-antiquark pair production in association with a W or Z boson in pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , <b>2014</b> , 74, 3060	4.2	29	
224	Measurement of differential cross sections for the production of a pair of isolated photons in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2014</b> , 74, 3129	4.2	29	
223	Search for heavy Majorana neutrinos in $e \oplus e \oplus + jets$ and $e \oplus \oplus + jets$ events in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	28	
222	Search for supersymmetry in events with b jets and missing transverse momentum at the LHC. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5.4	28	
221	On the differences between high-energy proton and pion showers and their signals in a non-compensating calorimeter. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>1998</b> , 408, 380-396	1.2	28	
220	Search for low mass vector resonances decaying into quark-antiquark pairs in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	28	
219	Shape, transverse size, and charged-hadron multiplicity of jets in pp collisions at (sqrt{s}=7;TeV). Journal of High Energy Physics, <b>2012</b> , 2012, 1	5.4	27	
218	Measurement of ( $\{\text{text}\{B\}\}\}$ ) angular correlations based on secondary vertex reconstruction at ( $\text{sqrt}\{s\} = 7,\{\text{text}\{\text{TeV}\}\}$ ). Journal of High Energy Physics, <b>2011</b> , 2011, 1	5.4	27	
217	Measurement of the cross section and angular correlations for associated production of a Z boson with b hadrons in pp collisions at ( $sqrt{s}$ ) = 7 TeV. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	26	
216	Searches for supersymmetry using the M T2 variable in hadronic events produced in pp collisions at 8 TeV. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	26	
215	Search for physics beyond the standard model in opposite-sign dilepton events in pp collisions at (sqrt {s} = 7,{text{TeV}}). <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5.4	26	
214	Measurement of the W-boson helicity in top-quark decays from (mathrm{t}overline{mathrm{t}}) production in lepton+jets events in pp collisions at (sqrt{s}=7) TeV. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	25	
213	Search for top squark pair production in pp collisions at (sqrt{s}=13) TeV using single lepton events. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	25	
212	Measurements of the [Formula: see text][Formula: see text] production cross sections in the [Formula: see text] channel in proton-proton collisions at [Formula: see text] and [Formula: see text] and combined constraints on triple gauge couplings. <i>European Physical Journal C</i> , <b>2015</b> , 75, 511	4.2	25	
211	Search for resonant (mathrm{t}overline{mathrm{t}}) production in lepton+jets events in pp collisions at (sqrt{s}=7) TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	25	
210	Search for heavy resonances decaying to two Higgs bosons in final states containing four b quarks. <i>European Physical Journal C</i> , <b>2016</b> , 76, 371	4.2	25	

209	Search for charged Higgs bosons in the H⊞ -暑⊞ecay channel in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	24
208	Constraints on the pMSSM, AMSB model and on other models from the search for long-lived charged particles in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2015</b> , 75, 325	4.2	24
207	Jet and underlying event properties as a function of charged-particle multiplicity in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2013</b> , 73, 2674	4.2	24
206	Measurement of the $Z/\mathbb{Z} + b$ -jet cross section in pp collisions at (sqrt $\{s\} = 7$ ) TeV. Journal of High Energy Physics, <b>2012</b> , 2012, 1	5.4	24
205	Search for new physics in events with same-sign dileptons and b-tagged jets in pp collisions at (sqrt {s} = 7) TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	24
204	Search for the standard model Higgs boson in the H $-$ ZZ $-$ 2 $\square$ 2 hannel in pp collisions at (sqrt {text{s}} = {7};{text{TeV}}). Journal of High Energy Physics, <b>2012</b> , 2012, 1	5.4	24
203	Search for W? - $*$ b decays in the lepton + jets final state in pp collisions at (sqrt{s}) = 8 TeV. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	23
202	Design, performance, and calibration of CMS hadron-barrel calorimeter wedges. <i>European Physical Journal C</i> , <b>2008</b> , 55, 159-171	4.2	23
201	Search for third-generation scalar leptoquarks decaying to a top quark and a lepton at. <i>European Physical Journal C</i> , <b>2018</b> , 78, 707	4.2	23
200	Search for physics beyond the standard model in events with two leptons, jets, and missing transverse momentum in pp collisions at (sqrt{s}) = 8 TeV. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	22
199	Measurement of Bose-Einstein correlations in pp collisions at (sqrt $\{s\}$ = 0.9) and 7 TeV. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5.4	22
198	Measurement of the WZ production cross section in pp collisions at [Formula: see text] and 8[Formula: see text] and search for anomalous triple gauge couplings at [Formula: see text]. European Physical Journal C, 2017, 77, 236	4.2	21
197	Measurement of electroweak production of two jets in association with a Z boson in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2015</b> , 75, 66	4.2	21
196	Correlations between jets and charged particles in PbPb and pp collisions at ( sqrt{s_{mathrm{NN}}}=2.76) TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	21
195	Measurement of the [Formula: see text] production cross section in the all-jets final state in pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , <b>2016</b> , 76, 128	4.2	21
194	Measurement of the production cross sections for a Z boson and one or more b jets in pp collisions at (sqrt{s}) = 7 TeV. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	21
193	Measurement of the top-quark mass in all-jets [Formula: see text] events in pp collisions at [Formula: see text] TeV. <i>European Physical Journal C</i> , <b>2014</b> , 74, 2758	4.2	21
192	Measurement of the (mathrm{t}bar{mathrm{t}}) production cross section in the ⊞jets channel in pp collisions at (sqrt{s}=7 mbox{TeV}). European Physical Journal C, <b>2013</b> , 73, 1	4.2	21

191	Search for a Higgs boson in the decay channel H $- \frac{1}{2}Z(*) - \frac{1}{2}($ overline $\{text\{q\}\}\}$ ) $\blacksquare +$ in pp collisions at ( sqrt $\{s\} = 7$ )TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	21
190	Inclusive b-hadron production cross section with muons in pp collisions at (sqrt $\{s\} = 7; \{\text{text}\{\text{TeV}\}\}$ ). Journal of High Energy Physics, <b>2011</b> , 2011, 1	5.4	21
189	Search for large extra dimensions in the diphoton final state at the Large Hadron Collider. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5.4	21
188	The CMS barrel calorimeter response to particle beams from 2 to 350 GeV/c. <i>European Physical Journal C</i> , <b>2009</b> , 60, 359-373	4.2	21
187	Radiation-hardness studies of high OHIzontent quartz fibres irradiated with 500MeV electrons.  Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers,  Detectors and Associated Equipment, 2002, 490, 444-455	1.2	21
186	Search for standard model production of four top quarks with same-sign and multilepton final states in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2018</b> , 78, 140	4.2	20
185	Measurement of the production cross section for pairs of isolated photons in pp collisions at (sqrt {s} = 7;TeV). <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	20
184	Search for pair production of vector-like T and B quarks in single-lepton final states using boosted jet substructure in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	20
183	Search for a heavy right-handed W boson and a heavy neutrino in events with two same-flavor leptons and two jets at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	20
182	Measurement of the W boson helicity in events with a single reconstructed top quark in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	19
181	Search for massive WH resonances decaying into the [Formula: see text] final state at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , <b>2016</b> , 76, 237	4.2	19
180	Search for heavy resonances decaying to tau lepton pairs in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	19
179	Search for massive resonances decaying into WW, WZ or ZZ bosons in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	19
178	Measurement of energy flow at large pseudorapidities in pp collisions at (sqrt $\{s\}$ = 0. $\{9\}$ ) and 7 TeV. Journal of High Energy Physics, <b>2011</b> , 2011, 1	5.4	19
177	Search for lepton flavour violating decays of the Higgs boson to hand elin proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	19
176	Study of Z production in PbPb and pp collisions at (sqrt{s_{mathrm{NN}}}=2.76) TeV in the dimuon and dielectron decay channels. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	18
175	Observation of top quark pairs produced in association with a vector boson in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	18
174	Search for heavy neutrinos and third-generation leptoquarks in hadronic states of two leptons and two jets in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	18

173	. Journal of High Energy Physics, <b>2014</b> , 2014, 1	5.4	18
172	Search for neutral MSSM Higgs bosons decaying into a pair of bottom quarks. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	18
171	Search for heavy Higgs bosons decaying to a top quark pair in proton-proton collisions at (sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	18
170	Measurement of the inclusive jet cross section in pp collisions at ( $sqrt{s} = 2.76$ , text {TeV}). European Physical Journal C, <b>2016</b> , 76, 1	4.2	17
169	Search for (mathrm{t}overline{mathrm{t}}) resonances in highly boosted lepton+jets and fully hadronic final states in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	17
168	Search for the production of dark matter in association with top-quark pairs in the single-lepton final state in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	17
167	Search for stopped long-lived particles produced in pp collisions at (sqrt $\{s\} = \{\text{text}\{7\text{TeV}\}\}\)$ ). Journal of High Energy Physics, 2012, 1	5.4	17
166	Ratios of dijet production cross sections as a function of the absolute difference in rapidity between jets in protonproton collisions at (sqrt{s} = 7 mathrm{TeV}). European Physical Journal C, 2012, 72, 1	4.2	17
165	Measurement of the inclusive Z cross section via decays to tau pairs in pp collisions at (sqrt $\{s\} = 7$ ) TeV. Journal of High Energy Physics, <b>2011</b> , 2011, 1	5.4	17
164	Measurement of WZ and ZZ production in pp collisions at [Formula: see text] in final states with b-tagged jets. <i>European Physical Journal C</i> , <b>2014</b> , 74, 2973	4.2	16
163	Search for exotic resonances decaying into WZ/ZZ in pp collisions at (sqrt{s}=7) TeV. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	16
162	Search for vector-like T quarks decaying to top quarks and Higgs bosons in the all-hadronic channel using jet substructure. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	16
161	Performance studies of a full-length prototype for the CASTOR forward calorimeter at the CMS experiment. <i>European Physical Journal C</i> , <b>2010</b> , 67, 601-615	4.2	16
160	Measurements of the associated production of a Z boson and b jets in pp collisions at. <i>European Physical Journal C</i> , <b>2017</b> , 77, 751	4.2	15
159	Measurement of differential and integrated fiducial cross sections for Higgs boson production in the four-lepton decay channel in pp collisions at (sqrt{s}=7) and 8 TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	15
158	Search for new particles decaying to a jet and an emerging jet. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	15
157	Measurement of the triple-differential cross section for photon + jets production in proton-proton collisions at (sqrt{s}) = 7 TeV. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	15
156	Search for new physics in events with photons, jets, and missing transverse energy in pp collisions at (sqrt{s}=7) TeV. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	15

155	Search for supersymmetry in pp collisions at [Formula: see text] TeV in events with a single lepton, jets, and missing transverse momentum. <i>European Physical Journal C</i> , <b>2013</b> , 73, 2404	4.2	15	
154	Measurement of the transverse momentum spectra of weak vector bosons produced in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	15	
153	Search for standard model production of four top quarks in the lepton + jets channel in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	15	
152	Search for high-mass resonances in final states with a lepton and missing transverse momentum at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	15	
151	Measurement of the jet mass in highly boosted [Formula: see text] events from pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , <b>2017</b> , 77, 467	4.2	14	
150	Search for heavy Majorana neutrinos in same-sign dilepton channels in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	14	
149	Search for a massive resonance decaying into a Higgs boson and a W or Z boson in hadronic final states in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	14	
148	Measurement of the (Lambda_{mathrm{b}}^0) lifetime in pp collisions at (sqrt{s}=7) TeV. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	14	
147	Measurement of the ( mathrm{t}overline{mathrm{t}}) production cross section in the all-jet final state in pp collisions at ( $sqrt{s}=7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	14	
146	Measurement of the (mathrm $\{t\}$ overline $\{mathrm\{t\}\}$ ) production cross section using events with one lepton and at least one jet in pp collisions at (sqrt $\{s\}$ =13) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	14	
145	Search for Higgs boson off-shell production in proton-proton collisions at 7 and 8 TeV and derivation of constraints on its total decay width. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	14	
144	Evidence for Higgs boson decay to a pair of muons. Journal of High Energy Physics, <b>2021</b> , 2021, 1	5.4	14	
143	Measurements of the differential jet cross section as a function of the jet mass in dijet events from proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	14	
142	Search for resonant (mathrm{t}overline{mathrm{t}}) production in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	13	
141	Measurement of the ratio of the production cross sections times branching fractions of B $\oplus$ c $\rightarrow$ / $\Box$ $\oplus$ and B $\oplus$ - $\supset$ / $B$ $\oplus$ and (mathrm{mathcal{B}}left({mathrm{B}}_{mathrm{c}}^{p})^{p} for Mathrm{D}/psi {pi}^{p}_{pm}{pi}^{m}_{pi}^{m}_{pi}^{m}_{pi}^{p}_{pm}_{pi}^{p}_{pm}_{pi}^{p}_{pm}_{pi}^{p}_{pm}_{pi}^{p}_{pm}_{pi}^{p}_{pm}_{pi}^{p}_{pm}_{pm}^{pm}^{p}_{pm}^{p}_{pm}^{pm}_{p	5.4	13	
140	mathrm{J}/psi {pi}^{pm}right) ) in pp collisions at ( sqrt{s}=7 ) TeV. Journal of High Energy Physics, Constraints on the double-parton scattering cross section from same-sign W boson pair production in proton-proton collisions at ( sqrt{s}=8 ) TeV. Journal of High Energy Physics, 2018, 2018, 1	5.4	13	
139	Forward-backward asymmetry of Drell-Yan lepton pairs in pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , <b>2016</b> , 76, 325	4.2	13	
138	Measurement of exclusive [photoproduction in ultraperipheral pPb collisions at. <i>European Physical Journal C</i> , <b>2019</b> , 79, 702	4.2	13	

137	Probing color coherence effects in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2014</b> , 74, 2901	4.2	13
136	Search for a fermiophobic Higgs boson in pp collisions at (sqrt {s} = 7) TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	13
135	Measurement of the inclusive production cross sections for forward jets and for dijet events with one forward and one central jet in pp collisions at ( sqrt {s} = 7 ) TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	13
134	Measurement of the mass difference between top and antitop quarks. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	13
133	Search for ( mathrm{t}overline{mathrm{t}}mathrm{H}) production in the all-jet final state in proton-proton collisions at ( sqrt{s}=13 ) TeV. Journal of High Energy Physics, <b>2018</b> , 2018, 1	5.4	13
132	Search for heavy quarks decaying into a top quark and a W or Z boson using lepton + jets events in pp collisions at (sqrt{s}=7) TeV. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	12
131	Search for quark compositeness in dijet angular distributions from pp collisions at (sqrt $\{s\}$ = $7\{\}$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	12
130	Search for third-generation leptoquarks and scalar bottom quarks in pp collisions at (sqrt{s}=7;TeV). <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	12
129	Search for light resonances decaying into pairs of muons as a signal of new physics. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5.4	12
128	Measurement of jet multiplicity distributions in [Formula: see text] production in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2014</b> , 74, 3014	4.2	11
127	Search for supersymmetry in the vector-boson fusion topology in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	11
126	Measurement of the underlying event activity in pp collisions at (sqrt $\{s\}$ = 0.9) and 7 TeV with the novel jet-area/median approach. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	11
125	Forward energy flow, central charged-particle multiplicities, and pseudorapidity gaps in W and Z boson events from pp collisions at (sqrt{s}= 7) TeV. <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	11
124	Search for the standard model Higgs boson in the H $-\mathbb{Z}Z$ $-\mathbb{Z}B$ decay channel in pp collisions at (sqrt {s} = {7};{text{TeV}}). <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	11
123	Design, performance, and calibration of the CMS hadron-outer calorimeter. <i>European Physical Journal C</i> , <b>2008</b> , 57, 653-663	4.2	11
122	Search for ZI resonances using leptonic and hadronic final states in proton-proton collisions at ( sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	11
121	Measurements of the pp ->WZ inclusive and differential production cross sections and constraints on charged anomalous triple gauge couplings at (sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	10
120	Measurement of the transverse momentum spectrum of the Higgs boson produced in pp collisions at (sqrt{s}=8) TeV using H->WW decays. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	10

119	Measurement of the hadronic activity in events with a Z and two jets and extraction of the cross section for the electroweak production of a Z with two jets in pp collisions at (sqrt{s}=7) TeV. Journal of High Energy Physics, 2013, 2013, 1	5.4	10
118	Search for physics beyond the standard model in events with leptons, jets, and large transverse momentum imbalance in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2013</b> , 73, 249	3 <sup>4.2</sup>	10
117	Search for supersymmetry in events with at least one photon, missing transverse momentum, and large transverse event activity in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	10
116	Search for new physics with long-lived particles decaying to photons and missing energy in pp collisions at (sqrt{s}=7) TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	10
115	Search for supersymmetry in events with a lepton, a photon, and large missing transverse energy in pp collisions at (sqrt $\{s\} = 7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5.4	10
114	Observation of weak neutral current neutrino production of J/\(\Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, <b>2001</b> , 503, 1-9	4.2	10
113	Dose rate effects in the radiation damage of the plastic scintillators of the CMS hadron endcap calorimeter. <i>Journal of Instrumentation</i> , <b>2016</b> , 11, T10004-T10004	1	10
112	Search for resonant pair production of Higgs bosons decaying to bottom quark-antiquark pairs in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	10
111	Search for new physics in final states with a single photon and missing transverse momentum in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	9
110	Search for electroweak production of a vector-like quark decaying to a top quark and a Higgs boson using boosted topologies in fully hadronic final states. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	9
109	Measurement of electroweak-induced production of Wīwith two jets in pp collisions at (sqrt{s}=8) TeV and constraints on anomalous quartic gauge couplings. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	9
108	Charm and beauty hadroproduction models: QGSMvs. lund <b>1993</b> , 106, 389-419		9
107	Search for a light pseudoscalar Higgs boson in the boosted If in al state in proton-proton collisions at (sqrt $\{s\}$ ) = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	9
106	Measurement of charged particle spectra in minimum-bias events from proton-proton collisions at. <i>European Physical Journal C</i> , <b>2018</b> , 78, 697	4.2	9
105	Measurement of inclusive and differential Higgs boson production cross sections in the diphoton decay channel in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	8
104	Search for s channel single top quark production in pp collisions at (sqrt{s}=7) and 8 TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	8
103	Search for single production of vector-like quarks decaying to a Z boson and a top or a bottom quark in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	8
102	Measurement of the top quark mass using single top quark events in proton-proton collisions at [Formula: see text][TeV. European Physical Journal C, 2017, 77, 354	4.2	8

101	Measurement of the production cross section of a Wiboson in association with two b jets in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2017</b> , 77, 92	4.2	7
100	Measurement of the energy density as a function of pseudorapidity in protonBroton collisions at (sqrt{s} =13,text {TeV}). European Physical Journal C, <b>2019</b> , 79, 1	4.2	7
99	Search for rare decays of and Higgs bosons to and a photon in proton-proton collisions at = 13. European Physical Journal C, <b>2019</b> , 79, 94	4.2	7
98	Search for dark matter particles produced in association with a Higgs boson in proton-proton collisions at (sqrt{mathrm{s}}) = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	7
97	Measurement of top quark polarisation in t-channel single top quark production. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	7
96	Jet properties in PbPb and pp collisions at ( sqrt{s_{mathrm{N};mathrm{N}}}=5.02 ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	7
95	Measurement of the Z[production cross section in pp collisions at 8 TeV and search for anomalous triple gauge boson couplings. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	7
94	Search for dark matter produced in association with a leptonically decaying boson in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2021</b> , 81, 13	4.2	7
93	Search for heavy resonances decaying into a vector boson and a Higgs boson in final states with charged leptons, neutrinos and b quarks at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	7
92	Precision luminosity measurement in proton-proton collisions at in 2015 and 2016 at CMS. <i>European Physical Journal C</i> , <b>2021</b> , 81, 800	4.2	7
91	Measurement of dijet azimuthal decorrelation in pptollisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2016</b> , 76, 536	4.2	6
90	Search for a heavy resonance decaying to a top quark and a vector-like top quark in the lepton $+$ jets final state in pp collisions at (sqrt{s} = 13,text {TeV}). European Physical Journal C, <b>2019</b> , 79, 1	4.2	6
89	Search for the standard model Higgs boson produced in association with W and Z bosons in pp collisions at (sqrt{s}=7)TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	6
88	Energy resolution and the linearity of the CMS forward quartz fibre calorimeter pre-production-prototype (PPP-I). <i>Journal of Physics G: Nuclear and Particle Physics</i> , <b>2004</b> , 30, N33-N44	2.9	6
87	Predictions for secondary particle production at existing and future hadron-hadron colliders <b>1992</b> , 105, 1371-1393		6
86	Search for the associated production of the Higgs boson with a top-quark pair <b>2014</b> , 2014, 1		6
85	Search for supersymmetry in final states with two oppositely charged same-flavor leptons and missing transverse momentum in proton-proton collisions at ( sqrt{s} ) = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	6
84	Measurement of the differential Drell-Yan cross section in proton-proton collisions at ( sqrt{mathrm{s}} ) = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	6

### (2021-2019)

83	Search for new physics in top quark production in dilepton final states in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2019</b> , 79, 886	4.2	6
82	Search for a heavy resonance decaying into a Z boson and a vector boson in the (nu overline{nu}mathrm{q}overline{mathrm{q}}) final state. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	6
81	Measurement of the mass of the top quark in decays with a J/limeson in pp collisions at 8 TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	5
80	Search for supersymmetry in final states with photons and missing transverse momentum in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	5
79	Comparison of the $Z/\mathbb{F}$ + jets to $\mathbb{F}$ jets cross sections in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	5
78	Measurement of energy flow at large pseudorapidities in pp collisions at ( sqrt $\{s\}$ = 0. $\{9\}$ ) and 7 TeV <b>2011</b> , 2011, 1		5
77	Measurements of production cross sections and constraints on anomalous triple gauge couplings at. <i>European Physical Journal C</i> , <b>2021</b> , 81, 200	4.2	5
76	Measurement of the Higgs boson production rate in association with top quarks in final states with electrons, muons, and hadronically decaying tau leptons at. <i>European Physical Journal C</i> , <b>2021</b> , 81, 378	4.2	5
75	Measurements of production cross sections of the Higgs boson in the four-lepton final state in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2021</b> , 81, 488	4.2	5
74	Search for resonant and nonresonant new phenomena in high-mass dilepton final states at (sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	5
73	Search for top squark pair production using dilepton final states in collision data collected at. <i>European Physical Journal C</i> , <b>2021</b> , 81, 3	4.2	5
72	Search for nonresonant Higgs boson pair production in the ( mathrm{b}overline{mathrm{b}}mathrm{b}overline{mathrm{b}}) final state at (sqrt{s}) = 13 TeV.  Journal of High Energy Physics, 2019, 2019, 1	5.4	4
71	Distributions of topological observables in inclusive three- and four-jet events in pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , <b>2015</b> , 75, 302	4.2	4
70	Search for a W? boson decaying to a vector-like quark and a top or bottom quark in the all-jets final state. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	4
69	Effects of radiation and their consequences for the performance of the forward calorimeters in the CMS experiment. <i>Nuclear Instruments &amp; Methods in Physics Research B</i> , <b>2002</b> , 187, 66-78	1.2	4
68	Measurement of differential cross sections and charge ratios for -channel single top quark production in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2020</b> , 80, 370	4.2	4
67	Search for nonresonant Higgs boson pair production in final states with two bottom quarks and two photons in proton-proton collisions at (sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	4
66	Search for new physics in top quark production with additional leptons in proton-proton collisions at (sqrt{s}) = 13 TeV using effective field theory. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	4

65	MUSiC: a model-unspecific search for new physics in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2021</b> , 81, 629	4.2	4
64	Search for ZZ resonances in the 2½ Final state in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	3
63	Search for pair production of excited top quarks in the lepton + jets final state. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	3
62	Study of hadronic event-shape variables in multijet final states in pp collisions at (sqrt{s} = 7) TeV. Journal of High Energy Physics, <b>2014</b> , 2014, 1	5.4	3
61	Measurement of the cross section for production of (boverline b X) decaying to muons in pp collisions at (sqrt $\{s\} = 7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	3
60	Test beam results of CMS quartz fibre calorimeter prototype and simulation of response to high energy hadron jets. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment,</i> <b>1998</b> , 409, 593-597	1.2	3
59	Combined searches for the production of supersymmetric top quark partners in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2021</b> , 81, 970	4.2	3
58	Search for new particles in events with energetic jets and large missing transverse momentum in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	3
57	Measurement of the (toverline $\{t\}$ ) production cross section in the dilepton channel in pp collisions at (sqrt $\{s\}$ ) = 8 TeV <b>2014</b> , 2014, 1		3
56	Measurements of Higgs boson production cross sections and couplings in the diphoton decay channel at (sqrt{mathrm{s}}) = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	3
55	Event shape variables measured using multijet final states in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	3
54	Search for charged Higgs bosons produced in vector boson fusion processes and decaying into vector boson pairs in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2021</b> , 81, 723	4.2	3
53	Search for resonant production of second-generation sleptons with same-sign dimuon events in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2019</b> , 79, 305	4.2	2
52	Search for supersymmetry in events with a photon, a lepton, and missing transverse momentum in proton-proton collisions at ( $sqrt{s} = 13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	2
51	Search for decays of the 125 GeV Higgs boson into a Z boson and a lbr? meson. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	2
50	Measurement of differential cross sections in the kinematic angular variable ?* for inclusive Z boson production in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	2
49	Search for dark matter particles in proton-proton collisions at (sqrt{s}=8) TeV using the razor variables. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	2
48	Measurements of the pp -氷ゆnd pp -ヹはross sections and limits on anomalous quartic gauge couplings at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	2

47	Test beam of a quartz-fibre calorimeter prototype with a passive front section. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>1997</b> , 400, 267-278	1.2	2
46	Status report on CHORUS experiment at CERN. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>1995</b> , 360, 254-25	57 <sup>1.2</sup>	2
45	Search for a heavy Higgs boson decaying into two lighter Higgs bosons in the <b>B</b> b final state at 13 TeV. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	2
44	Search for dark photons in Higgs boson production via vector boson fusion in proton-proton collisions at (sqrt $\{s\}$ ) = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	2
43	Angular analysis of the decay B+ - $*$ *(892)+ $\mathbb{H}$ In proton-proton collisions at (sqrt{mathrm{s}}) = 8 TeV. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	2
42	Search for supersymmetry in proton-proton collisions at (sqrt{s}) = 13 TeV in events with high-momentum Z bosons and missing transverse momentum. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	1
41	Search for an excited lepton that decays via a contact interaction to a lepton and two jets in proton-proton collisions at ( $sqrt\{s\}$ ) = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	1
40	Search for chargino-neutralino production in events with Higgs and W bosons using 137 fb $\mathbf{I}$ of proton-proton collisions at (sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	1
39	Measurements of the pp - $\mathbb{Z}$ land pp - $\mathbb{Z}$ laross sections at (sqrt{mathrm{s}}) = 13 TeV and limits on anomalous quartic gauge couplings. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	1
38	Inclusive search for highly boosted Higgs bosons decaying to bottom quark-antiquark pairs in proton-proton collisions at (sqrt $\{s\}$ ) = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	1
37	Measurement of differential cross sections for Z bosons produced in association with charm jets in pp collisions at (sqrt $\{s\}$ ) = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	1
36	Development and validation of HERWIGI7 tunes from CMS underlying-event measurements. <i>European Physical Journal C</i> , <b>2021</b> , 81, 312	4.2	1
35	Measurements of triple-differential cross sections for inclusive isolated-photon+jet events in collisions at. <i>European Physical Journal C</i> , <b>2019</b> , 79, 969	4.2	1
34	Search for the lepton flavor violating decay 🖟 🛠 🗓 n proton-proton collisions at (sqrt{mathrm{s}}) = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	1
33	Search for flavor-changing neutral current interactions of the top quark and the Higgs boson decaying to a bottom quark-antiquark pair at \$\$ sqrt{s} \$\$ = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1	5.4	1
32	Search for a heavy resonance decaying to a top quark and a W boson at \$\$ sqrt{s} \$\$ = 13 TeV in the fully hadronic final state. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	1
31	Azimuthal separation in nearly back-to-back jet topologies in inclusive 2- and 3-jet events in collisions at. <i>European Physical Journal C</i> , <b>2019</b> , 79, 773	4.2	О
30	Measurement of double-parton scattering in inclusive production of four jets with low transverse momentum in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1	5.4	O

29	Study of quark and gluon jet substructure in Z+jet and dijet events from pp collisions. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1	5.4	О
28	Measurement of single-diffractive dijet production in proton-proton collisions at with the CMS and TOTEM experiments. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1164	4.2	O
27	Observation of tW production in the single-lepton channel in pp collisions at (sqrt{s}) = 13 TeV. Journal of High Energy Physics, <b>2021</b> , 2021, 1	5.4	O
26	Study of Drell-Yan dimuon production in proton-lead collisions at (sqrt{s_{mathrm{NN}}}) = 8.16 TeV. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	O
25	In-medium modification of dijets in PbPb collisions at ( sqrt{s_{mathrm{NN}}} ) = 5.02 TeV. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	0
24	Search for a heavy vector resonance decaying to a Doson and a Higgs boson in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2021</b> , 81, 688	4.2	O
23	Measurements of angular distance and momentum ratio distributions in three-jet and + two-jet final states in collisions. <i>European Physical Journal C</i> , <b>2021</b> , 81, 852	4.2	О
22	Inclusive and differential cross section measurements of single top quark production in association with a Z boson in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1	5.4	O
21	Search for long-lived particles decaying to leptons with large impact parameter in proton-proton collisions at European Physical Journal C, 2022, 82, 153	4.2	0
20	Search for long-lived particles produced in association with a Z boson in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1	5.4	O
19	Search for low-mass dilepton resonances in Higgs boson decays to four-lepton final states in proton-proton collisions at <i>European Physical Journal C</i> , <b>2022</b> , 82, 290	4.2	О
18	Measurement of the inclusive and differential t\$\$ overline $\{t\}$ \$\$ $\mathbb{R}$ ross sections in the single-lepton channel and EFT interpretation at \$\$ sqrt $\{s\}$ \$\$ = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	O
17	Measurement of the top quark mass using events with a single reconstructed top quark in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	О
16	Probing effective field theory operators in the associated production of top quarks with a Z boson in multilepton final states at $$$ sqrt ${s}$ $$$ = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	O
15	Search for supersymmetry in final states with two or three soft leptons and missing transverse momentum in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1	5.4	О
14	Search for a right-handed W boson and a heavy neutrino in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1	5.4	O
13	Search for a heavy resonance decaying into a top quark and a W boson in the lepton+jets final state at $$$ sqrt ${s}$ $$$ = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1	5.4	О
12	Search for heavy resonances decaying to ZZ or ZW and axion-like particles mediating nonresonant ZZ or ZH production at \$\$ sqrt{s} \$\$ = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1	5.4	O

#### LIST OF PUBLICATIONS

11	Measurement and QCD analysis of double-differential inclusive jet cross sections in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1	5.4	О
10	Search for electroweak production of charginos and neutralinos in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1	5.4	O
9	Brightness and uniformity measurements of plastic scintillator tiles at the CERN H2 test beam. Journal of Instrumentation, <b>2018</b> , 13, P01002-P01002	1	
8	Search for natural supersymmetry in events with top quark pairs and photons in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	
7	Radioactive source calibration test of the CMS Hadron Endcap Calorimeter test wedge with Phase I upgrade electronics. <i>Journal of Instrumentation</i> , <b>2017</b> , 12, P12034-P12034	1	
6	Calibration of the CMS hadron calorimeters using proton-proton collision data at 🛭 = 13 TeV. <i>Journal of Instrumentation</i> , <b>2020</b> , 15, P05002-P05002	1	
5	Measurements of the differential cross sections of the production of $Z + jets$ and $B + jets$ and of $Z + jets$ and of	5.4	
4	Measurement of the Z boson differential production cross section using its invisible decay mode (Z	5.4	
3	Study of dijet events with large rapidity separation in proton-proton collisions at \$\$ sqrt{s} \$\$ = 2.76 TeV. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1	5.4	
2	Measurement of prompt open-charm production cross sections in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	
1	Measurement of the inclusive $$$ mathrm{t}overline{mathrm{t}} \$\$ production cross section in proton-proton collisions at $$$ sqrt{s} $$$ = 5.02 TeV. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1	5.4	