
Theodore M Johnson 2nd

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1596530/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 1 | Nocturia Frequency, Bother, and Quality of Life: How Often Is Too Often? A Population-Based Study in Finland. European Urology, 2010, 57, 488-498. | 0.9 | 290 |
| 2 | Outbreak ofClostridium difficileInfection in a Longâ€Term Care Facility: Association with Gatifloxacin Use. Clinical Infectious Diseases, 2004, 38, 640-645. | 2.9 | 244 |
| 3 | A Systematic Evaluation of Factors Associated With Nocturia—The Population-based FINNO Study. American Journal of Epidemiology, 2009, 170, 361-368. | 1.6 | 155 |
| 4 | Behavioral Therapy With or Without Biofeedback and Pelvic Floor Electrical Stimulation for Persistent Postprostatectomy Incontinence. JAMA - Journal of the American Medical Association, 2011, 305, 151. | 3.8 | 154 |
| 5 | Changes in Nocturia From Medical Treatment of Benign Prostatic Hyperplasia: Secondary Analysis of the Department of Veterans Affairs Cooperative Study Trial. Journal of Urology, 2003, 170, 145-148. | 0.2 | 131 |
| 6 | Effect of Fesoterodine in Vulnerable Elderly Subjects with Urgency Incontinence: A Double-Blind, Placebo Controlled Trial. Journal of Urology, 2014, 191, 395-404. | 0.2 | 125 |
| 7 | Sleep-Disordered Breathing and Nocturia in Older Adults. Journal of the American Geriatrics Society, 2004, 52, 957-960. | 1.3 | 100 |
| 8 | Effects of Behavioral and Drug Therapy on Nocturia in Older Incontinent Women. Journal of the American Geriatrics Society, 2005, 53, 846-850. | 1.3 | 97 |
| 9 | The Association of Urinary Incontinence with Poor Selfâ€Rated Health. Journal of the American Geriatrics Society, 1998, 46, 693-699. | 1.3 | 93 |
| 10 | The Effect of Doxazosin, Finasteride and Combination Therapy on Nocturia in Men With Benign Prostatic Hyperplasia. Journal of Urology, 2007, 178, 2045-2051. | 0.2 | 89 |
| 11 | The Prevalence of Clinically Meaningful Overactive Bladder: Bother and Quality of Life Results from the Population-Based FINNO Study. European Urology, 2011, 59, 629-636. | 0.9 | 88 |
| 12 | Behavioral Versus Drug Treatment for Overactive Bladder in Men: The Male Overactive Bladder Treatment in Veterans (MOTIVE) Trial. Journal of the American Geriatrics Society, 2011, 59, 2209-2216. | 1.3 | 86 |
| 13 | Urinary Incontinence Treatment Preferences in Long-Term Care. Journal of the American Geriatrics Society, 2001, 49, 710-718. | 1.3 | 85 |
| 14 | Preoperative Frailty Increases Risk of Nonhome Discharge after Elective Vascular Surgery in Home-Dwelling Patients. Annals of Vascular Surgery, 2016, 35, 19-29. | 0.4 | 76 |
| 15 | Evaluating Potentially Modifiable Risk Factors for Prevalent and Incident Nocturia in Older Adults. Journal of the American Geriatrics Society, 2005, 53, 1011-1016. | 1.3 | 73 |
| 16 | Prevalence and Correlates of Nocturia in Communityâ€Dwelling Older Adults. Journal of the American Geriatrics Society, 2010, 58, 861-866. | 1.3 | 71 |
| 17 | Office Management of Geriatric Urinary Incontinence. American Journal of Medicine, 2007, 120, 211-220. | 0.6 | 70 |
| 18 | Prevalence of Nocturia in United States Men: Results From the National Health and Nutrition Examination Survey. Journal of Urology, 2011, 185, 998-1002. | 0.2 | 61 |

Theodore M Johnson 2nd

| # | Article | IF | CITATIONS |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 19 | A multicomponent behavioural and drug intervention for nocturia in elderly men: rationale and pilot results. BJU International, 2009, 104, 69-74. | 1.3 | 56 |
| 20 | Nocturia think tank: Focus on nocturnal polyuria: IClâ€RS 2011. Neurourology and Urodynamics, 2012, 31, 330-339. | 0.8 | 55 |
| 21 | Intervention to Improve Care at Life's End in Inpatient Settings: The BEACON Trial. Journal of General Internal Medicine, 2014, 29, 836-843. | 1.3 | 54 |
| 22 | Pain Management Interventions in the Nursing Home: A Structured Review of the Literature. Journal of the American Geriatrics Society, 2009, 57, 1258-1267. | 1.3 | 53 |
| 23 | Urinary Incontinence and Risk of Death among Community-Living Elderly People. Journal of Aging and Health, 2000, 12, 25-46. | 0.9 | 49 |
| 24 | Efficacy and Safety of Flexible Dose Fesoterodine in Men and Women with Overactive Bladder Symptoms Including Nocturnal Urinary Urgency. Journal of Urology, 2013, 189, 1396-1401. | 0.2 | 48 |
| 25 | Older Patients' Perspectives on Managing Complexity in CKD Self-Management. Clinical Journal of the American Society of Nephrology: CJASN, 2017, 12, 635-643. | 2.2 | 48 |
| 26 | Vitamin D and Lower Urinary Tract Symptoms Among US Men: Results from the 2005-2006 National Health and Nutrition Examination Survey. Urology, 2011, 78, 1292-1297. | 0.5 | 46 |
| 27 | Geriatric Patients' Preferences for Treatment of Urinary Incontinence: A Study of Hospitalized, Cognitively Competent Adults Aged 80 and Older. Journal of the American Geriatrics Society, 2007, 55, 2016-2022. | 1.3 | 45 |
| 28 | The Impact of Nocturia on Falls and Fractures: A Systematic Review and Meta-Analysis. Journal of Urology, 2020, 203, 674-683. | 0.2 | 45 |
| 29 | Smoking and Bladder Symptoms in Women. Obstetrics and Gynecology, 2011, 118, 643-648. | 1.2 | 44 |
| 30 | Methicillin-ResistantStaphylococcus aureus(MRSA) Nasal Carriage in Residents of Veterans Affairs Long-Term Care Facilities: Role of Antimicrobial Exposure and MRSA Acquisition. Infection Control and Hospital Epidemiology, 2012, 33, 551-557. | 1.0 | 43 |
| 31 | Caffeine Intake and its Association with Urinary Incontinence in United States Men: Results from National Health and Nutrition Examination Surveys 2005–2006 and 2007–2008. Journal of Urology, 2013, 189, 2170-2174. | 0.2 | 43 |
| 32 | Effectiveness of Combined Behavioral and Drug Therapy for Overactive Bladder Symptoms in Men. JAMA Internal Medicine, 2020, 180, 411. | 2.6 | 41 |
| 33 | Association of Multimorbidity with Mortality and Healthcare Utilization in Chronic Kidney Disease. Journal of the American Geriatrics Society, 2017, 65, 704-711. | 1.3 | 39 |
| 34 | Combined Behavioral and Individualized Drug Therapy Versus Individualized Drug Therapy Alone for Urge Urinary Incontinence in Women. Journal of Urology, 2010, 184, 598-603. | 0.2 | 37 |
| 35 | Efficacy of adding behavioural treatment or antimuscarinic drug therapy to αâ€blocker therapy in men with nocturia. BJU International, 2013, 112, 100-108. | 1.3 | 36 |
| 36 | Reproductive factors associated with nocturia and urinary urgency in women: a population-based study in Finland. American Journal of Obstetrics and Gynecology, 2008, 199, 153.e1-153.e12. | 0.7 | 34 |

| # | ARTICLE | IF | CITATIONS |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 37 | Enhancing the Quality of Prescribing Practices for Older Veterans Discharged from the Emergency Department (EQUiPPED): Preliminary Results from Enhancing Quality of Prescribing Practices for Older Veterans Discharged from the Emergency Department, a Novel Multicomponent Interdisciplinary Quality Improvement Initiative. Journal of the American Geriatrics Society, 2015, 63, | 1.3 | 34 |
| 38 | Longâ€ŧerm Metformin Therapy and Monitoring for Vitamin B12 Deficiency Among Older Veterans. Journal of the American Geriatrics Society, 2017, 65, 1061-1066. | 1.3 | 34 |
| 39 | A randomized controlled trial comparing treatment with oral agents and basal insulin in elderly patients with type 2 diabetes in long-term care facilities. BMJ Open Diabetes Research and Care, 2015, 3, e000104. | 1.2 | 33 |
| 40 | Assessment of the Risk Analysis Index for Prediction of Mortality, Major Complications, and Length of Stay in Patients who Underwent Vascular Surgery. Annals of Vascular Surgery, 2020, 66, 442-453. | 0.4 | 33 |
| 41 | Impact of Obesity on Urinary Storage Symptoms: Results from the FINNO Study. Journal of Urology, 2013, 189, 1377-1382. | 0.2 | 31 |
| 42 | The <i>5Ts</i> : Preliminary Development of a Framework to Support Inclusion of Older Adults in Research. Journal of the American Geriatrics Society, 2019, 67, 342-346. | 1.3 | 31 |
| 43 | Incontinence in frail elderly persons: Report of the 6th International Consultation on Incontinence. Neurourology and Urodynamics, 2021, 40, 38-54. | 0.8 | 31 |
| 44 | Nocturia and overnight polysomnography in Parkinson disease. Neurourology and Urodynamics, 2013, 32, 1080-1085. | 0.8 | 30 |
| 45 | A Randomized Controlled Study Comparing a DPP4 Inhibitor (Linagliptin) and Basal Insulin (Glargine) in Patients With Type 2 Diabetes in Long-term Care and Skilled Nursing Facilities: Linagliptin-LTC Trial. Journal of the American Medical Directors Association, 2018, 19, 399-404.e3. | 1.2 | 30 |
| 46 | Arginine Vasopressin and Nocturnal Polyuria in Older Adults With Frequent Nighttime Voiding. Journal of Urology, 2003, 170, 480-484. | 0.2 | 28 |
| 47 | Content Validation of Symptom-Specific Nocturia Quality-of-Life Instrument Developed in Men: Issues Expressed by Women, as Well as Men. Urology, 2008, 72, 736-742. | 0.5 | 26 |
| 48 | Quality of Incontinence Management in U.S. Nursing Homes: A Failing Grade. Journal of the American Geriatrics Society, 2003, 51, 1810-1812. | 1.3 | 23 |
| 49 | Behavioral therapy for urinary symptoms in Parkinson's disease: A randomized clinical trial. Neurourology and Urodynamics, 2019, 38, 1737-1744. | 0.8 | 23 |
| 50 | Incontinence. Medical Clinics of North America, 2011, 95, 539-554. | 1.1 | 22 |
| 51 | Cluster analysis of multiple chronic conditions associated with urinary incontinence among women in the USA. BJU International, 2018, 122, 1041-1048. | 1.3 | 22 |
| 52 | Cognitive Impairment and Overall Survival in Frail Surgical Patients. Journal of the American College of Surgeons, 2017, 225, 590-600e1. | 0.2 | 21 |
| 53 | Opioid Pain Medication Orders and Administration in the Last Days of Life. Journal of Pain and Symptom Management, 2012, 44, 681-691. | 0.6 | 20 |
| 54 | Incidence and Remission of Nocturia: A Systematic Review and Meta-analysis. European Urology, 2016, 70, 372-381. | 0.9 | 20 |

| # | Article | IF | CITATIONS |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 55 | Pilot Results from a Randomized Trial in Men Comparing Alpha-Adrenergic Antagonist versus Behavior and Exercise for Nocturia and Sleep. Clinical Therapeutics, 2016, 38, 2394-2406.e3. | 1.1 | 19 |
| 56 | URINARY INCONTINENCE IN THE OLDER MAN. Medical Clinics of North America, 1999, 83, 1247-1266. | 1.1 | 18 |
| 57 | Oral ddAVP for Nighttime Urinary Incontinence in Characterized Nursing Home Residents: A Pilot Study. Journal of the American Medical Directors Association, 2006, 7, 6-11. | 1.2 | 18 |
| 58 | Differences in the Association of Nocturia and Functional Outcomes of Sleep by Age and Gender: A Cross-sectional, Population-based Study. Clinical Therapeutics, 2016, 38, 2386-2393.e1. | 1.1 | 17 |
| 59 | A Pilot Study to Determine Reasons for Patient Withdrawal From a Pelvic Muscle Rehabilitation Program for Urinary Incontinence. Journal of Applied Gerontology, 1999, 18, 379-396. | 1.0 | 15 |
| 60 | Underreporting of nursing home utilization on the CMS-2728 in older incident dialysis patients and implications for assessing mortality risk. BMC Nephrology, 2015, 16, 32. | 0.8 | 15 |
| 61 | US and Dutch nurse experiences with fall prevention technology within nursing home environment and workflow: A qualitative study. Geriatric Nursing, 2017, 38, 276-282. | 0.9 | 15 |
| 62 | Unsolicited Patient Complaints Identify Physicians with Evidence of Neurocognitive Disorders. American Journal of Geriatric Psychiatry, 2018, 26, 927-936. | 0.6 | 15 |
| 63 | The Relationship Between the Action of Arginine Vasopressin and Responsiveness to Oral Desmopressin in Older Men: A Pilot Study. Journal of the American Geriatrics Society, 2007, 55, 562-569. | 1.3 | 13 |
| 64 | A PROSPECTIVE EVALUATION OF THE GLOMERULAR FILTRATION RATE IN OLDER ADULTS WITH FREQUENT NIGHTTIME URINATION. Journal of Urology, 2002, 167, 146-150. | 0.2 | 12 |
| 65 | Feasibility of a Low-Cost, Interactive Gaming System to Assess Balance in Older Women. Journal of Aging and Physical Activity, 2016, 24, 111-118. | 0.5 | 12 |
| 66 | The Fluctuation of Nocturia in Men with Lower Urinary Tract Symptoms Allocated to Placebo during a 12-Month Randomized, Controlled Trial. Journal of Urology, 2014, 191, 1040-1044. | 0.2 | 11 |
| 67 | Acupuncture for Treatment of Persistent Disturbed Sleep. Journal of Clinical Psychiatry, 2018, 80, . | 1.1 | 11 |
| 68 | The Newly Revised F-Tag 315 and Surveyor Guidance for Urinary Incontinence in Long-Term Care. Journal of the American Medical Directors Association, 2006, 7, 594-600. | 1.2 | 10 |
| 69 | Using Telehealth Technology to Support Family Caregivers: Description of a Pilot Intervention and Preliminary Results. Physical and Occupational Therapy in Geriatrics, 2010, 28, 307-320. | 0.2 | 9 |
| 70 | Military Exposure and Urinary Incontinence among American Men. Journal of Urology, 2014, 191, 125-129. | 0.2 | 9 |
| 71 | Increased odds of bladder and bowel symptoms in early Parkinson's disease. Neurourology and Urodynamics, 2018, 37, 1344-1348. | 0.8 | 9 |
| 72 | Associations between remote patient monitoring programme responsiveness and clinical outcomes for patients with COVID-19. BMJ Open Quality, 2021, 10, e001496. | 0.4 | 9 |

| # | Article | IF | CITATIONS |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 73 | Identifying Landmark Articles for Advancing the Practice of Geriatrics. Journal of the American Geriatrics Society, 2014, 62, 2159-2162. | 1.3 | 8 |
| 74 | Outcomes, accreditation, interprofessional education, and the Tower of Babel. Journal of Interprofessional Care, 2019, 33, 805-808. | 0.8 | 8 |
| 75 | Promoting Help-Seeking Behavior for Urinary Incontinence. Journal of Applied Gerontology, 1998, 17, 419-441. | 1.0 | 7 |
| 76 | Feasibility of Tele-Prompt: A tablet-based prompted voiding intervention to support informal caregivers of older adults with urinary incontinence. Geriatric Nursing, 2020, 41, 411-420. | 0.9 | 7 |
| 77 | A Framework for Mobilizing Health Care to Respond to the Community Within the COVID-19 Pandemic. Preventing Chronic Disease, 2021, 18, E30. | 1.7 | 6 |
| 78 | The Shifting Impact of UI. Journal of the American Geriatrics Society, 2001, 49, 998-999. | 1.3 | 5 |
| 79 | Leadership, Inside and Out: The Tideswellâ€ACSâ€ADGAP Emerging Leaders in Aging Program. Journal of the American Geriatrics Society, 2019, 67, 437-442. | 1.3 | 5 |
| 80 | Comorbidities, Age, and Polypharmacy Limit the Use by US Older Adults with Nocturia of the Only FDA-approved Drugs for the Symptom. Clinical Therapeutics, 2020, 42, e259-e274. | 1.1 | 5 |
| 81 | Association of peripheral artery disease with life-space mobility restriction and mortality in community-dwelling older adults. Journal of Vascular Surgery, 2020, 71, 2098-2106.e1. | 0.6 | 5 |
| 82 | Urological function and dysfunction in aging: Diagnosis and treatment. Handbook of Clinical Neurology / Edited By P J Vinken and G W Bruyn, 2019, 167, 495-509. | 1.0 | 4 |
| 83 | Diagnostic Assessment of Geriatric Urinary Incontinence. American Journal of the Medical Sciences, 1997, 314, 250-256. | 0.4 | 4 |
| 84 | Quantifying Risk for SARS-CoV-2 Infection Among Nursing Home Workers for the 2020-2021 Winter Surge of the COVID-19 Pandemic in Georgia, USA. Journal of the American Medical Directors Association, 2022, 23, 942-946.e1. | 1.2 | 4 |
| 85 | Patient discourse on chronic kidney disease monitoring: a qualitative study at a Veterans Affairs Renal Clinic. BMC Nephrology, 2018, 19, 183. | 0.8 | 3 |
| 86 | The Georgia Memory Net: Implementation of a statewide program to diagnose and treat Alzheimer's disease and related dementias. Journal of the American Geriatrics Society, 2022, 70, 1257-1267. | 1.3 | 3 |
| 87 | Bedwetting from the heart: Time for a paradigm shift in the minimal diagnostic evaluation of enuresis. Heart Rhythm, 2022, 19, 862-865. | 0.3 | 3 |
| 88 | 1516 BEHAVIORAL VS. DRUG TREATMENT FOR OVERACTIVE BLADDER IN MEN: THE MOTIVE TRIAL. Journal of Urology, 2010, 183, . | 0.2 | 2 |
| 89 | Exercise Interventions and Glycemic Control in Patients With Diabetes. JAMA - Journal of the American Medical Association, 2011, 306, 607. | 3.8 | 2 |
| 90 | Correlates of persistent sleep complaints after traumatic brain injury. Neuropsychological Rehabilitation, 2013, 23, 698-714. | 1.0 | 2 |

| # | Article | IF | CITATIONS |
|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 91 | Handsâ€Free, Nonwearable Technology for Outpatient Clinic Gait Speed Assessment. Journal of the American Geriatrics Society, 2019, 67, 183-184. | 1.3 | 2 |
| 92 | Epidemiology of Nocturia: Evaluation of Prevalence, Incidence, Impact and Risk Factors. , 2012, , 77-107. | | 2 |
| 93 | Risk factors for severe acute respiratory coronavirus virus 2 (SARS-CoV-2) seropositivity among nursing home staff. Antimicrobial Stewardship & Healthcare Epidemiology, 2021, 1, . | 0.2 | 2 |
| 94 | Updating the landmark literature for the practice of geriatrics: Notable articles from 2012–2019. Journal of the American Geriatrics Society, 2022, 70, 872-879. | 1.3 | 2 |
| 95 | PELVIC FLOOR ELECTRICAL STIMULATION, BIOFEEDBACK, AND BEHAVIORAL THERAPY FOR PERSISTENT POST-PROSTATECTOMY INCONTINENCE. Journal of Urology, 2009, 181, 591-592. | 0.2 | 1 |
| 96 | Editorial Comment. Urology, 2015, 85, 646-647. | 0.5 | 1 |
| 97 | Development and evolution of a two-day intensive resident experience in geriatric medicine. Gerontology and Geriatrics Education, 2021, 42, 24-37. | 0.6 | 1 |
| 98 | An Exploratory Analysis of Tamsulosin for Overactive Bladder (OAB) in Men With Varying Voiding Symptom Burden. Urology, 2021, 153, 42-48. | 0.5 | 1 |
| 99 | OUP accepted manuscript. Age and Ageing, 2022, 51, . | 0.7 | 1 |
| 100 | 1549: The Effect of Doxazosin, Finasteride, and Combination Therapy on Nocturia in Men with Benign Prostatic Hyperplasia. Journal of Urology, 2007, 177, 511-511. | 0.2 | 0 |
| 101 | The management of voiding dysfunction in persons with dementia. Current Bladder Dysfunction Reports, 2008, 3, 75-81. | 0.2 | 0 |
| 102 | BOTHER AND IMPACT OF NOCTURIA ON HEALTH-RELATED QUALITY OF LIFE. Journal of Urology, 2008, 179, 112-112. | 0.2 | 0 |
| 103 | IMPACT OF OVERACTIVE BLADDER DRY AND WET ON HEALTH-RELATED QUALITY OF LIFE: A POPULATION-BASED STUDY. Journal of Urology, 2009, 181, 86-86. | 0.2 | 0 |
| 104 | 1763 ARE URINARY STORAGE SYMPTOMS RELATED WITH SMOKING? A POPULATION-BASED STUDY IN WOMEN. Journal of Urology, 2010, 183, . | 0.2 | 0 |
| 105 | 264 PREVALENCE AND RISK FACTORS FOR NOCTURIA IN US MEN: NATIONAL HEALTH AND NUTRITIONAL EXAMINATION SURVEY DATA. Journal of Urology, 2010, 183, . | 0.2 | 0 |
| 106 | 1955 WHAT IS THE MOST BOTHERSOME LOWER URINARY TRACT SYMPTOM? INDIVIDUAL AND POPULATION LEVEL PERSPECTIVES. Journal of Urology, 2011, 185, . | 0.2 | 0 |
| 107 | 1244 THE NATURAL HISTORY OF NOCTURIA AMONG MEN ALLOCATED TO PLACEBO: RESULTS FROM A RANDOMIZED CONTROLLED TRIAL WITH ONE YEAR FOLLOW-UP. Journal of Urology, 2012, 187, . | 0.2 | 0 |
| 108 | The vulnerable elderly and bladder dysfunction: is this â€~urinary incompetence'?. International Journal of Clinical Practice, 2016, 70, 432-433. | 0.8 | 0 |

| # | Article | IF | CITATIONS |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 109 | Editorial Comment. Urology, 2016, 97, 31-32. | 0.5 | Ο |
| 110 | Considering the Effect of Combining α-Blockers With Bladder Antimuscarinics in Treatment of Overactive Bladder Symptoms—Reply. JAMA Internal Medicine, 2020, 180, 1025. | 2.6 | 0 |
| 111 | The chickenâ€orâ€egg dilemma with nocturia: Which matters most, the water or the salt?. Journal of Clinical Hypertension, 2020, 22, 639-641. | 1.0 | Ο |
| 112 | Recent Medicare Part D beneficiary claims for desmopressin medications. Journal of the American Geriatrics Society, 2021, 69, 2030-2032. | 1.3 | 0 |
| 113 | Outcomes using <scp>directâ€acting</scp> antiviral <scp>hepatitisâ€C</scp> treatment in older versus younger Veterans. Journal of the American Geriatrics Society, 2021, 69, 3602-3607. | 1.3 | Ο |
| 114 | Editorial Comment. Journal of Urology, 2019, 202, 1021-1021. | 0.2 | 0 |