

Theodore M Johnson 2nd

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1596530/theodore-m-johnson-2nd-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

99
papers

2,839
citations

30
h-index

51
g-index

115
ext. papers

3,339
ext. citations

4
avg, IF

4.71
L-index

| # | Paper | IF | Citations |
|----|--|------|-----------|
| 99 | Bedwetting from the heart: Time for a paradigm shift in the minimal diagnostic evaluation of enuresis.. <i>Heart Rhythm</i> , 2022 , 19, 862-865 | 6.7 | 0 |
| 98 | A Framework for Mobilizing Health Care to Respond to the Community Within the COVID-19 Pandemic. <i>Preventing Chronic Disease</i> , 2021 , 18, E30 | 3.7 | 3 |
| 97 | Recent Medicare Part D beneficiary claims for desmopressin medications. <i>Journal of the American Geriatrics Society</i> , 2021 , 69, 2030-2032 | 5.6 | |
| 96 | An Exploratory Analysis of Tamsulosin for Overactive Bladder (OAB) in Men With Varying Voiding Symptom Burden. <i>Urology</i> , 2021 , 153, 42-48 | 1.6 | |
| 95 | Development and evolution of a two-day intensive resident experience in geriatric medicine. <i>Gerontology and Geriatrics Education</i> , 2021 , 42, 24-37 | 1.2 | 1 |
| 94 | Incontinence in frail elderly persons: Report of the 6th International Consultation on Incontinence. <i>Neurourology and Urodynamics</i> , 2021 , 40, 38-54 | 2.3 | 10 |
| 93 | Outcomes using direct-acting antiviral hepatitis-C treatment in older versus younger Veterans. <i>Journal of the American Geriatrics Society</i> , 2021 , 69, 3602-3607 | 5.6 | |
| 92 | Associations between remote patient monitoring programme responsiveness and clinical outcomes for patients with COVID-19. <i>BMJ Open Quality</i> , 2021 , 10, | 1.9 | 1 |
| 91 | Considering the Effect of Combining β Blockers With Bladder Antimuscarinics in Treatment of Overactive Bladder Symptoms-Reply. <i>JAMA Internal Medicine</i> , 2020 , 180, 1025-1026 | 11.5 | |
| 90 | Association of peripheral artery disease with life-space mobility restriction and mortality in community-dwelling older adults. <i>Journal of Vascular Surgery</i> , 2020 , 71, 2098-2106.e1 | 3.5 | 3 |
| 89 | The chicken-or-egg dilemma with nocturia: Which matters most, the water or the salt?. <i>Journal of Clinical Hypertension</i> , 2020 , 22, 639-641 | 2.3 | |
| 88 | Assessment of the Risk Analysis Index for Prediction of Mortality, Major Complications, and Length of Stay in Patients who Underwent Vascular Surgery. <i>Annals of Vascular Surgery</i> , 2020 , 66, 442-453 | 1.7 | 10 |
| 87 | Effectiveness of Combined Behavioral and Drug Therapy for Overactive Bladder Symptoms in Men: A Randomized Clinical Trial. <i>JAMA Internal Medicine</i> , 2020 , 180, 411-419 | 11.5 | 11 |
| 86 | Feasibility of Tele-Prompt: A tablet-based prompted voiding intervention to support informal caregivers of older adults with urinary incontinence. <i>Geriatric Nursing</i> , 2020 , 41, 411-420 | 2.1 | 2 |
| 85 | The Impact of Nocturia on Falls and Fractures: A Systematic Review and Meta-Analysis. <i>Journal of Urology</i> , 2020 , 203, 674-683 | 2.5 | 23 |
| 84 | Comorbidities, Age, and Polypharmacy Limit the Use by US Older Adults with Nocturia of the Only FDA-approved Drugs for the Symptom. <i>Clinical Therapeutics</i> , 2020 , 42, e259-e274 | 3.5 | 4 |
| 83 | Leadership, Inside and Out: The Tideswell-AGS-ADGAP Emerging Leaders in Aging Program. <i>Journal of the American Geriatrics Society</i> , 2019 , 67, 437-442 | 5.6 | 4 |

| | | | |
|----|---|-----|----|
| 82 | Behavioral therapy for urinary symptoms in Parkinson's disease: A randomized clinical trial. <i>Neurourology and Urodynamics</i> , 2019 , 38, 1737-1744 | 2.3 | 10 |
| 81 | Outcomes, accreditation, interprofessional education, and the Tower of Babel. <i>Journal of Interprofessional Care</i> , 2019 , 33, 805-808 | 2.7 | 4 |
| 80 | The 5Ts: Preliminary Development of a Framework to Support Inclusion of Older Adults in Research. <i>Journal of the American Geriatrics Society</i> , 2019 , 67, 342-346 | 5.6 | 5 |
| 79 | Editorial Comment. <i>Journal of Urology</i> , 2019 , 202, 1021 | 2.5 | |
| 78 | Urological function and dysfunction in aging: Diagnosis and treatment. <i>Handbook of Clinical Neurology / Edited By P J Vinken and G W Bruyn</i> , 2019 , 167, 495-509 | 3 | |
| 77 | Hands-Free, Nonwearable Technology for Outpatient Clinic Gait Speed Assessment. <i>Journal of the American Geriatrics Society</i> , 2019 , 67, 183-184 | 5.6 | |
| 76 | A Randomized Controlled Study Comparing a DPP4 Inhibitor (Linagliptin) and Basal Insulin (Glargine) in Patients With Type 2 Diabetes in Long-term Care and Skilled Nursing Facilities: Linagliptin-LTC Trial. <i>Journal of the American Medical Directors Association</i> , 2018 , 19, 399-404.e3 | 5.9 | 19 |
| 75 | Increased odds of bladder and bowel symptoms in early Parkinson's disease. <i>Neurourology and Urodynamics</i> , 2018 , 37, 1344-1348 | 2.3 | 6 |
| 74 | Patient discourse on chronic kidney disease monitoring: a qualitative study at a Veterans Affairs Renal Clinic. <i>BMC Nephrology</i> , 2018 , 19, 183 | 2.7 | 2 |
| 73 | Cluster analysis of multiple chronic conditions associated with urinary incontinence among women in the USA. <i>BJU International</i> , 2018 , 122, 1041-1048 | 5.6 | 11 |
| 72 | Acupuncture for Treatment of Persistent Disturbed Sleep: A Randomized Clinical Trial in Veterans With Mild Traumatic Brain Injury and Posttraumatic Stress Disorder. <i>Journal of Clinical Psychiatry</i> , 2018 , 80, | 4.6 | 7 |
| 71 | Unsolicited Patient Complaints Identify Physicians with Evidence of Neurocognitive Disorders. <i>American Journal of Geriatric Psychiatry</i> , 2018 , 26, 927-936 | 6.5 | 10 |
| 70 | Association of Multimorbidity with Mortality and Healthcare Utilization in Chronic Kidney Disease. <i>Journal of the American Geriatrics Society</i> , 2017 , 65, 704-711 | 5.6 | 30 |
| 69 | Long-term Metformin Therapy and Monitoring for Vitamin B12 Deficiency Among Older Veterans. <i>Journal of the American Geriatrics Society</i> , 2017 , 65, 1061-1066 | 5.6 | 22 |
| 68 | Older Patients' Perspectives on Managing Complexity in CKD Self-Management. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2017 , 12, 635-643 | 6.9 | 34 |
| 67 | US and Dutch nurse experiences with fall prevention technology within nursing home environment and workflow: A qualitative study. <i>Geriatric Nursing</i> , 2017 , 38, 276-282 | 2.1 | 10 |
| 66 | Cognitive Impairment and Overall Survival in Frail Surgical Patients. <i>Journal of the American College of Surgeons</i> , 2017 , 225, 590-600.e1 | 4.4 | 17 |
| 65 | Feasibility of a Low-Cost, Interactive Gaming System to Assess Balance in Older Women. <i>Journal of Aging and Physical Activity</i> , 2016 , 24, 111-8 | 1.6 | 8 |

| | | | |
|----|---|------|----|
| 64 | Differences in the Association of Nocturia and Functional Outcomes of Sleep by Age and Gender: A Cross-sectional, Population-based Study. <i>Clinical Therapeutics</i> , 2016 , 38, 2386-2393.e1 | 3.5 | 10 |
| 63 | Incidence and Remission of Nocturia: A Systematic Review and Meta-analysis. <i>European Urology</i> , 2016 , 70, 372-81 | 10.2 | 17 |
| 62 | Pilot Results from a Randomized Trial in Men Comparing Alpha-Adrenergic Antagonist versus Behavior and Exercise for Nocturia and Sleep. <i>Clinical Therapeutics</i> , 2016 , | 3.5 | 14 |
| 61 | Editorial Comment. <i>Urology</i> , 2016 , 97, 31-32 | 1.6 | |
| 60 | Preoperative Frailty Increases Risk of Nonhome Discharge after Elective Vascular Surgery in Home-Dwelling Patients. <i>Annals of Vascular Surgery</i> , 2016 , 35, 19-29 | 1.7 | 54 |
| 59 | Underreporting of nursing home utilization on the CMS-2728 in older incident dialysis patients and implications for assessing mortality risk. <i>BMC Nephrology</i> , 2015 , 16, 32 | 2.7 | 12 |
| 58 | Enhancing the Quality of Prescribing Practices for Older Veterans Discharged from the Emergency Department (EQUIPPED): Preliminary Results from Enhancing Quality of Prescribing Practices for Older Veterans Discharged from the Emergency Department, a Novel Multicomponent Interdisciplinary Quality Improvement Initiative. <i>Journal of the American Geriatrics Society</i> , 2015 , 63, 1025-9 | 5.6 | 21 |
| 57 | A randomized controlled trial comparing treatment with oral agents and basal insulin in elderly patients with type 2 diabetes in long-term care facilities. <i>BMJ Open Diabetes Research and Care</i> , 2015 , 3, e000104 | 4.5 | 23 |
| 56 | Identifying landmark articles for advancing the practice of geriatrics. <i>Journal of the American Geriatrics Society</i> , 2014 , 62, 2159-62 | 5.6 | 4 |
| 55 | Intervention to improve care at life's end in inpatient settings: the BEACON trial. <i>Journal of General Internal Medicine</i> , 2014 , 29, 836-43 | 4 | 48 |
| 54 | Effect of fesoterodine in vulnerable elderly subjects with urgency incontinence: a double-blind, placebo controlled trial. <i>Journal of Urology</i> , 2014 , 191, 395-404 | 2.5 | 94 |
| 53 | Military exposure and urinary incontinence among American men. <i>Journal of Urology</i> , 2014 , 191, 125-9 | 2.5 | 6 |
| 52 | The fluctuation of nocturia in men with lower urinary tract symptoms allocated to placebo during a 12-month randomized, controlled trial. <i>Journal of Urology</i> , 2014 , 191, 1040-4 | 2.5 | 10 |
| 51 | Impact of obesity on urinary storage symptoms: results from the FINNO study. <i>Journal of Urology</i> , 2013 , 189, 1377-82 | 2.5 | 28 |
| 50 | Nocturia and overnight polysomnography in Parkinson disease. <i>Neurourology and Urodynamics</i> , 2013 , 32, 1080-5 | 2.3 | 21 |
| 49 | Caffeine intake and its association with urinary incontinence in United States men: results from National Health and Nutrition Examination Surveys 2005-2006 and 2007-2008. <i>Journal of Urology</i> , 2013 , 189, 2170-4 | 2.5 | 29 |
| 48 | Efficacy and safety of flexible dose fesoterodine in men and women with overactive bladder symptoms including nocturnal urinary urgency. <i>Journal of Urology</i> , 2013 , 189, 1396-401 | 2.5 | 37 |
| 47 | Correlates of persistent sleep complaints after traumatic brain injury. <i>Neuropsychological Rehabilitation</i> , 2013 , 23, 698-714 | 3.1 | 1 |

| | | | |
|----|--|------|-----|
| 46 | Efficacy of adding behavioural treatment or antimuscarinic drug therapy to β -blocker therapy in men with nocturia. <i>BJU International</i> , 2013 , 112, 100-8 | 5.6 | 30 |
| 45 | Opioid pain medication orders and administration in the last days of life. <i>Journal of Pain and Symptom Management</i> , 2012 , 44, 681-91 | 4.8 | 13 |
| 44 | Nocturia Think Tank: focus on nocturnal polyuria: ICI-RS 2011. <i>Neurourology and Urodynamics</i> , 2012 , 31, 330-9 | 2.3 | 39 |
| 43 | Methicillin-resistant <i>Staphylococcus aureus</i> (MRSA) nasal carriage in residents of Veterans Affairs long-term care facilities: role of antimicrobial exposure and MRSA acquisition. <i>Infection Control and Hospital Epidemiology</i> , 2012 , 33, 551-7 | 2 | 39 |
| 42 | Epidemiology of Nocturia: Evaluation of Prevalence, Incidence, Impact and Risk Factors 2012 , 77-107 | | 2 |
| 41 | Incontinence. <i>Medical Clinics of North America</i> , 2011 , 95, 539-54, x-xi | 7 | 13 |
| 40 | Prevalence of nocturia in United States men: results from the National Health and Nutrition Examination Survey. <i>Journal of Urology</i> , 2011 , 185, 998-1002 | 2.5 | 53 |
| 39 | Vitamin D and lower urinary tract symptoms among US men: results from the 2005-2006 National Health and Nutrition Examination Survey. <i>Urology</i> , 2011 , 78, 1292-7 | 1.6 | 34 |
| 38 | Smoking and bladder symptoms in women. <i>Obstetrics and Gynecology</i> , 2011 , 118, 643-648 | 4.9 | 36 |
| 37 | Behavioral versus drug treatment for overactive bladder in men: the Male Overactive Bladder Treatment in Veterans (MOTIVE) Trial. <i>Journal of the American Geriatrics Society</i> , 2011 , 59, 2209-16 | 5.6 | 69 |
| 36 | The prevalence of clinically meaningful overactive bladder: bother and quality of life results from the population-based FINNO study. <i>European Urology</i> , 2011 , 59, 629-36 | 10.2 | 62 |
| 35 | Behavioral therapy with or without biofeedback and pelvic floor electrical stimulation for persistent postprostatectomy incontinence: a randomized controlled trial. <i>JAMA - Journal of the American Medical Association</i> , 2011 , 305, 151-9 | 27.4 | 113 |
| 34 | Exercise interventions and glycemic control in patients with diabetes. <i>JAMA - Journal of the American Medical Association</i> , 2011 , 306, 607-8; author reply 608-10 | 27.4 | 2 |
| 33 | Using Telehealth Technology to Support Family Caregivers: Description of a Pilot Intervention and Preliminary Results. <i>Physical and Occupational Therapy in Geriatrics</i> , 2010 , 28, 307-320 | 1.1 | 8 |
| 32 | 1516 BEHAVIORAL VS. DRUG TREATMENT FOR OVERACTIVE BLADDER IN MEN: THE MOTIVE TRIAL. <i>Journal of Urology</i> , 2010 , 183, | 2.5 | 1 |
| 31 | Combined behavioral and individualized drug therapy versus individualized drug therapy alone for urge urinary incontinence in women. <i>Journal of Urology</i> , 2010 , 184, 598-603 | 2.5 | 30 |
| 30 | Nocturia frequency, bother, and quality of life: how often is too often? A population-based study in Finland. <i>European Urology</i> , 2010 , 57, 488-96 | 10.2 | 240 |
| 29 | Prevalence and correlates of nocturia in community-dwelling older adults. <i>Journal of the American Geriatrics Society</i> , 2010 , 58, 861-6 | 5.6 | 57 |

| | | | |
|----|---|------|-----|
| 28 | A systematic evaluation of factors associated with nocturia--the population-based FINNO study. <i>American Journal of Epidemiology</i> , 2009 , 170, 361-8 | 3.8 | 123 |
| 27 | A multicomponent behavioural and drug intervention for nocturia in elderly men: rationale and pilot results. <i>BJU International</i> , 2009 , 104, 69-74 | 5.6 | 51 |
| 26 | Pain management interventions in the nursing home: a structured review of the literature. <i>Journal of the American Geriatrics Society</i> , 2009 , 57, 1258-67 | 5.6 | 48 |
| 25 | Content validation of symptom-specific nocturia quality-of-life instrument developed in men: issues expressed by women, as well as men. <i>Urology</i> , 2008 , 72, 736-42 | 1.6 | 20 |
| 24 | The management of voiding dysfunction in persons with dementia. <i>Current Bladder Dysfunction Reports</i> , 2008 , 3, 75-81 | 0.4 | |
| 23 | Reproductive factors associated with nocturia and urinary urgency in women: a population-based study in Finland. <i>American Journal of Obstetrics and Gynecology</i> , 2008 , 199, 153.e1-12 | 6.4 | 28 |
| 22 | The relationship between the action of arginine vasopressin and responsiveness to oral desmopressin in older men: a pilot study. <i>Journal of the American Geriatrics Society</i> , 2007 , 55, 562-9 | 5.6 | 11 |
| 21 | Geriatric patients' preferences for treatment of urinary incontinence: a study of hospitalized, cognitively competent adults aged 80 and older. <i>Journal of the American Geriatrics Society</i> , 2007 , 55, 2016-22 | 5.6 | 35 |
| 20 | Office management of geriatric urinary incontinence. <i>American Journal of Medicine</i> , 2007 , 120, 211-20 | 2.4 | 58 |
| 19 | The effect of doxazosin, finasteride and combination therapy on nocturia in men with benign prostatic hyperplasia. <i>Journal of Urology</i> , 2007 , 178, 2045-50; discussion 2050-1 | 2.5 | 73 |
| 18 | The newly revised F-Tag 315 and surveyor guidance for urinary incontinence in long-term care. <i>Journal of the American Medical Directors Association</i> , 2006 , 7, 594-600 | 5.9 | 7 |
| 17 | Oral ddAVP for nighttime urinary incontinence in characterized nursing home residents: a pilot study. <i>Journal of the American Medical Directors Association</i> , 2006 , 7, 6-11 | 5.9 | 10 |
| 16 | Effects of behavioral and drug therapy on nocturia in older incontinent women. <i>Journal of the American Geriatrics Society</i> , 2005 , 53, 846-50 | 5.6 | 83 |
| 15 | Evaluating potentially modifiable risk factors for prevalent and incident nocturia in older adults. <i>Journal of the American Geriatrics Society</i> , 2005 , 53, 1011-6 | 5.6 | 59 |
| 14 | Outbreak of <i>Clostridium difficile</i> infection in a long-term care facility: association with gatifloxacin use. <i>Clinical Infectious Diseases</i> , 2004 , 38, 640-5 | 11.6 | 218 |
| 13 | Sleep-disordered breathing and nocturia in older adults. <i>Journal of the American Geriatrics Society</i> , 2004 , 52, 957-60 | 5.6 | 82 |
| 12 | Quality of incontinence management in U.S. nursing homes: a failing grade. <i>Journal of the American Geriatrics Society</i> , 2003 , 51, 1810-2 | 5.6 | 22 |
| 11 | Arginine vasopressin and nocturnal polyuria in older adults with frequent nighttime voiding. <i>Journal of Urology</i> , 2003 , 170, 480-4 | 2.5 | 22 |

| | | | |
|----|--|-----|-----|
| 10 | Changes in nocturia from medical treatment of benign prostatic hyperplasia: secondary analysis of the Department of Veterans Affairs Cooperative Study Trial. <i>Journal of Urology</i> , 2003 , 170, 145-8 | 2.5 | 114 |
| 9 | A PROSPECTIVE EVALUATION OF THE GLOMERULAR FILTRATION RATE IN OLDER ADULTS WITH FREQUENT NIGHTTIME URINATION. <i>Journal of Urology</i> , 2002 , 167, 146-150 | 2.5 | 12 |
| 8 | Urinary incontinence treatment preferences in long-term care. <i>Journal of the American Geriatrics Society</i> , 2001 , 49, 710-8 | 5.6 | 68 |
| 7 | The shifting impact of UI. <i>Journal of the American Geriatrics Society</i> , 2001 , 49, 998-9 | 5.6 | 4 |
| 6 | Urinary incontinence and risk of death among community-living elderly people: results from the National Survey on Self-Care and Aging. <i>Journal of Aging and Health</i> , 2000 , 12, 25-46 | 2.6 | 42 |
| 5 | A Pilot Study to Determine Reasons for Patient Withdrawal From a Pelvic Muscle Rehabilitation Program for Urinary Incontinence. <i>Journal of Applied Gerontology</i> , 1999 , 18, 379-396 | 3.3 | 12 |
| 4 | Urinary incontinence in the older man. <i>Medical Clinics of North America</i> , 1999 , 83, 1247-66 | 7 | 15 |
| 3 | Promoting Help-Seeking Behavior for Urinary Incontinence. <i>Journal of Applied Gerontology</i> , 1998 , 17, 419-441 | 3.3 | 5 |
| 2 | The association of urinary incontinence with poor self-rated health. <i>Journal of the American Geriatrics Society</i> , 1998 , 46, 693-9 | 5.6 | 75 |
| 1 | Diagnostic assessment of geriatric urinary incontinence. <i>American Journal of the Medical Sciences</i> , 1997 , 314, 250-6 | 2.2 | 2 |