

Tae Jeong Kim

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1598360/tae-jeong-kim-publications-by-year.pdf>

Version: 2024-04-17

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

482
papers

19,294
citations

67
h-index

114
g-index

500
ext. papers

21,526
ext. citations

5.1
avg, IF

6.6
L-index

#	Paper	IF	Citations
482	Inclusive and differential cross section measurements of single top quark production in association with a Z boson in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	0
481	Search for flavor-changing neutral current interactions of the top quark and the Higgs boson decaying to a bottom quark-antiquark pair at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	1
480	Search for long-lived particles decaying to leptons with large impact parameter in proton-proton collisions at .. <i>European Physical Journal C</i> , 2022 , 82, 153	4.2	0
479	Study of dijet events with large rapidity separation in proton-proton collisions at $\sqrt{s} = 2.76$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	
478	Search for low-mass dilepton resonances in Higgs boson decays to four-lepton final states in proton-proton collisions at .. <i>European Physical Journal C</i> , 2022 , 82, 290	4.2	0
477	Search for supersymmetry in final states with two or three soft leptons and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	0
476	Search for a right-handed W boson and a heavy neutrino in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	0
475	Search for a heavy resonance decaying into a top quark and a W boson in the lepton+jets final state at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	0
474	Search for heavy resonances decaying to ZZ or ZW and axion-like particles mediating nonresonant ZZ or ZH production at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	0
473	Measurement and QCD analysis of double-differential inclusive jet cross sections in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	0
472	Search for electroweak production of charginos and neutralinos in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	0
471	Measurement of the inclusive $\overline{\text{t}}\text{t}$ production cross section in proton-proton collisions at $\sqrt{s} = 5.02$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	
470	Combined searches for the production of supersymmetric top quark partners in proton-proton collisions at. <i>European Physical Journal C</i> , 2021 , 81, 970	4.2	3
469	Measurements of production cross sections and constraints on anomalous triple gauge couplings at. <i>European Physical Journal C</i> , 2021 , 81, 200	4.2	5
468	Development and validation of HERWIG γ tunes from CMS underlying-event measurements. <i>European Physical Journal C</i> , 2021 , 81, 312	4.2	1
467	Measurement of the Higgs boson production rate in association with top quarks in final states with electrons, muons, and hadronically decaying tau leptons at. <i>European Physical Journal C</i> , 2021 , 81, 378	4.2	5
466	Measurements of production cross sections of the Higgs boson in the four-lepton final state in proton-proton collisions at. <i>European Physical Journal C</i> , 2021 , 81, 488	4.2	5

465	Measurements of Higgs boson production cross sections and couplings in the diphoton decay channel at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	3
464	Search for dark matter produced in association with a leptonically decaying boson in proton-proton collisions at. <i>European Physical Journal C</i> , 2021 , 81, 13	4.2	7
463	Search for top squark pair production using dilepton final states in collision data collected at. <i>European Physical Journal C</i> , 2021 , 81, 3	4.2	5
462	MUSiC: a model-unspecific search for new physics in proton-proton collisions at. <i>European Physical Journal C</i> , 2021 , 81, 629	4.2	4
461	Search for a heavy vector resonance decaying to a Υ boson and a Higgs boson in proton-proton collisions at. <i>European Physical Journal C</i> , 2021 , 81, 688	4.2	0
460	Search for charged Higgs bosons produced in vector boson fusion processes and decaying into vector boson pairs in proton-proton collisions at. <i>European Physical Journal C</i> , 2021 , 81, 723	4.2	3
459	Measurements of angular distance and momentum ratio distributions in three-jet and + two-jet final states in collisions. <i>European Physical Journal C</i> , 2021 , 81, 852	4.2	0
458	Precision luminosity measurement in proton-proton collisions at in 2015 and 2016 at CMS. <i>European Physical Journal C</i> , 2021 , 81, 800	4.2	7
457	Search for direct top squark pair production in events with one lepton, jets, and missing transverse momentum at 13 TeV with the CMS experiment. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	12
456	Measurement of top quark pair production in association with a Z boson in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	8
455	Search for direct pair production of supersymmetric partners to the lepton in proton-proton collisions at. <i>European Physical Journal C</i> , 2020 , 80, 189	4.2	3
454	Search for production of four top quarks in final states with same-sign or multiple leptons in proton-proton collisions at. <i>European Physical Journal C</i> , 2020 , 80, 75	4.2	24
453	Searches for physics beyond the standard model with the variable in hadronic final states with and without disappearing tracks in proton-proton collisions at. <i>European Physical Journal C</i> , 2020 , 80, 3	4.2	16
452	Extraction and validation of a new set of CMS pythia8 tunes from underlying-event measurements. <i>European Physical Journal C</i> , 2020 , 80, 4	4.2	61
451	Search for dark matter particles produced in association with a Higgs boson in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	7
450	A multi-dimensional search for new heavy resonances decaying to boosted τ , W , or boson pairs in the dijet final state at 13 TeV. <i>European Physical Journal C</i> , 2020 , 80, 237	4.2	10
449	Measurement of differential cross sections and charge ratios for γ -channel single top quark production in proton-proton collisions at. <i>European Physical Journal C</i> , 2020 , 80, 370	4.2	4
448	Measurement of $(\sigma_{\text{t}}/\sigma_{\text{p}})$ normalised multi-differential cross sections in (pp) collisions at $(\sqrt{s}=13, \text{TeV})$, and simultaneous determination of the strong coupling strength, top quark pole mass, and parton distribution functions. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	13

447	Identification of Additional Jets in the $t\bar{t}b\bar{b}$ Events by Using Deep Neural Network. <i>Journal of the Korean Physical Society</i> , 2020 , 77, 1100-1106	0.6	1
446	Study of central exclusive production in proton-proton collisions at and 13TeV. <i>European Physical Journal C</i> , 2020 , 80, 718	4.2	2
445	Search for physics beyond the standard model in events with jets and two same-sign or at least three charged leptons in proton-proton collisions at. <i>European Physical Journal C</i> , 2020 , 80, 752	4.2	2
444	Search for resonant production of second-generation sleptons with same-sign dimuon events in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 305	4.2	2
443	Search for the pair production of light top squarks in the $e\bar{e}$ final state in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	4
442	Measurements of the $pp \rightarrow WZ$ inclusive and differential production cross sections and constraints on charged anomalous triple gauge couplings at (\sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	10
441	Measurement of the production cross section, the top quark mass, and the strong coupling constant using dilepton events in pp collisions at. <i>European Physical Journal C</i> , 2019 , 79, 368	4.2	27
440	Measurement of the energy density as a function of pseudorapidity in proton-proton collisions at ($\sqrt{s}=13$,text {TeV}). <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	7
439	Search for dark matter produced in association with a Higgs boson decaying to a pair of bottom quarks in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 280	4.2	12
438	Search for vector-like quarks in events with two oppositely charged leptons and jets in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 364	4.2	18
437	Study of the underlying event in top quark pair production in collisions at 13. <i>European Physical Journal C</i> , 2019 , 79, 123	4.2	4
436	Search for ($\overline{\text{t}}\text{H}$) production in the (H to $\overline{\text{b}}\text{b}$) decay channel with leptonic ($\overline{\text{t}}\text{t}$) decays in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	17
435	Search for heavy resonances decaying into two Higgs bosons or into a Higgs boson and a W or Z boson in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	7
434	Search for dark matter produced in association with a single top quark or a top quark pair in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	8
433	Measurement of exclusive \bar{p} photoproduction in ultraperipheral pPb collisions at. <i>European Physical Journal C</i> , 2019 , 79, 702	4.2	13
432	Correlation between ($\text{R}_{\text{D}}^{\text{left}}$) and top quark FCNC decays in leptoquark models. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	15
431	Measurements of differential Z boson production cross sections in proton-proton collisions at (\sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	11
430	Measurement of the differential Drell-Yan cross section in proton-proton collisions at ($\sqrt{\text{mathrm{s}}}$) = 13 TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	6

429	Study of dijet events with a large rapidity gap between the two leading jets in pp collisions at. <i>European Physical Journal C</i> , 2018 , 78, 242	4.2	4
428	Measurement of the Splitting Function in pp and Pb-Pb Collisions at $\sqrt{s_{\text{NN}}}=5.02$ TeV. <i>Physical Review Letters</i> , 2018 , 120, 142302	7.4	27
427	Pseudorapidity distributions of charged hadrons in proton-lead collisions at ($\sqrt{s_{\text{NN}}}=5.02$) and 8.16 TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	4
426	Suppression of Excited χ States Relative to the Ground State in Pb-Pb Collisions at $\sqrt{s_{\text{NN}}}=5.02$ TeV. <i>Physical Review Letters</i> , 2018 , 120, 142301	7.4	12
425	Search for resonant and nonresonant Higgs boson pair production in the ($\text{b}\overline{\text{b}}\text{ell nu ell nu}$) final state in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	19
424	Search for new physics in events with a leptonically decaying Z boson and a large transverse momentum imbalance in proton-proton collisions at $\sqrt{s}=13$. <i>European Physical Journal C</i> , 2018 , 78, 291	4.2	17
423	Measurements of the production cross section and the branching fraction, and constraints on anomalous triple gauge couplings at. <i>European Physical Journal C</i> , 2018 , 78, 165	4.2	29
422	Measurement of associated Z + charm production in proton-proton collisions at. <i>European Physical Journal C</i> , 2018 , 78, 287	4.2	11
421	Measurement of the inclusive ($\text{t}\overline{\text{t}}$) cross section in pp collisions at ($\sqrt{s}=5.02$) TeV using final states with at least one charged lepton. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	3
420	Search for natural supersymmetry in events with top quark pairs and photons in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	
419	Search for new phenomena in final states with two opposite-charge, same-flavor leptons, jets, and missing transverse momentum in pp collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	2
418	Search for supersymmetry in events with at least three electrons or muons, jets, and missing transverse momentum in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	4
417	Combined search for electroweak production of charginos and neutralinos in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	45
416	Search for electroweak production of charginos and neutralinos in multilepton final states in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	40
415	Measurement of differential cross sections in the kinematic angular variable ϕ^* for inclusive Z boson production in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	2
414	Comparing transverse momentum balance of b jet pairs in pp and PbPb collisions at ($\sqrt{s_{\text{NN}}}=5.02$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	8
413	Measurement of normalized differential ($\text{t}\overline{\text{t}}$) cross sections in the dilepton channel from pp collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	12
412	Constraints on the double-parton scattering cross section from same-sign W boson pair production in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	13

411	Search for ZZ resonances in the $2\ell\ell$ final state in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	3
410	Jet properties in PbPb and pp collisions at ($\sqrt{s_{\text{N};\text{N}}}=5.02$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	7
409	Search for standard model production of four top quarks with same-sign and multilepton final states in proton-proton collisions at. <i>European Physical Journal C</i> , 2018 , 78, 140	4-2	20
408	Search for the X(5568) State Decaying into $B_{\text{s}}^0\ell^+\ell^-$ in Proton-Proton Collisions at $\sqrt{s}=8$ TeV. <i>Physical Review Letters</i> , 2018 , 120, 202005	7-4	36
407	Measurements of the $(\text{p})\text{p}\rightarrow\text{Z}\text{Z}$ production cross section and the $(\text{Z})\rightarrow 4\ell$ branching fraction, and constraints on anomalous triple gauge couplings at ($\sqrt{s}=13$,text {TeV}) 2018 , 78, 1		3
406	Search for $(\overline{\text{t}}\text{t})\text{H}$ production in the all-jet final state in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	13
405	Search for heavy resonances decaying into a vector boson and a Higgs boson in final states with charged leptons, neutrinos and b quarks at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	7
404	Search for natural and split supersymmetry in proton-proton collisions at ($\sqrt{s}=13$) TeV in final states with jets and missing transverse momentum. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	39
403	Search for decays of stopped exotic long-lived particles produced in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	6
402	Measurement of the top quark mass with lepton+jets final states using collisions at. <i>European Physical Journal C</i> , 2018 , 78, 891	4-2	13
401	Measurements of Higgs boson properties in the diphoton decay channel in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	37
400	Search for Z resonances using leptonic and hadronic final states in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	11
399	Search for black holes and sphalerons in high-multiplicity final states in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	9
398	Search for third-generation scalar leptoquarks decaying to a top quark and a lepton at. <i>European Physical Journal C</i> , 2018 , 78, 707	4-2	23
397	Measurement of differential cross sections for boson production in association with jets in proton-proton collisions at. <i>European Physical Journal C</i> , 2018 , 78, 965	4-2	19
396	Studies of and mesons including the observation of the decay in proton-proton collisions at. <i>European Physical Journal C</i> , 2018 , 78, 939	4-2	12
395	Search for a heavy resonance decaying into a Z boson and a Z or W boson in $2\ell\text{q}$ final states at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	7
394	Search for lepton-flavor violating decays of heavy resonances and quantum black holes to $e\ell$ final states in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	3

393	Search for high-mass resonances in final states with a lepton and missing transverse momentum at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	15
392	Measurement of the underlying event activity in inclusive Z boson production in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	8
391	Measurement of the cross section in pp collisions at and validation of lepton analysis techniques. <i>European Physical Journal C</i> , 2018 , 78, 708	4-2	5
390	Search for dark matter produced in association with a Higgs boson decaying to $\tau\bar{\tau}$ ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	7
389	Search for a heavy resonance decaying to a pair of vector bosons in the lepton plus merged jet final state at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	7
388	Search for a heavy resonance decaying into a Z boson and a vector boson in the ($\nu\bar{\nu}\gamma$) final state. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	6
387	Measurement of the weak mixing angle using the forward-backward asymmetry of Drell-Yan events in collisions at 8. <i>European Physical Journal C</i> , 2018 , 78, 701	4-2	25
386	Measurement of prompt and nonprompt charmonium suppression in collisions at 5.02. <i>European Physical Journal C</i> , 2018 , 78, 509	4-2	37
385	Evidence for associated production of a Higgs boson with a top quark pair in final states with electrons, muons, and hadronically decaying leptons at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	23
384	Search for dark matter in events with energetic, hadronically decaying top quarks and missing transverse momentum at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	16
383	Physics potentials with the second Hyper-Kamiokande detector in Korea. <i>Progress of Theoretical and Experimental Physics</i> , 2018 , 2018,	5-4	41
382	Measurements of differential cross sections of top quark pair production as a function of kinematic event variables in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	10
381	Measurement of the inelastic proton-proton cross section at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	41
380	Search for high-mass resonances in dilepton final states in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	63
379	Search for Narrow Resonances in the b-Tagged Dijet Mass Spectrum in Proton-Proton Collisions at $\sqrt{s}=8$ TeV. <i>Physical Review Letters</i> , 2018 , 120, 201801	7-4	13
378	Measurement of Prompt D^0 Meson Azimuthal Anisotropy in Pb-Pb Collisions at $\sqrt{s_{NN}}=5.02$ TeV. <i>Physical Review Letters</i> , 2018 , 120, 202301	7-4	39
377	Search for low mass vector resonances decaying into quark-antiquark pairs in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	28
376	Measurements of the [Formula: see text] production cross section in lepton+jets final states in pp collisions at 8 [Formula: see text] and ratio of 8 to 7 [Formula: see text] cross sections. <i>European Physical Journal C</i> , 2017 , 77, 15	4-2	19

375	Measurement of the [Formula: see text] production cross section using events in the [Formula: see text] final state in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2017 , 77, 172	4.2	22
374	Measurement and QCD analysis of double-differential inclusive jet cross sections in pp collisions at ($\sqrt{s}=8$) TeV and cross section ratios to 2.76 and 7 TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	34
373	Search for electroweak production of charginos in final states with two ℓ leptons in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	7
372	Measurement of the production cross section of a W boson in association with two b jets in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2017 , 77, 92	4.2	7
371	Measurement of the WZ production cross section in pp collisions at [Formula: see text] and 8[Formula: see text] and search for anomalous triple gauge couplings at [Formula: see text]. <i>European Physical Journal C</i> , 2017 , 77, 236	4.2	21
370	Measurement of prompt and nonprompt [Formula: see text] production in [Formula: see text] and [Formula: see text] collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2017 , 77, 269	4.2	26
369	A search for new phenomena in pp collisions at [Formula: see text] in final states with missing transverse momentum and at least one jet using the [Formula: see text] variable. <i>European Physical Journal C</i> , 2017 , 77, 294	4.2	21
368	Observation of Charge-Dependent Azimuthal Correlations in p-Pb Collisions and Its Implication for the Search for the Chiral Magnetic Effect. <i>Physical Review Letters</i> , 2017 , 118, 122301	7.4	72
367	Measurement of the $B^{\{u,d\}}$ Meson Nuclear Modification Factor in Pb-Pb Collisions at $\sqrt{s_{NN}}=5.02$ TeV. <i>Physical Review Letters</i> , 2017 , 119, 152301	7.4	37
366	Search for new physics in the monophoton final state in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	11
365	Measurement of double-differential cross sections for top quark pair production in pp collisions at [Formula: see text][Formula: see text] and impact on parton distribution functions. <i>European Physical Journal C</i> , 2017 , 77, 459	4.2	16
364	Measurement of the jet mass in highly boosted [Formula: see text] events from pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2017 , 77, 467	4.2	14
363	Measurements of the associated production of a Z boson and b jets in pp collisions at. <i>European Physical Journal C</i> , 2017 , 77, 751	4.2	15
362	A study of top-quark mass measurement using the lepton energy distribution at the Large Hadron Collider. <i>European Physical Journal C</i> , 2017 , 77, 1	4.2	1
361	Measurement of the transverse momentum spectrum of the Higgs boson produced in pp collisions at ($\sqrt{s}=8$) TeV using $H \rightarrow WW$ decays. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	10
360	Search for Low Mass Vector Resonances Decaying to Quark-Antiquark Pairs in Proton-Proton Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2017 , 119, 111802	7.4	21
359	Charged-particle nuclear modification factors in PbPb and pPb collisions at ($\sqrt{s_{\mathrm{N};\mathrm{N}}}=5.02$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	64
358	Search for ($\overline{\mathrm{t}}\mathrm{t}$) resonances in highly boosted lepton+jets and fully hadronic final states in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	17

357	Search for associated production of dark matter with a Higgs boson decaying to ($\overline{\mathbf{b}}\mathbf{b}$) or $\mathbf{b}\mathbf{t}$ ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5-4	9
356	Observation of Top Quark Production in Proton-Nucleus Collisions. <i>Physical Review Letters</i> , 2017 , 119, 242001	7-4	11
355	Observation of $Y(1S)$ pair production in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5-4	29
354	Search for anomalous Wtb couplings and flavour-changing neutral currents in t-channel single top quark production in pp collisions at ($\sqrt{s}=7$) and 8 TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5-4	26
353	Search for single production of vector-like quarks decaying to a Z boson and a top or a bottom quark in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5-4	8
352	Measurement of the semileptonic ($\overline{\mathbf{t}}\mathbf{t}$) + \mathbf{b} production cross section in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5-4	7
351	Measurements of the $pp \rightarrow W\mathbf{b}$ and $pp \rightarrow Z\mathbf{t}$ cross sections and limits on anomalous quartic gauge couplings at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5-4	2
350	Search for new phenomena with the variable in the all-hadronic final state produced in proton-proton collisions at. <i>European Physical Journal C</i> , 2017 , 77, 710	4-2	54
349	Measurements of differential production cross sections for a Z boson in association with jets in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5-4	11
348	Search for heavy resonances decaying to tau lepton pairs in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5-4	19
347	Search for electroweak production of a vector-like quark decaying to a top quark and a Higgs boson using boosted topologies in fully hadronic final states. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5-4	9
346	Measurement of the transverse momentum spectra of weak vector bosons produced in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5-4	15
345	Suppression and azimuthal anisotropy of prompt and nonprompt [Formula: see text] production in PbPb collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2017 , 77, 252	4-2	58
344	Searches for pair production of third-generation squarks in [Formula: see text][Formula: see text] pp collisions. <i>European Physical Journal C</i> , 2017 , 77, 327	4-2	17
343	Measurement of the top quark mass using single top quark events in proton-proton collisions at [Formula: see text] TeV. <i>European Physical Journal C</i> , 2017 , 77, 354	4-2	8
342	Searches for invisible decays of the Higgs boson in pp collisions at (\sqrt{s}) = 7, 8, and 13 TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5-4	74
341	Search for massive resonances decaying into WW, WZ or ZZ bosons in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5-4	19
340	Search for dark matter produced in association with heavy-flavor quark pairs in proton-proton collisions at. <i>European Physical Journal C</i> , 2017 , 77, 845	4-2	22

339	Measurement of electroweak-induced production of $W\bar{W}$ with two jets in pp collisions at $(\sqrt{s}=8)$ TeV and constraints on anomalous quartic gauge couplings. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5-4	9
338	Searches for $W\gamma$ bosons decaying to a top quark and a bottom quark in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5-4	7
337	Measurement of the inclusive energy spectrum in the very forward direction in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5-4	5
336	Search for direct production of supersymmetric partners of the top quark in the all-jets final state in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5-4	18
335	Search for electroweak production of charginos and neutralinos in WH events in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5-4	11
334	Search for pair production of vector-like T and B quarks in single-lepton final states using boosted jet substructure in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5-4	20
333	Search for top squark pair production in pp collisions at $(\sqrt{s}=13)$ TeV using single lepton events. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5-4	25
332	Search for top quark decays via Higgs-boson-mediated flavor-changing neutral currents in pp collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5-4	12
331	Measurement of the $(\overline{\text{t}}\text{t})$ production cross section using events with one lepton and at least one jet in pp collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5-4	14
330	Search for a heavy resonance decaying to a top quark and a vector-like top quark at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5-4	4
329	Search for physics beyond the standard model in events with two leptons of same sign, missing transverse momentum, and jets in proton-proton collisions at. <i>European Physical Journal C</i> , 2017 , 77, 578	4-2	21
328	Search for top quark partners with charge 5/3 in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5-4	3
327	Search for light bosons in decays of the 125 GeV Higgs boson in proton-proton collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5-4	21
326	Measurements of jet charge with dijet events in pp collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5-4	10
325	Search for associated production of a Z boson with a single top quark and for tZ flavour-changing interactions in pp collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5-4	10
324	Search for new physics with dijet angular distributions in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5-4	11
323	Search for dark matter produced with an energetic jet or a hadronically decaying W or Z boson at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5-4	46
322	Search for third-generation scalar leptoquarks and heavy right-handed neutrinos in final states with two tau leptons and two jets in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5-4	35

321	Search for new phenomena with multiple charged leptons in proton-proton collisions at ($\sqrt{s}=13$) (,text {TeV}). <i>European Physical Journal C</i> , 2017 , 77, 1	4.2	2
320	Search for heavy resonances that decay into a vector boson and a Higgs boson in hadronic final states at. <i>European Physical Journal C</i> , 2017 , 77, 636	4.2	20
319	Search for high-mass Z resonances in $e+e$ and $q+q$ final states in proton-proton collisions at ($\sqrt{s}=8$) and 13 TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	4
318	Search for heavy neutrinos or third-generation leptoquarks in final states with two hadronically decaying leptons and two jets in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	18
317	Search for CP violation in (\overline{t}) production and decay in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	4
316	Measurement of the triple-differential dijet cross section in proton-proton collisions at and constraints on parton distribution functions. <i>European Physical Journal C</i> , 2017 , 77, 746	4.2	8
315	Search for a light pseudoscalar Higgs boson produced in association with bottom quarks in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	7
314	Search for supersymmetry in events with at least one photon, missing transverse momentum, and large transverse event activity in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	10
313	Measurements of properties of the Higgs boson decaying into the four-lepton final state in pp collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	77
312	Search for dark matter and unparticles in events with a Z boson and missing transverse momentum in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	16
311	Search for new physics in same-sign dilepton events in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 439	4.2	34
310	Measurement of Long-Range Near-Side Two-Particle Angular Correlations in pp Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2016 , 116, 172302	7.4	90
309	Search for dark matter particles in proton-proton collisions at ($\sqrt{s}=8$) TeV using the razor variables. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	2
308	Search for s channel single top quark production in pp collisions at ($\sqrt{s}=7$) and 8 TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	8
307	Measurement of inclusive jet production and nuclear modifications in pPb collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 372	4.2	24
306	Measurement of differential and integrated fiducial cross sections for Higgs boson production in the four-lepton decay channel in pp collisions at ($\sqrt{s}=7$) and 8 TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	15
305	Measurement of the (\overline{t}) production cross section in the $e\overline{t}$ channel in proton-proton collisions at ($\sqrt{s}=7$) and 8 TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	30
304	Search for new physics with the M_{T2} variable in all-jets final states produced in pp collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	16

303	Search for dark matter in proton-proton collisions at 8 TeV with missing transverse momentum and vector boson tagged jets. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5-4	9
302	Evidence for exclusive $\Xi \rightarrow W + W$ production and constraints on anomalous quartic gauge couplings in pp collisions at ($\sqrt{s}=7$) and 8 TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5-4	27
301	Search for supersymmetry in pp collisions at ($\sqrt{s}=13$) TeV in the single-lepton final state using the sum of masses of large-radius jets. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5-4	7
300	Search for direct pair production of supersymmetric top quarks decaying to all-hadronic final states in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 460	4-2	14
299	Phenomenological MSSM interpretation of CMS searches in pp collisions at ($\sqrt{s}=7$) and 8 TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5-4	11
298	Measurement of the mass of the top quark in decays with a J/ψ meson in pp collisions at 8 TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5-4	5
297	Measurement of [Formula: see text] production with additional jet activity, including [Formula: see text] quark jets, in the dilepton decay channel using pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 379	4-2	20
296	Measurement of the differential cross section and charge asymmetry for inclusive [Formula: see text] production at [Formula: see text] TeV. <i>European Physical Journal C</i> , 2016 , 76, 469	4-2	37
295	Observation of top quark pairs produced in association with a vector boson in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5-4	18
294	Search for $W \rightarrow tb$ in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5-4	2
293	Search for the production of an excited bottom quark decaying to tW in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5-4	2
292	Search for excited leptons in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5-4	10
291	Measurement of the [Formula: see text] production cross section in the all-jets final state in pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 128	4-2	21
290	Event generator tunes obtained from underlying event and multiparton scattering measurements. <i>European Physical Journal C</i> , 2016 , 76, 155	4-2	250
289	Search for a massive resonance decaying into a Higgs boson and a W or Z boson in hadronic final states in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5-4	14
288	Measurement of top quark polarisation in t-channel single top quark production. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5-4	7
287	Search for heavy Majorana neutrinos in $e\bar{e}\mu\mu$ jets and $e\mu\mu\mu$ jets events in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5-4	28
286	Search for a very light NMSSM Higgs boson produced in decays of the 125 GeV scalar boson and decaying into τ leptons in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5-4	16

285	Measurement of differential cross sections for Higgs boson production in the diphoton decay channel in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 13	4.2	35
284	Search for new physics in final states with two opposite-sign, same-flavor leptons, jets, and missing transverse momentum in pp collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	7
283	Decomposing transverse momentum balance contributions for quenched jets in PbPb collisions at ($\sqrt{s_{\mathrm{N};\mathrm{N}}}=2.76$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	13
282	Measurement of the double-differential inclusive jet cross section in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 451	4.2	36
281	Measurement of the [Formula: see text] cross section in pp collisions at [Formula: see text] TeV and limits on anomalous gauge couplings. <i>European Physical Journal C</i> , 2016 , 76, 401	4.2	38
280	Reconstruction and identification of τ lepton decays to hadrons and μ at CMS. <i>Journal of Instrumentation</i> , 2016 , 11, P01019-P01019	1	75
279	Search for Higgs boson off-shell production in proton-proton collisions at 7 and 8 TeV and derivation of constraints on its total decay width. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	14
278	Search for lepton flavour violating decays of heavy resonances and quantum black holes to an [Formula: see text] pair in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 317	4.2	9
277	Measurement of electroweak production of a W boson and two forward jets in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	4
276	Measurement of transverse momentum relative to dijet systems in PbPb and pp collisions at ($\sqrt{s_{\mathrm{NN}}}=2.76$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	21
275	Search for direct pair production of scalar top quarks in the single- and dilepton channels in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	6
274	Search for the associated production of a Higgs boson with a single top quark in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	10
273	Search for a standard model Higgs boson produced in association with a top-quark pair and decaying to bottom quarks using a matrix element method. <i>European Physical Journal C</i> , 2015 , 75, 251	4.2	55
272	Measurement of electroweak production of two jets in association with a Z boson in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 66	4.2	21
271	Measurements of differential and double-differential Drell-Yan cross sections in proton-proton collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 147	4.2	50
270	Search for decays of stopped long-lived particles produced in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 151	4.2	33
269	Measurement of the W boson helicity in events with a single reconstructed top quark in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	19
268	Measurement of the ratio of the production cross sections times branching fractions of $B \rightarrow J/\psi$ and $B \rightarrow J/\psi$ and $(\mathcal{B}(\mathcal{B} \rightarrow J/\psi \mu^+ \mu^-) / \mathcal{B}(\mathcal{B} \rightarrow J/\psi \mu^+ \mu^-))$ in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	13

267	Search for disappearing tracks in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	35
266	Study of Z production in PbPb and pp collisions at ($\sqrt{s_{\mathrm{NN}}}=2.76$) TeV in the dimuon and dielectron decay channels. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	18
265	Search for physics beyond the standard model in dilepton mass spectra in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	69
264	Observation of the rare $B(s)(0) \rightarrow \mu^+ \mu^-$ decay from the combined analysis of CMS and LHCb data. <i>Nature</i> , 2015 , 522, 68-72	50-4	326
263	Measurement of the underlying event activity using charged-particle jets in proton-proton collisions at ($\sqrt{s}=2.76$) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	6
262	Search for dark matter, extra dimensions, and unparticles in monojet events in proton-proton collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 235	4-2	250
261	Constraints on parton distribution functions and extraction of the strong coupling constant from the inclusive jet cross section in pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 288	4-2	37
260	Nuclear effects on the transverse momentum spectra of charged particles in pPb collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 237	4-2	48
259	Distributions of topological observables in inclusive three- and four-jet events in pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 302	4-2	4
258	Constraints on the pMSSM, AMSB model and on other models from the search for long-lived charged particles in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 325	4-2	24
257	Performance of photon reconstruction and identification with the CMS detector in proton-proton collisions at $\sqrt{s}=8$ TeV. <i>Journal of Instrumentation</i> , 2015 , 10, P08010-P08010	1	141
256	Performance of the CMS missing transverse momentum reconstruction in pp data at $\sqrt{s}=8$ TeV. <i>Journal of Instrumentation</i> , 2015 , 10, P02006-P02006	1	84
255	Study of the top-quark pair production in association with a bottom-quark pair from fast simulations at the LHC. <i>Journal of the Korean Physical Society</i> , 2015 , 67, 807-812	0.6	1
254	Search for physics beyond the standard model in events with two leptons, jets, and missing transverse momentum in pp collisions at (\sqrt{s}) = 8 TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	22
253	Search for third-generation scalar leptoquarks in the $t\bar{t}$ channel in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	19
252	Searches for supersymmetry using the M_{T2} variable in hadronic events produced in pp collisions at 8 TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	26
251	Searches for third-generation squark production in fully hadronic final states in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	33
250	Search for the production of dark matter in association with top-quark pairs in the single-lepton final state in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	17

249	Search for a charged Higgs boson in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	61
248	Search for supersymmetry in the vector-boson fusion topology in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	11
247	Search for a light charged Higgs boson decaying to ($\overline{\text{c}}\text{s}$) in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1-37	5-4	33
246	Search for vector-like T quarks decaying to top quarks and Higgs bosons in the all-hadronic channel using jet substructure. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	16
245	Search for neutral color-octet weak-triplet scalar particles in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	
244	Search for a Higgs boson in the mass range from 145 to 1000 GeV decaying to a pair of W or Z bosons. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	73
243	Precise determination of the mass of the Higgs boson and tests of compatibility of its couplings with the standard model predictions using proton collisions at 7 and 8 TeV. <i>European Physical Journal C</i> , 2015 , 75, 212	4-2	399
242	Combined Measurement of the Higgs Boson Mass in pp Collisions at $\sqrt{s}=7$ and 8 TeV with the ATLAS and CMS Experiments. <i>Physical Review Letters</i> , 2015 , 114, 191803	7-4	709
241	Measurement of the $Z\gamma$ production cross section in pp collisions at 8 TeV and search for anomalous triple gauge boson couplings. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	7
240	Measurement of the inclusive 3-jet production differential cross section in proton-proton collisions at 7 TeV and determination of the strong coupling constant in the TeV range. <i>European Physical Journal C</i> , 2015 , 75, 186	4-2	41
239	Measurement of the differential cross section for top quark pair production in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 542	4-2	98
238	Measurements of the [Formula: see text][Formula: see text] production cross sections in the [Formula: see text] channel in proton-proton collisions at [Formula: see text] and [Formula: see text] and combined constraints on triple gauge couplings. <i>European Physical Journal C</i> , 2015 , 75, 511	4-2	25
237	Search for neutral MSSM Higgs bosons decaying into a pair of bottom quarks. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	18
236	Measurement of the ($\overline{t}t$) production cross section in the dilepton channel in pp collisions at (\sqrt{s}) = 8 TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5-4	43
235	Studies of azimuthal dihadron correlations in ultra-central PbPb collisions at ($\sqrt{s_{NN}}$) = 2.76 TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5-4	60
234	Measurement of associated W + charm production in pp collisions at (\sqrt{s}) = 7 TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5-4	37
233	Search for new physics in events with same-sign dileptons and jets in pp collisions at (\sqrt{s}) = 8 TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5-4	38
232	Studies of dijet transverse momentum balance and pseudorapidity distributions in pPb collisions at ($\sqrt{s_{NN}} = 5.02$) (TeV). <i>European Physical Journal C</i> , 2014 , 74, 1	4-2	67

231	Measurement of WZ and ZZ production in pp collisions at [Formula: see text] in final states with b-tagged jets. <i>European Physical Journal C</i> , 2014 , 74, 2973	4.2	16
230	Search for invisible decays of Higgs bosons in the vector boson fusion and associated ZH production modes. <i>European Physical Journal C</i> , 2014 , 74, 2980	4.2	131
229	Measurement of jet multiplicity distributions in [Formula: see text] production in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2014 , 74, 3014	4.2	11
228	Study of double parton scattering using W + 2-jet events in proton-proton collisions at (\sqrt{s}) = 7 TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	61
227	Event activity dependence of (Υ)(nS) production in ($\sqrt{s_{NN}}$) = 5.02 TeV pPb and (\sqrt{s}) = 2.76 TeV pp collisions. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	42
226	. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	18
225	Search for $W \rightarrow tb$ decays in the lepton + jets final state in pp collisions at (\sqrt{s}) = 8 TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	23
224	Measurement of the triple-differential cross section for photon + jets production in proton-proton collisions at (\sqrt{s}) = 7 TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	15
223	Search for new physics in the multijet and missing transverse momentum final state in proton-proton collisions at (\sqrt{s}) = 8 TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	81
222	Measurement of the t-channel single-top-quark production cross section and of the $ V_{tb} $ CKM matrix element in pp collisions at (\sqrt{s}) = 8 TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	48
221	Measurement of the production cross sections for a Z boson and one or more b jets in pp collisions at (\sqrt{s}) = 7 TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	21
220	Search for pair production of excited top quarks in the lepton + jets final state. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	3
219	Search for massive resonances in dijet systems containing jets tagged as W or Z boson decays in pp collisions at (\sqrt{s}) = 8 TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	74
218	Search for massive resonances decaying into pairs of boosted bosons in semi-leptonic final states at (\sqrt{s}) = 8 TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	59
217	Measurement of the top-quark mass in all-jets [Formula: see text] events in pp collisions at [Formula: see text] TeV. <i>European Physical Journal C</i> , 2014 , 74, 2758	4.2	21
216	Study of the production of charged pions, kaons, and protons in pPb collisions at [Formula: see text] 5.02 [Formula: see text]. <i>European Physical Journal C</i> , 2014 , 74, 2847	4.2	71
215	Probing color coherence effects in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2014 , 74, 2901	4.2	13
214	Observation of the associated production of a single top quark and a W boson in pp collisions at $\sqrt{s} = 8$ TeV. <i>Physical Review Letters</i> , 2014 , 112, 231802	7.4	62

213	Evidence for the direct decay of the 125 GeV Higgs boson to fermions. <i>Nature Physics</i> , 2014 , 10, 557-560	16.2	90
212	Flavor Changing Neutral Currents in top production and decay at CMS. <i>Journal of Physics: Conference Series</i> , 2014 , 556, 012029	0.3	
211	Top quark physics at the LHC. <i>EPJ Web of Conferences</i> , 2014 , 70, 00071	0.3	
210	Measurement of prompt τ to J/ψ yield ratios in Pb-Pb and p-p collisions at $\sqrt{s_{NN}}=2.76$ TeV. <i>Physical Review Letters</i> , 2014 , 113, 262301	7.4	38
209	Search for heavy neutrinos and $[Formula: see text]$ bosons with right-handed couplings in proton-proton collisions at $[Formula: see text]$. <i>European Physical Journal C</i> , 2014 , 74, 3149	4.2	149
208	Measurement of top quark-antiquark pair production in association with a W or Z boson in pp collisions at $[Formula: see text]$ $[Formula: see text]$. <i>European Physical Journal C</i> , 2014 , 74, 3060	4.2	29
207	Measurement of differential cross sections for the production of a pair of isolated photons in pp collisions at $[Formula: see text]$. <i>European Physical Journal C</i> , 2014 , 74, 3129	4.2	29
206	Search for neutral MSSM Higgs bosons decaying to a pair of tau leptons in pp collisions. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	70
205	Measurement of pseudorapidity distributions of charged particles in proton-proton collisions at $(\sqrt{s} = 8)$ TeV by the CMS and TOTEM experiments. <i>European Physical Journal C</i> , 2014 , 74, 1	4.2	37
204	Searches for electroweak production of charginos, neutralinos, and sleptons decaying to leptons and W, Z, and Higgs bosons in pp collisions at 8 TeV. <i>European Physical Journal C</i> , 2014 , 74, 3036	4.2	183
203	Measurement of prompt J/ψ pair production in pp collisions at $(\sqrt{s}) = 7$ TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	41
202	Alignment of the CMS tracker with LHC and cosmic ray data. <i>Journal of Instrumentation</i> , 2014 , 9, P06009-P06009	0.4	
201	Measurement of jet fragmentation in PbPb and pp collisions at $s_{NN}=2.76$ TeV. <i>Physical Review C</i> , 2014 , 90,	2.7	89
200	Measurement of higher-order harmonic azimuthal anisotropy in PbPb collisions at $s_{NN}=2.76$ TeV. <i>Physical Review C</i> , 2014 , 89,	2.7	109
199	Search for top squark and Higgsino production using diphoton Higgs boson decays. <i>Physical Review Letters</i> , 2014 , 112, 161802	7.4	38
198	Measurements of tt spin correlations and top-quark polarization using dilepton final states in pp collisions at $\sqrt{s}=7$ TeV. <i>Physical Review Letters</i> , 2014 , 112, 182001	7.4	49
197	Search for top-quark partners with charge 5/3 in the same-sign dilepton final state. <i>Physical Review Letters</i> , 2014 , 112, 171801	7.4	58
196	Search for flavor-changing neutral currents in top-quark decays $t \rightarrow Zq$ in pp collisions at $\sqrt{s} = 8$ TeV. <i>Physical Review Letters</i> , 2014 , 112, 171802	7.4	46

195	Observation of the diphoton decay of the Higgs boson and measurement of its properties. <i>European Physical Journal C</i> , 2014 , 74, 3076	4.2	239
194	Evidence of b-jet quenching in PbPb collisions at $\sqrt{s(NN)}=2.76$ TeV. <i>Physical Review Letters</i> , 2014 , 113, 132301	7.4	62
193	Search for the associated production of the Higgs boson with a top-quark pair. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	45
192	Study of hadronic event-shape variables in multijet final states in pp collisions at $(\sqrt{s} = 7)$ TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	3
191	Search for standard model production of four top quarks in the lepton + jets channel in pp collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	15
190	Description and performance of track and primary-vertex reconstruction with the CMS tracker. <i>Journal of Instrumentation</i> , 2014 , 9, P10009-P10009	1	279
189	Identification techniques for highly boosted W bosons that decay into hadrons. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	32
188	Measurement of Higgs boson production and properties in the WW decay channel with leptonic final states. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	144
187	Measurement of the (\overline{t}) production cross section in the dilepton channel in pp collisions at $(\sqrt{s}) = 8$ TeV 2014 , 2014, 1		3
186	Search for the associated production of the Higgs boson with a top-quark pair 2014 , 2014, 1		6
185	Search for microscopic black holes in pp collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	38
184	Measurement of the (Λ_{b}^0) lifetime in pp collisions at $(\sqrt{s}=7)$ TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	14
183	Searches for long-lived charged particles in pp collisions at $(\sqrt{s}) = 7$ and 8 TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	96
182	Study of exclusive two-photon production of $W+W\bar{W}$ in pp collisions at $(\sqrt{s}=7)$ TeV and constraints on anomalous quartic gauge couplings. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	56
181	Observation of a new boson with mass near 125 GeV in pp collisions at $(\sqrt{s}=7)$ and 8 TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	261
180	Search for the standard model Higgs boson produced in association with a top-quark pair in pp collisions at the LHC. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	35
179	Studies of jet mass in dijet and W/Z + jet events. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	39
178	Measurement of the (\overline{t}) production cross section in the all-jet final state in pp collisions at $(\sqrt{s}=7)$ TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	14

177	Measurement of the $X(3872)$ production cross section via decays to $J/\psi \pi^0$ in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	44
176	Study of the underlying event at forward rapidity in pp collisions at ($\sqrt{s}=0.9, 2.76, \text{and } 7 \text{ TeV}$). <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	39
175	Search for new physics in events with photons, jets, and missing transverse energy in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	15
174	Search for new physics in events with same-sign dileptons and b jets in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	33
173	Search in leptonic channels for heavy resonances decaying to long-lived neutral particles. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	30
172	Search for exotic resonances decaying into WZ/ZZ in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	16
171	Search for supersymmetry in pp collisions at [Formula: see text] TeV in events with a single lepton, jets, and missing transverse momentum. <i>European Physical Journal C</i> , 2013 , 73, 2404	4.2	15
170	Search for a standard-model-like Higgs boson with a mass in the range 145 to 1000 GeV at the LHC. <i>European Physical Journal C</i> , 2013 , 73, 2469	4.2	49
169	Measurement of the production cross section for ($\text{Z} \rightarrow \nu \bar{\nu}$) in pp collisions at ($\sqrt{s}=7$) TeV and limits on ZZ and Z triple gauge boson couplings. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	12
168	Measurement of the W-boson helicity in top-quark decays from ($\text{t} \rightarrow \bar{\nu} \text{W}$) production in lepton+jets events in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	25
167	Search for supersymmetry in hadronic final states with missing transverse energy using the variables and b-quark multiplicity in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2013 , 73, 2568	4.2	82
166	Measurement of the hadronic activity in events with a Z and two jets and extraction of the cross section for the electroweak production of a Z with two jets in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	10
165	Measurement of masses in the [Formula: see text] system by kinematic endpoints in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2013 , 73, 2494	4.2	37
164	Search for physics beyond the standard model in events with leptons, jets, and large transverse momentum imbalance in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2013 , 73, 2493 ^{4.2}	4.2	10
163	Measurement of the ($\text{t} \rightarrow \bar{\text{t}}$) production cross section in the $\text{t} \rightarrow \text{b} \bar{\text{t}}$ channel in pp collisions at ($\sqrt{s}=7$) TeV. <i>European Physical Journal C</i> , 2013 , 73, 1	4.2	21
162	Jet and underlying event properties as a function of charged-particle multiplicity in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2013 , 73, 2674	4.2	24
161	Search for top-squark pair production in the single-lepton final state in pp collisions at ($\sqrt{s}=8$) TeV. <i>European Physical Journal C</i> , 2013 , 73, 1	4.2	162
160	Measurement of the differential and double-differential Drell-Yan cross sections in proton-proton collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	43

159	Measurement of the cross section and angular correlations for associated production of a Z boson with b hadrons in pp collisions at $(\sqrt{s}) = 7$ TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	26
158	Measurement of the ratio of the inclusive 3-jet cross section to the inclusive 2-jet cross section in pp collisions at $(\sqrt{s} = 7 \text{ TeV})$ and first determination of the strong coupling constant in the TeV range. <i>European Physical Journal C</i> , 2013 , 73, 1	4.2	50
157	Measurement of the $W+W$ cross section in pp collisions at $(\sqrt{s} = 7 \text{ TeV})$ and limits on anomalous WW and WWZ couplings. <i>European Physical Journal C</i> , 2013 , 73, 1	4.2	56
156	Search for narrow resonances and quantum black holes in inclusive and b-tagged dijet mass spectra from pp collisions at $(\sqrt{s}=7)$ TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	37
155	Measurement of the ZZ production cross section and search for anomalous couplings in $2\gamma\gamma$ final states in pp collisions at $(\sqrt{s}=7)$ TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	39
154	Search for supersymmetry in final states with missing transverse energy and 0, 1, 2, or 3 b-quark jets in 7 TeV pp collisions using the variable β T. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	29
153	Search for heavy quarks decaying into a top quark and a W or Z boson using lepton + jets events in pp collisions at $(\sqrt{s}=7)$ TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	12
152	Measurement of the sum of WW and WZ production with W+dijet events in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2013 , 73, 2283	4.2	45
151	Measurement of differential top-quark-pair production cross sections in pp collisions at $(\sqrt{s} = 7 \text{ TeV})$. <i>European Physical Journal C</i> , 2013 , 73, 1	4.2	102
150	Measurement of the $B_s(0) \rightarrow \mu\mu$ branching fraction and search for $B(0) \rightarrow \mu\mu$ with the CMS experiment. <i>Physical Review Letters</i> , 2013 , 111, 101804	7.4	220
149	Top Quark Asymmetry Results at the LHC. <i>Journal of Physics: Conference Series</i> , 2013 , 452, 012036	0.3	
148	Energy calibration and resolution of the CMS electromagnetic calorimeter in pp collisions at $\sqrt{s} = 7$ TeV. <i>Journal of Instrumentation</i> , 2013 , 8, P09009-P09009	1	111
147	Identification of b-quark jets with the CMS experiment. <i>Journal of Instrumentation</i> , 2013 , 8, P04013-P04013		376
146	The performance of the CMS muon detector in proton-proton collisions at $\sqrt{s} = 7$ TeV at the LHC. <i>Journal of Instrumentation</i> , 2013 , 8, P11002-P11002	1	74
145	Searches for Gauge Mediated Supersymmetry Breaking scenarios at CMS. <i>EPJ Web of Conferences</i> , 2013 , 60, 18014	0.3	
144	Study of high-p T charged particle suppression in PbPb compared to pp collisions at $(\sqrt{s_{NN}}=2.76 \text{ TeV})$. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	316
143	Centrality dependence of dihadron correlations and azimuthal anisotropy harmonics in PbPb collisions at $(\sqrt{s_{NN}}= 2.76 \text{ TeV})$. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	158
142	Jet production rates in association with W and Z bosons in pp collisions at $(\sqrt{s} = 7 \text{ TeV})$. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	37

141	Exclusive $B \rightarrow B^* \mu \mu$ production in proton-proton collisions at ($\sqrt{s} = 7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	45
140	Measurement of the production cross section for pairs of isolated photons in pp collisions at ($\sqrt{s} = 7$;TeV). <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	20
139	Inclusive b-jet production in pp collisions at ($\sqrt{s} = 7$ TeV). <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	30
138	Search for quark compositeness in dijet angular distributions from pp collisions at ($\sqrt{s} = 7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	12
137	Suppression of non-prompt J/ψ prompt J/ψ and (Υ)(1S) in PbPb collisions at ($\sqrt{s_{NN}} = 2.76$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	184
136	Search for heavy bottom-like quarks in 4.9 fb $^{-1}$ of pp collisions at ($\sqrt{s} = 7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	44
135	Measurement of the cross section for production of ($\bar{b} X$) decaying to muons in pp collisions at ($\sqrt{s} = 7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	3
134	Measurement of the $Z/\gamma + b$ -jet cross section in pp collisions at ($\sqrt{s} = 7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	24
133	Shape, transverse size, and charged-hadron multiplicity of jets in pp collisions at ($\sqrt{s}=7$;TeV). <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	27
132	Search for anomalous production of multilepton events in pp collisions at ($\sqrt{s} = 7$,TeV). <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	65
131	Search for a light charged Higgs boson in top quark decays in pp collisions at ($\sqrt{s} = 7$;TeV). <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	101
130	Search for leptonic decays of W^\pm bosons in pp collisions at ($\sqrt{s} = 7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	43
129	Search for stopped long-lived particles produced in pp collisions at ($\sqrt{s} = 7$ TeV). <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	17
128	Search for new physics in events with same-sign dileptons and b-tagged jets in pp collisions at ($\sqrt{s} = 7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	24
127	Measurement of the underlying event activity in pp collisions at ($\sqrt{s} = 0.9$) and 7 TeV with the novel jet-area/median approach. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	11
126	Search for dark matter and large extra dimensions in monojet events in pp collisions at ($\sqrt{s} = 7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	155
125	Search for a fermiophobic Higgs boson in pp collisions at ($\sqrt{s} = 7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	13
124	Search for supersymmetry in hadronic final states using M_{T2} in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	92

123	Measurement of jet fragmentation into charged particles in pp and PbPb collisions at ($\sqrt{s_{\mathrm{NN}}} = 2.76$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	73
122	Measurement of the ($\mathrm{t}\overline{\mathrm{t}}$) production cross section in the dilepton channel in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	64
121	Search for exclusive or semi-exclusive Υ production and observation of exclusive and semi-exclusive $e+e\Upsilon$ production in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	45
120	Search for the standard model Higgs boson produced in association with W and Z bosons in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	6
119	Search for electroweak production of charginos and neutralinos using leptonic final states in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	41
118	Search for new physics with long-lived particles decaying to photons and missing energy in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	10
117	Search for resonant ($\mathrm{t}\overline{\mathrm{t}}$) production in lepton+jets events in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	25
116	Observation of Z decays to four leptons with the CMS detector at the LHC. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	30
115	Measurement of the single-top-quark t-channel cross section in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	70
114	Search for third-generation leptoquarks and scalar bottom quarks in pp collisions at ($\sqrt{s}=7$;TeV). <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	12
113	Measurement of the top-quark mass in ($\mathrm{t}\overline{\mathrm{t}}$) events with lepton+jets final states in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	30
112	A new boson with a mass of 125 GeV observed with the CMS experiment at the Large Hadron Collider. <i>Science</i> , 2012 , 338, 1569-75	33-3	71
111	Measurement of the underlying event in the Drell-Yan process in proton-proton collisions at ($\sqrt{s} = 7\sim 14$ TeV). <i>European Physical Journal C</i> , 2012 , 72, 1	4-2	30
110	Study of the inclusive production of charged pions, kaons, and protons in pp collisions at ($\sqrt{s} = 0.9, 2.76, 7\sim 14$ TeV). <i>European Physical Journal C</i> , 2012 , 72, 1	4-2	133
109	A search for a doubly-charged Higgs boson in pp collisions at ($\sqrt{s} = 7\sim 14$ TeV). <i>European Physical Journal C</i> , 2012 , 72, 1	4-2	111
108	Measurement of the top-quark mass in ($\mathrm{t}\overline{\mathrm{t}}$) events with dilepton final states in pp collisions at ($\sqrt{s}=7\sim 14$ TeV). <i>European Physical Journal C</i> , 2012 , 72, 1	4-2	36
107	Ratios of dijet production cross sections as a function of the absolute difference in rapidity between jets in proton-proton collisions at ($\sqrt{s} = 7\sim 14$ TeV). <i>European Physical Journal C</i> , 2012 , 72, 1	4-2	17
106	Measurement of the relative prompt production rate of Υ and Υ' in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2012 , 72, 2251	4-2	46

105	Performance of CMS muon reconstruction in pp collision events at $\sqrt{s} = 7\text{TeV}$. <i>Journal of Instrumentation</i> , 2012 , 7, P10002-P10002	1	398
104	Search for signatures of extra dimensions in the diphoton mass spectrum at the large hadron collider. <i>Physical Review Letters</i> , 2012 , 108, 111801	7-4	53
103	Forward energy flow, central charged-particle multiplicities, and pseudorapidity gaps in W and Z boson events from pp collisions at $(\sqrt{s} = 7)\text{TeV}$. <i>European Physical Journal C</i> , 2012 , 72, 1	4-2	11
102	J/ψ and $\psi(2S)$ production in pp collisions at $(\sqrt{s} = 7\text{TeV})$. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	69
101	Search for the standard model Higgs boson in the $H \rightarrow ZZ \rightarrow 2\mu\mu$ channel in pp collisions at $(\sqrt{s} = 7)\text{TeV}$. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	24
100	Search for the standard model Higgs boson in the $H \rightarrow ZZ \rightarrow 4\mu$ decay channel in pp collisions at $(\sqrt{s} = 7)\text{TeV}$. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	11
99	Search for $(B_{\mu})_{\mu} \rightarrow \mu\mu$ and $B_0 \rightarrow \mu\mu$ decays. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	52
98	Search for a Higgs boson in the decay channel $H \rightarrow ZZ(*) \rightarrow q(\overline{q})\mu\mu$ in pp collisions at $(\sqrt{s} = 7)\text{TeV}$. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	21
97	Search for microscopic black holes in pp collisions at $(\sqrt{s} = 7\text{TeV})$. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	34
96	Measurement of the inclusive production cross sections for forward jets and for dijet events with one forward and one central jet in pp collisions at $(\sqrt{s} = 7)\text{TeV}$. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	13
95	Measurement of the mass difference between top and antitop quarks. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	13
94	Measurement of the pseudorapidity and centrality dependence of the transverse energy density in Pb-Pb collisions at $\sqrt{s_{NN}} = 2.76\text{TeV}$. <i>Physical Review Letters</i> , 2012 , 109, 152303	7-4	55
93	Search for a light pseudoscalar Higgs boson in the dimuon decay channel in pp collisions at $\sqrt{s} = 7\text{TeV}$. <i>Physical Review Letters</i> , 2012 , 109, 121801	7-4	51
92	Search for dark matter and large extra dimensions in pp collisions yielding a photon and missing transverse energy. <i>Physical Review Letters</i> , 2012 , 108, 261803	7-4	116
91	Observation of sequential B suppression in PbPb collisions. <i>Physical Review Letters</i> , 2012 , 109, 222301	7-4	172
90	Observation of a new Λ_b baryon. <i>Physical Review Letters</i> , 2012 , 108, 252002	7-4	57
89	Performance of τ -lepton reconstruction and identification in CMS. <i>Journal of Instrumentation</i> , 2012 , 7, P01001-P01001	1	81
88	Missing transverse energy performance of the CMS detector. <i>Journal of Instrumentation</i> , 2011 , 6, P09001-P09004		

87	Prompt and non-prompt J/ψ production in pp collisions at ($\sqrt{s} = 7$) TeV. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	118
86	Measurement of the ($\text{t}\bar{\text{t}}$) production cross section in pp collisions at ($\sqrt{s}=7$) TeV using the kinematic properties of events with leptons and jets. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	35
85	Charged particle multiplicities in pp interactions at ($\sqrt{s} = 0.9$), 2.36, and 7 TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	89
84	Measurements of inclusive W and Z cross sections in pp collisions at ($\sqrt{s} = 7$) TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	104
83	Search for heavy stable charged particles in pp collisions at ($\sqrt{s} = 7; \text{TeV}$). <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	34
82	Inclusive b-hadron production cross section with muons in pp collisions at ($\sqrt{s} = 7; \text{TeV}$). <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	21
81	Measurement of ($\overline{\text{B}}\text{B}$) angular correlations based on secondary vertex reconstruction at ($\sqrt{s} = 7; \text{TeV}$). <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	27
80	Measurement of the lepton charge asymmetry in inclusive W production in pp collisions at ($\sqrt{s} = 7; \text{TeV}$). <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	38
79	Measurement of Bose-Einstein correlations in pp collisions at ($\sqrt{s} = 0.9$) and 7 TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	22
78	Strange particle production in pp collisions at ($\sqrt{s} = 0.9$) and 7 TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	78
77	Search for large extra dimensions in the diphoton final state at the Large Hadron Collider. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	21
76	Search for resonances in the dilepton mass distribution in pp collisions at ($\sqrt{s} = 7$) TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	32
75	Search for physics beyond the standard model in opposite-sign dilepton events in pp collisions at ($\sqrt{s} = 7; \text{TeV}$). <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	26
74	Search for new physics with same-sign isolated dilepton events with jets and missing transverse energy at the LHC. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	46
73	Search for supersymmetry in events with a lepton, a photon, and large missing transverse energy in pp collisions at ($\sqrt{s} = 7$) TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	10
72	Measurement of the ($\text{t}\bar{\text{t}}$) production cross section and the top quark mass in the dilepton channel in pp collisions at ($\sqrt{s} = 7$) TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	48
71	Long-range and short-range dihadron angular correlations in central PbPb collisions at ($\sqrt{s_{\text{NN}}} = 2.76$) TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	56
70	Search for light resonances decaying into pairs of muons as a signal of new physics. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	12

69	Search for supersymmetry in events with b jets and missing transverse momentum at the LHC. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5-4	28
68	Search for same-sign top-quark pair production at ($\sqrt{s} = 7$) TeV and limits on flavour changing neutral currents in the top sector. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5-4	39
67	Charged particle transverse momentum spectra in pp collisions at ($\sqrt{s} = 0.9$) and 7 TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5-4	44
66	Measurement of the inclusive Z cross section via decays to tau pairs in pp collisions at ($\sqrt{s} = 7$) TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5-4	17
65	Dependence on pseudorapidity and on centrality of charged hadron production in PbPb collisions at ($\sqrt{s_{NN}} = 2.76$) TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5-4	87
64	Search for new physics with jets and missing transverse momentum in pp collisions at ($\sqrt{s} = 7$) TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5-4	46
63	Search for supersymmetry in pp collisions at ($\sqrt{s} = 7$) TeV in events with a single lepton, jets, and missing transverse momentum. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5-4	32
62	Measurement of the underlying event activity at the LHC with ($\sqrt{s} = 7$) TeV and comparison with ($\sqrt{s} = 0.9$) TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5-4	70
61	Measurement of the Drell-Yan cross section in pp collisions at ($\sqrt{s} = 7$) TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5-4	32
60	Measurement of the inclusive W and Z production cross sections in pp collisions at ($\sqrt{s} = 7$) TeV with the CMS experiment. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5-4	121
59	Measurement of energy flow at large pseudorapidities in pp collisions at ($\sqrt{s} = 0.9$) and 7 TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5-4	19
58	Search for $B(s)0 \rightarrow \mu \mu$ and $B(0) \rightarrow \mu \mu$ decays in pp collisions at $\sqrt{s} = 7$ TeV. <i>Physical Review Letters</i> , 2011 , 107, 191802	7-4	44
57	Search for supersymmetry at the LHC in events with jets and missing transverse energy. <i>Physical Review Letters</i> , 2011 , 107, 221804	7-4	188
56	Study of Z Boson Production in PbPb Collisions at $\sqrt{s_{NN}} = 2.76$ TeV. <i>Physical Review Letters</i> , 2011 , 106, 212301	7-4	66
55	Search for supersymmetry in pp collisions at 7 TeV in events with two photons and missing transverse energy. <i>Physical Review Letters</i> , 2011 , 106, 211802	7-4	45
54	Measurement of the B_0 production cross section in pp collisions at $\sqrt{s} = 7$ TeV. <i>Physical Review Letters</i> , 2011 , 106, 252001	7-4	48
53	Determination of jet energy calibration and transverse momentum resolution in CMS. <i>Journal of Instrumentation</i> , 2011 , 6, P11002-P11002	1	463
52	Measurement of energy flow at large pseudorapidities in pp collisions at ($\sqrt{s} = 0.9$) and 7 TeV 2011 , 2011, 1		5

51	Identification and filtering of uncharacteristic noise in the CMS hadron calorimeter. <i>Journal of Instrumentation</i> , 2010 , 5, T03014-T03014	1	34
50	Performance and operation of the CMS electromagnetic calorimeter. <i>Journal of Instrumentation</i> , 2010 , 5, T03010-T03010	1	31
49	Performance of CMS hadron calorimeter timing and synchronization using test beam, cosmic ray, and LHC beam data. <i>Journal of Instrumentation</i> , 2010 , 5, T03013-T03013	1	5
48	Performance of the CMS drift tube chambers with cosmic rays. <i>Journal of Instrumentation</i> , 2010 , 5, T03015-T03015		
47	Calibration of the CMS drift tube chambers and measurement of the drift velocity with cosmic rays. <i>Journal of Instrumentation</i> , 2010 , 5, T03016-T03016	1	2
46	Performance study of the CMS barrel resistive plate chambers with cosmic rays. <i>Journal of Instrumentation</i> , 2010 , 5, T03017-T03017	1	8
45	Performance of the CMS cathode strip chambers with cosmic rays. <i>Journal of Instrumentation</i> , 2010 , 5, T03018-T03018	1	4
44	Aligning the CMS muon chambers with the muon alignment system during an extended cosmic ray run. <i>Journal of Instrumentation</i> , 2010 , 5, T03019-T03019	1	4
43	Alignment of the CMS silicon tracker during commissioning with cosmic rays. <i>Journal of Instrumentation</i> , 2010 , 5, T03009-T03009	1	35
42	Commissioning of the CMS experiment and the cosmic run at four tesla. <i>Journal of Instrumentation</i> , 2010 , 5, T03001-T03001	1	15
41	Fine synchronization of the CMS muon drift-tube local trigger using cosmic rays. <i>Journal of Instrumentation</i> , 2010 , 5, T03004-T03004	1	2
40	Alignment of the CMS muon system with cosmic-ray and beam-halo muons. <i>Journal of Instrumentation</i> , 2010 , 5, T03020-T03020	1	8
39	Precise mapping of the magnetic field in the CMS barrel yoke using cosmic rays. <i>Journal of Instrumentation</i> , 2010 , 5, T03021-T03021	1	16
38	Performance of CMS muon reconstruction in cosmic-ray events. <i>Journal of Instrumentation</i> , 2010 , 5, T03022-T03022		
37	CMS data processing workflows during an extended cosmic ray run. <i>Journal of Instrumentation</i> , 2010 , 5, T03006-T03006	1	2
36	First measurement of the underlying event activity at the LHC with ($\sqrt{s} = 0.9$) TeV. <i>European Physical Journal C</i> , 2010 , 70, 555-572	4.2	36
35	CMS tracking performance results from early LHC operation. <i>European Physical Journal C</i> , 2010 , 70, 1165-1192	4.1	99
34	Observation of long-range, near-side angular correlations in proton-proton collisions at the LHC. <i>Journal of High Energy Physics</i> , 2010 , 2010, 1	5.4	389

33	Direct measurement of the mass difference between top and antitop quarks. <i>Physical Review Letters</i> , 2009 , 103, 132001	7.4	10
32	Measurement of the angular and lifetime parameters of the decays $B_d^0 \rightarrow J/\psi K^*0$ and $B_s^0 \rightarrow J/\psi \phi$. <i>Physical Review Letters</i> , 2009 , 102, 032001	7.4	11
31	Search for large extra spatial dimensions in the dielectron and diphoton channels in pp collisions at $\sqrt{s}=1.96$ TeV. <i>Physical Review Letters</i> , 2009 , 102, 051601	7.4	28
30	Measurement of dijet angular distributions at $\sqrt{s} = 1.96$ TeV and searches for quark compositeness and extra spatial dimensions. <i>Physical Review Letters</i> , 2009 , 103, 191803	7.4	68
29	Search for long-lived charged massive particles with the D0 detector. <i>Physical Review Letters</i> , 2009 , 102, 161802	7.4	46
28	Measurement of the WW production cross section with dilepton final states in pp collisions at $\sqrt{s} = 1.96$ TeV and limits on anomalous trilinear gauge couplings. <i>Physical Review Letters</i> , 2009 , 103, 191801	7.4	32
27	Search for resonant pair production of neutral long-lived particles decaying to bb in pp collisions at $\sqrt{s}=1.96$ TeV. <i>Physical Review Letters</i> , 2009 , 103, 071801	7.4	40
26	Evidence for the decay $B_s^0 \rightarrow D_s^* D_s^*$ and a measurement of $\Delta\Gamma_{CP}/\Gamma_{CP}$. <i>Physical Review Letters</i> , 2009 , 102, 091801	7.4	11
25	Measurement of the $Z\gamma \rightarrow \nu\nu\gamma$ production cross section and limits on anomalous ZZ γ and Z $\gamma\gamma$ couplings in pp collisions at $\sqrt{s} = 1.96$ TeV. <i>Physical Review Letters</i> , 2009 , 102, 201802	7.4	17
24	Search for associated W and Higgs Boson production in pp collisions at $\sqrt{s}=1.96$ TeV. <i>Physical Review Letters</i> , 2009 , 102, 051803	7.4	18
23	Search for charged higgs bosons decaying into top and bottom quarks in pp collisions. <i>Physical Review Letters</i> , 2009 , 102, 191802	7.4	28
22	Search for dark photons from supersymmetric hidden valleys. <i>Physical Review Letters</i> , 2009 , 103, 081802	7.4	25
21	Search for the standard model Higgs boson in tau final states. <i>Physical Review Letters</i> , 2009 , 102, 251801	7.4	14
20	Measurement of $\gamma+b+X$ and $\gamma+c+X$ Production Cross Sections in pp Collisions at $\sqrt{s}=1.96$ TeV. <i>Physical Review Letters</i> , 2009 , 102, 192002	7.4	37
19	Search for resonant diphoton production with the D0 detector. <i>Physical Review Letters</i> , 2009 , 102, 231801	7.4	29
18	Search for next-to-minimal supersymmetric Higgs bosons in the $h \rightarrow a\bar{a} \rightarrow \mu\mu\mu\mu$, $h \rightarrow a\bar{a} \rightarrow \tau\tau\tau\tau$ channels using pp collisions at $\sqrt{s} = 1.96$ TeV. <i>Physical Review Letters</i> , 2009 , 103, 061801	7.4	52
17	Search for neutral Higgs Bosons at high $\tan\beta$ in the $b(h/H/A) \rightarrow b\tau^+\tau^-$ channel. <i>Physical Review Letters</i> , 2009 , 102, 051804	7.4	11
16	Observation of single top-quark production. <i>Physical Review Letters</i> , 2009 , 103, 092001	7.4	172

15	Search for anomalous top-quark couplings with the D0 detector. <i>Physical Review Letters</i> , 2009 , 102, 092002	7.4	18
14	Evidence of WW and WZ production with lepton + jets final states in pp collisions at square root $s=1.96$ TeV. <i>Physical Review Letters</i> , 2009 , 102, 161801	7.4	15
13	Search for charged Higgs bosons in decays of top quarks. <i>Physical Review D</i> , 2009 , 80,	4.9	20
12	Combination of $t\bar{t}$ cross section measurements and constraints on the mass of the top quark and its decays into charged Higgs bosons. <i>Physical Review D</i> , 2009 , 80,	4.9	51
11	Measurement of the top quark mass in final states with two leptons. <i>Physical Review D</i> , 2009 , 80,	4.9	18
10	ZZ \rightarrow l+l production in pp collisions at $s=1.96$ TeV. <i>Physical Review D</i> , 2008 , 78,	4.9	11
9	Search for the standard model Higgs boson in the missing energy and acoplanar b-jet topology at $\sqrt{s}=1.96$ TeV. <i>Physical Review Letters</i> , 2008 , 101, 251802	7.4	1
8	Search for third generation scalar leptoquarks decaying into $t\bar{a}_b$. <i>Physical Review Letters</i> , 2008 , 101, 241802	7.4	21
7	Observation of the doubly strange b baryon Ω_{cb} . <i>Physical Review Letters</i> , 2008 , 101, 232002	7.4	64
6	Measurement of the electron charge asymmetry in $pp \rightarrow W+X \rightarrow e\nu+X$ events at $\sqrt{s}=1.96$ TeV. <i>Physical Review Letters</i> , 2008 , 101, 211801	7.4	48
5	Precise measurement of the top-quark mass from lepton + jets events. <i>Physical Review Letters</i> , 2008 , 101, 182001	7.4	23
4	Observation of ZZ production in p-p collisions at $\sqrt{s}=1.96$ TeV. <i>Physical Review Letters</i> , 2008 , 101, 171803	7.4	16
3	Search for anomalous Wtb couplings in single top quark production. <i>Physical Review Letters</i> , 2008 , 101, 221801	7.4	25
2	Search for long-lived particles decaying into electron or photon pairs with the D0 detector. <i>Physical Review Letters</i> , 2008 , 101, 111802	7.4	18
1	Threshold dependence of strip clusters for the forward region resistive plate chamber of the CMS/LHC experiment. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2003 , 508, 147-151	1.2	5