

# Carmela Dell Aversano

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/1598904/carmela-dellaversano-publications-by-year.pdf>

**Version:** 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

101  
papers

4,185  
citations

38  
h-index

60  
g-index

106  
ext. papers

4,669  
ext. citations

4.9  
avg, IF

5.01  
L-index

#	Paper	IF	Citations
101	Improving in vitro ciguatoxin and brevetoxin detection: selecting neuroblastoma (Neuro-2a) cells with lower sensitivity to ouabain and veratridine (OV-LS). <i>Harmful Algae</i> , <b>2021</b> , 103, 101994	5.3	5
100	Ciguatera Mini Review: 21st Century Environmental Challenges and the Interdisciplinary Research Efforts Rising to Meet Them. <i>International Journal of Environmental Research and Public Health</i> , <b>2021</b> , 18,	4.6	6
99	CyanoMetDB, a comprehensive public database of secondary metabolites from cyanobacteria. <i>Water Research</i> , <b>2021</b> , 196, 117017	12.5	37
98	Development of a data dependent acquisition-based approach for the identification of unknown fast-acting toxins and their ester metabolites. <i>Talanta</i> , <b>2021</b> , 224, 121842	6.2	3
97	Exploring the Photodynamic Properties of Two Antiproliferative Benzodiazopyrrole Derivatives. <i>International Journal of Molecular Sciences</i> , <b>2020</b> , 21,	6.3	4
96	Massive Occurrence of the Harmful Benthic Dinoflagellate cf. in the Eastern Adriatic Sea. <i>Toxins</i> , <b>2019</b> , 11,	4.9	11
95	Structural studies and biological evaluation of T30695 variants modified with single chiral glycerol-T reveal the importance of LEDGF/p75 for the aptamer anti-HIV-integrase activities. <i>Biochimica Et Biophysica Acta - General Subjects</i> , <b>2019</b> , 1863, 351-361	4	0
94	First detection of tetrodotoxin and high levels of paralytic shellfish poisoning toxins in shellfish from Sicily (Italy) by three different analytical methods. <i>Chemosphere</i> , <b>2019</b> , 215, 881-892	8.4	30
93	Plastic-associated harmful microalgal assemblages in marine environment. <i>Environmental Pollution</i> , <b>2019</b> , 244, 617-626	9.3	34
92	Identification of a Sorbicillinoid-Producing <i>Aspergillus</i> Strain with Antimicrobial Activity Against <i>Staphylococcus aureus</i> : a New Polyextremophilic Marine Fungus from Barents Sea. <i>Marine Biotechnology</i> , <b>2018</b> , 20, 502-511	3.4	13
91	NMR-based phytochemical analysis of <i>Vitis vinifera</i> cv Falanghina leaves. Characterization of a previously undescribed biflavonoid with antiproliferative activity. <i>Phytotherapy Research</i> , <b>2018</b> , 125, 13-17	3.2	12
90	Role of temperature and nutrients on the growth and toxin production of <i>Prorocentrum hoffmannianum</i> (Dinophyceae) from the Florida Keys. <i>Harmful Algae</i> , <b>2018</b> , 80, 140-148	5.3	9
89	Mediterranean <i>Azadinium dexteroporum</i> (Dinophyceae) produces six novel azaspiracids and azaspiracid-35: a structural study by a multi-platform mass spectrometry approach. <i>Analytical and Bioanalytical Chemistry</i> , <b>2017</b> , 409, 1121-1134	4.4	41
88	Mass Spectrometry-Based Methods for the Structural Characterization of Marine Toxins. <i>Comprehensive Analytical Chemistry</i> , <b>2017</b> , 193-209	1.9	1
87	Influence of environmental factors on the toxin production of <i>Ostreopsis cf. ovata</i> during bloom events. <i>Marine Pollution Bulletin</i> , <b>2017</b> , 123, 261-268	6.7	13
86	Variability in Toxin Profiles of the Mediterranean <i>Ostreopsis cf. ovata</i> and in Structural Features of the Produced Ovatoxins. <i>Environmental Science &amp; Technology</i> , <b>2017</b> , 51, 13920-13928	10.3	24
85	Toxin Variability Estimations of 68 <i>Alexandrium ostenfeldii</i> (Dinophyceae) Strains from The Netherlands Reveal a Novel Abundant Gymnodimine. <i>Microorganisms</i> , <b>2017</b> , 5,	4.9	17

84	NMR-based identification of the phenolic profile of fruits of <i>Lycium barbarum</i> (goji berries). Isolation and structural determination of a novel N-feruloyl tyramine dimer as the most abundant antioxidant polyphenol of goji berries. <i>Food Chemistry</i> , <b>2016</b> , 194, 1254-9	8.5	75
83	An aquarium hobbyist poisoning: Identification of new palytoxins in <i>Palythoa</i> cf. <i>toxica</i> and complete detoxification of the aquarium water by activated carbon. <i>Toxicon</i> , <b>2016</b> , 121, 41-50	2.8	14
82	<i>Ostreopsis</i> <i>fattorusoi</i> sp. nov. (Dinophyceae), a new benthic toxic <i>Ostreopsis</i> species from the eastern Mediterranean Sea. <i>Journal of Phycology</i> , <b>2016</b> , 52, 1064-1084	3	47
81	<i>Ostreopsis</i> cf. <i>ovata</i> from western Mediterranean Sea: Physiological responses under different temperature and salinity conditions. <i>Harmful Algae</i> , <b>2016</b> , 57, 98-108	5.3	16
80	Chemical, molecular, and eco-toxicological investigation of <i>Ostreopsis</i> sp. from Cyprus Island: structural insights into four new ovatoxins by LC-HRMS/MS. <i>Analytical and Bioanalytical Chemistry</i> , <b>2016</b> , 408, 915-32	4.4	36
79	Ovatoxin-a, A Palytoxin Analogue Isolated from <i>Ostreopsis</i> cf. <i>ovata</i> Fukuyo: Cytotoxic Activity and ELISA Detection. <i>Environmental Science &amp; Technology</i> , <b>2016</b> , 50, 1544-51	10.3	23
78	Determination of Palytoxins in Soft Coral and Seawater from a Home Aquarium. Comparison between <i>Palythoa</i> - and <i>Ostreopsis</i> -Related Inhalatory Poisonings. <i>Environmental Science &amp; Technology</i> , <b>2016</b> , 50, 1023-30	10.3	11
77	Effects of N and P availability on carbon allocation in the toxic dinoflagellate <i>Ostreopsis</i> cf. <i>ovata</i> . <i>Harmful Algae</i> , <b>2016</b> , 55, 202-212	5.3	13
76	(1S,3R,4S,5R)5-O-Caffeoylquinic acid: isolation, stereo-structure characterization and biological activity. <i>Food Chemistry</i> , <b>2015</b> , 178, 306-10	8.5	20
75	Liquid chromatography-high-resolution mass spectrometry for palytoxins in mussels. <i>Analytical and Bioanalytical Chemistry</i> , <b>2015</b> , 407, 1463-73	4.4	27
74	Active role of the mucilage in the toxicity mechanism of the harmful benthic dinoflagellate <i>Ostreopsis</i> cf. <i>ovata</i> . <i>Harmful Algae</i> , <b>2015</b> , 44, 46-53	5.3	39
73	The sxt Gene and Paralytic Shellfish Poisoning Toxins as Markers for the Monitoring of Toxic <i>Alexandrium</i> Species Blooms. <i>Environmental Science &amp; Technology</i> , <b>2015</b> , 49, 14230-8	10.3	18
72	The novel ovatoxin-g and isobaric palytoxin (so far referred to as putative palytoxin) from <i>Ostreopsis</i> cf. <i>ovata</i> (NW Mediterranean Sea): structural insights by LC-high resolution MS(n.). <i>Analytical and Bioanalytical Chemistry</i> , <b>2015</b> , 407, 1191-204	4.4	57
71	Marine Toxins in Italy: The More You Look, the More You Find. <i>European Journal of Organic Chemistry</i> , <b>2014</b> , 2014, 1357-1369	3.2	18
70	Growth dynamics in relation to the production of the main cellular components in the toxic dinoflagellate <i>Ostreopsis</i> cf. <i>ovata</i> . <i>Harmful Algae</i> , <b>2014</b> , 36, 1-10	5.3	26
69	Identification of palytoxin-Ca <sup>2+</sup> complex by NMR and molecular modeling techniques. <i>Journal of Organic Chemistry</i> , <b>2014</b> , 79, 72-9	4.2	5
68	First finding of <i>Ostreopsis</i> cf. <i>ovata</i> toxins in marine aerosols. <i>Environmental Science &amp; Technology</i> , <b>2014</b> , 48, 3532-40	10.3	83
67	Stereoisomers of 42-hydroxy palytoxin from Hawaiian <i>Palythoa</i> <i>toxica</i> and <i>P. tuberculosa</i> : stereostructure elucidation, detection, and biological activities. <i>Journal of Natural Products</i> , <b>2014</b> , 77, 351-7	4.9	22

66	SxtA and sxtG gene expression and toxin production in the Mediterranean <i>Alexandrium minutum</i> (Dinophyceae). <i>Marine Drugs</i> , <b>2014</b> , 12, 5258-76	6	27
65	Investigation of toxin profile of Mediterranean and Atlantic strains of <i>Ostreopsis cf. siamensis</i> (Dinophyceae) by liquid chromatography-high resolution mass spectrometry. <i>Harmful Algae</i> , <b>2013</b> , 23, 19-27	5.3	49
64	New insights on cytological and metabolic features of <i>Ostreopsis cf. ovata</i> Fukuyo (Dinophyceae): a multidisciplinary approach. <i>PLoS ONE</i> , <b>2013</b> , 8, e57291	3.7	49
63	Toxin-producing <i>Ostreopsis cf. ovata</i> are likely to bloom undetected along coastal areas. <i>Environmental Science &amp; Technology</i> , <b>2012</b> , 46, 5574-82	10.3	51
62	Stereochemical studies on ovatoxin-a. <i>Chemistry - A European Journal</i> , <b>2012</b> , 18, 16836-43	4.8	15
61	Cell Growth and Toxins Content of <i>Ostreopsis cf. Ovata</i> in Presence and Absence of Associated Bacteria. <i>Cryptogamie, Algologie</i> , <b>2012</b> , 33, 105-112	0.7	13
60	Isolation and structure elucidation of ovatoxin-a, the major toxin produced by <i>Ostreopsis ovata</i> . <i>Journal of the American Chemical Society</i> , <b>2012</b> , 134, 1869-75	16.4	99
59	Influence of temperature and salinity on <i>Ostreopsis cf. ovata</i> growth and evaluation of toxin content through HR LC-MS and biological assays. <i>Water Research</i> , <b>2012</b> , 46, 82-92	12.5	83
58	Seafood Toxins: Classes, Sources, and Toxicology <b>2012</b> , 1345-1387		2
57	Unique toxin profile of a Mediterranean <i>Ostreopsis cf. ovata</i> strain: HR LC-MS(n) characterization of ovatoxin-f, a new palytoxin congener. <i>Chemical Research in Toxicology</i> , <b>2012</b> , 25, 1243-52	4	84
56	Nitrogen and phosphorus limitation effects on cell growth, biovolume, and toxin production in <i>Ostreopsis cf. ovata</i> . <i>Harmful Algae</i> , <b>2012</b> , 15, 78-90	5.3	59
55	Biogeographic effects of the Gulf of Mexico red tide dinoflagellate <i>Karenia brevis</i> on Mediterranean copepods. <i>Harmful Algae</i> , <b>2012</b> , 16, 63-73	5.3	13
54	Palytoxin and an <i>Ostreopsis</i> toxin extract increase the levels of mRNAs encoding inflammation-related proteins in human macrophages via p38 MAPK and NF- $\kappa$ B. <i>PLoS ONE</i> , <b>2012</b> , 7, e38139	3.7	29
53	Toxin levels and profiles in microalgae from the north-Western Adriatic Sea--15 years of studies on cultured species. <i>Marine Drugs</i> , <b>2012</b> , 10, 140-62	6	71
52	High resolution LC-MS(n) fragmentation pattern of palytoxin as template to gain new insights into ovatoxin-a structure. The key role of calcium in MS behavior of palytoxins. <i>Journal of the American Society for Mass Spectrometry</i> , <b>2012</b> , 23, 952-63	3.5	33
51	A 4-decade-long (and still ongoing) hunt for palytoxins chemical architecture. <i>Toxicon</i> , <b>2011</b> , 57, 362-7	2.8	23
50	A review on the effects of environmental conditions on growth and toxin production of <i>Ostreopsis ovata</i> . <i>Toxicon</i> , <b>2011</b> , 57, 421-8	2.8	81
49	LC-MS of palytoxin and its analogues: State of the art and future perspectives. <i>Toxicon</i> , <b>2011</b> , 57, 376-89	2.8	80

48	The acute and chronic effects of combined antipsychotic-mood stabilizing treatment on the expression of cortical and striatal postsynaptic density genes. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , <b>2011</b> , 35, 184-97	5.5	36
47	Ostreopsis cf. ovata bloom in the northern Adriatic Sea during summer 2009: ecology, molecular characterization and toxin profile. <i>Marine Pollution Bulletin</i> , <b>2011</b> , 62, 2512-9	6.7	78
46	Palytoxin in seafood by liquid chromatography tandem mass spectrometry: investigation of extraction efficiency and matrix effect. <i>Analytical and Bioanalytical Chemistry</i> , <b>2011</b> , 401, 1043-50	4.4	25
45	Harmful dinoflagellate <i>Ostreopsis</i> cf. <i>ovata</i> Fukuyo: detection of ovatoxins in field samples and cell immunolocalization using antipalytoxin antibodies. <i>Environmental Science &amp; Technology</i> , <b>2011</b> , 45, 7051-9	10.3	32
44	Hydrophilic Interaction Liquid Chromatography-Mass Spectrometry (HILIC-MS) of Paralytic Shellfish Poisoning Toxins, Domoic Acid, and Assorted Cyanobacterial Toxins. <i>Chromatographic Science</i> , <b>2011</b> , 105-132		1
43	Comparative growth and toxin profile of cultured <i>Ostreopsis ovata</i> from the Tyrrhenian and Adriatic Seas. <i>Toxicon</i> , <b>2010</b> , 55, 211-20	2.8	109
42	Complex toxin profile of <i>Mytilus galloprovincialis</i> from the Adriatic sea revealed by LC-MS. <i>Toxicon</i> , <b>2010</b> , 55, 280-8	2.8	32
41	Characterization of 27-hydroxy-13-desmethyl spirolide C and 27-oxo-13,19-didesmethyl spirolide C. Further insights into the complex Adriatic <i>Alexandrium ostenfeldii</i> toxin profile. <i>Toxicon</i> , <b>2010</b> , 56, 1327-33	2.8	29
40	Palytoxins: A still haunting Hawaiian curse. <i>Phytochemistry Reviews</i> , <b>2010</b> , 9, 491-500	7.7	10
39	Complex palytoxin-like profile of <i>Ostreopsis ovata</i> . Identification of four new ovatoxins by high-resolution liquid chromatography/mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , <b>2010</b> , 24, 2735-44	2.2	119
38	Chapter 1 Recent Developments in Mediterranean Harmful Algal Events. <i>Advances in Molecular Toxicology</i> , <b>2009</b> , 3, 1-41	0.4	5
37	Stereostructure and biological activity of 42-hydroxy-palytoxin: a new palytoxin analogue from Hawaiian <i>Palythoa</i> subspecies. <i>Chemical Research in Toxicology</i> , <b>2009</b> , 22, 1851-9	4	72
36	Antipsychotic and antidepressant co-treatment: effects on transcripts of inducible postsynaptic density genes possibly implicated in behavioural disorders. <i>Brain Research Bulletin</i> , <b>2009</b> , 79, 123-9	3.9	25
35	<i>Gonyaulax spinifera</i> from the Adriatic sea: Toxin production and phylogenetic analysis. <i>Harmful Algae</i> , <b>2009</b> , 8, 279-290	5.3	45
34	Full relative stereochemistry assignment and conformational analysis of 13,19-didesmethyl spirolide C via NMR- and molecular modeling-based techniques. A step towards understanding spirolide's mechanism of action. <i>Organic and Biomolecular Chemistry</i> , <b>2009</b> , 7, 3674-81	3.9	13
33	Isolation and structure elucidation of new and unusual saxitoxin analogues from mussels. <i>Journal of Natural Products</i> , <b>2008</b> , 71, 1518-23	4.9	87
32	Putative palytoxin and its new analogue, ovatoxin-a, in <i>Ostreopsis ovata</i> collected along the Ligurian coasts during the 2006 toxic outbreak. <i>Journal of the American Society for Mass Spectrometry</i> , <b>2008</b> , 19, 111-20	3.5	171
31	Spirolide toxin profile of Adriatic <i>Alexandrium ostenfeldii</i> cultures and structure elucidation of 27-hydroxy-13,19-didesmethyl spirolide C. <i>Journal of Natural Products</i> , <b>2007</b> , 70, 1878-83	4.9	44

30	Desulfoyessotoxins from Adriatic mussels: a new problem for seafood safety control. <i>Chemical Research in Toxicology</i> , <b>2007</b> , 20, 95-8	4	21
29	Influence of temperature, salinity and nutrient limitation on yessotoxin production and release by the dinoflagellate <i>Protoceratium reticulatum</i> in batch-cultures. <i>Harmful Algae</i> , <b>2007</b> , 6, 707-717	5.3	48
28	Stereostructural Determination by a Synthetic and NMR-Based Approach of Three Oxazinins Isolated from Adriatic Mussels. <i>European Journal of Organic Chemistry</i> , <b>2007</b> , 2007, 5434-5439	3.2	11
27	Differential expression of Homer 1 gene by acute and chronic administration of antipsychotics and dopamine transporter inhibitors in the rat forebrain. <i>Synapse</i> , <b>2007</b> , 61, 429-39	2.4	33
26	Involvement of the nitric oxide/protein kinase G pathway in polychlorinated biphenyl-induced cell death in SH-SY 5Y neuroblastoma cells. <i>Journal of Neuroscience Research</i> , <b>2006</b> , 84, 692-7	4.4	28
25	The Genoa 2005 outbreak. Determination of putative palytoxin in Mediterranean <i>Ostreopsis ovata</i> by a new liquid chromatography tandem mass spectrometry method. <i>Analytical Chemistry</i> , <b>2006</b> , 78, 6153-9	7.8	215
24	Investigation of the toxin profile of Greek mussels <i>Mytilus galloprovincialis</i> by liquid chromatography-mass spectrometry. <i>Toxicon</i> , <b>2006</b> , 47, 174-81	2.8	31
23	Toxin profile of <i>Alexandrium ostenfeldii</i> (Dinophyceae) from the Northern Adriatic Sea revealed by liquid chromatography-mass spectrometry. <i>Toxicon</i> , <b>2006</b> , 47, 597-604	2.8	76
22	Oxazinins from toxic mussels: isolation of a novel oxazinin and reassignment of the C-2 configuration of oxazinin-1 and -2 on the basis of synthetic models. <i>Tetrahedron</i> , <b>2006</b> , 62, 7738-7743	2.4	16
21	The alternation of different morphotypes in the seasonal cycle of the toxic diatom <i>Pseudo-nitzschia galaxiae</i> . <i>Harmful Algae</i> , <b>2005</b> , 4, 33-48	5.3	80
20	Hydrophilic interaction liquid chromatography--mass spectrometry for the analysis of paralytic shellfish poisoning (PSP) toxins. <i>Journal of Chromatography A</i> , <b>2005</b> , 1081, 190-201	4.5	220
19	Hydrophilic interaction liquid chromatography/mass spectrometry for determination of domoic acid in Adriatic shellfish. <i>Rapid Communications in Mass Spectrometry</i> , <b>2005</b> , 19, 2030-8	2.2	53
18	Analysis of cyanobacterial toxins by hydrophilic interaction liquid chromatography-mass spectrometry. <i>Journal of Chromatography A</i> , <b>2004</b> , 1028, 155-64	4.5	133
17	A new cytotoxic polychlorinated sulfolipid from contaminated Adriatic mussels. <i>Tetrahedron</i> , <b>2004</b> , 60, 7093-7098	2.4	43
16	Structure-activity relationships of yessotoxins in cultured cells. <i>Chemical Research in Toxicology</i> , <b>2004</b> , 17, 1251-7	4	34
15	Toxins from Adriatic blue mussels. A decade of studies. <i>Pure and Applied Chemistry</i> , <b>2003</b> , 75, 325-336	2.1	26
14	Complex yessotoxins profile in <i>Protoceratium reticulatum</i> from north-western Adriatic sea revealed by LC-MS analysis. <i>Toxicon</i> , <b>2003</b> , 42, 7-14	2.8	92
13	Direct detection of yessotoxin and its analogues by liquid chromatography coupled with electrospray ion trap mass spectrometry. <i>Journal of Chromatography A</i> , <b>2002</b> , 968, 61-9	4.5	41

12	The detection and identification of 42,43,44,45,46,47,55-heptanor-41-oxoyessotoxin, a new marine toxin from adriatic shellfish, by liquid chromatography-mass spectrometry. <i>Chemical Research in Toxicology</i> , <b>2002</b> , 15, 979-84	4	35
11	Structure and stereochemistry of a new cytotoxic polychlorinated sulfolipid from Adriatic shellfish. <i>Journal of the American Chemical Society</i> , <b>2002</b> , 124, 13114-20	16.4	61
10	The toxigenic marine dinoflagellate <i>Alexandrium tamarense</i> as the probable cause of mortality of caged salmon in Nova Scotia. <i>Harmful Algae</i> , <b>2002</b> , 1, 313-325	5.3	73
9	Oxazinin-1, -2 and -3 [A Novel Toxic Compound and Its Analogues from the Digestive Glands of <i>Mytilus galloprovincialis</i> . <i>European Journal of Organic Chemistry</i> , <b>2001</b> , 2001, 49-53	3.2	20
8	Archerine, a Novel Anti-Histaminic Bromotyrosine-Derived Compound from the Caribbean Marine Sponge <i>Aplysina archeri</i> . <i>European Journal of Organic Chemistry</i> , <b>2001</b> , 2001, 55-60	3.2	15
7	Assignment of the absolute stereochemistry of oxazinin-1: application of the 9-AMA shift-correlation method for chiral primary alcohols. <i>Tetrahedron</i> , <b>2001</b> , 57, 8189-8192	2.4	16
6	Ecdysteroids from the caribbean sponge <i>Iotrochota birotulata</i> . <i>Steroids</i> , <b>2000</b> , 65, 138-42	2.8	20
5	Chemistry of verongida sponges. 10. Secondary metabolite composition of the caribbean sponge <i>Verongula gigantea</i> . <i>Journal of Natural Products</i> , <b>2000</b> , 63, 263-6	4.9	46
4	Chemistry of verongida sponges. 9.1 secondary metabolite composition of the caribbean sponge <i>aplysina cauliformis</i> . <i>Journal of Natural Products</i> , <b>1999</b> , 62, 590-3	4.9	46
3	Chemistry of Verongida sponges. VII bromocompounds from the caribbean sponge <i>Aplysina archeri</i> . <i>Tetrahedron</i> , <b>1996</b> , 52, 9863-9868	2.4	34
2	Comprehensive database of secondary metabolites from cyanobacteria		11
1	Chemistry of palytoxin and its analogues85-111		2