B W J Mol

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/1599022/b-w-j-mol-publications-by-year.pdf
Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

1,161 papers	34,728 citations	87 h-index	147 g-index
1,324 ext. papers	42,350 ext. citations	4.8 avg, IF	7.24 L-index

#	Paper	IF	Citations
1161	Letter to the editor re: Ahmed S. Abdel Wahab, et al.: a randomized controlled trial of two-doses of vaginal progesterone 400 vs. 200 mg for prevention of preterm labor in twin gestations https://doi.org/10.1515/jpm-2021-0131.. *Journal of Perinatal Medicine*, **2022**,	2.7	
1160	Stillbirth and neonatal mortality in a subsequent pregnancy following stillbirth: a population-based cohort study.. *BMC Pregnancy and Childbirth*, **2022**, 22, 11	3.2	0
1159	Evaluation of low-dose aspirin in the prevention of recurrent spontaneous preterm labour (the APRIL study): A multicentre, randomised, double-blinded, placebo-controlled trial.. *PLoS Medicine*, **2022**, 19, e1003892	11.6	2
1158	Can hysterosalpingo-foam sonography replace hysterosalpingography as first-choice tubal patency test? A randomized non-inferiority trial.. *Human Reproduction*, **2022**,	5.7	2
1157	An individualized decision between physical therapy or surgery for patients with degenerative meniscal tears cannot be based on continuous treatment selection markers: a marker-by-treatment analysis of the ESCAPE study.. *Knee Surgery, Sports Traumatology, Arthroscopy*, **2022**, 1	5.5	0
1156	Protocol for developing a core outcome set for male infertility research: an international consensus development study.. *Human Reproduction Open*, **2022**, 2022, hoac014	6.1	0
1155	The evolution of the diagnostic criteria of preeclampsia-eclampsia.. *American Journal of Obstetrics and Gynecology*, **2022**, 226, S835-S843	6.4	2
1154	Hyperemesis gravidarum severity, enteral tube feeding and cardiometabolic markers in offspring cord blood.. *British Journal of Nutrition*, **2022**, 1-30	3.6	
1153	Predictors for insulin use in gestational diabetes mellitus.. *European Journal of Obstetrics, Gynecology and Reproductive Biology*, **2022**, 272, 177-181	2.4	0
1152	Hypertensive disorders in pregnancy - Trends over eight years: A population-based cohort study.. *Pregnancy Hypertension*, **2022**, 28, 60-65	2.6	0
1151	Fertility-related quality of life in subfertile women undergoing tubal testing with transvaginal hydrolaparoscopy or hysterosalpingography.. *European Journal of Obstetrics, Gynecology and Reproductive Biology*, **2022**, 274, 19-22	2.4	0
1150	Oil-based versus water-based contrast media for hysterosalpingography in infertile women of advanced age, with ovulation disorders or a high risk for tubal pathology: study protocol of a randomized controlled trial (H2Oil2 study).. *BMC Womens Health*, **2022**, 22, 123	2.9	
1149	Timing of Delivery for Twins With Growth Discordance and Growth Restriction. *Obstetrics and Gynecology*, **2022**, 139, 1155-1167	4.9	1
1148	In Reply. *Obstetrics and Gynecology*, **2021**, 138, 945	4.9	
1147	Early Prediction of Gestational Diabetes Mellitus in the Chinese Population via Advanced Machine Learning. *Journal of Clinical Endocrinology and Metabolism*, **2021**, 106, e1191-e1205	5.6	22
1146	Meta-analysis and systematic review to determine the optimal imaging modality for the detection of uterosacral ligaments/torus uterinus, rectovaginal septum and vaginal deep endometriosis. *Human Reproduction Open*, **2021**, 2021, hoab041	6.1	0
1145	Live birth after additional tubal flushing with oil-based contrast versus no additional flushing: a randomised, multicentre, parallel-group pragmatic trial in infertile women with at least one patent tube at hysterosalpingo-foam sonography (HYFOIL study). *BMJ Open*, **2021**, 11, e054845	3	0

1144	Uterine distension media for outpatient hysteroscopy. *The Cochrane Library*, **2021**, 11, CD006604	5.2	0
1143	Collaborative maternity and newborn dashboard (CoMaND) for the COVID-19 pandemic: a protocol for timely, adaptive monitoring of perinatal outcomes in Melbourne, Australia. *BMJ Open*, **2021**, 11, e055902	3	1
1142	A protocol for developing a core outcome set for ectopic pregnancy. *Trials*, **2021**, 22, 813	2.8	0
1141	Pessary Plus Progesterone to Prevent Preterm Birth in Women With Short Cervixes: A Randomized Controlled Trial. *Obstetrics and Gynecology*, **2021**, 139,	4.9	3
1140	Violation of research integrity principles occurs more often than we think.. *Reproductive BioMedicine Online*, **2021**,	4	3
1139	Short-term outcomes of phosphodiesterase type 5 inhibitors for fetal growth restriction: a study protocol for a systematic review with individual participant data meta-analysis, aggregate meta-analysis, and trial sequential analysis. *Systematic Reviews*, **2021**, 10, 305	3	0
1138	Maternal and neonatal complications in women with medical comorbidities and preeclampsia.. *Pregnancy Hypertension*, **2021**, 27, 62-68	2.6	0
1137	The role of PCOS in mental health and sexual function in women with obesity and a history of infertility. *Human Reproduction Open*, **2021**, 2021, hoab038	6.1	1
1136	Impact of maternal education level on live birth rate after in vitro fertilization in China: a retrospective cohort study. *Journal of Assisted Reproduction and Genetics*, **2021**, 1	3.4	0
1135	Telehealth use in antenatal care? Not without women's voices - Authors' reply. *Lancet, The*, **2021**, 398, 1406	40	
1134	Business as usual during the COVID-19 pandemic? Reflections on state-wide trends in maternity telehealth consultations during lockdown in Victoria and New South Wales. *Australian and New Zealand Journal of Obstetrics and Gynaecology*, **2021**, 61, 982-985	1.7	0
1133	Blastocyst quality and perinatal outcomes in women undergoing single blastocyst transfer in frozen cycles.. *Human Reproduction Open*, **2021**, 2021, hoab036	6.1	1
1132	The effect of preexisting medical comorbidities on the preeclamptic phenotype: a retrospective cohort study. *Hypertension in Pregnancy*, **2021**, 40, 336-345	2	
1131	In vitro maturation without gonadotropins versus in vitro fertilization with hyperstimulation in women with polycystic ovary syndrome: a non-inferiority randomized controlled trial. *Human Reproduction*, **2021**,	5.7	1
1130	Optimal imaging modality for detection of rectosigmoid deep endometriosis: systematic review and meta-analysis. *Ultrasound in Obstetrics and Gynecology*, **2021**, 58, 190-200	5.8	11
1129	Elective labor induction vs expectant management of pregnant women at term and children's educational outcomes at 8 years of age. *Ultrasound in Obstetrics and Gynecology*, **2021**, 58, 99-104	5.8	0
1128	Ethnic differences in the impact of male fetal gender on the risk of spontaneous preterm birth. *Journal of Perinatology*, **2021**, 41, 2165-2172	3.1	2
1127	Evaluating Progestogens for Preventing Preterm birth International Collaborative (EPPPIC): meta-analysis of individual participant data from randomised controlled trials. *Lancet, The*, **2021**, 397, 1183-1194	40	35

1126	Thyroid-stimulating hormone and free thyroxine fail to predict the severity and clinical course of hyperemesis gravidarum: A prospective cohort study. *Acta Obstetricia Et Gynecologica Scandinavica*, **2021**, 100, 1419-1429	3.8	0
1125	Biosimilar recombinant follitropin alfa preparations versus the reference product (Gonal-F□) in couples undergoing assisted reproductive technology treatment: a systematic review and meta-analysis. *Reproductive Biology and Endocrinology*, **2021**, 19, 51	5	0
1124	Developing a core outcome set in interventions to prevent stillbirth: A systematic review on variations of outcome reporting. *European Journal of Obstetrics, Gynecology and Reproductive Biology*, **2021**, 259, 196-206	2.4	1
1123	Micronized progesterone plus dydrogesterone versus micronized progesterone alone for luteal phase support in frozen-thawed cycles (MIDRONE): a prospective cohort study. *Human Reproduction*, **2021**, 36, 1821-1831	5.7	6
1122	Effect of parental and ART treatment characteristics on perinatal outcomes. *Human Reproduction*, **2021**, 36, 1640-1665	5.7	2
1121	Evaluation of a blended care programme for caregivers and working pregnant women to prevent adverse pregnancy outcomes: an intervention study. *Occupational and Environmental Medicine*, **2021**, 78, 809-817	2.1	0
1120	Should we look for a low-grade threshold for blastocyst transfer? A scoping review. *Reproductive BioMedicine Online*, **2021**, 42, 709-716	4	2
1119	Septum resection versus expectant management in women with a septate uterus: an international multicentre open-label randomized controlled trial. *Human Reproduction*, **2021**, 36, 1260-1267	5.7	14
1118	Change in cervical length after arrested preterm labor and risk of preterm birth. *Ultrasound in Obstetrics and Gynecology*, **2021**, 58, 750-756	5.8	
1117	Intracytoplasmic sperm injection versus conventional in-vitro fertilisation in couples with infertility in whom the male partner has normal total sperm count and motility: an open-label, randomised controlled trial. *Lancet, The*, **2021**, 397, 1554-1563	40	10
1116	Do baseline AMH levels in women with polycystic ovary syndrome predict ovulation rate and time to ovulation: a secondary analysis of PCOSAct trial?. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2021**, 128, 1477-1486	3.7	0
1115	The challenges with managing polycystic ovary syndrome: A qualitative study of women's and clinicians' experiences. *Patient Education and Counseling*, **2021**,	3.1	2
1114	High dose progesterone for prevention of preterm birth in twins. *American Journal of Obstetrics and Gynecology*, **2021**, 224, 552	6.4	1
1113	Safety of oil-based contrast medium for hysterosalpingography: a systematic review. *Reproductive BioMedicine Online*, **2021**, 42, 1119-1129	4	4
1112	Child outcomes after induction of labour or expectant management in women with preterm prelabour rupture of membranes between 34 and 37 weeks of gestation: study protocol of the PPROMEXIL Follow-up trial. A long-term follow-up study of the randomised controlled trials PPROMEXIL and PPROMEXIL-2. *BMJ Open*, **2021**, 11, e046046	3	1
1111	Effectiveness of antenatal corticosteroids at term: Can we trust the data that 'inform' us?. *European Journal of Obstetrics, Gynecology and Reproductive Biology*, **2021**, 261, 144-147	2.4	1
1110	Recurrence, postponing pregnancy, and termination rates after hyperemesis gravidarum: Follow up of the MOTHER study. *Acta Obstetricia Et Gynecologica Scandinavica*, **2021**, 100, 1636-1643	3.8	1
1109	Meta-analysis and systematic review to determine the optimal imaging modality for the detection of bladder deep endometriosis. *European Journal of Obstetrics, Gynecology and Reproductive Biology*, **2021**, 261, 124-133	2.4	6

1108	Development of a core outcome set for interventions to prevent stillbirth. *Australian and New Zealand Journal of Obstetrics and Gynaecology*, **2021**, 61, 658-666	1.7	1
1107	An investigation of seven other publications by the first author of a retracted paper due to doubts about data integrity. *European Journal of Obstetrics, Gynecology and Reproductive Biology*, **2021**, 261, 236-241	2.4	1
1106	Intrauterine injection of HCG before embryo transfer: a parallel, double-blind randomized trial. *Reproductive BioMedicine Online*, **2021**, 43, 663-669	4	0
1105	Anti-Mullerian hormone (AMH) test information on Australian and New Zealand fertility clinic websites: a content analysis. *BMJ Open*, **2021**, 11, e046927	3	
1104	Ursodeoxycholic acid in intrahepatic cholestasis of pregnancy. *The Lancet Gastroenterology and Hepatology*, **2021**, 6, 513-515	18.8	
1103	Development and validation of a risk prediction model of preterm birth for women with preterm labour symptoms (the QUIDS study): A prospective cohort study and individual participant data meta-analysis. *PLoS Medicine*, **2021**, 18, e1003686	11.6	4
1102	Impact of COVID-19 pandemic restrictions on pregnancy duration and outcome in Melbourne, Australia. *Ultrasound in Obstetrics and Gynecology*, **2021**, 58, 677-687	5.8	1
1101	Widespread implementation of a low-cost telehealth service in the delivery of antenatal care during the COVID-19 pandemic: an interrupted time-series analysis. *Lancet, The*, **2021**, 398, 41-52	40	12
1100	What women want and why. Women's preferences for induction of labour or expectant management in late-term pregnancy. *Women and Birth*, **2021**, 34, 250-256	3.3	3
1099	Cerebroplacental ratio in predicting adverse perinatal outcome: a meta-analysis of individual participant data. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2021**, 128, 226-235	3.7	11
1098	Child outcomes after amnioinfusion compared with no intervention in women with second-trimester rupture of membranes: a long-term follow-up study of the PROMEXIL-III trial. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2021**, 128, 292-301	3.7	3
1097	The impact of the definition of preeclampsia on disease diagnosis and outcomes: a retrospective cohort study. *American Journal of Obstetrics and Gynecology*, **2021**, 224, 217.e1-217.e11	6.4	5
1096	Progesterone for prevention of preterm birth in women with short cervical length: 2-year infant outcomes. *Ultrasound in Obstetrics and Gynecology*, **2021**, 57, 431-439	5.8	3
1095	In-vitro maturation versus IVF: a cost-effectiveness analysis. *Reproductive BioMedicine Online*, **2021**, 42, 143-149	4	2
1094	Trends in preterm birth in twin pregnancies in Victoria, Australia, 2007-2017. *Australian and New Zealand Journal of Obstetrics and Gynaecology*, **2021**, 61, 55-62	1.7	4
1093	The long-term costs and effects of tubal flushing with oil-based versus water-based contrast during hysterosalpingography. *Reproductive BioMedicine Online*, **2021**, 42, 150-157	4	3
1092	Response to: Comments on the methodology of an endometrial receptivity array trial. *Reproductive BioMedicine Online*, **2021**, 42, 284	4	1
1091	Prediction of stillbirth: an umbrella review of evaluation of prognostic variables. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2021**, 128, 238-250	3.7	8

1090	Uterine artery embolization versus surgical treatment in patients with symptomatic uterine fibroids: Protocol for a systematic review and meta-analysis of individual participant data. *European Journal of Obstetrics, Gynecology and Reproductive Biology*, **2021**, 256, 179-183	2.4	0
1089	Top 10 priorities for future infertility research: an international consensus development study. *Fertility and Sterility*, **2021**, 115, 180-190	4.8	8
1088	Standardizing definitions and reporting guidelines for the infertility core outcome set: an international consensus development study. *Fertility and Sterility*, **2021**, 115, 201-212	4.8	9
1087	Prioritizing IVF treatment in the post-COVID 19 era: a predictive modelling study based on UK national data. *Human Reproduction*, **2021**, 36, 666-675	5.7	8
1086	Can the use of diagnostic and prognostic categorisation tailor the need for assisted reproductive technology in infertile couples?. *Australian and New Zealand Journal of Obstetrics and Gynaecology*, **2021**, 61, 297-303	1.7	0
1085	Associations between Apgar scores and children's educational outcomes at eight years of age. *Australian and New Zealand Journal of Obstetrics and Gynaecology*, **2021**, 61, 35-41	1.7	0
1084	Foley catheter vs oral misoprostol for induction of labor: individual participant data meta-analysis. *Ultrasound in Obstetrics and Gynecology*, **2021**, 57, 215-223	5.8	2
1083	Neonatal outcomes according to actual delivery mode after planned vaginal delivery in women with a twin pregnancy. *European Journal of Obstetrics, Gynecology and Reproductive Biology*, **2021**, 256, 17-24	2.4	2
1082	Developing a core outcome set for future infertility research: an international consensus development study. *Fertility and Sterility*, **2021**, 115, 191-200	4.8	3
1081	Temporizing management vs immediate delivery in early-onset severe preeclampsia between 28 and 34 weeks of gestation (TOTEM study): An open-label randomized controlled trial. *Acta Obstetricia Et Gynecologica Scandinavica*, **2021**, 100, 109-118	3.8	2
1080	Harmonizing research outcomes for polycystic ovary syndrome (HARP), a marathon not a sprint: current challenges and future research need. *Human Reproduction*, **2021**, 36, 523-528	5.7	2
1079	Biomarkers and the Prediction of Adverse Outcomes in Preeclampsia: A Systematic Review and Meta-analysis. *Obstetrics and Gynecology*, **2021**, 137, 72-81	4.9	12
1078	Birthweight and other perinatal outcomes of singletons conceived after assisted reproduction compared to natural conceived singletons in couples with unexplained subfertility: follow-up of two randomized clinical trials. *Human Reproduction*, **2021**, 36, 817-825	5.7	2
1077	Early and late pregnancy loss in women with polycystic ovary syndrome undergoing IVF/ICSI treatment: a retrospective cohort analysis of 21 820 pregnancies. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2021**, 128, 1160-1169	3.7	4
1076	Can risk prediction models help us individualise stillbirth prevention? A systematic review and critical appraisal of published risk models. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2021**, 128, 214-224	3.7	5
1075	Induction of labor with Foley catheter and risk of subsequent preterm birth: follow-up study of two randomized controlled trials (PROBAAT-1 and -2). *Ultrasound in Obstetrics and Gynecology*, **2021**, 57, 292-297	5.8	1
1074	A lifestyle intervention randomized controlled trial in obese women with infertility improved body composition among those who experienced childhood adversity. *Stress and Health*, **2021**, 37, 93-102	3.7	5
1073	Levonorgestrel-releasing intrauterine system versus endometrial ablation for heavy menstrual bleeding. *American Journal of Obstetrics and Gynecology*, **2021**, 224, 187.e1-187.e10	6.4	8

1072	Planned Cesarean or planned vaginal delivery for twins: secondary analysis of randomized controlled trial. *Ultrasound in Obstetrics and Gynecology*, **2021**, 57, 582-591	5.8	2
1071	Lifestyle intervention prior to IVF does not improve embryo utilization rate and cumulative live birth rate in women with obesity: a nested cohort study. *Human Reproduction Open*, **2021**, 2021, hoab032	6.1	0
1070	A multi-centre, open label, randomised, parallel-group, superiority Trial to compare the efficacy of URsodeoxycholic acid with RIFampicin in the management of women with severe early onset Intrahepatic Cholestasis of pregnancy: the TURRIFIC randomised trial. *BMC Pregnancy and Childbirth*, **2021**, 21, 51	3.2	6
1069	Cost-effectiveness of ovarian stimulation agents for IUI in couples with unexplained subfertility. *Human Reproduction*, **2021**, 36, 1288-1295	5.7	1
1068	Cervical length varies considering different populations and gestational outcomes: Results from a systematic review and meta-analysis. *PLoS ONE*, **2021**, 16, e0245746	3.7	5
1067	Prematurity Rates During the Coronavirus Disease 2019 (COVID-19) Pandemic Lockdown in Melbourne, Australia. *Obstetrics and Gynecology*, **2021**, 137, 405-407	4.9	18
1066	Trends in singleton preterm birth in Victoria, 2007 to 2017: A consecutive cross-sectional study. *Acta Obstetricia Et Gynecologica Scandinavica*, **2021**, 100, 1230-1238	3.8	2
1065	Letter to the Editor Regarding Safety and Efficacy of Enoxaparin in Pregnancy: A Systematic Review and Meta-analysis. Are All the Underlying Data True?. *Advances in Therapy*, **2021**, 38, 2757-2758	4.1	
1064	The interaction between metabolic syndrome and physical activity, and risk for gestational diabetes mellitus. *Acta Diabetologica*, **2021**, 58, 939-947	3.9	1
1063	Adnexectomy by vaginal Natural Orifice Transluminal Endoscopic Surgery versus laparoscopy: results of a first randomised controlled trial (NOTABLE trial). *BJOG: an International Journal of Obstetrics and Gynaecology*, **2021**, 128, 1782-1791	3.7	5
1062	Intrauterine insemination (IUI) with or without letrozole for unexplained or mild male factor infertility: A randomized pilot study. *European Journal of Obstetrics, Gynecology and Reproductive Biology*, **2021**, 262, 216-220	2.4	1
1061	Comparing levonorgestrel intrauterine system versus hysteroscopic resection in patients with postmenstrual spotting related to a niche in the caesarean scar (MIHYS NICHE trial): protocol of a randomised controlled trial. *BMJ Open*, **2021**, 11, e045770	3	0
1060	Re: Vascular endothelial growth factor C/A 2578 gene polymorphism and umbilical artery doppler in preeclamptic women. Mowad HH, Abougabal KM, Fahim AS, Shehata NAA, Ali HAA, Nasser MZ. Pregnancy Hypertens. 2019 Oct;18:173-178. *Pregnancy Hypertension*, **2021**, 25, 169-170	2.6	
1059	Methods to assess research misconduct in health-related research: A scoping review. *Journal of Clinical Epidemiology*, **2021**, 136, 189-202	5.7	5
1058	Effect of an individualised nutritional intervention on gestational diabetes mellitus prevention in a high-risk population screened by a prediction model: study protocol for a multicentre randomised controlled trial. *BMC Pregnancy and Childbirth*, **2021**, 21, 586	3.2	3
1057	Assessing Research Misconduct in Randomized Controlled Trials. *Obstetrics and Gynecology*, **2021**, 138, 338-347	4.9	4
1056	Research misconduct tests: putting patients' interests first. *Journal of Clinical Epidemiology*, **2021**, 138, 228-229	5.7	
1055	Preconception insulin resistance and neonatal birth weight in women with obesity: role of bile acids. *Reproductive BioMedicine Online*, **2021**, 43, 931-939	4	0

1054	Making miscarriage matter. *Lancet, The*, **2021**, 398, 743-744	40	
1053	Can a Three-Arm RCT With Two Active Drugs Have One Placebo?. *Journal of Pediatric and Adolescent Gynecology*, **2021**, 34, 576	2	
1052	Transvaginal hydrolaparoscopy versus hysterosalpingography in the work-up for subfertility: a randomized controlled trial. *Reproductive BioMedicine Online*, **2021**, 43, 239-245	4	1
1051	Use of metformin to prolong gestation in preterm pre-eclampsia: randomised, double blind, placebo controlled trial. *BMJ, The*, **2021**, 374, n2103	5.9	8
1050	FIGO good practice recommendations on the use of pessary for reducing the frequency and improving outcomes of preterm birth. *International Journal of Gynecology and Obstetrics*, **2021**, 155, 23-25	4	4
1049	A prognostic model, including quantitative fetal fibronectin, to predict preterm labour: the QUIDS meta-analysis and prospective cohort study. *Health Technology Assessment*, **2021**, 25, 1-168	4.4	0
1048	FIGO good practice recommendations on reduction of preterm birth in pregnancies conceived by assisted reproductive technologies. *International Journal of Gynecology and Obstetrics*, **2021**, 155, 13-15	4	0
1047	FIGO good practice recommendations on magnesium sulfate administration for preterm fetal neuroprotection. *International Journal of Gynecology and Obstetrics*, **2021**, 155, 31-33	4	1
1046	Endometrial thickness in the prediction of neonatal adverse outcomes in frozen cycles for singleton pregnancies. *Reproductive BioMedicine Online*, **2021**, 43, 553-560	4	2
1045	A new phenomenon in medical publishing: the autonomous citation. *Journal of Clinical Epidemiology* , **2021**,	5.7	
1044	FIGO good practice recommendations on modifiable causes of iatrogenic preterm birth. *International Journal of Gynecology and Obstetrics*, **2021**, 155, 8-12	4	0
1043	The Effect of Lifestyle Intervention on Systemic Oxidative Stress in Women with Obesity and Infertility: A Post-Hoc Analysis of a Randomized Controlled Trial. *Journal of Clinical Medicine*, **2021**, 10,	5.1	2
1042	FIGO good practice recommendations on delayed umbilical cord clamping. *International Journal of Gynecology and Obstetrics*, **2021**, 155, 34-36	4	0
1041	FIGO good practice recommendations on cervical cerclage for prevention of preterm birth. *International Journal of Gynecology and Obstetrics*, **2021**, 155, 19-22	4	4
1040	FIGO good practice recommendations on the use of prenatal corticosteroids to improve outcomes and minimize harm in babies born preterm. *International Journal of Gynecology and Obstetrics*, **2021**, 155, 26-30	4	1
1039	FIGO good practice recommendations on progestogens for prevention of preterm delivery. *International Journal of Gynecology and Obstetrics*, **2021**, 155, 16-18	4	4
1038	A case of perinatal death after insertion of an intrauterine pressure catheter. *European Journal of Obstetrics, Gynecology and Reproductive Biology*, **2021**, 265, 217-219	2.4	1
1037	The effect of a hysteroscopic niche resection compared with Levonorgestrel-releasing intrauterine device on postmenstrual spotting in patients with a symptomatic niche in the uterine cesarean scar: A prospective cohort study. *European Journal of Obstetrics, Gynecology and Reproductive Biology*, **2021**, 265, 66-73	2.4	0

1036	Maternal, perinatal and childhood outcomes of the PPROMEXIL-III cohort: Pregnancies complicated by previable prelabor rupture of membranes. *European Journal of Obstetrics, Gynecology and Reproductive Biology*, **2021**, 265, 44-53	2.4	
1035	Diagnostic Accuracy of Transvaginal Ultrasound and Magnetic Resonance Imaging for Adenomyosis: Systematic Review and Meta-Analysis and Review of Sonographic Diagnostic Criteria. *Journal of Ultrasound in Medicine*, **2021**, 40, 2289-2306	2.9	3
1034	Corrigendum. IUI for unexplained infertility-a network meta-analysis. *Human Reproduction Update*, **2021**, 27, 424	15.8	
1033	Iodine contrast prior to or during pregnancy and neonatal thyroid function: a systematic review. *European Journal of Endocrinology*, **2021**, 184, 189-198	6.5	6
1032	INTRAUTERINE INJECTION OF HUMAN CHORIONIC GONADOTROPIN BEFORE EMBRYO TRANSFER: A RANDOMIZED CONTROLLED TRIAL. *Fertility and Sterility*, **2020**, 114, e159-e160	4.8	78
1031	Vitamin D supplementation prior to in vitro fertilisation in women with polycystic ovary syndrome: a protocol of a multicentre randomised, double-blind, placebo-controlled clinical trial. *BMJ Open*, **2020**, 10, e041409	3	2
1030	External validation of prognostic models predicting pre-eclampsia: individual participant data meta-analysis. *BMC Medicine*, **2020**, 18, 302	11.4	4
1029	Between-laboratory reproducibility of time-lapse embryo selection using qualitative and quantitative parameters: a systematic review and meta-analysis. *Journal of Assisted Reproduction and Genetics*, **2020**, 37, 1295-1302	3.4	3
1028	Coronavirus disease 2019 among pregnant Chinese women: case series data on the safety of vaginal birth and breastfeeding. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2020**, 127, 1109-1115	3.7	114
1027	A core outcome set for pre-eclampsia research: an international consensus development study. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2020**, 127, 1516-1526	3.7	24
1026	Having a baby in your 40s with assisted reproductive technology: The reproductive dilemma of autologous versus donor oocytes. *Australian and New Zealand Journal of Obstetrics and Gynaecology*, **2020**, 60, 797-803	1.7	3
1025	Integrity of randomized controlled trials: challenges and solutions. *Fertility and Sterility*, **2020**, 113, 1113-1119	4.8	6
1024	Coordination and planning of clinical research on a national and global level. *Fertility and Sterility*, **2020**, 113, 1100-1106	4.8	10
1023	Large randomized controlled trials in infertility. *Fertility and Sterility*, **2020**, 113, 1093-1099	4.8	4
1022	Methodologic considerations in randomized clinical trials in reproductive medicine. *Fertility and Sterility*, **2020**, 113, 1107-1112	4.8	0
1021	Letter of response - Data integrity of 35 randomised controlled trials in women' health. *European Journal of Obstetrics, Gynecology and Reproductive Biology*, **2020**, 255, 260	2.4	0
1020	A 5-year multicentre randomized controlled trial comparing personalized, frozen and fresh blastocyst transfer in IVF. *Reproductive BioMedicine Online*, **2020**, 41, 402-415	4	49
1019	Development of children born from freeze-only versus fresh embryo transfer: follow-up of a randomized controlled trial. *Fertility and Sterility*, **2020**, 114, 558-566	4.8	5

1018	Tubal flushing with oil-based or water-based contrast at hysterosalpingography for infertility: long-term reproductive outcomes of a randomized trial. *Fertility and Sterility*, **2020**, 114, 155-162	4.8	8
1017	Gonadotrophins or clomiphene citrate in women with normogonadotropic anovulation and CC failure: does the endometrium matter?. *Human Reproduction*, **2020**, 35, 1319-1324	5.7	2
1016	Definition and diagnosis of cerebral palsy in genetic studies: a systematic review. *Developmental Medicine and Child Neurology*, **2020**, 62, 1024-1030	3.3	9
1015	A double-blind randomised placebo-controlled trial of melatonin as an adjuvant agent in induction of labour (MILO): a study protocol. *BMJ Open*, **2020**, 10, e032480	3	1
1014	Efficacy of adjunctive azithromycin versus single-dose cephalosporin prophylaxis for caesarean scar defect: study protocol for a randomised controlled trial. *BMJ Open*, **2020**, 10, e032379	3	0
1013	Effectiveness of cervical pessary compared to cervical cerclage with or without vaginal progesterone for the prevention of preterm birth in women with twin pregnancies and a short cervix: study protocol for a two-by-two factorial randomised clinical trial. *BMJ Open*, **2020**, 10, e036587	3	1
1012	Increasing obstetric intervention for fetal growth restriction is shifting birthweight centiles: a retrospective cohort study. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2020**, 127, 1074-1080	3.7	9
1011	The perspective of women with an increased risk of OHSS regarding the safety and burden of IVF: a discrete choice experiment. *Human Reproduction Open*, **2020**, 2020, hoz034	6.1	7
1010	Neonatal Developmental and Behavioral Outcomes of Immediate Delivery Versus Expectant Monitoring in Mild Hypertensive Disorders of Pregnancy: 2-Year Outcomes of the HYPITAT-II Trial. *Obstetrical and Gynecological Survey*, **2020**, 75, 13-15	2.4	
1009	Effects of tocolysis with nifedipine or atosiban on child outcome: follow-up of the APOSTEL III trial. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2020**, 127, 1129-1137	3.7	3
1008	Tubal factor infertility with prior ectopic pregnancy: a double whammy? A retrospective cohort study of 2,892 women. *Fertility and Sterility*, **2020**, 113, 1032-1038	4.8	6
1007	Early and late onset pre-eclampsia and small for gestational age risk in subsequent pregnancies. *PLoS ONE*, **2020**, 15, e0230483	3.7	3
1006	Re: Effect of progestogen for women with threatened miscarriage: a systematic review and meta-analysis. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2020**, 127, 1303-1304	3.7	3
1005	Trends in preterm birth in singleton and multiple gestations in the Netherlands 2008-2015: A population-based study. *European Journal of Obstetrics, Gynecology and Reproductive Biology*, **2020**, 247, 111-115	2.4	4
1004	Letter to the Editor regarding research integrity. *Pregnancy Hypertension*, **2020**, 19, 169	2.6	1
1003	Laparoscopic ovarian drilling for ovulation induction in women with anovulatory polycystic ovary syndrome. *The Cochrane Library*, **2020**, 2, CD001122	5.2	14
1002	Risk of adverse pregnancy outcomes of late- and postterm pregnancies in advanced maternal age: A national cohort study. *Acta Obstetricia Et Gynecologica Scandinavica*, **2020**, 99, 1022-1030	3.8	11
1001	Clinicians' perspectives on diagnosing polycystic ovary syndrome in Australia: a qualitative study. *Human Reproduction*, **2020**, 35, 660-668	5.7	10

1000	Harmonising research outcomes for polycystic ovary syndrome: an international multi-stakeholder core outcome set. *Human Reproduction*, **2020**, 35, 404-412	5.7	14
999	Endometrial thickness as a biomarker for ongoing pregnancy in IUI for unexplained subfertility: a secondary analysis. *Human Reproduction Open*, **2020**, 2020, hoz024	6.1	2
998	Challenging the definition of hypertension in pregnancy: a retrospective cohort study. *American Journal of Obstetrics and Gynecology*, **2020**, 222, 606.e1-606.e21	6.4	19
997	Impact of a diagnosis of polycystic ovary syndrome on diet, physical activity and contraceptive use in young women: findings from the Australian Longitudinal Study of Women's Health. *Human Reproduction*, **2020**, 35, 394-403	5.7	7
996	Complications after hysterosalpingography with oil- or water-based contrast: results of a nationwide survey. *Human Reproduction Open*, **2020**, 2020, hoz045	6.1	13
995	Septum resection in women with a septate uterus: a cohort study. *Human Reproduction*, **2020**, 35, 1578-1588	5.7	27
994	Is Cesarean section the right outcome for induction of labor trials? Impact of sample size and primary outcomes. *Ultrasound in Obstetrics and Gynecology*, **2020**, 56, 645-646	5.8	0
993	A core outcome set for future endometriosis research: an international consensus development study. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2020**, 127, 967-974	3.7	44
992	Is asymptomatic bacteriuria associated with short cervical length in women with a singleton pregnancy, a secondary analysis of two national cohort studies with small embedded randomized controlled trials. *European Journal of Obstetrics, Gynecology and Reproductive Biology*, **2020**, 248, 172-176	2.4	
991	Risk factors for the recurrence of obstetrical anal sphincter injury and the role of a mediolateral episiotomy: an analysis of a national registry. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2020**, 127, 951-956	3.7	3
990	Induction of labour at 41 weeks or expectant management until 42 weeks: A systematic review and an individual participant data meta-analysis of randomised trials. *PLoS Medicine*, **2020**, 17, e1003436	11.6	10
989	Uterine bathing with sonography gel prior to IVF/ICSI-treatment in patients with endometriosis, a multicentre randomised controlled trial. *Human Reproduction Open*, **2020**, 2020, hoaa054	6.1	1
988	Challenges in economic evaluations in obstetric care: a scoping review and expert opinion. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2020**, 127, 1399-1407	3.7	1
987	Perinatal death in a term fetal growth restriction randomized controlled trial: the paradox of prior risk and consent. *American Journal of Obstetrics & Gynecology MFM*, **2020**, 2, 100239	7.4	0
986	Medical and Surgical Treatment of Reproductive Outcomes in Polycystic Ovary Syndrome: An Overview of Systematic Reviews. *International Journal of Fertility & Sterility*, **2020**, 13, 257-270	1.9	9
985	Validation and development of models using clinical, biochemical and ultrasound markers for predicting pre-eclampsia: an individual participant data meta-analysis. *Health Technology Assessment*, **2020**, 24, 1-252	4.4	6
984	Implications of Vaginal Instrumental Delivery for Children's School Achievement: A Population-based Linked Administrative Data Study. *Obstetric Anesthesia Digest*, **2020**, 40, 148-150	0.2	
983	Unexplained Infertility. *Seminars in Reproductive Medicine*, **2020**, 38, 1-2	1.4	2

982	Micronized vaginal progesterone to prevent miscarriage: a critical evaluation of randomized evidence. *American Journal of Obstetrics and Gynecology*, **2020**, 223, 167-176	6.4	46
981	Placental growth factor testing in suspected pre-eclampsia. *Lancet, The*, **2020**, 395, 335	40	2
980	Does the effectiveness of IUI in couples with unexplained subfertility depend on their prognosis of natural conception? A replication of the H2Oil study. *Human Reproduction Open*, **2020**, 2020, hoaa047	6.1	1
979	Thyroid function in neonates conceived after hysterosalpingography with iodinated contrast. *Human Reproduction*, **2020**, 35, 1159-1167	5.7	8
978	When to Do Surgery and When Not to Do Surgery for Endometriosis: A Systematic Review and Meta-analysis. *Journal of Minimally Invasive Gynecology*, **2020**, 27, 390-407.e3	2.2	20
977	Follow-up ultrasound in second-trimester low-positioned anterior and posterior placentae: prospective cohort study. *Ultrasound in Obstetrics and Gynecology*, **2020**, 56, 725-731	5.8	4
976	The predictive capacity of uterine artery Doppler for preterm birth-A cohort study. *Acta Obstetricia Et Gynecologica Scandinavica*, **2020**, 99, 494-502	3.8	4
975	A question about the reliability of a recent trial of progesterone for preterm birth prevention, published in Acta. *Acta Obstetricia Et Gynecologica Scandinavica*, **2020**, 99, 426	3.8	1
974	Acupuncture in pregnancy; primum non nocere. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2020**, 127, 87	3.7	1
973	Surgery for endometriosis-related infertility. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2020**, 127, 115	3.7	
972	Determinants of disease course and severity in hyperemesis gravidarum. *European Journal of Obstetrics, Gynecology and Reproductive Biology*, **2020**, 245, 162-167	2.4	4
971	Fertility outcomes of IVF/ICSI after Caesarean section: a cohort study. *Reproductive BioMedicine Online*, **2020**, 40, 719-728	4	6
970	Treatment of severe hypertension during pregnancy: we still do not know what the best option is. *Hypertension in Pregnancy*, **2020**, 39, 25-32	2	3
969	Transvaginal hydrolaparoscopy and laparoscopy. *Reproductive BioMedicine Online*, **2020**, 40, 105-112	4	4
968	Intrapartum and neonatal mortality in low-risk term women in midwife-led care and obstetrician-led care at the onset of labor: A national matched cohort study. *Acta Obstetricia Et Gynecologica Scandinavica*, **2020**, 99, 546-554	3.8	4
967	The quality and utility of research in ectopic pregnancy in the last three decades: An analysis of the published literature. *European Journal of Obstetrics, Gynecology and Reproductive Biology*, **2020**, 245, 134-142	2.4	3
966	Neonatal developmental and behavioral outcomes of immediate delivery versus expectant monitoring in mild hypertensive disorders of pregnancy: 5-year outcomes of the HYPITAT II trial. *European Journal of Obstetrics, Gynecology and Reproductive Biology*, **2020**, 244, 172-179	2.4	7
965	Individualized ovarian stimulation in IVF/ICSI treatment: it is time to stop using high FSH doses in predicted low responders. *Human Reproduction*, **2020**, 35, 1954-1963	5.7	13

964	Effects of psychological treatment of mental health problems in pregnant women to protect their offspring: randomised controlled trial. *British Journal of Psychiatry*, **2020**, 216, 182-188	5.4	10
963	IUI for unexplained infertility-a network meta-analysis. *Human Reproduction Update*, **2020**, 26, 1-15	15.8	12
962	Risk of preterm birth after prior term cesarean. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2020**, 127, 610-617	3.7	10
961	Efficacy and Safety of Triazavirin Therapy for Coronavirus Disease 2019: A Pilot Randomized Controlled Trial. *Engineering*, **2020**, 6, 1185-1191	9.7	25
960	Tubal flushing for subfertility. *The Cochrane Library*, **2020**, 10, CD003718	5.2	5
959	Surgical treatment for tubal disease in women due to undergo in vitro fertilisation. *The Cochrane Library*, **2020**, 10, CD002125	5.2	4
958	Ketonuria is not associated with hyperemesis gravidarum disease severity. *European Journal of Obstetrics, Gynecology and Reproductive Biology*, **2020**, 254, 315-320	2.4	4
957	Letter of response (2) - Data integrity of 35 randomised controlled trials in women' health. *European Journal of Obstetrics, Gynecology and Reproductive Biology*, **2020**, 255, 261-262	2.4	0
956	Reply: Higher reported rates of intravasation of oil-soluble contrast media-there may be a silver lining. *Human Reproduction Open*, **2020**, 2020, hoaa031	6.1	
955	SOMA-trial: surgery or medication for women with an endometrioma? Study protocol for a randomised controlled trial and cohort study. *Human Reproduction Open*, **2020**, 2020, hoz046	6.1	
954	Age-related natural fertility outcomes in women over 35 years: a systematic review and individual participant data meta-analysis. *Human Reproduction*, **2020**, 35, 1808-1820	5.7	9
953	Network meta-analyses in reproductive medicine: challenges and opportunities. *Human Reproduction*, **2020**, 35, 1723-1731	5.7	2
952	Standardising definitions for the pre-eclampsia core outcome set: A consensus development study. *Pregnancy Hypertension*, **2020**, 21, 208-217	2.6	4
951	Generating translatable evidence to improve patient care: the contribution of human factors. *Reproductive BioMedicine Online*, **2020**, 41, 353-356	4	4
950	Developing a core outcome set for future infertility research: an international consensus development study□□□*Human Reproduction*, **2020**, 35, 2725-2734	5.7	15
949	Top 10 priorities for future infertility research: an international consensus development study□□□ *Human Reproduction*, **2020**, 35, 2715-2724	5.7	7
948	Standardizing definitions and reporting guidelines for the infertility core outcome set: an international consensus development study□□□*Human Reproduction*, **2020**, 35, 2735-2745	5.7	12
947	Sexual assault as a risk factor for gynaecological morbidity: An exploratory systematic review and meta-analysis. *European Journal of Obstetrics, Gynecology and Reproductive Biology*, **2020**, 255, 222-230	2.4	4

946	Embryo incubation by time-lapse systems versus conventional incubators in Chinese women with diminished ovarian reserve undergoing IVF/ICSI: a study protocol for a randomised controlled trial. *BMJ Open*, **2020**, 10, e038657	3	1
945	Authors' reply re: Cerebroplacental ratio in predicting adverse perinatal outcome: a meta-analysis of individual participant data. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2020**, 127, 1439-1440	3.7	5
944	Neonatal outcome in 29 pregnant women with COVID-19: A retrospective study in Wuhan, China. *PLoS Medicine*, **2020**, 17, e1003195	11.6	38
943	Increased incidence of hypertensive disorders of pregnancy in women with a history of spontaneous preterm birth: A longitudinal linked national cohort study. *Pregnancy Hypertension*, **2020**, 22, 59-63	2.6	0
942	Reproducible research practices and transparency in reproductive endocrinology and infertility articles. *Fertility and Sterility*, **2020**, 114, 1322-1329	4.8	1
941	Tocolysis compared with no tocolysis in women with threatened preterm birth and ruptured membranes: A propensity score analysis. *European Journal of Obstetrics, Gynecology and Reproductive Biology*, **2020**, 255, 67-73	2.4	2
940	How long does the fertility-enhancing effect of hysterosalpingography with oil-based contrast last?. *Reproductive BioMedicine Online*, **2020**, 41, 1038-1044	4	
939	Valuable research starts with reliable data. *European Journal of Obstetrics, Gynecology and Reproductive Biology*, **2020**, 255, 263	2.4	
938	Impairment of Uterine Contractility Is Associated with Unexplained Infertility. *Seminars in Reproductive Medicine*, **2020**, 38, 61-73	1.4	2
937	How and Why to Define Unexplained Infertility?. *Seminars in Reproductive Medicine*, **2020**, 38, 55-60	1.4	2
936	Which second trimester placenta previa remains a placenta previa in the third trimester: A prospective cohort study. *European Journal of Obstetrics, Gynecology and Reproductive Biology*, **2020**, 254, 119-123	2.4	1
935	Cost-effectiveness of medically assisted reproduction or expectant management for unexplained subfertility: when to start treatment?. *Human Reproduction*, **2020**,	5.7	8
934	Preimplantation genetic testing for aneuploidy: are we examining the correct outcomes?. *Human Reproduction*, **2020**, 35, 2408-2412	5.7	6
933	In-vitro maturation of oocytes versus conventional IVF in women with infertility and a high antral follicle count: a randomized non-inferiority controlled trial. *Human Reproduction*, **2020**, 35, 2537-2547	5.7	16
932	To share or not to share data: how valid are trials evaluating first-line ovulation induction for polycystic ovary syndrome?. *Human Reproduction Update*, **2020**, 26, 929-941	15.8	4
931	Design characteristics of studies on medical practice variation of caesarean section rates: a scoping review. *BMC Pregnancy and Childbirth*, **2020**, 20, 478	3.2	1
930	Multi-professional simulation-based team training in obstetric emergencies for improving patient outcomes and trainees' performance. *The Cochrane Library*, **2020**, 12, CD011545	5.2	5
929	Association between serum progesterone concentration in early pregnancy and duration of pregnancy: a cohort study. *Journal of Maternal-Fetal and Neonatal Medicine*, **2020**, 33, 2096-2102	2	

928	The impact of mode of delivery on the outcome in very preterm twins. *Journal of Maternal-Fetal and Neonatal Medicine*, **2020**, 33, 2089-2095	2	2
927	Gonadotrophins or clomiphene citrate in couples with unexplained infertility undergoing intrauterine insemination: a cost-effectiveness analysis. *Reproductive BioMedicine Online*, **2020**, 40, 99-104	4	4
926	Impact of Hypertension and Preeclampsia Intervention Trial At Near Term-I (HYPITAT-I) on obstetric management and outcome in The Netherlands. *Ultrasound in Obstetrics and Gynecology*, **2020**, 55, 58-67	5.8	7
925	Association between fetal sex, birthweight percentile and adverse pregnancy outcome. *Acta Obstetricia Et Gynecologica Scandinavica*, **2020**, 99, 48-58	3.8	10
924	Cervical pessary vs vaginal progesterone for prevention of preterm birth in women with twin pregnancy and short cervix: economic analysis following randomized controlled trial. *Ultrasound in Obstetrics and Gynecology*, **2020**, 55, 339-347	5.8	7
923	Live birth after in vitro maturation versus standard in vitro fertilisation for women with polycystic ovary syndrome: protocol for a non-inferiority randomised clinical trial. *BMJ Open*, **2020**, 10, e035334	3	4
922	The association between parity and spontaneous preterm birth: a population based study. *BMC Pregnancy and Childbirth*, **2020**, 20, 233	3.2	13
921	Neonatal outcome in 29 pregnant women with COVID-19: A retrospective study in Wuhan, China **2020**, 17, e1003195		
920	Neonatal outcome in 29 pregnant women with COVID-19: A retrospective study in Wuhan, China **2020**, 17, e1003195		
919	Neonatal outcome in 29 pregnant women with COVID-19: A retrospective study in Wuhan, China **2020**, 17, e1003195		
918	Neonatal outcome in 29 pregnant women with COVID-19: A retrospective study in Wuhan, China **2020**, 17, e1003195		
917	Neonatal outcome in 29 pregnant women with COVID-19: A retrospective study in Wuhan, China **2020**, 17, e1003195		
916	Neonatal outcome in 29 pregnant women with COVID-19: A retrospective study in Wuhan, China **2020**, 17, e1003195		
915	Induction of labour at 41 weeks or expectant management until 42 weeks: A systematic review and an individual participant data meta-analysis of randomised trials **2020**, 17, e1003436		
914	Induction of labour at 41 weeks or expectant management until 42 weeks: A systematic review and an individual participant data meta-analysis of randomised trials **2020**, 17, e1003436		
913	Induction of labour at 41 weeks or expectant management until 42 weeks: A systematic review and an individual participant data meta-analysis of randomised trials **2020**, 17, e1003436		
912	Induction of labour at 41 weeks or expectant management until 42 weeks: A systematic review and an individual participant data meta-analysis of randomised trials **2020**, 17, e1003436		
911	Induction of labour at 41 weeks or expectant management until 42 weeks: A systematic review and an individual participant data meta-analysis of randomised trials **2020**, 17, e1003436		

910	Induction of labour at 41 weeks or expectant management until 42 weeks: A systematic review and an individual participant data meta-analysis of randomised trials **2020**, 17, e1003436		
909	Induction of labour at 41 weeks or expectant management until 42 weeks: A systematic review and an individual participant data meta-analysis of randomised trials **2020**, 17, e1003436		
908	Induction of labour at 41 weeks or expectant management until 42 weeks: A systematic review and an individual participant data meta-analysis of randomised trials **2020**, 17, e1003436		
907	Early and late onset pre-eclampsia and small for gestational age risk in subsequent pregnancies **2020**, 15, e0230483		
906	Early and late onset pre-eclampsia and small for gestational age risk in subsequent pregnancies **2020**, 15, e0230483		
905	Early and late onset pre-eclampsia and small for gestational age risk in subsequent pregnancies **2020**, 15, e0230483		
904	Early and late onset pre-eclampsia and small for gestational age risk in subsequent pregnancies **2020**, 15, e0230483		
903	Gestational weight gain outside the Institute of Medicine recommendations and adverse pregnancy outcomes: analysis using individual participant data from randomised trials. *BMC Pregnancy and Childbirth*, **2019**, 19, 322	3.2	38
902	Publication bias may exist among prognostic accuracy studies of middle cerebral artery Doppler ultrasound. *Journal of Clinical Epidemiology*, **2019**, 116, 1-8	5.7	6
901	SUGAR-DIP trial: oral medication strategy versus insulin for diabetes in pregnancy, study protocol for a multicentre, open-label, non-inferiority, randomised controlled trial. *BMJ Open*, **2019**, 9, e029808	3	6
900	Comparing the effect of STan (cardiotocographic electronic fetal monitoring (CTG) plus analysis of the ST segment of the fetal electrocardiogram) with CTG alone on emergency caesarean section rates: study protocol for the STan Australian Randomised controlled Trial (START). *Trials*, **2019**, 20, 539	2.8	4
899	Reply: IVM for expected high responders: balancing the effectiveness and safety. *Human Reproduction*, **2019**, 34, 2081	5.7	
898	In vitro maturation (IVM) versus in vitro fertilization (IVF) in women with high antral follicle count (AFC): a randomized controlled trial (NCT03405701). *Fertility and Sterility*, **2019**, 112, e435-e436	4.8	1
897	The effects of intrauterine insemination and single embryo transfer or modified natural cycle in vitro fertilization on offspring's health-Follow-up of a randomized clinical trial. *European Journal of Obstetrics, Gynecology and Reproductive Biology*, **2019**, 242, 131-138	2.4	4
896	Vaginal delivery in women with a low-lying placenta: a systematic review and meta-analysis. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2019**, 126, 1118-1126	3.7	15
895	Delivery or expectant management for prevention of adverse maternal and neonatal outcomes in hypertensive disorders of pregnancy: an individual participant data meta-analysis. *Ultrasound in Obstetrics and Gynecology*, **2019**, 53, 443-453	5.8	36
894	Cost effectiveness of nifedipine compared with atosiban in the treatment of threatened preterm birth (APOSTEL III trial). *BJOG: an International Journal of Obstetrics and Gynaecology*, **2019**, 126, 875-883	3.7	1
893	Gonadotrophins versus clomiphene citrate with or without IUI in women with normogonadotropic anovulation and clomiphene failure: a cost-effectiveness analysis. *Human Reproduction*, **2019**, 34, 276-284	5.7	4

892	Live birth rates with a freeze-only strategy versus fresh embryo transfer: secondary analysis of a randomized clinical trial. *Reproductive BioMedicine Online*, **2019**, 38, 387-396	4	5
891	Prenatal screening for pre-eclampsia: Frequently asked questions. *Australian and New Zealand Journal of Obstetrics and Gynaecology*, **2019**, 59, 477-483	1.7	4
890	Cumulative live birth rates in low-prognosis women. *Human Reproduction*, **2019**, 34, 1030-1041	5.7	41
889	Postnatal Catch-Up Growth After Suspected Fetal Growth Restriction at Term. *Frontiers in Endocrinology*, **2019**, 10, 274	5.7	9
888	Do female age and body weight modify the effect of individualized FSH dosing in IVF/ICSI treatment? A secondary analysis of the OPTIMIST trial. *Acta Obstetricia Et Gynecologica Scandinavica*, **2019**, 98, 1332-1340	3.8	2
887	Predicting the chances of having a baby with or without treatment at different time points in couples with unexplained subfertility. *Human Reproduction*, **2019**, 34, 1126-1138	5.7	11
886	Re: Deliveries at early term gestation: A view from the NICU. *Australian and New Zealand Journal of Obstetrics and Gynaecology*, **2019**, 59, E10	1.7	
885	The effectiveness and safety of in vitro maturation of oocytes versus in vitro fertilization in women with a high antral follicle count. *Human Reproduction*, **2019**, 34, 1055-1064	5.7	25
884	Neonatal developmental and behavioral outcomes of immediate delivery versus expectant monitoring in mild hypertensive disorders of pregnancy: 2-year outcomes of the HYPITAT-II trial. *American Journal of Obstetrics and Gynecology*, **2019**, 221, 154.e1-154.e11	6.4	11
883	Incidence and recurrence rate of postpartum hemorrhage and manual removal of the placenta: A longitudinal linked national cohort study in The Netherlands. *European Journal of Obstetrics, Gynecology and Reproductive Biology*, **2019**, 238, 114-119	2.4	4
882	Effect of the combined oral contraceptive pill and/or metformin in the management of polycystic ovary syndrome: A systematic review with meta-analyses. *Clinical Endocrinology*, **2019**, 91, 479-489	3.4	29
881	Predicting seizures in pregnant women with epilepsy: Development and external validation of a prognostic model. *PLoS Medicine*, **2019**, 16, e1002802	11.6	14
880	Reply to: Cesarean scar defect-A rising concern or a physiological healing process?. *Acta Obstetricia Et Gynecologica Scandinavica*, **2019**, 98, 1078-1079	3.8	
879	Child outcomes after placement of a cervical pessary in women with a multiple pregnancy: A 4-year follow-up of the ProTWIN trial. *Acta Obstetricia Et Gynecologica Scandinavica*, **2019**, 98, 1292-1300	3.8	7
878	Authors' reply re: Hysterectomy by transvaginal natural orifice transluminal endoscopic surgery versus laparoscopy as a daycare procedure: a randomised controlled trial. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2019**, 126, 1078-1079	3.7	
877	A double blind, randomised, placebo-controlled trial to evaluate the efficacy of metformin to treat preterm pre-eclampsia (PI2 Trial): study protocol. *BMJ Open*, **2019**, 9, e025809	3	25
876	Follicle stimulating hormone or clomiphene citrate in intrauterine insemination with ovarian stimulation for unexplained subfertility: a role for treatment selection markers?. *Reproductive BioMedicine Online*, **2019**, 38, 938-942	4	1
875	The effectiveness of ICSI versus conventional IVF in couples with non-male factor infertility: study protocol for a randomised controlled trial. *Human Reproduction Open*, **2019**, 2019, hoz006	6.1	9

874	The capacity of transvaginal hydrolaparoscopy versus hysterosalpingography to diagnose tubal pathology in the work-up of subfertile women, a randomised clinical trial. *European Journal of Obstetrics, Gynecology and Reproductive Biology*, **2019**, 236, 127-132	2.4	7
873	An observation study of the emergency intervention in placenta accreta spectrum. *Archives of Gynecology and Obstetrics*, **2019**, 299, 1579-1586	2.5	4
872	Large-for-gestational-age fetuses have an increased risk for spontaneous preterm birth. *Journal of Perinatology*, **2019**, 39, 1050-1056	3.1	1
871	Balloon catheter for induction of labor in women with one previous cesarean and an unfavorable cervix. *Acta Obstetricia Et Gynecologica Scandinavica*, **2019**, 98, 920-928	3.8	7
870	Implications of vaginal instrumental delivery for children's school achievement: A population-based linked administrative data study. *Australian and New Zealand Journal of Obstetrics and Gynaecology*, **2019**, 59, 677-683	1.7	5
869	Effectiveness on fertility outcome of tubal flushing with different contrast media: systematic review and network meta-analysis. *Ultrasound in Obstetrics and Gynecology*, **2019**, 54, 172-181	5.8	28
868	The effects of a pre-conception lifestyle intervention in women with obesity and infertility on perceived stress, mood symptoms, sleep and quality of life. *PLoS ONE*, **2019**, 14, e0212914	3.7	7
867	Perinatal outcomes according to the mode of delivery in women with a triplet pregnancy in The Netherlands. *Journal of Maternal-Fetal and Neonatal Medicine*, **2019**, 32, 3771-3777	2	2
866	Endometrial thickness in modified natural-cycle frozen-thawed embryo transfer cycles: Should we ignore the red traffic lights?. *Acta Obstetricia Et Gynecologica Scandinavica*, **2019**, 98, 267	3.8	
865	Determinants of successful lifestyle change during a 6-month preconception lifestyle intervention in women with obesity and infertility. *European Journal of Nutrition*, **2019**, 58, 2463-2475	5.2	11
864	Re: Plagiarism and data falsification are the most common reasons for retracted publications in obstetrics and gynaecology. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2019**, 126, 1289	3.7	4
863	Is there an association between oocyte number and embryo quality? A systematic review and meta-analysis. *Reproductive BioMedicine Online*, **2019**, 39, 751-763	4	18
862	Final outcome of a second trimester low-positioned placenta: A systematic review and meta-analysis. *European Journal of Obstetrics, Gynecology and Reproductive Biology*, **2019**, 240, 197-204	2.4	6
861	Oocyte donor age has a significant impact on oocyte recipients' cumulative live-birth rate: a population-based cohort study. *Fertility and Sterility*, **2019**, 112, 724-730	4.8	13
860	Effect of a two-stage intervention package on the cesarean section rate in Guangzhou, China: A before-and-after study. *PLoS Medicine*, **2019**, 16, e1002846	11.6	7
859	Tubal flushing with oil- or water-based contrast medium: can we identify markers that indicate treatment benefit?. *Human Reproduction Open*, **2019**, 2019, hoz015	6.1	4
858	Childhood adversity and women's cardiometabolic health in adulthood: associations with health behaviors, psychological distress, mood symptoms, and personality. *BMC Womens Health*, **2019**, 19, 102	2.9	2
857	Zhang's guidelines vs WHO guidelines for diagnosing labour dystocia. *Lancet, The*, **2019**, 394, e9	40	

856	Pain relief during labour. *Lancet, The*, **2019**, 394, e13	40	
855	Endocrine characteristics, body mass index and metabolic syndrome in women with polycystic ovary syndrome. *Reproductive BioMedicine Online*, **2019**, 39, 868-876	4	6
854	Preconception Lifestyle and Cardiovascular Health in the Offspring of Overweight and Obese Women. *Nutrients*, **2019**, 11,	6.7	3
853	First-line ovulation induction for polycystic ovary syndrome: an individual participant data meta-analysis. *Human Reproduction Update*, **2019**, 25, 717-732	15.8	29
852	Do la carte menus serve infertility patients? The ethics and regulation of in vitro fertility add-ons. *Fertility and Sterility*, **2019**, 112, 973-977	4.8	23
851	Evaluation of Cardiac Function in Women With a History of Preeclampsia: A Systematic Review and Meta-Analysis. *Journal of the American Heart Association*, **2019**, 8, e013545	6	13
850	The benefits and harms of receiving a polycystic ovary syndrome diagnosis: a qualitative study of women's experiences. *Human Reproduction Open*, **2019**, 2019, hoz026	6.1	16
849	Quality of evidence on pre-eclampsia in the last three decades: An analysis of published literature. *Pregnancy Hypertension*, **2019**, 18, 67-74	2.6	1
848	Evidence-Based Prevention of Preeclampsia: Commonly Asked Questions in Clinical Practice. *Journal of Pregnancy*, **2019**, 2019, 2675101	2.5	8
847	In Vitro Maturation of Oocytes in Women at Risk of Ovarian Hyperstimulation Syndrome-A Prospective Multicenter Cohort Study. *International Journal of Fertility & Sterility*, **2019**, 13, 38-44	1.9	1
846	The AID study: protocol for a randomised controlled trial of intrauterine insemination in the natural cycle compared with intracervical insemination in the natural cycle. *BMJ Open*, **2019**, 9, e026065	3	0
845	Usability and Usefulness of a Mobile Health App for Pregnancy-Related Work Advice: Mixed-Methods Approach. *JMIR MHealth and UHealth*, **2019**, 7, e11442	5.5	6
844	Human growth hormone for poor responders: a randomized placebo-controlled trial provides no evidence for improved live birth rate. *Reproductive BioMedicine Online*, **2019**, 38, 908-915	4	38
843	Induction of labour at 41 weeks versus expectant management until 42 weeks (INDEX): multicentre, randomised non-inferiority trial. *BMJ, The*, **2019**, 364, l344	5.9	29
842	Gonadotrophins for ovulation induction in women with polycystic ovary syndrome. *The Cochrane Library*, **2019**, 1, CD010290	5.2	9
841	Management of intrahepatic cholestasis in pregnancy. *Lancet, The*, **2019**, 393, 853-854	40	14
840	The changing temporal association between caesarean birth and neonatal death in Ethiopia: secondary analysis of nationally representative surveys. *BMJ Open*, **2019**, 9, e027235	3	1
839	Impact of maternal education on response to lifestyle interventions to reduce gestational weight gain: individual participant data meta-analysis. *BMJ Open*, **2019**, 9, e025620	3	4

838	Live Birth Rate After Transfer of Fresh or Frozen Poor Quality Day-3 Embryos Only. *Fertility & Reproduction*, **2019**, 01, 161-168	0.7	0
837	Impact of caesarean section on breastfeeding indicators: within-country and meta-analyses of nationally representative data from 33 countries in sub-Saharan Africa. *BMJ Open*, **2019**, 9, e027497	3	8
836	Intracytoplasmic sperm injection (ICSI) versus conventional in vitro fertilisation (IVF) in couples with non-severe male infertility (NSMI-ICSI): protocol for a multicentre randomised controlled trial. *BMJ Open*, **2019**, 9, e030366	3	7
835	Diabetes During Pregnancy Modifies the Association Between Birth Weight and Education: A Whole-of-Population Study. *Diabetes Care*, **2019**, 42, e143-e145	14.6	
834	Study protocol for a randomised trial for atosiban versus placebo in threatened preterm birth: the APOSTEL 8 study. *BMJ Open*, **2019**, 9, e029101	3	4
833	Mechanical methods for induction of labour. *The Cochrane Library*, **2019**, 10, CD001233	5.2	20
832	Chlamydia antibody titer testing versus hysterosalpingography for detection of tubal pathology in subfertile women. *The Cochrane Library*, **2019**,	5.2	78
831	Screening hysteroscopy in subfertile women and women undergoing assisted reproduction. *The Cochrane Library*, **2019**, 4, CD012856	5.2	10
830	Recurrence and prediction of abnormal uterine bleeding and re-intervention after initial hysteroscopic treatment: a retrospective cohort study. *Archives of Gynecology and Obstetrics*, **2019**, 300, 1651-1657	2.5	
829	Treatment effect of oil-based contrast is related to experienced pain at HSG: a post-hoc analysis of the randomised H2Oil study. *Human Reproduction*, **2019**, 34, 2391-2398	5.7	11
828	Seasonal variability does not impact in vitro fertilization success. *Scientific Reports*, **2019**, 9, 17185	4.9	6
827	In vitro fertilization with personalized blastocyst transfer versus frozen or fresh blastocyst transfer: a multicenter, randomized clinical trial. *Fertility and Sterility*, **2019**, 112, e56-e57	4.8	1
826	A randomized controlled trial on the use of pessary plus progesterone to prevent preterm birth in women with short cervical length (P5 trial). *BMC Pregnancy and Childbirth*, **2019**, 19, 442	3.2	7
825	In Reply. *Obstetrics and Gynecology*, **2019**, 133, 1283-1284	4.9	
824	Randomised controlled trials evaluating endometrial scratching: assessment of methodological issues. *Human Reproduction*, **2019**, 34, 2372-2380	5.7	17
823	Laparoscopy for diagnosing resectability of disease in women with advanced ovarian cancer. *The Cochrane Library*, **2019**, 3, CD009786	5.2	17
822	Amnioinfusion Compared With No Intervention in Women With Second-Trimester Rupture of Membranes: A Randomized Controlled Trial. *Obstetrics and Gynecology*, **2019**, 133, 129-136	4.9	12
821	Pessary Compared With Vaginal Progesterone for the Prevention of Preterm Birth in Women With Twin Pregnancies and Cervical Length Less Than 38 mm: A Randomized Controlled Trial. *Obstetrics and Gynecology*, **2019**, 133, 459-467	4.9	25

820	Safety of the Balloon Catheter for Cervical Ripening in Outpatient Care: Complications During the Period From Insertion to Expulsion of a Balloon Catheter in the Process of Labour Induction: A Systematic Review. *Obstetrical and Gynecological Survey*, **2019**, 74, 5-7	2.4	
819	In Reply. *Obstetrics and Gynecology*, **2019**, 134, 422	4.9	3
818	Responsiveness and Minimal Important Change of the IKDC of Middle-Aged and Older Patients With a Meniscal Tear. *American Journal of Sports Medicine*, **2019**, 47, 364-371	6.8	6
817	Is IUI with ovarian stimulation effective in couples with unexplained subfertility?. *Human Reproduction*, **2019**, 34, 84-91	5.7	12
816	Needle-free jet versus conventional needle injection for local anesthesia in men undergoing surgical sperm retrieval. *Andrology*, **2019**, 7, 69-75	4.2	3
815	Clinical and financial evaluation of carbetocin as postpartum haemorrhage prophylaxis at caesarean section: A retrospective cohort study. *Australian and New Zealand Journal of Obstetrics and Gynaecology*, **2019**, 59, 501-507	1.7	1
814	The prevalence and risk predictors of cesarean scar defect at 6 weeks postpartum in Shanghai, China: A prospective cohort study. *Acta Obstetricia Et Gynecologica Scandinavica*, **2019**, 98, 413-422	3.8	5
813	Accurate prediction of the irrelevant remains irrelevant. *Human Reproduction*, **2019**, 34, 584-586	5.7	
812	The therapeutic effect of hysterosalpingography in couples with unexplained subfertility: a post-hoc analysis of a prospective multi-centre cohort study. *Reproductive BioMedicine Online*, **2019** , 38, 233-239	4	11
811	The IVF-LUBE trial - a randomized trial to assess Lipiodol uterine bathing effect in women with endometriosis or repeat implantation failure undergoing IVF. *Reproductive BioMedicine Online*, **2019**, 38, 380-386	4	10
810	Consultation and treatment behaviour of infertile couples in China: a population-based study. *Reproductive BioMedicine Online*, **2019**, 38, 917-925	4	5
809	Recurrence risk of preeclampsia in a linked population-based cohort: Effects of first pregnancy maximum diastolic blood pressure and gestational age. *Pregnancy Hypertension*, **2019**, 15, 32-36	2.6	8
808	Long-term effects of a preconception lifestyle intervention on cardiometabolic health of overweight and obese women. *European Journal of Public Health*, **2019**, 29, 308-314	2.1	8
807	Hysterectomy by transvaginal natural orifice transluminal endoscopic surgery versus laparoscopy as a day-care procedure: a randomised controlled trial. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2019**, 126, 105-113	3.7	51
806	Serious adverse events attributed to remifentanil patient-controlled analgesia during labour in The Netherlands. *International Journal of Obstetric Anesthesia*, **2019**, 39, 22-28	2.1	7
805	Single embryo transfer with frozen transfer of all remaining embryos without further embryonic testing should be the standard of care in IVF. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2019**, 126, 142-144	3.7	6
804	The COLLECT database: momentum to improve our research standards, methods, and culture. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2019**, 126, 11	3.7	1
803	Prediction of pre-eclampsia: review of reviews. *Ultrasound in Obstetrics and Gynecology*, **2019**, 54, 16-27	5.8	39

802	The place of antenatal corticosteroids in late preterm and early term births. *Seminars in Fetal and Neonatal Medicine*, **2019**, 24, 37-42	3.7	13
801	Cesarean section in Ethiopia: prevalence and sociodemographic characteristics. *Journal of Maternal-Fetal and Neonatal Medicine*, **2019**, 32, 1130-1135	2	19
800	Timing of elective pre-labour caesarean section: A decision analysis. *Australian and New Zealand Journal of Obstetrics and Gynaecology*, **2019**, 59, 221-227	1.7	2
799	Interventions for unexplained infertility: a systematic review and network meta-analysis. *The Cochrane Library*, **2019**, 9, CD012692	5.2	20
798	Pessary for prevention of preterm birth in twin pregnancy with short cervix: 3-year follow-up study. *Ultrasound in Obstetrics and Gynecology*, **2018**, 51, 621-628	5.8	16
797	Effect of exposure to second-hand smoke from husbands on biochemical hyperandrogenism, metabolic syndrome and conception rates in women with polycystic ovary syndrome undergoing ovulation induction. *Human Reproduction*, **2018**, 33, 617-625	5.7	10
796	Influence of Gestational Age at Initiation of Antihypertensive Therapy: Secondary Analysis of CHIPS Trial Data (Control of Hypertension in Pregnancy Study). *Hypertension*, **2018**, 71, 1170-1177	8.5	20
795	Continuous glucose monitoring during diabetic pregnancy (GlucoMOMS): A multicentre randomized controlled trial. *Diabetes, Obesity and Metabolism*, **2018**, 20, 1894-1902	6.7	48
794	The end for individualized dosing in IVF ovarian stimulation? Reply to letters-to-the-editor regarding the OPTIMIST papers. *Human Reproduction*, **2018**, 33, 984-988	5.7	5
793	Quantitative fibronectin to help decision-making in women with symptoms of preterm labour (QUIDS) part 1: Individual participant data meta-analysis and health economic analysis. *BMJ Open*, **2018**, 8, e020796	3	4
792	Fertility and neonatal outcomes of embryos achieving blastulation on Day 7: are they of clinical value?. *Human Reproduction*, **2018**, 33, 1038-1051	5.7	28
791	The prognostic capacity of transvaginal hydrolaparoscopy to predict non-IVF conception. *Reproductive BioMedicine Online*, **2018**, 36, 552-559	4	3
790	Individualised gonadotropin dose selection using markers of ovarian reserve for women undergoing in vitro fertilisation plus intracytoplasmic sperm injection (IVF/ICSI). *The Cochrane Library*, **2018**, 2, CD012693	5.2	48
789	Transvaginal natural orifice transluminal endoscopic surgery (vNOTES) adnexectomy for benign pathology compared with laparoscopic excision (NOTABLE): a protocol for a randomised controlled trial. *BMJ Open*, **2018**, 8, e018059	3	27
788	Cost-effectiveness of curettage vs. expectant management in women with an incomplete evacuation after misoprostol treatment for first-trimester miscarriage: a randomized controlled trial and cohort study. *Acta Obstetricia Et Gynecologica Scandinavica*, **2018**, 97, 294-300	3.8	9
787	Comparison of planned caesarean delivery and planned vaginal delivery in women with a twin pregnancy: A nation wide cohort study. *European Journal of Obstetrics, Gynecology and Reproductive Biology*, **2018**, 221, 97-104	2.4	15
786	Gonadotrophins versus clomifene citrate with or without intrauterine insemination in women with normogonadotropic anovulation and clomifene failure (M-OVIN): a randomised, two-by-two factorial trial. *Lancet, The*, **2018**, 391, 758-765	40	15
785	Effect of Interpregnancy Interval on Adverse Perinatal Outcomes in Southern China: A Retrospective Cohort Study, 2000-2015. *Paediatric and Perinatal Epidemiology*, **2018**, 32, 131-140	2.7	16

784	Intrapartum and neonatal mortality among low-risk women in midwife-led versus obstetrician-led care in the Amsterdam region of the Netherlands: a propensity score matched study. *BMJ Open*, **2018**, 8, e018845	3	2
783	IVF Transfer of Fresh or Frozen Embryos in Women without Polycystic Ovaries. *New England Journal of Medicine*, **2018**, 378, 137-147	59.2	112
782	Natural conception rates in couples with unexplained or mild male subfertility scheduled for fertility treatment: a secondary analysis of a randomized controlled trial. *Human Reproduction*, **2018**, 33, 919-923	5.7	12
781	Comparing induction of labour with oral misoprostol or Foley catheter at term: cost-effectiveness analysis of a randomised controlled multi-centre non-inferiority trial. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2018**, 125, 375-383	3.7	13
780	Effect of nifedipine and atosiban on perinatal brain injury: secondary analysis of the APOSTEL-III trial. *Ultrasound in Obstetrics and Gynecology*, **2018**, 51, 806-812	5.8	6
779	Hysteroscopic resection of a uterine caesarean scar defect (niche) in women with postmenstrual spotting: a randomised controlled trial. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2018**, 125, 326-334	3.7	38
778	Cost-effectiveness of diagnostic testing strategies including cervical-length measurement and fibronectin testing in women with symptoms of preterm labor. *Ultrasound in Obstetrics and Gynecology*, **2018**, 51, 596-603	5.8	16
777	Primary treatment of pelvic organ prolapse: pessary use versus prolapse surgery. *International Urogynecology Journal*, **2018**, 29, 99-107	2	30
776	The effectiveness of mediolateral episiotomy in preventing obstetric anal sphincter injuries during operative vaginal delivery: a ten-year analysis of a national registry. *International Urogynecology Journal*, **2018**, 29, 407-413	2	53
775	Prognostic accuracy of cerebroplacental ratio and middle cerebral artery Doppler for adverse perinatal outcome: systematic review and meta-analysis. *Ultrasound in Obstetrics and Gynecology*, **2018**, 51, 313-322	5.8	101
774	Effect of clomiphene citrate on endometrial thickness, ovulation, pregnancy and live birth in anovulatory women: systematic review and meta-analysis. *Ultrasound in Obstetrics and Gynecology*, **2018**, 51, 64-76	5.8	37
773	CROWN initiative and preterm birth prevention: researchers and editors commit to implement core outcome sets. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2018**, 125, 8-11	3.7	15
772	Epidemiology of infertility in China: a population-based study. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2018**, 125, 432-441	3.7	89
771	Cognitive, motor, behavioural and academic performances of children born preterm: a meta-analysis and systematic review involving 64 061 children. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2018**, 125, 16-25	3.7	161
770	Safety and efficacy of intravenous iron polymaltose, iron sucrose and ferric carboxymaltose in pregnancy: A systematic review. *Australian and New Zealand Journal of Obstetrics and Gynaecology*, **2018**, 58, 22-39	1.7	27
769	Predictions of Preterm Birth from Early Pregnancy Characteristics: Born in Guangzhou Cohort Study. *Journal of Clinical Medicine*, **2018**, 7,	5.1	3
768	Esomeprazole to treat women with preterm preeclampsia: a randomized placebo controlled trial. *American Journal of Obstetrics and Gynecology*, **2018**, 219, 388.e1-388.e17	6.4	39
767	Ovulation induction and intrauterine insemination in infertile women with polycystic ovary syndrome: A comparison of drugs. *European Journal of Obstetrics, Gynecology and Reproductive Biology*, **2018**, 231, 117-121	2.4	12

766	Predicting the cumulative chance of live birth over multiple complete cycles of in vitro fertilization: an external validation study. *Human Reproduction*, **2018**, 33, 1684-1695	5.7	39
765	Recommendations from the international evidence-based guideline for the assessment and management of polycystic ovary syndrome. *Fertility and Sterility*, **2018**, 110, 364-379	4.8	366
764	Development of a core outcome set for trials on induction of labour: an international multistakeholder Delphi study. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2018**, 125, 1673-1680	3.7	30
763	Recommendations from the international evidence-based guideline for the assessment and management of polycystic ovary syndrome. *Human Reproduction*, **2018**, 33, 1602-1618	5.7	551
762	A cost-effectiveness analysis of freeze-only or fresh embryo transfer in IVF of non-PCOS women. *Human Reproduction*, **2018**, 33, 1907-1914	5.7	20
761	Cervical Pessary After Arrested Preterm Labor: A Randomized Controlled Trial. *Obstetrics and Gynecology*, **2018**, 132, 741-749	4.9	13
760	Behavioral and neurodevelopmental outcome of children after maternal allopurinol administration during suspected fetal hypoxia: 5-year follow up of the ALLO-trial. *PLoS ONE*, **2018**, 13, e0201063	3.7	6
759	Development and evaluating multimarker models for guiding treatment decisions. *BMC Medical Informatics and Decision Making*, **2018**, 18, 52	3.6	3
758	EndoART: A proposed randomized controlled trial on endometriomas in assisted reproductive technologies, comparing the effect of no intervention, surgery, and prolonged GnRH downregulation on pregnancy rates. *Journal of Endometriosis and Pelvic Pain Disorders*, **2018**, 10, 158-173	0.6	5
757	Follicle stimulating hormone versus clomiphene citrate in intrauterine insemination for unexplained subfertility: a randomized controlled trial. *Human Reproduction*, **2018**, 33, 1866-1874	5.7	21
756	Prediction of preterm birth should be done before the preterm birth occurs. *Journal of Affective Disorders*, **2018**, 236, 112	6.6	
755	Personalized ovarian stimulation for assisted reproductive technology: study design considerations to move from hype to added value for patients. *Fertility and Sterility*, **2018**, 109, 968-979	4.8	23
754	Effect of a lifestyle intervention in obese infertile women on cardiometabolic health and quality of life: A randomized controlled trial. *PLoS ONE*, **2018**, 13, e0190662	3.7	73
753	Spontaneous and iatrogenic preterm birth rates among unselected women in three consecutive pregnancies. *European Journal of Obstetrics, Gynecology and Reproductive Biology*, **2018**, 228, 92-97	2.4	3
752	Association between periconceptional weight loss and maternal and neonatal outcomes in obese infertile women. *PLoS ONE*, **2018**, 13, e0192670	3.7	15
751	Women, their Offspring and iMproving lifestyle for Better cardiovascular health of both (WOMB project): a protocol of the follow-up of a multicentre randomised controlled trial. *BMJ Open*, **2018**, 8, e016579	3	16
750	Safety of the balloon catheter for cervical ripening in outpatient care: complications during the period from insertion to expulsion of a balloon catheter in the process of labour induction: a systematic review. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2018**, 125, 1086-1095	3.7	33
749	Long-term Trends in Singleton Preterm Birth in South Australia From 1986 to 2014. *Obstetrics and Gynecology*, **2018**, 131, 79-89	4.9	12

748	Cardiometabolic Health in Relation to Lifestyle and Body Weight Changes 3?8 Years Earlier. *Nutrients*, **2018**, 10,	6.7	3
747	Effects of a preconception lifestyle intervention in obese infertile women on diet and physical activity; A secondary analysis of a randomized controlled trial. *PLoS ONE*, **2018**, 13, e0206888	3.7	12
746	Effectiveness and safety of in vitro maturation of oocytes versus in vitro fertilisation in women with high antral follicle count: study protocol for a randomised controlled trial. *BMJ Open*, **2018**, 8, e023413	3	11
745	Unexplained infertility: Is it over-diagnosed and over-treated?. *Best Practice and Research in Clinical Obstetrics and Gynaecology*, **2018**, 53, 20-29	4.6	20
744	Does AMH relate to timing of menopause? Results of an Individual Patient Data meta- analysis. *Journal of Clinical Endocrinology and Metabolism*, **2018**,	5.6	32
743	Effect of Early Surgery vs Physical Therapy on Knee Function Among Patients With Nonobstructive Meniscal Tears: The ESCAPE Randomized Clinical Trial. *JAMA - Journal of the American Medical Association*, **2018**, 320, 1328-1337	27.4	61
742	Perinatal death beyond 41 weeks pregnancy: an evaluation of causes and substandard care factors as identified in perinatal audit in the Netherlands. *BMC Pregnancy and Childbirth*, **2018**, 18, 380	3.2	7
741	Treatment effect of oil-based contrast at HSG is dependent on pain at HSG but not on volume of contrast. *Fertility and Sterility*, **2018**, 110, e40	4.8	2
740	Cost-effectiveness modelling of IVF in couples with unexplained infertility. *Reproductive BioMedicine Online*, **2018**, 37, 555-563	4	4
739	A lifestyle intervention improves sexual function of women with obesity and infertility: A 5 year follow-up of a RCT. *PLoS ONE*, **2018**, 13, e0205934	3.7	7
738	An economic analysis of patient controlled remifentanil and epidural analgesia as pain relief in labour (RAVEL trial); a randomised controlled trial. *PLoS ONE*, **2018**, 13, e0205220	3.7	4
737	Development and internal validation of the multivariable CIPHER (Collaborative Integrated Pregnancy High-dependency Estimate of Risk) clinical risk prediction model. *Critical Care*, **2018**, 22, 278	10.8	9
736	Low as well as high serum P4 levels in the early and mid-luteal phase reduce the chance of a live birth following IVF treatment with fresh embryo transfer: where is the evidence?. *Human Reproduction*, **2018**, 33, 2312-2313	5.7	1
735	Translation and implementation of the Australian-led PCOS guideline: clinical summary and translation resources from the International Evidence-based Guideline for the Assessment and Management of Polycystic Ovary Syndrome. *Medical Journal of Australia*, **2018**, 209, S3-S8	4	58
734	Oil-based or water-based contrast for hysterosalpingography in infertile women: a cost-effectiveness analysis of a randomized controlled trial. *Fertility and Sterility*, **2018**, 110, 754-760	4.8	8
733	Successful weight loss interventions before in vitro fertilization: fat chance?. *Fertility and Sterility*, **2018**, 110, 581-586	4.8	15
732	Effect of high dose folic acid supplementation in pregnancy on pre-eclampsia (FACT): double blind, phase III, randomised controlled, international, multicentre trial. *BMJ, The*, **2018**, 362, k3478	5.9	40
731	Assisted reproductive technology in Beijing, 2013-2015. *Reproductive BioMedicine Online*, **2018**, 37, 521-532	4	8

730	Evaluating Adherence to Guideline-Based Quality Indicators for Postpartum Hemorrhage Care in the Netherlands Using Video Analysis. *Obstetrics and Gynecology*, **2018**, 132, 656-667	4.9	5
729	Ovarian stimulation in infertile women treated with the use of intrauterine insemination: a cohort study from China. *Fertility and Sterility*, **2018**, 109, 872-878	4.8	18
728	Correlation between neonatal outcomes of twins depends on the outcome: secondary analysis of twelve randomised controlled trials. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2018**, 125, 1406-1413	3.7	5
727	Development and internal validation of a clinical prediction model for external cephalic version. *European Journal of Obstetrics, Gynecology and Reproductive Biology*, **2018**, 228, 137-142	2.4	6
726	A protocol developing, disseminating and implementing a core outcome set for infertility. *Human Reproduction Open*, **2018**, 2018, hoy007	6.1	30
725	An economic analysis of immediate delivery and expectant monitoring in women with hypertensive disorders of pregnancy, between 34 and 37 weeks of gestation (HYPITAT-II). *BJOG: an International Journal of Obstetrics and Gynaecology*, **2017**, 124, 453-461	3.7	6
724	Does ST analysis have a place in electronic fetal monitoring?. *Journal of Maternal-Fetal and Neonatal Medicine*, **2017**, 30, 520-524	2	1
723	Diagnostic workup for postmenopausal bleeding: a randomised controlled trial. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2017**, 124, 231-240	3.7	32
722	The pregnant women as a drug orphan: a global survey of registered clinical trials of pharmacological interventions in pregnancy. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2017**, 124, 132-140	3.7	51
721	Influence of cut-off value on prevalence of short cervical length. *Ultrasound in Obstetrics and Gynecology*, **2017**, 49, 330-336	5.8	8
720	The Effect of Interpregnancy Interval on the Recurrence Rate of Spontaneous Preterm Birth: A Retrospective Cohort Study. *American Journal of Perinatology*, **2017**, 34, 174-182	3.3	27
719	Re: Consensus definition for placental fetal growth restriction: a Delphi procedure. *Ultrasound in Obstetrics and Gynecology*, **2017**, 49, 159	5.8	2
718	Metformin during ovulation induction with gonadotrophins followed by timed intercourse or intrauterine insemination for subfertility associated with polycystic ovary syndrome. *The Cochrane Library*, **2017**, 1, CD009090	5.2	20
717	Reducing research waste in benign gynaecology and fertility research. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2017**, 124, 366-369	3.7	42
716	Maternal and neonatal outcomes in women with severe early onset pre-eclampsia before 26 weeks of gestation, a case series. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2017**, 124, 1440-1447	3.7	15
715	Surgery for tubal infertility. *The Cochrane Library*, **2017**, 1, CD006415	5.2	8
714	MisoREST: Surgical versus expectant management in women with an incomplete evacuation of the uterus after misoprostol treatment for miscarriage: A cohort study. *European Journal of Obstetrics, Gynecology and Reproductive Biology*, **2017**, 211, 83-89	2.4	10
713	Laparoscopy to Predict the Result of Primary Cytoreductive Surgery in Patients With Advanced Ovarian Cancer: A Randomized Controlled Trial. *Journal of Clinical Oncology*, **2017**, 35, 613-621	2.2	71

712	The effects of dietary and lifestyle interventions among pregnant women who are overweight or obese on longer-term maternal and early childhood outcomes: protocol for an individual participant data (IPD) meta-analysis. *Systematic Reviews*, **2017**, 6, 51	3	13
711	RCT evidence should drive clinical practice: A day without randomisation is a day without progress. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2017**, 124, 613	3.7	11
710	Septum resection for women of reproductive age with a septate uterus. *The Cochrane Library*, **2017**, 1, CD008576	5.2	28
709	Re: Cervical length screening for prevention of preterm birth in singleton pregnancy with threatened preterm labor: systematic review and meta-analysis of randomized controlled trials using individual patient-level data. V. Berghella, M. Palacio, A. Ness, Z. Alfirevic, K. H. Nicolaides and G. Saccone. Ultrasound Obstet Gynecol 2017; 49: 322-329. *Ultrasound in Obstetrics and Gynecology*,	5.8	
708	Anti-Müllerian hormone does not predict time to pregnancy: results of a prospective cohort study. *Gynecological Endocrinology*, **2017**, 33, 644-648	2.4	18
707	Laparoscopic sacrocolpopexy compared with open abdominal sacrocolpopexy for vault prolapse repair: a randomised controlled trial. *International Urogynecology Journal*, **2017**, 28, 1469-1479	2	54
706	Reply. *American Journal of Obstetrics and Gynecology*, **2017**, 217, 383-384	6.4	
705	Cost-effectiveness of single versus double embryo transfer in IVF in relation to female age. *European Journal of Obstetrics, Gynecology and Reproductive Biology*, **2017**, 214, 25-30	2.4	7
704	Three-dimensional saline infusion sonography compared to two-dimensional saline infusion sonography for the diagnosis of focal intracavitary lesions. *The Cochrane Library*, **2017**, 5, CD011126	5.2	8
703	Comparison of ectopic pregnancy risk among transfers of embryos vitrified on day 3, day 5, and day 6. *Fertility and Sterility*, **2017**, 108, 108-116.e1	4.8	24
702	Antiplatelet Agents and the Prevention of Spontaneous Preterm Birth: A Systematic Review and Meta-analysis. *Obstetrics and Gynecology*, **2017**, 129, 327-336	4.9	43
701	Oil-Based or Water-Based Contrast for Hysterosalpingography in Infertile Women. *New England Journal of Medicine*, **2017**, 376, 2043-2052	59.2	88
700	Authors' reply re: Diagnostic work up for postmenopausal bleeding: a randomised controlled trial. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2017**, 124, 987-988	3.7	
699	The SUPER study: protocol for a randomised controlled trial comparing follicle-stimulating hormone and clomiphene citrate for ovarian stimulation in intrauterine insemination. *BMJ Open*, **2017**, 7, e015680	3	2
698	Implementing targeted expectant management in fertility care using prognostic modelling: a cluster randomized trial with a multifaceted strategy. *Human Reproduction*, **2017**, 32, 1648-1657	5.7	1
697	Factors influencing women's preferences for subsequent management in the event of incomplete evacuation of the uterus after misoprostol treatment for miscarriage. *Human Reproduction*, **2017**, 32, 1674-1683	5.7	3
696	Tubal anastomosis after previous sterilization: a systematic review. *Human Reproduction Update*, **2017**, 23, 358-370	15.8	28
695	Single Fasting Plasma Glucose Versus 75-g Oral Glucose-Tolerance Test in Prediction of Adverse Perinatal Outcomes: A Cohort Study. *EBioMedicine*, **2017**, 16, 284-291	8.8	17

694	Progesterone to prevent preterm birth: the studies are getting better, but there is still room for improvement. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2017**, 124, 1016	3.7	2
693	The role of prenatal steroids at 34-36 weeks of gestation. *Archives of Disease in Childhood: Fetal and Neonatal Edition*, **2017**, 102, F284-F285	4.7	11
692	Endometrial thickness in women undergoing IUI with ovarian stimulation. How thick is too thin? A systematic review and meta-analysis. *Human Reproduction*, **2017**, 32, 1009-1018	5.7	42
691	A revised prediction model for natural conception. *Reproductive BioMedicine Online*, **2017**, 34, 619-626	4	18
690	Implementing universal cervical length screening in asymptomatic women with singleton pregnancies: challenges and opportunities. *Australian and New Zealand Journal of Obstetrics and Gynaecology*, **2017**, 57, 221-227	1.7	13
689	Is the Pictorial Blood Loss Assessment Chart (PBAC) score associated with treatment outcome after endometrial ablation for heavy menstrual bleeding? A cohort study. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2017**, 124, 277-282	3.7	14
688	Prediction of progression to severe disease in women with late preterm hypertensive disorders of pregnancy. *Acta Obstetricia Et Gynecologica Scandinavica*, **2017**, 96, 96-105	3.8	4
687	Authors' reply re: Incidence of and risk factors for vasa praevia: a systematic review. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2017**, 124, 162-163	3.7	1
686	Natural conception: repeated predictions over time. *Human Reproduction*, **2017**, 32, 346-353	5.7	33
685	Sildenafil Citrate Therapy for Oligohydramnios: A Randomized Controlled Trial. *Obstetrics and Gynecology*, **2017**, 130, 1157	4.9	
684	Maintaining and repeating tocolysis: A reflection on evidence. *Seminars in Perinatology*, **2017**, 41, 468-476	3.3	6
683	Prevalence of infertility in China: a population based study. *Fertility and Sterility*, **2017**, 108, e114	4.8	2
682	The treatment of post-hysterectomy vaginal vault prolapse: a systematic review and meta-analysis. *International Urogynecology Journal*, **2017**, 28, 1767-1783	2	34
681	Constructing the crystal ball: how to get reliable prognostic information for the management of subfertile couples. *Human Reproduction*, **2017**, 32, 2153-2158	5.7	18
680	Randomised clinical trials in perinatal health care: a cost-effective investment. *Medical Journal of Australia*, **2017**, 207, 289-293	4	7
679	It is not justified to reject fertility treatment based on obesity. *Human Reproduction Open*, **2017**, 2017, hox009	6.1	6
678	Oxygen tension regulates the miRNA profile and bioactivity of exosomes released from extravillous trophoblast cells - Liquid biopsies for monitoring complications of pregnancy. *PLoS ONE*, **2017**, 12, e0174514	3.7	68
677	Low dose aspirin in the prevention of recurrent spontaneous preterm labour - the APRIL study: a multicenter randomized placebo controlled trial. *BMC Pregnancy and Childbirth*, **2017**, 17, 223	3.2	12

676	Laparoscopic sacrocolpopexy versus vaginal sacrospinous fixation for vaginal vault prolapse, a randomized controlled trial: SALTO-2 trial, study protocol. *BMC Womens Health*, **2017**, 17, 52	2.9	13
675	External validation, update and development of prediction models for pre-eclampsia using an Individual Participant Data (IPD) meta-analysis: the International Prediction of Pregnancy Complication Network (IPPIC pre-eclampsia) protocol. *Diagnostic and Prognostic Research*, **2017**, 1, 16	5.5	7
674	Women's perspectives on ovulation induction with or without IUI as treatment for normogonadotrophic anovulation: a discrete choice experiment. *Human Reproduction Open*, **2017**, 2017, hox021	6.1	5
673	Selective outcome reporting and sponsorship in randomized controlled trials in IVF and ICSI. *Human Reproduction*, **2017**, 32, 2117-2122	5.7	7
672	Repeated cervical length measurements for the verification of short cervical length. *International Journal of Gynecology and Obstetrics*, **2017**, 139, 318-323	4	0
671	Are expanding disease definitions unnecessarily labelling women with polycystic ovary syndrome?. *BMJ, The*, **2017**, 358, j3694	5.9	25
670	Trends in receipt of single and repeat courses of antenatal corticosteroid administration among preterm and term births: A retrospective cohort study. *Australian and New Zealand Journal of Obstetrics and Gynaecology*, **2017**, 57, 643-650	1.7	10
669	Systematic review and meta-analysis of the impact of preconception lifestyle interventions on fertility, obstetric, fetal, anthropometric and metabolic outcomes in men and women. *Human Reproduction*, **2017**, 32, 1925-1940	5.7	34
668	Prognostic model for chronic hypertension in women with a history of hypertensive pregnancy disorders at term. *Pregnancy Hypertension*, **2017**, 10, 118-123	2.6	2
667	Social media is essential for research engagement: FOR: Facilitating stakeholder engagement is key!. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2017**, 124, 902	3.7	0
666	Early enteral tube feeding in optimizing treatment of hyperemesis gravidarum: the Maternal and Offspring outcomes after Treatment of HyperEmesis by Refeeding (MOTHER) randomized controlled trial. *American Journal of Clinical Nutrition*, **2017**, 106, 812-820	7	15
665	Effect of Levothyroxine on Miscarriage Among Women With Normal Thyroid Function and Thyroid Autoimmunity Undergoing In Vitro Fertilization and Embryo Transfer: A Randomized Clinical Trial. *JAMA - Journal of the American Medical Association*, **2017**, 318, 2190-2198	27.4	90
664	Effect of Cervical Cancer Screening Programs on Preterm Birth: A Decision and Cost-Effectiveness Analysis. *Obstetrics and Gynecology*, **2017**, 130, 1207-1217	4.9	2
663	Caesarean section increases risk of preterm birth in subsequent pregnancy. *Evidence-based Nursing*, **2017**, 20, 42	0.3	2
662	Cost-effectiveness of laparoscopy as diagnostic tool before primary cytoreductive surgery in ovarian cancer. *Gynecologic Oncology*, **2017**, 146, 449-456	4.9	10
661	Determination of threshold value for follow-up of isolated antenatal hydronephrosis detected in the second trimester. *Journal of Pediatric Urology*, **2017**, 13, 594-601	1.5	3
660	The Rotterdam criteria for polycystic ovary syndrome: evidence-based criteria?. *Human Reproduction*, **2017**, 32, 261-264	5.7	44
659	Women's Experiences with and Preference for Induction of Labor with Oral Misoprostol or Foley Catheter at Term. *American Journal of Perinatology*, **2017**, 34, 138-146	3.3	9

658	Simulation-based team training for multi-professional obstetric care teams to improve patient outcome: a multicentre, cluster randomised controlled trial. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2017**, 124, 641-650	3.7	48
657	Labour pain with remifentanil patient-controlled analgesia versus epidural analgesia: a randomised equivalence trial. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2017**, 124, 652-660	3.7	24
656	Practice variation of vaginal birth after cesarean and the influence of risk factors at patient level: a retrospective cohort study. *Acta Obstetricia Et Gynecologica Scandinavica*, **2017**, 96, 158-165	3.8	7
655	Word catheter and marsupialisation in women with a cyst or abscess of the Bartholin gland (WoMan-trial): a randomised clinical trial. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2017**, 124, 243-249	3.7	25
654	Individualized FSH dosing based on ovarian reserve testing in women starting IVF/ICSI: a multicentre trial and cost-effectiveness analysis. *Human Reproduction*, **2017**, 32, 2485-2495	5.7	48
653	IVF or IUI as first-line treatment in unexplained subfertility: the conundrum of treatment selection markers. *Human Reproduction*, **2017**, 32, 1028-1032	5.7	9
652	Individualized versus standard FSH dosing in women starting IVF/ICSI: an RCT. Part 2: The predicted hyper responder. *Human Reproduction*, **2017**, 32, 2506-2514	5.7	48
651	Individualized versus standard FSH dosing in women starting IVF/ICSI: an RCT. Part 1: The predicted poor responder. *Human Reproduction*, **2017**, 32, 2496-2505	5.7	69
650	Cost-effectiveness analysis of lifestyle intervention in obese infertile women. *Human Reproduction*, **2017**, 32, 1418-1426	5.7	11
649	Influence of the disease label 'polycystic ovary syndrome' on intention to have an ultrasound and psychosocial outcomes: a randomised online study in young women. *Human Reproduction*, **2017**, 32, 876-884	5.7	25
648	Treatment strategies for women with WHO group II anovulation: systematic review and network meta-analysis. *BMJ, The*, **2017**, 356, j138	5.9	74
647	Sildenafil Citrate Therapy for Oligohydramnios: A Randomized Controlled Trial. *Obstetrics and Gynecology*, **2017**, 130, 1157	4.9	1
646	Barriers and Facilitators for the Use of a Medical Mobile App to Prevent Work-Related Risks in Pregnancy: A Qualitative Analysis. *JMIR Research Protocols*, **2017**, 6, e163	2	13
645	Development and validation of Prediction models for Risks of complications in Early-onset Pre-eclampsia (PREP): a prospective cohort study. *Health Technology Assessment*, **2017**, 21, 1-100	4.4	18
644	Pre-eclampsia. *Lancet, The*, **2016**, 387, 999-1011	40	889
643	Prognostic models in obstetrics: available, but far from applicable. *American Journal of Obstetrics and Gynecology*, **2016**, 214, 79-90.e36	6.4	91
642	Fetal fibronectin status and cervical length in women with threatened preterm labor and the effectiveness of maintenance tocolysis. *Journal of Maternal-Fetal and Neonatal Medicine*, **2016**, 29, 1556-61	2	3
641	Spontaneous loss of a co-twin and the risk of birth defects after assisted conception. *Journal of Developmental Origins of Health and Disease*, **2016**, 7, 678-684	2.4	10

640	Impact of inter-pregnancy BMI change on perinatal outcomes: a retrospective cohort study. *European Journal of Obstetrics, Gynecology and Reproductive Biology*, **2016**, 205, 98-104	2.4	36
639	Nifedipine versus placebo in the treatment of preterm prelabor rupture of membranes: a randomized controlled trial: Assessment of perinatal outcome by use of tocolysis in early labor-APOSTEL IV trial. *European Journal of Obstetrics, Gynecology and Reproductive Biology*, **2016**, 205, 79-84	2.4	7
638	The predictive value of quantitative fibronectin testing in combination with cervical length measurement in symptomatic women. *American Journal of Obstetrics and Gynecology*, **2016**, 215, 793.e1-793.e8	6.4	31
637	Nifedipine maintenance tocolysis and perinatal outcome: an individual participant data meta-analysis. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2016**, 123, 1753-60	3.7	21
636	Reporting multiple cycles in trials on medically assisted reproduction. *Reproductive BioMedicine Online*, **2016**, 33, 646-651	4	3
635	Freeze-all versus fresh embryo transfer in IVF/ICSI, a randomised controlled trial (NCT02471573). *Fertility and Sterility*, **2016**, 106, e376	4.8	5
634	Preeclampsia; short and long-term consequences for mother and neonate. *Early Human Development*, **2016**, 102, 47-50	2.2	152
633	From Postpartum Haemorrhage Guideline to Local Protocol: A Study of Protocol Quality. *Maternal and Child Health Journal*, **2016**, 20, 2160-8	2.4	4
632	Placental histology in spontaneous and indicated preterm birth: A case control study. *Placenta*, **2016**, 48, 56-62	3.4	37
631	Has the twin rate after in vitro fertilisation really decreased in Australia?. *Australian and New Zealand Journal of Obstetrics and Gynaecology*, **2016**, 56, 543-544	1.7	2
630	Tobacco control policies and perinatal health: a national quasi-experimental study. *Scientific Reports*, **2016**, 6, 23907	4.9	15
629	Maternal and Neonatal Outcomes of Pregnancy in Women With Chronic Hypertension: A Retrospective Analysis of a National Register. *Obstetric Anesthesia Digest*, **2016**, 36, 193-193	0.2	
628	Maintenance tocolysis with nifedipine in threatened preterm labour: 2-year follow up of the offspring in the APOSTEL II trial. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2016**, 123, 1107-14	3.7	7
627	Prediction models in obstetrics: understanding the treatment paradox and potential solutions to the threat it poses. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2016**, 123, 1060-4	3.7	19
626	Progestogens and preterm birth--not the hoped for panacea?. *Lancet, The*, **2016**, 387, 2066-2068	40	3
625	The use of retrievable inferior vena cava filters in pregnancy: Another successful case report, but are we actually making a difference?. *Obstetric Medicine*, **2016**, 9, 102-5	1.5	1
624	Development and validation of prediction models for endometrial cancer in postmenopausal bleeding. *European Journal of Obstetrics, Gynecology and Reproductive Biology*, **2016**, 203, 220-4	2.4	12
623	Performance of outpatient transvaginal hydrolaparoscopy. *Human Reproduction*, **2016**, 31, 2285-91	5.7	8

622	Fish can't see water. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2016**, 123, 1134	3.7	1
621	17-Hydroxyprogesterone caproate in triplet pregnancy: an individual patient data meta-analysis. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2016**, 123, 682-90	3.7	12
620	Bipolar versus balloon endometrial ablation in the office: a randomized controlled trial. *European Journal of Obstetrics, Gynecology and Reproductive Biology*, **2016**, 196, 52-6	2.4	39
619	Population differences and the effect of vaginal progesterone on preterm birth in women with threatened preterm labor (.). *Journal of Maternal-Fetal and Neonatal Medicine*, **2016**, 29, 3223-8	2	3
618	Transvaginal ultrasound measurement of the endometrium remains the first line test for investigating postmenopausal bleeding but integration of patient characteristics into testing may further improve diagnostic algorithms. *BJOG: an International Journal of Obstetrics and Gynaecology* , **2016**, 123, 447	3.7	6
617	Diagnostic Criteria and Treatment for Gestational Diabetes Mellitus. *Seminars in Reproductive Medicine*, **2016**, 34, 102-9	1.4	6
616	Pessary placement in the prevention of preterm birth in multiple pregnancies: a propensity score analysis. *European Journal of Obstetrics, Gynecology and Reproductive Biology*, **2016**, 197, 72-7	2.4	2
615	Induction of labour at term with oral misoprostol versus a Foley catheter (PROBAAT-II): a multicentre randomised controlled non-inferiority trial. *Lancet, The*, **2016**, 387, 1619-28	40	66
614	Effectiveness of team training in managing shoulder dystocia: a retrospective study. *Journal of Maternal-Fetal and Neonatal Medicine*, **2016**, 29, 3167-71	2	12
613	Risk assessment and management to prevent preterm birth. *Seminars in Fetal and Neonatal Medicine*, **2016**, 21, 80-8	3.7	74
612	Counselling and management of cardiovascular risk factors after preeclampsia. *Hypertension in Pregnancy*, **2016**, 35, 55-61	2	7
611	Nifedipine versus atosiban for threatened preterm birth (APOSTEL III): a multicentre, randomised controlled trial. *Lancet, The*, **2016**, 387, 2117-2124	40	49
610	Effects of in vitro fertilization and maternal characteristics on perinatal outcomes: a population-based study using siblings. *Fertility and Sterility*, **2016**, 105, 590-598.e2	4.8	28
609	Outcome of Multifetal Pregnancy Reduction in Women with a Dichorionic Triamniotic Triplet Pregnancy to a Singleton Pregnancy: A Retrospective Nationwide Cohort Study. *Fetal Diagnosis and Therapy*, **2016**, 40, 94-9	2.4	13
608	Variation in preterm birth rate and the role of short cervical length across two populations: a comparative cohort study. *Journal of Perinatology*, **2016**, 36, 516-21	3.1	5
607	The accuracy of endometrial sampling in women with postmenopausal bleeding: a systematic review and meta-analysis. *European Journal of Obstetrics, Gynecology and Reproductive Biology*, **2016**, 197, 147-55	2.4	104
606	Tailored expectant management in couples with unexplained infertility does not influence their experiences with the quality of fertility care. *Human Reproduction*, **2016**, 31, 108-16	5.7	3
605	Does measurement of intrauterine pressure have predictive value during oxytocin-augmented labor?. *Journal of Maternal-Fetal and Neonatal Medicine*, **2016**, 29, 3239-42	2	1

604	Risk indicators for referral during labor from community midwife to gynecologist: a prospective cohort study. *Journal of Maternal-Fetal and Neonatal Medicine*, **2016**, 29, 3304-11	2	1
603	Development and Measurement of Guidelines-Based Quality Indicators of Caesarean Section Care in the Netherlands: A RAND-Modified Delphi Procedure and Retrospective Medical Chart Review. *PLoS ONE*, **2016**, 11, e0145771	3.7	8
602	Measuring Sperm DNA Fragmentation and Clinical Outcomes of Medically Assisted Reproduction: A Systematic Review and Meta-Analysis. *PLoS ONE*, **2016**, 11, e0165125	3.7	173
601	Reducing Inter-Laboratory Differences between Semen Analyses Using Z Score and Regression Transformations. *International Journal of Fertility & Sterility*, **2016**, 9, 534-40	1.9	1
600	Prevention of preterm delivery: current challenges and future prospects. *International Journal of Womens Health*, **2016**, 8, 633-645	2.8	26
599	Prospective risk of stillbirth and neonatal complications in twin pregnancies: systematic review and meta-analysis. *BMJ, The*, **2016**, 354, i4353	5.9	96
598	Can we predict age at natural menopause using ovarian reserve tests or mother's age at menopause? A systematic literature review. *Menopause*, **2016**, 23, 224-32	2.5	47
597	A Core Outcome Set for Evaluation of Interventions to Prevent Preterm Birth. *Obstetrics and Gynecology*, **2016**, 127, 49-58	4.9	124
596	The effect of gestational age and cervical length measurements in the prediction of spontaneous preterm birth in twin pregnancies: an individual patient level meta-analysis. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2016**, 123, 877-84	3.7	34
595	A multivariable model to guide the decision for pessary placement to prevent preterm birth in women with a multiple pregnancy: a secondary analysis of the ProTWIN trial. *Ultrasound in Obstetrics and Gynecology*, **2016**, 48, 48-55	5.8	11
594	Development of composite outcomes for individual patient data (IPD) meta-analysis on the effects of diet and lifestyle in pregnancy: a Delphi survey. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2016**, 123, 190-8	3.7	26
593	Impact of fetal gender on the risk of preterm birth, a national cohort study. *Acta Obstetricia Et Gynecologica Scandinavica*, **2016**, 95, 1034-41	3.8	51
592	Quantitative fetal fibronectin testing in combination with cervical length measurement in the prediction of spontaneous preterm delivery in symptomatic women. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2016**, 123, 1965-1971	3.7	30
591	Cervical pessaries to prevent preterm birth in women with a multiple pregnancy: a per-protocol analysis of a randomized clinical trial. *Acta Obstetricia Et Gynecologica Scandinavica*, **2016**, 95, 444-51	3.8	7
590	Thyroid function testing in women who had a stillbirth. *Clinical Endocrinology*, **2016**, 85, 291-8	3.4	7
589	Choice of primary outcomes evaluating treatment for heavy menstrual bleeding. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2016**, 123, 1593-8	3.7	12
588	Implications of caesarean section for children's school achievement: A population-based study. *Australian and New Zealand Journal of Obstetrics and Gynaecology*, **2016**, 56, 374-80	1.7	8
587	Incidence of and risk indicators for vasa praevia: a systematic review. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2016**, 123, 1278-87	3.7	73

586	Caesarean section rates and adverse neonatal outcomes after induction of labour versus expectant management in women with an unripe cervix: a secondary analysis of the HYPITAT and DIGITAT trials. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2016**, 123, 1501-8	3.7	20
585	Fluctuations in anti-Müllerian hormone levels throughout the menstrual cycle parallel fluctuations in the antral follicle count: a cohort study. *Acta Obstetricia Et Gynecologica Scandinavica*, **2016**, 95, 820-8	3.8	16
584	HALON-hysterectomy by transabdominal laparoscopy or natural orifice transluminal endoscopic surgery: a randomised controlled trial (study protocol). *BMJ Open*, **2016**, 6, e011546	3	13
583	Induction of Labor Using a Foley Catheter or Misoprostol: A Systematic Review and Meta-analysis. *Obstetrical and Gynecological Survey*, **2016**, 71, 620-630	2.4	14
582	Predictors for failure of vacuum-assisted vaginal delivery: a case-control study. *European Journal of Obstetrics, Gynecology and Reproductive Biology*, **2016**, 200, 29-34	2.4	17
581	Mode of childbirth and neonatal outcome after external cephalic version: A prospective cohort study. *Midwifery*, **2016**, 39, 44-8	2.8	4
580	Early nasogastric tube feeding in optimising treatment for hyperemesis gravidarum: the MOTHER randomised controlled trial (Maternal and Offspring outcomes after Treatment of HyperEmesis by Refeeding). *BMC Pregnancy and Childbirth*, **2016**, 16, 22	3.2	15
579	Randomized Trial of a Lifestyle Program in Obese Infertile Women. *New England Journal of Medicine*, **2016**, 374, 1942-53	59.2	151
578	Predictors for Emergency Cesarean Delivery in Women with Placenta Previa. *American Journal of Perinatology*, **2016**, 33, 1407-1414	3.3	17
577	Hysteroscopic proximal tubal occlusion versus laparoscopic salpingectomy as a treatment for hydrosalpinges prior to IVF or ICSI: an RCT. *Human Reproduction*, **2016**, 31, 2005-16	5.7	25
576	Risk factors for cesarean section and instrumental vaginal delivery after successful external cephalic version. *Journal of Maternal-Fetal and Neonatal Medicine*, **2016**, 29, 2005-7	2	8
575	ST-analysis in electronic foetal monitoring is cost-effective from both the maternal and neonatal perspective. *Journal of Maternal-Fetal and Neonatal Medicine*, **2016**, 29, 3260-5	2	1
574	The impact of fetal gender and ethnicity on the risk of spontaneous preterm delivery in women with symptoms of preterm labor. *Journal of Maternal-Fetal and Neonatal Medicine*, **2016**, 29, 3563-9	2	13
573	Dietary interventions in overweight and obese pregnant women: a systematic review of the content, delivery, and outcomes of randomized controlled trials. *Nutrition Reviews*, **2016**, 74, 312-28	6.4	82
572	Hysteroscopy before in-vitro fertilisation (inSIGHT): a multicentre, randomised controlled trial. *Lancet, The*, **2016**, 387, 2622-2629	40	80
571	Opinions of professionals about integrating midwife- and obstetrician-led care in The Netherlands. *Midwifery*, **2016**, 37, 9-18	2.8	10
570	Prediction of Time to Delivery Week-by-Week in Women with a Triplet Pregnancy. *American Journal of Perinatology*, **2016**, 33, 1394-1400	3.3	3
569	MisoREST: surgical versus expectant management in women with an incomplete evacuation of the uterus after misoprostol treatment for miscarriage: a randomized controlled trial. *Human Reproduction*, **2016**, 31, 2421-2427	5.7	14

568	Discontinuation of intravenous oxytocin in the active phase of induced labour. *The Cochrane Library* , **2016**,	5.2	1
567	Individualized follicle-stimulating hormone dosing and in vitro fertilization outcome in agonist downregulated cycles: a systematic review. *Acta Obstetricia Et Gynecologica Scandinavica*, **2016**, 95, 1333-1344	3.8	9
566	The Impact of Midurethral Sling Surgery on Sexual Activity and Function in Women With Stress Urinary Incontinence. *Journal of Sexual Medicine*, **2016**, 13, 1498-507	1.1	11
565	IUI and IVF for unexplained subfertility: where did we go wrong?. *Human Reproduction*, **2016**, 31, 2665-2667	5.7	15
564	Prevention of multiple pregnancies in couples with unexplained or mild male subfertility: randomised controlled trial of in vitro fertilisation with single embryo transfer or in vitro fertilisation in modified natural cycle compared with intrauterine insemination with controlled ovarian hyperstimulation. *BMJ, The*, **2015**, 350, g7771	5.9	82
563	Patient controlled analgesia with remifentanil versus epidural analgesia in labour: randomised multicentre equivalence trial. *BMJ, The*, **2015**, 350, h846	5.9	63
562	Effectiveness of progestogens to improve perinatal outcome in twin pregnancies: an individual participant data meta-analysis. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2015**, 122, 27-37	3.7	155
561	Optimal timing of delivery in small for gestational age fetuses near term: a national cohort study. *American Journal of Perinatology*, **2015**, 30, 177-86	3.3	6
560	The impact of diagnostic criteria on the reproducibility of the hysteroscopic diagnosis of the septate uterus: a randomized controlled trial. *Human Reproduction*, **2015**, 30, 1323-30	5.7	17
559	Maternal and neonatal consequences of treated and untreated asymptomatic bacteriuria in pregnancy: a prospective cohort study with an embedded randomised controlled trial. *Lancet Infectious Diseases, The*, **2015**, 15, 1324-33	25.5	100
558	Relevance of individual participant data meta-analysis for studies in obstetrics: delivery versus expectant monitoring for hypertensive disorders of pregnancy. *European Journal of Obstetrics, Gynecology and Reproductive Biology*, **2015**, 191, 80-3	2.4	5
557	Behavioural and neurodevelopmental outcome of 2-year-old children after preterm premature rupture of membranes: follow-up of a randomised clinical trial comparing induction of labour and expectant management. *European Journal of Obstetrics, Gynecology and Reproductive Biology*, **2015**, 194, 17-23	2.4	8
556	Should the individual preterm birth risk be incorporated into the embryo transfer policy in in vitro fertilisation? A decision analysis. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2015**, 122, 825-833	3.7	2
555	Randomized comparison of health-related quality of life in women with ectopic pregnancy or pregnancy of unknown location treated with systemic methotrexate or expectant management. *European Journal of Obstetrics, Gynecology and Reproductive Biology*, **2015**, 192, 1-5	2.4	10
554	How individual participant data meta-analyses have influenced trial design, conduct, and analysis. *Journal of Clinical Epidemiology*, **2015**, 68, 1325-35	5.7	50
553	Randomized comparison of nifedipine and placebo in fibronectin-negative women with symptoms of preterm labor and a short cervix (APOSTEL-I Trial). *American Journal of Perinatology*, **2015**, 32, 451-60	3.3	9
552	Risk of poor neonatal outcome at term after medically assisted reproduction: a propensity score-matched study. *Fertility and Sterility*, **2015**, 104, 384-90.e1	4.8	14
551	Pregnancy outcome after fetal reduction in women with a dichorionic twin pregnancy. *Human Reproduction*, **2015**, 30, 1807-12	5.7	26

550	Prediction of neonatal outcome in women with gestational hypertension or mild preeclampsia after 36 weeks of gestation. *Journal of Maternal-Fetal and Neonatal Medicine*, **2015**, 28, 783-9	2	6
549	Subfertility and assisted reproduction techniques are associated with poorer cardiometabolic profiles in childhood. *Reproductive BioMedicine Online*, **2015**, 30, 258-67	4	44
548	Using individual patient data to adjust for indirectness did not successfully remove the bias in this case of comparative test accuracy. *Journal of Clinical Epidemiology*, **2015**, 68, 290-8	5.7	3
547	Regional differences in severe postpartum hemorrhage: a nationwide comparative study of 1.6 million deliveries. *BMC Pregnancy and Childbirth*, **2015**, 15, 43	3.2	10
546	Immediate delivery versus expectant monitoring for hypertensive disorders of pregnancy between 34 and 37 weeks of gestation (HYPITAT-II): an open-label, randomised controlled trial. *Lancet, The*, **2015**, 385, 2492-501	40	93
545	Low-dose human menopausal gonadotrophin versus clomiphene citrate in subfertile couples treated with intrauterine insemination: a randomized controlled trial. *Human Reproduction*, **2015**, 30, 1079-88	5.7	38
544	Prevention of cardiovascular risk in women who had hypertension during pregnancy after 36 weeks gestation. *Hypertension in Pregnancy*, **2015**, 34, 261-9	2	3
543	Maternal allopurinol administration during suspected fetal hypoxia: a novel neuroprotective intervention? A multicentre randomised placebo controlled trial. *Archives of Disease in Childhood: Fetal and Neonatal Edition*, **2015**, 100, F216-23	4.7	38
542	Recurrence of hypertensive disorders of pregnancy: an individual patient data metaanalysis. *American Journal of Obstetrics and Gynecology*, **2015**, 212, 624.e1-17	6.4	78
541	Risk stratification with cervical length and fetal fibronectin in women with threatened preterm labor before 34 weeks and not delivering within 7 days. *Acta Obstetricia Et Gynecologica Scandinavica*, **2015**, 94, 715-721	3.8	13
540	Is the pot calling the kettle black?. *Human Reproduction*, **2015**, 30, 2452	5.7	1
539	Effectiveness and safety as outcome measures in reproductive medicine. *Human Reproduction*, **2015**, 30, 2249-51	5.7	20
538	Risks of vaginal breech delivery at term compared to elective cesarean section--reply to comment by Page. *Acta Obstetricia Et Gynecologica Scandinavica*, **2015**, 94, 442	3.8	1
537	Implementation of client versus care-provider strategies to improve external cephalic version rates: a cluster randomized controlled trial. *Acta Obstetricia Et Gynecologica Scandinavica*, **2015**, 94, 518-26	3.8	5
536	Homocysteinemia After Hypertensive Pregnancy Disorders at Term. *Journal of Womens Health*, **2015**, 24, 524-9	3	3
535	Incidence and recurrence rate of placental abruption: a longitudinal linked national cohort study in the Netherlands. *American Journal of Obstetrics and Gynecology*, **2015**, 213, 573.e1-8	6.4	22
534	Cost-effectiveness of salpingotomy and salpingectomy in women with tubal pregnancy (a randomized controlled trial). *Human Reproduction*, **2015**, 30, 2038-47	5.7	11
533	Prediction models for successful external cephalic version: a systematic review. *European Journal of Obstetrics, Gynecology and Reproductive Biology*, **2015**, 195, 160-7	2.4	18

532	A Randomized Trial of Progesterone in Women with Recurrent Miscarriages. *New England Journal of Medicine*, **2015**, 373, 2141-8	59.2	159
531	Risks of vaginal breech delivery at term compared with elective cesarean section - reply to comments by Walker and Powell, and Sholapurkar. *Acta Obstetricia Et Gynecologica Scandinavica*, **2015**, 94, 119	3.8	
530	Overtreatment in couples with unexplained infertility. *Human Reproduction*, **2015**, 30, 71-80	5.7	23
529	Prevention of preterm delivery with vaginal progesterone in women with preterm labour (4P): randomised double-blind placebo-controlled trial. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2015**, 122, 80-91	3.7	45
528	Perinatal mortality and morbidity up to 28 days after birth among 743 070 low-risk planned home and hospital births: a cohort study based on three merged national perinatal databases. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2015**, 122, 720-8	3.7	93
527	Trends in birth asphyxia, obstetric interventions and perinatal mortality among term singletons: a nationwide cohort study. *Journal of Maternal-Fetal and Neonatal Medicine*, **2015**, 28, 632-7	2	7
526	Predictive Factors for Delivery within 7 Days after Successful 48-Hour Treatment of Threatened Preterm Labor. *AJP Reports*, **2015**, 5, e141-9	1.2	7
525	Fetal Gender of the First Born and the Recurrent Risk of Spontaneous Preterm Birth. *American Journal of Perinatology*, **2015**, 32, 1305-10	3.3	4
524	Tubal flushing for subfertility. *The Cochrane Library*, **2015**, CD003718	5.2	24
523	Double blind, randomised, placebo-controlled trial to evaluate the efficacy of esomeprazole to treat early onset pre-eclampsia (PIE Trial): a study protocol. *BMJ Open*, **2015**, 5, e008211	3	28
522	Effect of e-learning on quality of cervical-length measurements. *Ultrasound in Obstetrics and Gynecology*, **2015**, 46, 327-31	5.8	6
521	The HysNiche trial: hysteroscopic resection of uterine caesarean scar defect (niche) in patients with abnormal bleeding, a randomised controlled trial. *BMC Womens Health*, **2015**, 15, 103	2.9	26
520	Predicting developmental outcomes in premature infants by term equivalent MRI: systematic review and meta-analysis. *Systematic Reviews*, **2015**, 4, 71	3	74
519	Gonadotrophins for ovulation induction in women with polycystic ovarian syndrome. *The Cochrane Library*, **2015**, CD010290	5.2	26
518	Prediction of escape red blood cell transfusion in expectantly managed women with acute anaemia after postpartum haemorrhage. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2015**, 122, 1789-97	3.7	4
517	The capacity of mid-pregnancy cervical length to predict preterm birth in low-risk women: a national cohort study. *Acta Obstetricia Et Gynecologica Scandinavica*, **2015**, 94, 1223-34	3.8	30
516	A Longitudinal Analysis of Publications on Maternal Mortality. *Paediatric and Perinatal Epidemiology* , **2015**, 29, 481-9	2.7	6
515	Maternal and neonatal outcomes of pregnancy in women with chronic hypertension: a retrospective analysis of a national register. *Acta Obstetricia Et Gynecologica Scandinavica*, **2015**, 94, 1337-45	3.8	20

514	Second-trimester cervical length as risk indicator for Cesarean delivery in women with twin pregnancy. *Ultrasound in Obstetrics and Gynecology*, **2015**, 46, 579-84	5.8	2
513	Intrapartum referral from primary to secondary care in the Netherlands: a retrospective cohort study on management of labor and outcomes. *Birth*, **2015**, 42, 156-64	3.1	7
512	Preterm Breech Presentation: A Comparison of Intended Vaginal and Intended Cesarean Delivery. *Obstetrics and Gynecology*, **2015**, 126, 1223-1230	4.9	10
511	Mode of Delivery After Successful External Cephalic Version. *Obstetric Anesthesia Digest*, **2015**, 35, 62-63	0.2	
510	Does probability guided hysteroscopy reduce costs in women investigated for postmenopausal bleeding?. *Scientific World Journal, The*, **2015**, 2015, 605312	2.2	2
509	Transvaginal prolapse repair with or without the addition of a midurethral sling in women with genital prolapse and stress urinary incontinence: a randomised trial. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2015**, 122, 1022-30	3.7	41
508	Preventing Preterm Birth with Progesterone in Women with a Short Cervical Length from a Low-Risk Population: A Multicenter Double-Blind Placebo-Controlled Randomized Trial. *American Journal of Perinatology*, **2015**, 32, 993-1000	3.3	19
507	Cost-effectiveness of assisted conception for male subfertility. *Reproductive BioMedicine Online*, **2015**, 30, 659-66	4	18
506	Systematic review of accuracy of ultrasound in the diagnosis of vasa previa. *Ultrasound in Obstetrics and Gynecology*, **2015**, 45, 516-22	5.8	55
505	Is IVF-served two different ways-more cost-effective than IUI with controlled ovarian hyperstimulation?. *Human Reproduction*, **2015**, 30, 2331-9	5.7	47
504	Indicators for Cervical Length in Twin Pregnancies. *American Journal of Perinatology*, **2015**, 32, 1151-7	3.3	
503	Why do niches develop in Caesarean uterine scars? Hypotheses on the aetiology of niche development. *Human Reproduction*, **2015**, 30, 2695-702	5.7	89
502	Clinical indicators associated with the mode of twin delivery: an analysis of 22,712 twin pairs. *European Journal of Obstetrics, Gynecology and Reproductive Biology*, **2015**, 195, 133-40	2.4	5
501	Intrapartum and neonatal mortality in primary midwife-led and secondary obstetrician-led care in the Amsterdam region of the Netherlands: A retrospective cohort study. *Midwifery*, **2015**, 31, 1168-76	2.8	15
500	Impact of assisted reproductive technology on the incidence of multiple-gestation infants: a population perspective. *Fertility and Sterility*, **2015**, 103, 179-83	4.8	20
499	Determinants of health-related quality of life in the postpartum period after obstetric complications. *European Journal of Obstetrics, Gynecology and Reproductive Biology*, **2015**, 185, 88-95	2.4	34
498	Weight loss in pregnancy and cardiometabolic profile in childhood: findings from a longitudinal birth cohort. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2015**, 122, 1664-73	3.7	14
497	Intrauterine insemination or intracervical insemination with cryopreserved donor sperm in the natural cycle: a cohort study. *Human Reproduction*, **2015**, 30, 603-7	5.7	15

496	Patient preference for a long-acting recombinant FSH product in ovarian hyperstimulation in IVF: a discrete choice experiment. *Human Reproduction*, **2015**, 30, 331-7	5.7	18
495	Cardiovascular disease risk factors after early-onset preeclampsia, late-onset preeclampsia, and pregnancy-induced hypertension. *Hypertension*, **2015**, 65, 600-6	8.5	177
494	Pharmacokinetics of nifedipine slow-release during sustained tocolysis. *International Journal of Clinical Pharmacology and Therapeutics*, **2015**, 53, 84-91	2	4
493	Salpingotomy versus salpingectomy in women with tubal pregnancy (ESEP study): an open-label, multicentre, randomised controlled trial. *Lancet, The*, **2014**, 383, 1483-1489	40	113
492	Diagnostic markers for hyperemesis gravidarum: a systematic review and metaanalysis. *American Journal of Obstetrics and Gynecology*, **2014**, 211, 150.e1-15	6.4	74
491	Shift work, long working hours and preterm birth: a systematic review and meta-analysis. *International Archives of Occupational and Environmental Health*, **2014**, 87, 835-49	3.2	35
490	Pregnancy complications and metabolic disease in women with clomiphene citrate-resistant anovulation randomized to receive laparoscopic electrocautery of the ovaries or ovulation induction with gonadotropins: a 10-year follow-up. *Fertility and Sterility*, **2014**, 101, 270-4	4.8	12
489	Semen analysis and prediction of natural conception. *Human Reproduction*, **2014**, 29, 1360-7	5.7	15
488	Endometrial thickness and pregnancy rates after IVF: a systematic review and meta-analysis. *Human Reproduction Update*, **2014**, 20, 530-41	15.8	280
487	Prognostic profiles and the effectiveness of assisted conception: secondary analyses of individual patient data. *Human Reproduction Update*, **2014**, 20, 141-51	15.8	10
486	Vaginal delivery versus caesarean section in preterm breech delivery: a systematic review. *European Journal of Obstetrics, Gynecology and Reproductive Biology*, **2014**, 172, 1-6	2.4	53
485	Correcting for the dependent competing risk of treatment using inverse probability of censoring weighting and copulas in the estimation of natural conception chances. *Statistics in Medicine*, **2014**, 33, 4671-80	2.3	5
484	Predicting successful intended vaginal delivery after previous caesarean section: external validation of two predictive models in a Dutch nationwide registration-based cohort with a high intended vaginal delivery rate. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2014**, 121, 840-7; discussion 847	3.7	26
483	Clinical prediction models for pre-eclampsia: time to take the next step. *Ultrasound in Obstetrics and Gynecology*, **2014**, 44, 249-51	5.8	2
482	How long should we continue clomiphene citrate in anovulatory women?. *Human Reproduction*, **2014**, 29, 2482-6	5.7	6
481	Implication of the liberal use of ART in Nordic countries: should stricter guidelines be created to prevent unnecessary stillbirth and preterm delivery?. *Human Reproduction*, **2014**, 29, 2600	5.7	
480	Clinical prediction models to inform individualized decision-making in subfertile couples: a stratified medicine approach. *Human Reproduction*, **2014**, 29, 1851-8	5.7	16
479	Economic analysis of use of pessary to prevent preterm birth in women with multiple pregnancy (ProTWIN trial). *Ultrasound in Obstetrics and Gynecology*, **2014**, 44, 338-45	5.8	16

478	Economic analysis comparing induction of labor and expectant management in women with preterm prelabor rupture of membranes between 34 and 37 weeks (PPROMEXIL trial). *Acta Obstetricia Et Gynecologica Scandinavica*, **2014**, 93, 374-81	3.8	19
477	Prediction of postpartum hemorrhage in women with gestational hypertension or mild preeclampsia at term. *Acta Obstetricia Et Gynecologica Scandinavica*, **2014**, 93, 399-407	3.8	20
476	Anti-adhesion barrier gels following operative hysteroscopy for treating female infertility: a systematic review and meta-analysis. *Gynecological Surgery*, **2014**, 11, 113-127	1.7	55
475	IVF with planned single-embryo transfer versus IUI with ovarian stimulation in couples with unexplained subfertility: an economic analysis. *Reproductive BioMedicine Online*, **2014**, 28, 336-42	4	30
474	Cost-effectiveness of treatment strategies in women with PCOS who do not conceive after six cycles of clomiphene citrate. *Reproductive BioMedicine Online*, **2014**, 28, 606-13	4	7
473	Midtrimester preterm prelabour rupture of membranes (PPROM): expectant management or amnioinfusion for improving perinatal outcomes (PPROMEXIL - III trial). *BMC Pregnancy and Childbirth*, **2014**, 14, 128	3.2	14
472	Nifedipine versus atosiban in the treatment of threatened preterm labour (Assessment of Perinatal Outcome after Specific Tocolysis in Early Labour: APOSTEL III-Trial). *BMC Pregnancy and Childbirth*, **2014**, 14, 93	3.2	12
471	Risk of maternal and neonatal complications in subsequent pregnancy after planned caesarean section in a first birth, compared with emergency caesarean section: a nationwide comparative cohort study. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2014**, 121, 216-23	3.7	24
470	Development and internal validation of a prognostic model to predict recurrence free survival in patients with adult granulosa cell tumors of the ovary. *Gynecologic Oncology*, **2014**, 134, 498-504	4.9	14
469	Patients' and professionals' barriers and facilitators to external cephalic version for breech presentation at term, a qualitative analysis in the Netherlands. *Midwifery*, **2014**, 30, 324-30	2.8	17
468	Antenatal prediction of neonatal mortality in very premature infants. *European Journal of Obstetrics, Gynecology and Reproductive Biology*, **2014**, 176, 126-31	2.4	11
467	Long-term follow up of couples initially randomized between immobilization and immediate mobilization subsequent to IUI. *Reproductive BioMedicine Online*, **2014**, 29, 125-30	4	7
466	Facilitators and barriers to external cephalic version for breech presentation at term among health care providers in the Netherlands: a quantitative analysis. *Midwifery*, **2014**, 30, e145-50	2.8	11
465	Ongoing pregnancy qualifies best as the primary outcome measure of choice in trials in reproductive medicine: an opinion paper. *Fertility and Sterility*, **2014**, 101, 1203-4	4.8	52
464	Prediction of recurrence of hypertensive disorders of pregnancy in the term period, a retrospective cohort study. *Pregnancy Hypertension*, **2014**, 4, 194-202	2.6	12
463	Costs and benefits of individuals conceived after IVF: a net tax evaluation in The Netherlands. *Reproductive BioMedicine Online*, **2014**, 28, 239-45	4	4
462	Preterm labor: current pharmacotherapy options for tocolysis. *Expert Opinion on Pharmacotherapy*, **2014**, 15, 787-97	4	23
461	Mode of delivery after successful external cephalic version: a systematic review and meta-analysis. *Obstetrics and Gynecology*, **2014**, 123, 1327-1334	4.9	42

460	Are we overusing IVF?. *BMJ, The*, **2014**, 348, g252	5.9	84
459	Effects of induction of labour versus expectant management in women with impending post-term pregnancies: the 41 week - 42 week dilemma. *BMC Pregnancy and Childbirth*, **2014**, 14, 350	3.2	11
458	Effects of paternal and maternal lifestyle factors on pregnancy complications and perinatal outcome. A population-based birth-cohort study: the GECKO Drenthe cohort. *Human Reproduction*, **2014**, 29, 824-34	5.7	35
457	Association between weight gain during pregnancy and pregnancy outcomes after dietary and lifestyle interventions: a meta-analysis. *American Journal of Perinatology*, **2014**, 31, 353-64	3.3	23
456	Foley catheter versus vaginal misoprostol: randomized controlled trial (PROBAAT-M study) and systematic review and meta-analysis of literature. *American Journal of Perinatology*, **2014**, 31, 145-56	3.3	31
455	Legislation of embryo transfer affected the denominator, not the numerator!. *Human Reproduction*, **2014**, 29, 381	5.7	
454	How are neonatal and maternal outcomes reported in randomised controlled trials (RCTs) in reproductive medicine?. *Human Reproduction*, **2014**, 29, 1211-7	5.7	20
453	Potential improvement of pregnancy outcome through prenatal small for gestational age detection. [correction]. *American Journal of Perinatology*, **2014**, 31, 1093-104	3.3	1
452	The validity of the variable "NICU admission" as an outcome measure for neonatal morbidity: a retrospective study. *Acta Obstetricia Et Gynecologica Scandinavica*, **2014**, 93, 603-9	3.8	9
451	Transfusion policy after severe postpartum haemorrhage: a randomised non-inferiority trial. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2014**, 121, 1005-14	3.7	55
450	Recurrence risk of low Apgar score among term singletons: a population-based cohort study. *Acta Obstetricia Et Gynecologica Scandinavica*, **2014**, 93, 897-904	3.8	1
449	Development and internal validation of a prognostic model for survival after debulking surgery for epithelial ovarian cancer. *Gynecologic Oncology*, **2014**, 135, 13-8	4.9	15
448	Impact of obstetric history on the risk of spontaneous preterm birth in singleton and multiple pregnancies: a systematic review. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2014**, 121, 1197-208; discussion 1209	3.7	49
447	Optimal timing of near-term delivery in different ethnicities: a national cohort study. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2014**, 121, 1274-82; discussion 1283	3.7	7
446	How to interpret a small increase in AUC with an additional risk prediction marker: decision analysis comes through. *Statistics in Medicine*, **2014**, 33, 3946-59	2.3	39
445	Cost-effectiveness analysis of cardiovascular risk factor screening in women who experienced hypertensive pregnancy disorders at term. *Pregnancy Hypertension*, **2014**, 4, 264-70	2.6	6
444	Opinions of maternity care professionals about integration of care during labor for "moderate risk" indications: a Delphi study in the Netherlands. *Birth*, **2014**, 41, 195-205	3.1	13
443	Involving women in personalised decision-making on mode of delivery after caesarean section: the development and pilot testing of a patient decision aid. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2014**, 121, 202-9	3.7	25

442	Using vaginal Group B Streptococcus colonisation in women with preterm premature rupture of membranes to guide the decision for immediate delivery: a secondary analysis of the PPROMEXIL trials. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2014**, 121, 1263-72; discussion 1273	3.7	21
441	Vaginal birth after a caesarean section: the development of a Western European population-based prediction model for deliveries at term. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2014**, 121, 194-201; discussion 201	3.7	36
440	Term breech deliveries in the Netherlands: did the increased cesarean rate affect neonatal outcome? A population-based cohort study. *Acta Obstetricia Et Gynecologica Scandinavica*, **2014**, 93, 888-96	3.8	69
439	Study protocol: differential effects of diet and physical activity based interventions in pregnancy on maternal and fetal outcomes--individual patient data (IPD) meta-analysis and health economic evaluation. *Systematic Reviews*, **2014**, 3, 131	3	21
438	Predictive value of cervical length measurement and fibronectin testing in threatened preterm labor. *Obstetrics and Gynecology*, **2014**, 123, 1185-1192	4.9	80
437	Systematic review and meta-analysis of intrauterine adhesions after miscarriage: prevalence, risk factors and long-term reproductive outcome. *Human Reproduction Update*, **2014**, 20, 262-78	15.8	203
436	Cost-effectiveness of red blood cell transfusion vs. non-intervention in women with acute anaemia after postpartum haemorrhage. *Vox Sanguinis*, **2014**, 107, 381-8	3.1	10
435	The relationship of objectively measured physical activity and sedentary behaviour with gestational weight gain and birth weight. *Journal of Pregnancy*, **2014**, 2014, 567379	2.5	19
434	Patients' preferences for gonadotrophin-releasing hormone analogs in in vitro fertilization. *Gynecologic and Obstetric Investigation*, **2014**, 78, 16-21	2.5	16
433	Practice variation in the management of first trimester miscarriage in the Netherlands: a nationwide survey. *Obstetrics and Gynecology International*, **2014**, 2014, 387860	2	3
432	Implementation of external cephalic version in the Netherlands: a retrospective cohort study. *Birth*, **2014**, 41, 323-9	3.1	15
431	The effectiveness of multifetal pregnancy reduction in trichorionic triplet gestation. *American Journal of Obstetrics and Gynecology*, **2014**, 211, 536.e1-6	6.4	25
430	"Patient-centered fertility treatment": what is required?. *Fertility and Sterility*, **2014**, 101, 924-6	4.8	21
429	Hysteroscopy prior to a first IVF treatment cycle: the need for well-performed RCT. *Reproductive BioMedicine Online*, **2014**, 29, 142	4	2
428	Physically demanding work and preterm delivery: a systematic review and meta-analysis. *International Archives of Occupational and Environmental Health*, **2014**, 87, 809-34	3.2	34
427	The NIFTY study: a multicentre randomised double-blind placebo-controlled trial of nifedipine maintenance tocolysis in fetal fibronectin-positive women in threatened preterm labour. *Australian and New Zealand Journal of Obstetrics and Gynaecology*, **2014**, 54, 231-6	1.7	13
426	Cost-effectiveness of diagnostic strategies for the management of abnormal uterine bleeding (heavy menstrual bleeding and post-menopausal bleeding): a decision analysis. *Health Technology Assessment*, **2014**, 18, 1-201, v-vi	4.4	17
425	Cost-effectiveness of hysteroscopy screening for infertile women. *Reproductive BioMedicine Online*, **2013**, 26, 619-26	4	15

424	Cervical pessaries for prevention of preterm birth in women with a multiple pregnancy (ProTWIN): a multicentre, open-label randomised controlled trial. *Lancet, The*, **2013**, 382, 1341-9	40	196
423	Treating suspected uterine cavity abnormalities by hysteroscopy to improve reproductive outcome in women with unexplained infertility or prior to IUI, IVF, or ICSI. *Gynecological Surgery*, **2013**, 10, 165-167	1.7	15
422	Epidural analgesia versus patient-controlled analgesia for pain relief in uterine artery embolization for uterine fibroids: a decision analysis. *CardioVascular and Interventional Radiology*, **2013**, 36, 1514-1520	2.7	7
421	The basic fertility workup in women with polycystic ovary syndrome: a systematic review. *Fertility and Sterility*, **2013**, 100, 219-25	4.8	3
420	Factors attributing to the failure of endometrial sampling in women with postmenopausal bleeding. *Acta Obstetricia Et Gynecologica Scandinavica*, **2013**, 92, 1216-22	3.8	16
419	Prediction of an excessive response in in vitro fertilization from patient characteristics and ovarian reserve tests and comparison in subgroups: an individual patient data meta-analysis. *Fertility and Sterility*, **2013**, 100, 420-9.e7	4.8	117
418	Surgery versus physiotherapy for stress urinary incontinence. *New England Journal of Medicine*, **2013**, 369, 1124-33	59.2	111
417	Transvaginal sonographic assessment of cervical length and wedging for predicting outcome of labor induction at term: a systematic review and meta-analysis. *Ultrasound in Obstetrics and Gynecology*, **2013**, 42, 500-8	5.8	42
416	Foley catheter or prostaglandin E2 inserts for induction of labour at term: an open-label randomized controlled trial (PROBAAT-P trial) and systematic review of literature. *European Journal of Obstetrics, Gynecology and Reproductive Biology*, **2013**, 170, 137-45	2.4	37
415	Authors' response re: Do preoperative urodynamics still have a role in female stress urinary incontinence? Neurourol Urodyn 2013;32:1144-5. *Neurourology and Urodynamics*, **2013**, 32, 1146-7	2.3	1
414	Cost-effectiveness of induction of labour at term with a Foley catheter compared to vaginal prostaglandin E2 gel (PROBAAT trial). *BJOG: an International Journal of Obstetrics and Gynaecology*, **2013**, 120, 987-95	3.7	27
413	Sonographic measurement of lower uterine segment thickness to predict uterine rupture during a trial of labor in women with previous Cesarean section: a meta-analysis. *Ultrasound in Obstetrics and Gynecology*, **2013**, 42, 132-9	5.8	86
412	Methotrexate or expectant management in women with an ectopic pregnancy or pregnancy of unknown location and low serum hCG concentrations? A randomized comparison. *Human Reproduction*, **2013**, 28, 60-7	5.7	90
411	Couples dropping out of a reimbursed intrauterine insemination program: what is their prognostic profile and why do they drop out?. *Fertility and Sterility*, **2013**, 99, 1294-8	4.8	7
410	High live birth rate in the subsequent IVF cycle after first-cycle poor response among women with mean age 35 and normal FSH. *Reproductive BioMedicine Online*, **2013**, 27, 362-6	4	7
409	Recurrence of small-for-gestational-age pregnancy: analysis of first and subsequent singleton pregnancies in The Netherlands. *American Journal of Obstetrics and Gynecology*, **2013**, 208, 374.e1-6	6.4	44
408	SYNTAX score II. *Lancet, The*, **2013**, 381, 1899	40	16
407	Decision aids to improve informed decision-making in pregnancy care: a systematic review. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2013**, 120, 257-66	3.7	90

406	Contraindications for external cephalic version in breech position at term: a systematic review. *Acta Obstetricia Et Gynecologica Scandinavica*, **2013**, 92, 137-42	3.8	34
405	Long-term child follow-up after large obstetric randomised controlled trials for the evaluation of perinatal interventions: a systematic review of the literature. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2013**, 120, 15-22	3.7	25
404	Complications of fetal scalp electrode placement: a case report, literature review and summary of case reports. *Expert Review of Obstetrics and Gynecology*, **2013**, 8, 113-120		3
403	Isolated intrauterine growth restriction: a survey of Central Association of Obstetricians Gynecologists (CAOG) members. *Journal of Maternal-Fetal and Neonatal Medicine*, **2013**, 26, 497-502	2	7
402	Ten-year follow-up of a randomised controlled trial comparing bipolar endometrial ablation with balloon ablation for heavy menstrual bleeding. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2013**, 120, 966-70	3.7	37
401	Comment on: a meta-analysis of common risk factors associated with the diagnosis of developmental dysplasia of the hip in newborns. *European Journal of Radiology*, **2013**, 82, 199	4.7	6
400	Does 17-hydroxyprogesterone caproate affect fetal biometry and birth weight in twin pregnancy?. *Ultrasound in Obstetrics and Gynecology*, **2013**, 42, 329-34	5.8	5
399	Board 334 - Research Abstract The Effect of Obstetric Team Training on Perinatal and Maternal Outcome. *Simulation in Healthcare*, **2013**, 8, 535	2.8	1
398	Can we distinguish between infertility and subfertility when predicting natural conception in couples with an unfulfilled child wish?. *Human Reproduction*, **2013**, 28, 658-65	5.7	12
397	Dropout is a problem in lifestyle intervention programs for overweight and obese infertile women: a systematic review. *Human Reproduction*, **2013**, 28, 979-86	5.7	52
396	Inter-clinic variation in the chances of natural conception of subfertile couples. *Human Reproduction* , **2013**, 28, 1391-7	5.7	4
395	Economic analysis of chromosome testing in couples with recurrent miscarriage to prevent handicapped offspring. *Human Reproduction*, **2013**, 28, 1737-42	5.7	8
394	Preconceptional low-dose aspirin for the prevention of hypertensive pregnancy complications and preterm delivery after IVF: a meta-analysis with individual patient data. *Human Reproduction*, **2013**, 28, 1480-8	5.7	26
393	Subsequent Pregnancy after Preterm Prelabor Rupture of Membranes before 27 Weeks' Gestation. *AJP Reports*, **2013**, 3, 113-8	1.2	6
392	The methodological quality of economic evaluation studies in obstetrics and gynecology: a systematic review. *American Journal of Perinatology*, **2013**, 30, 253-60	3.3	8
391	Patient's willingness to opt for external cephalic version. *Journal of Psychosomatic Obstetrics and Gynaecology*, **2013**, 34, 15-21	3.6	13
390	Cervical pessaries for the prevention of preterm birth: a systematic review. *Obstetrics and Gynecology International*, **2013**, 2013, 576723	2	24
389	The Bishop score as a predictor of labor induction success: a systematic review. *American Journal of Perinatology*, **2013**, 30, 625-30	3.3	64

388	Ethnic and racial disparities in the risk of preterm birth: a systematic review and meta-analysis. *American Journal of Perinatology*, **2013**, 30, 433-50	3.3	72
387	Global alignment, coordination and collaboration in perinatal research: the Global Obstetrics Network (GONet) Initiative. *American Journal of Perinatology*, **2013**, 30, 163-6	3.3	7
386	Cervical ripening in the Netherlands: a survey. *Obstetrics and Gynecology International*, **2013**, 2013, 745159	2	14
385	The efficacy and effectiveness of continuous glucose monitoring during pregnancy: a systematic review. *Obstetrical and Gynecological Survey*, **2013**, 68, 753-63	2.4	11
384	Trial designs for personalizing cancer care: a systematic review and classification. *Clinical Cancer Research*, **2013**, 19, 4578-88	12.9	42
383	Does recruitment for multicenter clinical trials improve dissemination and timely implementation of their results? A survey study from the Netherlands. *Clinical Trials*, **2013**, 10, 915-23	2.2	5
382	Effect of maintenance tocolysis with nifedipine in threatened preterm labor on perinatal outcomes: a randomized controlled trial. *JAMA - Journal of the American Medical Association*, **2013**, 309, 41-7	27.4	55
381	Unexpected predictor-outcome associations in clinical prediction research: causes and solutions. *Cmaj*, **2013**, 185, E499-505	3.5	26
380	Ethnic disparities in perinatal mortality at 40 and 41 weeks of gestation. *Journal of Perinatal Medicine*, **2013**, 41, 381-8	2.7	9
379	Individualizing the risk for preterm birth: an overview of the literature. *Expert Review of Obstetrics and Gynecology*, **2013**, 8, 435-442		3
378	Risk of developmental dysplasia of the hip in breech presentation: the effect of successful external cephalic version. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2013**, 120, 607-12	3.7	9
377	Changes in risk factors for preterm birth in Western Australia 1984-2006. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2013**, 120, 1698	3.7	1
376	Added value of ovarian reserve testing on patient characteristics in the prediction of ovarian response and ongoing pregnancy: an individual patient data approach. *Human Reproduction Update*, **2013**, 19, 26-36	15.8	281
375	What do we know about tocolytic effectiveness and how do we use this information in guidelines? A comparison of evidence grading. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2013**, 120, 1588-96; discussion 1597-8	3.7	1
374	Cost-effectiveness of tubal patency tests. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2013**, 120, 583-93	3.7	8
373	P198 Adherence To Infertility Guidelines With Regard To Treatment Policy. *BMJ Quality and Safety*, **2013**, 22, A67.2-A67	5.4	
372	The M-OVIN study: does switching treatment to FSH and / or IUI lead to higher pregnancy rates in a subset of women with world health organization type II anovulation not conceiving after six ovulatory cycles with clomiphene citrate - a randomised controlled trial. *BMC Womens Health*, **2013**, 13, 42	2.9	9
371	Value of urodynamics before stress urinary incontinence surgery: a randomized controlled trial. *Obstetrics and Gynecology*, **2013**, 121, 999-1008	4.9	80

370	Value of adding second-trimester uterine artery Doppler to patient characteristics in identification of nulliparous women at increased risk for pre-eclampsia: an individual patient data meta-analysis. *Ultrasound in Obstetrics and Gynecology*, **2013**, 42, 257-67	5.8	21
369	Relationship of isolated single umbilical artery to fetal growth, aneuploidy and perinatal mortality: systematic review and meta-analysis. *Ultrasound in Obstetrics and Gynecology*, **2013**, 42, 622-8	5.8	44
368	Should Cervical Favorability Play a Role in the Decision for Labor Induction in Gestational Hypertension or Mild Preeclampsia at Term? An Exploratory Analysis of the HYPITAT Trial. *Obstetric Anesthesia Digest*, **2013**, 33, 210-212	0.2	
367	A Clinical Prediction Model to Assess the Risk of Operative Delivery. *Obstetric Anesthesia Digest*, **2013**, 33, 156-157	0.2	
366	Combination of foley bulb and vaginal misoprostol compared with vaginal misoprostol alone for cervical ripening and labor induction: a randomized controlled trial. *Obstetrics and Gynecology*, **2013** , 122, 156	4.9	2
365	The challenge of multidisciplinary research: improving diabetic pregnancy together. *Netherlands Journal of Medicine*, **2013**, 71, 270-3	0.5	
364	Predictive value of the baseline T-QRS ratio of the fetal electrocardiogram in intrapartum fetal monitoring: a prospective cohort study. *Acta Obstetricia Et Gynecologica Scandinavica*, **2012**, 91, 189-97	3.8	6
363	Identification of cases with adverse neonatal outcome monitored by cardiotocography versus ST analysis: secondary analysis of a randomized trial. *Acta Obstetricia Et Gynecologica Scandinavica*, **2012**, 91, 830-7	3.8	11
362	Glucose challenge test for detecting gestational diabetes mellitus: a systematic review. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2012**, 119, 1283-1284	3.7	1
361	Effect of obstetric team training on team performance and medical technical skills: a randomised controlled trial. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2012**, 119, 1387-93	3.7	88
360	Risk factors for postpartum urinary retention: a systematic review and meta-analysis. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2012**, 119, 1440-6	3.7	49
359	Ectopic pregnancy: how the diagnostic and therapeutic management has changed. *Fertility and Sterility*, **2012**, 98, 1066-73	4.8	68
358	Is short first-trimester crown-rump length associated with spontaneous preterm birth?. *Ultrasound in Obstetrics and Gynecology*, **2012**, 40, 636-41	5.8	3
357	Capacity of endometrial thickness measurement to diagnose endometrial carcinoma in asymptomatic postmenopausal women: a systematic review and meta-analysis. *Ultrasound in Obstetrics and Gynecology*, **2012**, 40, 621-9	5.8	53
356	The value of chromosomal analysis in oligozoospermic men. *Fertility and Sterility*, **2012**, 98, 1438-42	4.8	5
355	Long-term follow-up of laparoscopic electrocautery of the ovaries versus ovulation induction with recombinant FSH in clomiphene citrate-resistant women with polycystic ovary syndrome: an economic evaluation. *Human Reproduction*, **2012**, 27, 3577-82	5.7	17
354	Effects of interventions in pregnancy on maternal weight and obstetric outcomes: meta-analysis of randomised evidence. *BMJ, The*, **2012**, 344, e2088	5.9	532
353	Prediction of recurrence of hypertensive disorders of pregnancy between 34 and 37 weeks of gestation: a retrospective cohort study. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2012**, 119, 840-7	3.7	10

352	A clinical prediction model to assess the risk of operative delivery. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2012**, 119, 915-23	3.7	58
351	The prognostic profile of subfertile couples and treatment outcome after expectant management, intrauterine insemination and in vitro fertilisation: a study protocol for the meta-analysis of individual patient data. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2012**, 119, 953-7	3.7	6
350	Severe postpartum haemorrhage and mode of delivery: a retrospective cohort study. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2012**, 119, 1017-8; author reply 1018	3.7	2
349	Should cervical favourability play a role in the decision for labour induction in gestational hypertension or mild pre-eclampsia at term? An exploratory analysis of the HYPITAT trial. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2012**, 119, 1123-30	3.7	29
348	Is intrapartum fever associated with ST-waveform changes of the fetal electrocardiogram? A retrospective cohort study. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2012**, 119, 1410-6	3.7	1
347	Severe maternal morbidity in ectopic pregnancy is not associated with maternal factors but may be associated with quality of care. *Fertility and Sterility*, **2012**, 97, 623-9	4.8	26
346	Effect of 17-alpha hydroxyprogesterone caproate on cervical length in twin pregnancies. *Ultrasound in Obstetrics and Gynecology*, **2012**, 40, 426-30	5.8	13
345	The OPTIMIST study: optimisation of cost effectiveness through individualised FSH stimulation dosages for IVF treatment. A randomised controlled trial. *BMC Womens Health*, **2012**, 12, 29	2.9	43
344	Ethnic disparities in the risk of adverse neonatal outcome after spontaneous preterm birth. *Acta Obstetricia Et Gynecologica Scandinavica*, **2012**, 91, 1402-8	3.8	20
343	Accuracy of circulating placental growth factor, vascular endothelial growth factor, soluble fms-like tyrosine kinase 1 and soluble endoglin in the prediction of pre-eclampsia: a systematic review and meta-analysis. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2012**, 119, 778-87	3.7	185
342	Recurrence risk of preterm birth in subsequent twin pregnancy after preterm singleton delivery. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2012**, 119, 1624-9	3.7	28
341	Management of women with postmenopausal bleeding: evidence-based review. *The Obstetrician and Gynaecologist*, **2012**, 14, 243-249	0.9	5
340	Management of late-preterm premature rupture of membranes: the PPROMEXIL-2 trial. *American Journal of Obstetrics and Gynecology*, **2012**, 207, 276.e1-10	6.4	107
339	Recurrence risk of preterm birth in subsequent singleton pregnancy after preterm twin delivery. *American Journal of Obstetrics and Gynecology*, **2012**, 207, 279.e1-7	6.4	29
338	Development of a prognostic model for predicting spontaneous singleton preterm birth. *European Journal of Obstetrics, Gynecology and Reproductive Biology*, **2012**, 164, 150-5	2.4	26
337	OS019. External validation of the fullPIERS model in an existing dataset of women with severe pre-eclampsia, eclampsia or HELLP syndrome. *Pregnancy Hypertension*, **2012**, 2, 184-5	2.6	
336	Who teaches the evidence-based medicine teacher?. *Medical Teacher*, **2012**, 34, 866	3	1
335	Accuracy of imaging parameters in the prediction of lethal pulmonary hypoplasia secondary to mid-trimester prelabor rupture of fetal membranes: a systematic review and meta-analysis. *Ultrasound in Obstetrics and Gynecology*, **2012**, 39, 495-9	5.8	30

334	Ultrasonographic fetal head position to predict mode of delivery: a systematic review and bivariate meta-analysis. *Ultrasound in Obstetrics and Gynecology*, **2012**, 40, 9-13	5.8	26
333	How to deal with double partial verification when evaluating two index tests in relation to a reference test?. *Statistics in Medicine*, **2012**, 31, 1265-76	2.3	2
332	Can preoperative urodynamic investigation be omitted in women with stress urinary incontinence? A non-inferiority randomized controlled trial. *Neurourology and Urodynamics*, **2012**, 31, 1118-23	2.3	60
331	The value of preoperative urodynamics according to gynecologists and urologists with special interest in stress urinary incontinence. *International Urogynecology Journal*, **2012**, 23, 423-8	2	12
330	Current practice in the removal of benign endometrial polyps: a Dutch survey. *Gynecological Surgery*, **2012**, 9, 163-168	1.7	32
329	Glucose challenge test for detecting gestational diabetes mellitus: a systematic review. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2012**, 119, 393-401	3.7	72
328	Induction of labor versus expectant management in women with preterm prelabor rupture of membranes between 34 and 37 weeks: a randomized controlled trial. *PLoS Medicine*, **2012**, 9, e1001208	11.6	116
327	Prediction of neonatal metabolic acidosis in women with a singleton term pregnancy in cephalic presentation: an external validation study. *American Journal of Perinatology*, **2012**, 29, 681-6	3.3	4
326	External validation of a prediction model for successful external cephalic version. *American Journal of Perinatology*, **2012**, 29, 231-6	3.3	12
325	Prelabour rupture of membranes: overview of diagnostic methods. *Current Opinion in Obstetrics and Gynecology*, **2012**, 24, 408-12	2.4	13
324	Interventions to reduce or prevent obesity in pregnant women: a systematic review. *Health Technology Assessment*, **2012**, 16, iii-iv, 1-191	4.4	136
323	Long-term outcome in couples with unexplained subfertility and an intermediate prognosis initially randomized between expectant management and immediate treatment. *Human Reproduction*, **2012**, 27, 444-50	5.7	44
322	Prediction of neonatal metabolic acidosis in women with a singleton term pregnancy in cephalic presentation. *American Journal of Perinatology*, **2012**, 29, 167-74	3.3	12
321	Authors' response to: Predicting live birth outcomes after in vitro fertilisation. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2012**, 119, 1668-1669	3.7	
320	Does use of an intrauterine catheter during labor increase risk of infection?. *Journal of Maternal-Fetal and Neonatal Medicine*, **2012**, 25, 415-8	2	6
319	Diagnostic value of serum hCG on the outcome of pregnancy of unknown location: a systematic review and meta-analysis. *Human Reproduction Update*, **2012**, 18, 603-17	15.8	58
318	Complications and outcome of assisted reproduction technologies in overweight and obese women. *Human Reproduction*, **2012**, 27, 457-67	5.7	76
317	Treatment should be considered a competing risk when predicting natural conception in subfertile women. *Human Reproduction*, **2012**, 27, 889-95	5.7	7

316	Tailored expectant management: a nationwide survey to quantify patients' and professionals' barriers and facilitators. *Human Reproduction*, **2012**, 27, 1050-7	5.7	8
315	Integration of patient characteristics and the results of Chlamydia antibody testing and hysterosalpingography in the diagnosis of tubal pathology: an individual patient data meta-analysis. *Human Reproduction*, **2012**, 27, 2979-90	5.7	9
314	Cost-effective analysis of oocyte cryopreservation: stunning similarities but differences remain. *Human Reproduction*, **2012**, 27, 3639	5.7	17
313	ST analysis of the fetal electrocardiogram in intrapartum fetal monitoring: a meta-analysis. *Obstetrics and Gynecology*, **2012**, 119, 145-54	4.9	33
312	SESSION 18: OHSS. *Human Reproduction*, **2012**, 27, ii26-ii28	5.7	5
311	FEMALE (IN)FERTILITY. *Human Reproduction*, **2012**, 27, ii226-ii247	5.7	2
310	Spontaneous pregnancies after in vitro maturation treatment in two polycystic ovary syndrome patients. *Expert Review of Obstetrics and Gynecology*, **2012**, 7, 119-122		
309	O22. Secondary preventive interventions of cardiovascular risk in women who had hypertension during pregnancy after 36 weeks gestation. *Pregnancy Hypertension*, **2011**, 1, 267-8	2.6	1
308	Role of semen analysis in subfertile couples. *Fertility and Sterility*, **2011**, 95, 1013-9	4.8	100
307	Pregnancy of unknown location: a consensus statement of nomenclature, definitions, and outcome. *Fertility and Sterility*, **2011**, 95, 857-66	4.8	194
306	Prognostic value of the postcoital test for spontaneous pregnancy. *Fertility and Sterility*, **2011**, 95, 2050-5	4.8	5
305	Cost effectiveness of ovarian reserve testing in in vitro fertilization: a Markov decision-analytic model. *Fertility and Sterility*, **2011**, 96, 889-94	4.8	16
304	Couples with unexplained subfertility and unfavorable prognosis: a randomized pilot trial comparing the effectiveness of in vitro fertilization with elective single embryo transfer versus intrauterine insemination with controlled ovarian stimulation. *Fertility and Sterility*, **2011**, 96, 1107-11.e1	4.8	31
303	Diagnostic evaluation of the endometrium in postmenopausal bleeding: an evidence-based approach. *Maturitas*, **2011**, 68, 155-64	5	81
302	Foley catheter versus vaginal prostaglandin E2 gel for induction of labour at term (PROBAAT trial): an open-label, randomised controlled trial. *Lancet, The*, **2011**, 378, 2095-103	40	131
301	Cardiotocography plus ST analysis of fetal electrocardiogram compared with cardiotocography only for intrapartum monitoring: a randomized controlled trial. *Obstetrics and Gynecology*, **2011**, 117, 406-407	4.9	28
300	Patients' and professionals' barriers and facilitators of tailored expectant management in subfertile couples with a good prognosis of a natural conception. *Human Reproduction*, **2011**, 26, 2122-8	5.7	25
299	Travel time from home to hospital and adverse perinatal outcomes in women at term in the Netherlands. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2011**, 118, 457-65	3.7	95

298	Recurrence risk and prediction of a delivery under 34 weeks of gestation after a history of a severe hypertensive disorder. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2011**, 118, 589-95	3.7	20
297	An economic analysis of induction of labour and expectant monitoring in women with gestational hypertension or pre-eclampsia at term (HYPITAT trial). *BJOG: an International Journal of Obstetrics and Gynaecology*, **2011**, 118, 764-764	3.7	
296	Travel time from home to hospital and adverse perinatal outcomes in women at term in the Netherlands. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2011**, 118, 888-888	3.7	
295	Perinatal mortality and mode of delivery in monochorionic diamniotic twin pregnancies 32 weeks of gestation: a multicentre retrospective cohort study. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2011**, 118, 1090-7	3.7	33
294	Trends in preterm birth: singleton and multiple pregnancies in the Netherlands, 2000-2007. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2011**, 118, 1196-204	3.7	75
293	Fetal blood sampling in addition to intrapartum ST-analysis of the fetal electrocardiogram: evaluation of the recommendations in the Dutch STAN trial. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2011**, 118, 1239-46	3.7	11
292	Impact of the HYPITAT trial on doctors' behaviour and prevalence of eclampsia in the Netherlands. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2011**, 118, 1658-60	3.7	16
291	Prediction of progression to a high risk situation in women with gestational hypertension or mild pre-eclampsia at term. *Australian and New Zealand Journal of Obstetrics and Gynaecology*, **2011**, 51, 339-46	1.7	15
290	Accuracy of liver function tests for predicting adverse maternal and fetal outcomes in women with preeclampsia: a systematic review. *Acta Obstetricia Et Gynecologica Scandinavica*, **2011**, 90, 574-85	3.8	23
289	Cost-effectiveness of cardiotocography plus ST analysis of the fetal electrocardiogram compared with cardiotocography only. *Acta Obstetricia Et Gynecologica Scandinavica*, **2011**, 90, 772-8	3.8	20
288	Should we centralise care for the patient suspected of having ovarian malignancy?. *Gynecologic Oncology*, **2011**, 122, 95-9	4.9	8
287	870: Economic analysis of induction of labor versus expectant management in women with preterm prelabor rupture of membranes between 34 and 37 weeks (PPROMEXIL trial ISRCTN29313500). *American Journal of Obstetrics and Gynecology*, **2011**, 204, S336-S337	6.4	2
286	Prediction and primary prevention of pre-eclampsia. *Best Practice and Research in Clinical Obstetrics and Gynaecology*, **2011**, 25, 419-33	4.6	40
285	Fetal cardiac function between 11 and 35 weeks' gestation and nuchal translucency thickness. *Ultrasound in Obstetrics and Gynecology*, **2011**, 37, 48-56	5.8	28
284	Maternal health-related quality of life after induction of labor or expectant monitoring in pregnancy complicated by intrauterine growth retardation beyond 36 weeks. *Quality of Life Research*, **2011**, 20, 1427-36	3.7	14
283	Additional effects of the cervical length measurement in women with preterm contractions: a systematic review. *Archives of Gynecology and Obstetrics*, **2011**, 284, 521-6	2.5	5
282	Preventing preterm birth with progesterone: costs and effects of screening low risk women with a singleton pregnancy for short cervical length, the Triple P study. *BMC Pregnancy and Childbirth*, **2011**, 11, 77	3.2	21
281	Is fetal cardiac function gender dependent?. *Prenatal Diagnosis*, **2011**, 31, 536-42	3.2	9

280	The correlation between clinical and urodynamic diagnosis in classifying the type of urinary incontinence in women. A systematic review of the literature. *Neurourology and Urodynamics*, **2011**, 30, 495-502	2.3	25
279	Prognostic model for survival in patients with early stage cervical cancer. *Cancer*, **2011**, 117, 768-76	6.4	102
278	Utilizing new evidence in the prevention of recurrent preterm birth. *Journal of Maternal-Fetal and Neonatal Medicine*, **2011**, 24, 1456-60	2	1
277	Ethnic differences in stillbirth and early neonatal mortality in The Netherlands. *Journal of Epidemiology and Community Health*, **2011**, 65, 696-701	5.1	48
276	The capacity of hysterosalpingography and laparoscopy to predict natural conception. *Human Reproduction*, **2011**, 26, 134-42	5.7	17
275	POSTER VIEWING SESSION - FEMALE (IN) FERTILITY. *Human Reproduction*, **2011**, 26, i226-i246	5.7	5
274	Accessing fertility treatment in New Zealand: a comparison of the clinical priority access criteria with a prediction model for couples with unexplained subfertility. *Human Reproduction*, **2011**, 26, 3037-44	5.7	12
273	Time to delivery after the first course of antenatal corticosteroids: a cohort study. *American Journal of Perinatology*, **2011**, 28, 683-8	3.3	17
272	AMH and AFC as predictors of excessive response in controlled ovarian hyperstimulation: a meta-analysis. *Human Reproduction Update*, **2011**, 17, 46-54	15.8	291
271	How can we teach EBM in clinical practice? An analysis of barriers to implementation of on-the-job EBM teaching and learning. *Medical Teacher*, **2011**, 33, e125-30	3	34
270	Tubal surgery before IVF. *Human Reproduction Update*, **2011**, 17, 3	15.8	14
269	Increasing maternal age at first pregnancy planning: health outcomes and associated costs. *Journal of Epidemiology and Community Health*, **2011**, 65, 1083-90	5.1	16
268	Health-related quality of life after induction of labor versus expectant monitoring in gestational hypertension or preeclampsia at term. *Hypertension in Pregnancy*, **2011**, 30, 260-74	2	15
267	Multidisciplinary Team Training in a Simulation Setting for Acute Obstetric Emergencies. *Obstetric Anesthesia Digest*, **2011**, 31, 83-84	0.2	2
266	Tailored expectant management: risk factors for non-adherence. *Human Reproduction*, **2011**, 26, 1784-9	5.7	16
265	17-hydroxyprogesterone caproate for the prevention of adverse neonatal outcome in multiple pregnancies: a randomized controlled trial. *Obstetrics and Gynecology*, **2011**, 118, 513-520	4.9	66
264	POSTER VIEWING SESSION - REPRODUCTIVE ENDOCRINOLOGY. *Human Reproduction*, **2011**, 26, i296-i336	5.7	2
263	Guideline adherence in ectopic pregnancy management. *Human Reproduction*, **2011**, 26, 307-15	5.7	12

262	Timing oocyte collection in GnRH agonists down-regulated IVF and ICSI cycles: a randomized clinical trial. *Human Reproduction*, **2011**, 26, 1091-6	5.7	16
261	Expanding reproductive lifespan: a cost-effectiveness study on oocyte freezing. *Human Reproduction*, **2011**, 26, 3054-60	5.7	58
260	Chlamydia trachomatis IgG seropositivity is associated with lower natural conception rates in ovulatory subfertile women without visible tubal pathology. *Human Reproduction*, **2011**, 26, 3061-7	5.7	26
259	Are patient characteristics associated with the accuracy of hysterosalpingography in diagnosing tubal pathology? An individual patient data meta-analysis. *Human Reproduction Update*, **2011**, 17, 293-300	15.8	40
258	Chlamydia antibody testing and diagnosing tubal pathology in subfertile women: an individual patient data meta-analysis. *Human Reproduction Update*, **2011**, 17, 301-10	15.8	32
257	Five-year follow-up after comparing bipolar endometrial ablation with hydrothermablation for menorrhagia. *Obstetrics and Gynecology*, **2011**, 118, 1287-1292	4.9	28
256	Risk indicators for eclampsia in gestational hypertension or mild preeclampsia at term. *Hypertension in Pregnancy*, **2011**, 30, 433-46	2	12
255	Prediction of success of external cephalic version after 36 weeks. *American Journal of Perinatology*, **2011**, 28, 103-10	3.3	36
254	Why were the results of randomized trials on the clinical utility of fetal fibronectin negative? A systematic review of their study designs. *American Journal of Perinatology*, **2011**, 28, 145-50	3.3	11
253	Is aspirin effective in women undergoing in vitro fertilization (IVF)? Results from an individual patient data meta-analysis (IPD MA). *Human Reproduction Update*, **2011**, 17, 501-9	15.8	29
252	Long-term outcomes in women with polycystic ovary syndrome initially randomized to receive laparoscopic electrocautery of the ovaries or ovulation induction with gonadotrophins. *Human Reproduction*, **2011**, 26, 1899-904	5.7	38
251	Pregnancy outcomes and prognostic factors from tubal sterilization reversal by sutureless laparoscopical re-anastomosis: a retrospective cohort study. *Human Reproduction*, **2011**, 26, 354-9	5.7	17
250	Economic consequences of overweight and obesity in infertility: a framework for evaluating the costs and outcomes of fertility care. *Human Reproduction Update*, **2010**, 16, 246-54	15.8	61
249	Clinical effectiveness of elective single versus double embryo transfer: meta-analysis of individual patient data from randomised trials. *BMJ, The*, **2010**, 341, c6945	5.9	223
248	Comparison of vaginal and transabdominal collection of amniotic fluid for fetal lung maturity tests. *Journal of Maternal-Fetal and Neonatal Medicine*, **2010**, 23, 613-6	2	3
247	Recurrence risk of a delivery before 34 weeks of pregnancy due to an early onset hypertensive disorder: a systematic review. *American Journal of Perinatology*, **2010**, 27, 565-71	3.3	21
246	Is it useful to measure C-reactive protein and leukocytes in patients with prelabor rupture of membranes?. *American Journal of Perinatology*, **2010**, 27, 543-7	3.3	13
245	Session 06: Oocyte/Embryo Freezing. *Human Reproduction*, **2010**, 25, i11-i14	5.7	6

244	Bipolar radiofrequency endometrial ablation compared with hydrothermablation for dysfunctional uterine bleeding: a randomized controlled trial. *Obstetrics and Gynecology*, **2010**, 116, 819-826	4.9	27
243	Consecutive or non-consecutive recurrent miscarriage: is there any difference in carrier status?. *Human Reproduction*, **2010**, 25, 1411-4	5.7	48
242	Use of progesterone treatment for the prevention of recurrent preterm birth: identification of obstacles to change. *American Journal of Perinatology*, **2010**, 27, 241-9	3.3	7
241	Outcomes after internal versus external tocodynamometry for monitoring labor. *New England Journal of Medicine*, **2010**, 362, 306-13	59.2	99
240	Aspirin plus heparin or aspirin alone in women with recurrent miscarriage. *New England Journal of Medicine*, **2010**, 362, 1586-96	59.2	356
239	Induction versus expectant monitoring for intrauterine growth restriction at term: randomised equivalence trial (DIGITAT). *BMJ, The*, **2010**, 341, c7087	5.9	302
238	Time to pregnancy after a previous miscarriage in subfertile couples. *Fertility and Sterility*, **2010**, 94, 485-8	4.8	2
237	Reproducibility of the interpretation of pelvic x-ray 3 months after hysteroscopic sterilization with Essure. *Fertility and Sterility*, **2010**, 94, 1202-1207	4.8	16
236	Measuring outcomes in fertility trials: can we rely on clinical pregnancy rates?. *Fertility and Sterility*, **2010**, 94, 1647-51	4.8	46
235	Reproducibility and reliability of repeated semen analyses in male partners of subfertile couples. *Fertility and Sterility*, **2010**, 94, 2631-5	4.8	49
234	Salpingotomy or salpingectomy in tubal ectopic pregnancy: what do women prefer?. *Reproductive BioMedicine Online*, **2010**, 21, 687-93	4	25
233	HYPITAT and the fallacy of pregnancy interruption Authors' reply. *Lancet, The*, **2010**, 375, 119-120	40	
232	The effectiveness of hysteroscopy in improving pregnancy rates in subfertile women without other gynaecological symptoms: a systematic review. *Human Reproduction Update*, **2010**, 16, 1-11	15.8	179
231	Assessing Preferences Regarding Healthcare Interventions that Involve Non-Health Outcomes: An Overview of Clinical Studies. *Patient*, **2010**, 3, 1-10	3.7	10
230	Cardiotocography plus ST analysis of fetal electrocardiogram compared with cardiotocography only for intrapartum monitoring: a randomized controlled trial. *Obstetrics and Gynecology*, **2010**, 115, 1173-1180	4.9	85
229	Multidisciplinary team training in a simulation setting for acute obstetric emergencies: a systematic review. *Obstetrics and Gynecology*, **2010**, 115, 1021-1031	4.9	221
228	Endometrial thickness measurement for detecting endometrial cancer in women with postmenopausal bleeding: a systematic review and meta-analysis. *Obstetrics and Gynecology*, **2010**, 116, 160-167	4.9	196
227	Posters * Demography, Epidemiology, Registries, and Health Economy. *Human Reproduction*, **2010**, 25, i154-i161	5.7	2

226	Fetal fibronectin as a short-term predictor of preterm birth in symptomatic patients. *Obstetrics and Gynecology*, **2010**, 115, 186-187	4.9	2
225	Prediction of fetal lung immaturity using gestational age, patient characteristics and fetal lung maturity tests: a probabilistic approach. *Archives of Gynecology and Obstetrics*, **2010**, 281, 15-21	2.5	15
224	Critical appraisal regarding the effect on reproductive outcome of hysteroscopic metroplasty in patients with recurrent miscarriage. *Archives of Gynecology and Obstetrics*, **2010**, 282, 465	2.5	5
223	Neonatal outcome following elective cesarean section beyond 37 weeks of gestation: a 7-year retrospective analysis of a national registry. *American Journal of Obstetrics and Gynecology*, **2010**, 202, 250.e1-8	6.4	115
222	The LIFESTYLE study: costs and effects of a structured lifestyle program in overweight and obese subfertile women to reduce the need for fertility treatment and improve reproductive outcome. A randomised controlled trial. *BMC Womens Health*, **2010**, 10, 22	2.9	47
221	Estimating the risk of gestational diabetes mellitus: a clinical prediction model based on patient characteristics and medical history. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2010**, 117, 69-75	3.7	78
220	Induction of labour in nulliparous women with an unfavourable cervix. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2010**, 117, 892; author reply 892-3	3.7	4
219	An economic analysis of induction of labour and expectant monitoring in women with gestational hypertension or pre-eclampsia at term (HYPITAT trial). *BJOG: an International Journal of Obstetrics and Gynaecology*, **2010**, 117, 1577-85	3.7	31
218	Dutch perinatal mortality. Too early to question effectiveness of Dutch system. *BMJ, The*, **2010**, 341, c7020	5.9	11
217	The effectiveness of reproductive surgery in the treatment of female infertility: facts, views and vision. *Facts, Views & Vision in ObGyn*, **2010**, 2, 232-52	1.4	6
216	Active management of risk in pregnancy at term did not reduce caesarean delivery rates. *Evidence-Based Medicine*, **2009**, 14, 17		
215	Evaluating prediction models in reproductive medicine. *Human Reproduction*, **2009**, 24, 1774-8	5.7	47
214	Value of cervical cytology in diagnosing endometrial carcinoma in women with postmenopausal bleeding. *Acta Cytologica*, **2009**, 53, 277-82	3	8
213	Prediction models in reproductive medicine: a critical appraisal. *Human Reproduction Update*, **2009**, 15, 537-52	15.8	116
212	Individual patient data meta-analysis of diagnostic and prognostic studies in obstetrics, gynaecology and reproductive medicine. *BMC Medical Research Methodology*, **2009**, 9, 22	4.7	29
211	Pessaries in multiple pregnancy as a prevention of preterm birth: the ProTwin Trial. *BMC Pregnancy and Childbirth*, **2009**, 9, 44	3.2	14
210	Validation of existing prognostic models in patients with early-stage cervical cancer. *Gynecologic Oncology*, **2009**, 115, 277-84	4.9	18
209	Conservative management of tubal ectopic pregnancy. *Best Practice and Research in Clinical Obstetrics and Gynaecology*, **2009**, 23, 509-18	4.6	14

208	Women's preference for laparoscopic or abdominal hysterectomy. *Gynecological Surgery*, **2009**, 6, 223-228	1.7	12
207	Maternal thyroid hormone concentration during late gestation is associated with foetal position at birth. *Clinical Endocrinology*, **2009**, 71, 746-51	3.4	10
206	How far did we get? How far to go? A European survey on postgraduate courses in evidence-based medicine. *Journal of Evaluation in Clinical Practice*, **2009**, 15, 1196-204	2.5	13
205	The value of medical history taking as risk indicator for tuboperitoneal pathology: a systematic review. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2009**, 116, 612-25	3.7	24
204	Start of induction of labour with oxytocin in the morning or in the evening. A randomised controlled trial. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2009**, 116, 562-8	3.7	10
203	Perinatal mortality and morbidity in a nationwide cohort of 529,688 low-risk planned home and hospital births. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2009**, 116, 1177-84	3.7	198
202	Should endometrial polyps be removed in patients with postmenopausal bleeding?-an assessment of study designs and report of a failed randomised controlled trial (ISRCTN73825127). *BJOG: an International Journal of Obstetrics and Gynaecology*, **2009**, 116, 1391-5	3.7	33
201	Home birth: as safe as in hospital? Authors Reply. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2009**, 116, 1685-1686	3.7	2
200	Indicators for intervention during the expulsive second-stage arrest of labour. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2009**, 116, 1773-81	3.7	6
199	Comparison of induction of labour and expectant management in postterm pregnancy: a matched cohort study. *Journal of Midwifery and Womens Health*, **2009**, 54, 351-356	2.2	16
198	Laparoscopic sacrocolpopexy: a comparison of Prolene and Tutoplast mesh. *Acta Obstetricia Et Gynecologica Scandinavica*, **2009**, 88, 826-30	3.8	3
197	Are tests for predicting pre-eclampsia good enough to make screening viable? A review of reviews and critical appraisal. *Acta Obstetricia Et Gynecologica Scandinavica*, **2009**, 88, 758-65	3.8	57
196	Adverse drug reactions to tocolytic treatment for preterm labour: prospective cohort study. *BMJ, The*, **2009**, 338, b744	5.9	83
195	External validation of a clinical scoring system for the risk of gestational diabetes mellitus. *Diabetes Research and Clinical Practice*, **2009**, 85, 96-101	7.4	14
194	Accuracy of serum uric acid as a predictive test for maternal complications in pre-eclampsia: bivariate meta-analysis and decision analysis. *European Journal of Obstetrics, Gynecology and Reproductive Biology*, **2009**, 146, 8-14	2.4	52
193	The role of antimullerian hormone in prediction of outcome after IVF: comparison with the antral follicle count. *Fertility and Sterility*, **2009**, 91, 705-14	4.8	376
192	Immunoglobulin G antisperm antibodies and prediction of spontaneous pregnancy. *Fertility and Sterility*, **2009**, 92, 1659-65	4.8	27
191	Patients' preferences in mode of surgery of an adnexal mass. *Journal of Psychosomatic Obstetrics and Gynaecology*, **2009**, 30, 162-7	3.6	3

190	Induction of labour versus expectant monitoring for gestational hypertension or mild pre-eclampsia after 36 weeks' gestation (HYPITAT): a multicentre, open-label randomised controlled trial. *Lancet, The*, **2009**, 374, 979-988	40	509
189	Perinatal outcome of monoamniotic twin pregnancies. *Obstetrics and Gynecology*, **2009**, 113, 353-60	4.9	93
188	The accuracy of risk scores in predicting ovarian malignancy: a systematic review. *Obstetrics and Gynecology*, **2009**, 113, 384-94	4.9	133
187	Aspirin and Aspirin Combined with Low-Molecular-Weight Heparin in Women with Unexplained Recurrent Miscarriage: a Randomized Controlled Multicenter Trial (ALIFE Study).. *Blood*, **2009**, 114, 488-488	2.2	2
186	Endometrial ablation with paracervical block. *Journal of reproductive medicine, The*, **2009**, 54, 617-20		10
185	Author response to: Hysteroscopy is not warrented as a first line investigation for postmenopausal bleeding. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2008**, 115, 411-412	3.7	
184	Author response to: Patients preferences in the evaluation of postmenopausal bleeding. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2008**, 115, 925-926	3.7	
183	Substandard care in maternal mortality due to hypertensive disease in pregnancy in the Netherlands. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2008**, 115, 1322-3; author reply 1323	3.7	1
182	Serum screening with Down's syndrome markers to predict pre-eclampsia and small for gestational age: systematic review and meta-analysis. *BMC Pregnancy and Childbirth*, **2008**, 8, 33	3.2	77
181	Use of uterine artery Doppler ultrasonography to predict pre-eclampsia and intrauterine growth restriction: a systematic review and bivariable meta-analysis. *Cmaj*, **2008**, 178, 701-11	3.5	480
180	History of induced abortion and the risk of tubal pathology. *Reproductive BioMedicine Online*, **2008**, 16, 304-7	4	6
179	Predictive value of pregnancy history in subfertile couples: results from a nationwide cohort study in the Netherlands. *Fertility and Sterility*, **2008**, 90, 521-7	4.8	25
178	Intrauterine insemination: how many cycles should we perform?. *Human Reproduction*, **2008**, 23, 885-8	5.7	47
177	Women in the Netherlands prefer self-sampling with a novel lavaging device to clinician collection of specimens for cervical cancer screening. *Sexually Transmitted Diseases*, **2008**, 35, 916-7	2.4	17
176	Accuracy of mean arterial pressure and blood pressure measurements in predicting pre-eclampsia: systematic review and meta-analysis. *BMJ, The*, **2008**, 336, 1117-20	5.9	148
175	Nifedipine as a uterine relaxant for external cephalic version: a randomized controlled trial. *Obstetrics and Gynecology*, **2008**, 112, 271-6	4.9	19
174	Fetal complications after placement of an intrauterine pressure catheter: a report of two cases and review of the literature. *Journal of Maternal-Fetal and Neonatal Medicine*, **2008**, 21, 880-3	2	40
173	Current evidence on surgery, systemic methotrexate and expectant management in the treatment of tubal ectopic pregnancy: a systematic review and meta-analysis. *Human Reproduction Update*, **2008**, 14, 309-19	15.8	136

172	The accuracy of multivariate models predicting ovarian reserve and pregnancy after in vitro fertilization: a meta-analysis. *Human Reproduction Update*, **2008**, 14, 95-100	15.8	87
171	The influence of the number of follicles on pregnancy rates in intrauterine insemination with ovarian stimulation: a meta-analysis. *Human Reproduction Update*, **2008**, 14, 563-70	15.8	130
170	Follow-up of women after a first episode of postmenopausal bleeding and endometrial thickness greater than 4 millimeters. *Obstetrics and Gynecology*, **2008**, 111, 137-43	4.9	16
169	External cephalic version-related risks: a meta-analysis. *Obstetrics and Gynecology*, **2008**, 112, 1143-51	4.9	95
168	Five-year follow up of a randomised controlled trial comparing NovaSure and ThermaChoice endometrial ablation. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2008**, 115, 193-8	3.7	56
167	Use of C-reactive protein as a predictor of chorioamnionitis in preterm prelabour rupture of the membranes: a systematic review. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2008**, 115, 127; author reply 128	3.7	2
166	Expectant parents' preferences for mode of delivery and trade-offs of outcomes for breech presentation. *Patient Education and Counseling*, **2008**, 72, 305-10	3.1	14
165	Diagnostic accuracy of endometrial thickness to exclude polyps in women with postmenopausal bleeding. *Journal of Clinical Ultrasound*, **2008**, 36, 286-90	1	25
164	Which factors play a role in clinical decision-making in external cephalic version?. *Acta Obstetricia Et Gynecologica Scandinavica*, **2008**, 87, 31-5	3.8	11
163	What is the recurrence rate of postmenopausal bleeding in women who have a thin endometrium during a first episode of postmenopausal bleeding?. *Acta Obstetricia Et Gynecologica Scandinavica*, **2008**, 87, 89-93	3.8	13
162	Re: Pain experienced during transvaginal ultrasound, saline contrast sonohysterography, hysteroscopy and office sampling: a comparative study. *Ultrasound in Obstetrics and Gynecology*, **2008**, 32, 118-9; author reply 119	5.8	
161	Obesity affects spontaneous pregnancy chances in subfertile, ovulatory women. *Human Reproduction*, **2008**, 23, 324-8	5.7	292
160	Methods of prediction and prevention of pre-eclampsia: systematic reviews of accuracy and effectiveness literature with economic modelling. *Health Technology Assessment*, **2008**, 12, iii-iv, 1-270	4.4	144
159	A prediction model for ongoing pregnancy after in vitro fertilization in couples with male subfertility. *Journal of reproductive medicine, The*, **2008**, 53, 250-6		20
158	Removal of cervical mucus: effect on pregnancy rates in IVF/ICSI. *Reproductive BioMedicine Online*, **2007**, 15, 310-5	4	23
157	Patients' preferences for intrauterine insemination or in-vitro fertilization. *Reproductive BioMedicine Online*, **2007**, 15, 422-7	4	26
156	Intrauterine insemination in The Netherlands. *Reproductive BioMedicine Online*, **2007**, 14, 110-6	4	30
155	Routine Chlamydia antibody testing is of limited use in subfertile women with anovulation. *Reproductive BioMedicine Online*, **2007**, 14, 322-7	4	4

154	Does urodynamic investigation improve outcome in patients undergoing prolapse surgery?. *Neurourology and Urodynamics*, **2007**, 26, 170-5	2.3	15
153	Fasting capillary glucose as a screening test for gestational diabetes mellitus. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2007**, 114, 372; author reply 373	3.7	1
152	Author response to: Improving the existing diagnostic strategy by accounting for characteristics of the women in the diagnostic work up for postmenopausal bleeding. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2007**, 114, 650-651	3.7	
151	Patients' preferences in the evaluation of postmenopausal bleeding. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2007**, 114, 1146-9	3.7	39
150	Accuracy of body mass index in predicting pre-eclampsia: bivariate meta-analysis. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2007**, 114, 1477-85	3.7	39
149	Disproportionate Intrauterine Growth Intervention Trial At Term: DIGITAT. *BMC Pregnancy and Childbirth*, **2007**, 7, 12	3.2	25
148	Is three-dimensional ultrasonography of additional value in the assessment of adnexal masses?. *Gynecologic Oncology*, **2007**, 106, 153-9	4.9	19
147	OC130: What is the recurrence rate of postmenopausal bleeding in women who have a thin endometrium during a first episode of postmenopausal bleeding?. *Ultrasound in Obstetrics and Gynecology*, **2007**, 30, 407-407	5.8	
146	The predictive value of medical history taking and Chlamydia IgG ELISA antibody testing (CAT) in the selection of subfertile women for diagnostic laparoscopy: a clinical prediction model approach. *Human Reproduction*, **2007**, 22, 1353-8	5.7	34
145	Pregnancy is predictable: a large-scale prospective external validation of the prediction of spontaneous pregnancy in subfertile couples. *Human Reproduction*, **2007**, 22, 536-42	5.7	145
144	Prognostic capacity of transvaginal hydrolaparoscopy to predict spontaneous pregnancy. *Human Reproduction*, **2007**, 22, 1091-4	5.7	16
143	Identifying subfertile ovulatory women for timely tubal patency testing: a clinical decision rule based on medical history. *Human Reproduction*, **2007**, 22, 2685-92	5.7	12
142	Reply: Pregnancy is predictable: a large-scale prospective external validation of the prediction of spontaneous pregnancy in subfertile couples. *Human Reproduction*, **2007**, 22, 2345-2346	5.7	3
141	Predictive value and clinical impact of Basal follicle-stimulating hormone in subfertile, ovulatory women. *Journal of Clinical Endocrinology and Metabolism*, **2007**, 92, 2163-8	5.6	61
140	Comparison of accuracy measures of two screening tests for gestational diabetes mellitus. *Diabetes Care*, **2007**, 30, 2779-84	14.6	25
139	Accuracy of fibronectin tests for the prediction of pre-eclampsia: a systematic review. *European Journal of Obstetrics, Gynecology and Reproductive Biology*, **2007**, 133, 12-9	2.4	17
138	Ultrasonography as a tool for the prediction of outcome in IVF patients: a comparative meta-analysis of ovarian volume and antral follicle count. *Fertility and Sterility*, **2007**, 87, 764-75	4.8	135
137	External validation of a prediction model for an ongoing pregnancy after intrauterine insemination. *Fertility and Sterility*, **2007**, 88, 425-31	4.8	32

136	Effectiveness of intrauterine insemination in subfertile couples with an isolated cervical factor: a randomized clinical trial. *Fertility and Sterility*, **2007**, 88, 1692-6	4.8	36
135	The additional value of ovarian hyperstimulation in intrauterine insemination for couples with an abnormal postcoital test and a poor prognosis: a randomized clinical trial. *Fertility and Sterility*, **2007**, 88, 1618-24	4.8	16
134	Inadequate office endometrial sample requires further evaluation in women with postmenopausal bleeding and abnormal ultrasound results. *International Journal of Gynecology and Obstetrics*, **2007**, 99, 100-4	4	30
133	Improving the existing diagnostic strategy by accounting for characteristics of the women in the diagnostic work up for postmenopausal bleeding. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2007**, 114, 51-8	3.7	32
132	Evaluation of adnexal masses with three-dimensional ultrasonography. *Obstetrics and Gynecology*, **2006**, 108, 1167-75	4.9	39
131	Value of ovarian reserve testing before IVF: a clinical decision analysis. *Human Reproduction*, **2006**, 21, 1816-23	5.7	26
130	Routine use of hysterosalpingography prior to diagnostic laparoscopy in the fertility workup. *Human Reproduction*, **2006**, 21, 2725-6; author reply 2726-7	5.7	
129	Intrauterine insemination with controlled ovarian hyperstimulation versus expectant management for couples with unexplained subfertility and an intermediate prognosis: a randomised clinical trial. *Lancet, The*, **2006**, 368, 216-21	40	160
128	Which factors play a role in clinical decision-making in subfertility?. *Reproductive BioMedicine Online*, **2006**, 12, 473-80	4	9
127	A systematic review of tests predicting ovarian reserve and IVF outcome. *Human Reproduction Update*, **2006**, 12, 685-718	15.8	861
126	The clomiphene citrate challenge test for the prediction of poor ovarian response and nonpregnancy in patients undergoing in vitro fertilization: a systematic review. *Fertility and Sterility* , **2006**, 86, 807-18	4.8	41
125	Quality of reporting of test accuracy studies in reproductive medicine: impact of the Standards for Reporting of Diagnostic Accuracy (STARD) initiative. *Fertility and Sterility*, **2006**, 86, 1321-9	4.8	29
124	Is twin pregnancy necessarily an adverse outcome of assisted reproductive technologies?. *Human Reproduction*, **2006**, 21, 2736-8	5.7	43
123	Do clinical prediction models improve concordance of treatment decisions in reproductive medicine?. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2006**, 113, 825-31	3.7	22
122	A comparison of intrapartum automated fetal electrocardiography and conventional cardiotocography--a randomised controlled study. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2006**, 113, 1103	3.7	2
121	Diagnostic tests in reproductive medicine. *Reviews in Gynaecological and Perinatal Practice*, **2006**, 6, 20-25		3
120	Accuracy of serum uric acid determination in predicting pre-eclampsia: a systematic review. *Acta Obstetricia Et Gynecologica Scandinavica*, **2006**, 85, 519-25	3.8	42
119	Patients' preferences in deciding between intrauterine insemination and expectant management. *Human Reproduction*, **2005**, 20, 752-5	5.7	30

118	Economic evaluation of misoprostol in the treatment of early pregnancy failure compared to curettage after an expectant management. *Human Reproduction*, **2005**, 20, 1067-71	5.7	40
117	Misoprostol versus curettage in women with early pregnancy failure: impact on women's health-related quality of life. A randomized controlled trial. *Human Reproduction*, **2005**, 20, 2340-7	5.7	18
116	Investigation of the infertile couple: a basic fertility work-up performed within 12 months of trying to conceive generates costs and complications for no particular benefit. *Human Reproduction*, **2005**, 20, 2672-4	5.7	11
115	Antral follicle count in the prediction of poor ovarian response and pregnancy after in vitro fertilization: a meta-analysis and comparison with basal follicle-stimulating hormone level. *Fertility and Sterility*, **2005**, 83, 291-301	4.8	293
114	Bipolar radio frequency endometrial ablation compared with balloon endometrial ablation in dysfunctional uterine bleeding: impact on patients' health-related quality of life. *Fertility and Sterility*, **2005**, 83, 724-34	4.8	29
113	Diagnostic accuracy of frozen section diagnosis of the adnexal mass: a metaanalysis. *Gynecologic Oncology*, **2005**, 96, 1-9	4.9	77
112	IUI in male subfertility: are we able to select the proper patients?. *Reproductive BioMedicine Online*, **2005**, 11, 624-31	4	23
111	Sutureless re-anastomosis by laparoscopy versus microsurgical re-anastomosis by laparotomy for sterilization reversal: a matched cohort study. *Human Reproduction*, **2005**, 20, 2355-8	5.7	20
110	How to interpret the findings of the eVALuate study. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2005**, 112, 391-3	3.7	11
109	The impact of size of the adnexal mass on the accuracy of frozen section diagnosis. *Gynecologic Oncology*, **2005**, 99, 362-6	4.9	21
108	Thermal endometrial ablation in dysfunctional uterine bleeding: an economic comparison of bipolar ablation and balloon ablation. *Gynecological Surgery*, **2005**, 2, 271-277	1.7	2
107	Preventie van vroeggeboorte met progestativa. *Tijdschrift Voor Kindergeneeskunde*, **2005**, 73, 127-129		
106	Evidence-based reproductive medicine in clinical practice: the case of clomiphene-resistant PCOS. *European Clinics in Obstetrics and Gynaecology*, **2005**, 1, 89-94		1
105	Does ovarian hyperstimulation in intrauterine insemination for cervical factor subfertility improve pregnancy rates?. *Human Reproduction*, **2004**, 19, 2263-6	5.7	31
104	Accuracy of transvaginal ultrasonography in diabetic or obese women with postmenopausal bleeding. *Obstetrics and Gynecology*, **2004**, 104, 571-8	4.9	27
103	Clinical predictive factors for endometriosis in a Portuguese infertile population. *Human Reproduction*, **2004**, 19, 2126-31	5.7	33
102	Improved fertility following conservative surgical treatment of ectopic pregnancy. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2004**, 111, 635-6	3.7	0
101	Randomised controlled trial of bipolar radio-frequency endometrial ablation and balloon endometrial ablation. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2004**, 111, 1095-102	3.7	93

100	Tubal evaluation in the investigation of subfertility: a structured comparison of tests. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2004**, 111, 1313-21	3.7	33
99	Misoprostol versus curettage in women with early pregnancy failure after initial expectant management: a randomized trial. *Human Reproduction*, **2004**, 19, 1894-9	5.7	51
98	Should the post-coital test (PCT) be part of the routine fertility work-up?. *Human Reproduction*, **2004**, 19, 1373-9	5.7	17
97	The clinical importance of the microcurettage. *Reviews in Gynaecological Practice*, **2004**, 4, 58-64		
96	Management of early pregnancy loss. *International Journal of Gynecology and Obstetrics*, **2004**, 86, 337-46	4	36
95	Current treatment of dysfunctional uterine bleeding. *Maturitas*, **2004**, 47, 159-74	5	26
94	Treatment of dysfunctional uterine bleeding: patient preferences for endometrial ablation, a levonorgestrel-releasing intrauterine device, or hysterectomy. *Fertility and Sterility*, **2004**, 82, 160-6, quiz 265	4.8	38
93	Prediction of an ongoing pregnancy after intrauterine insemination. *Fertility and Sterility*, **2004**, 82, 45-51	4.8	96
92	Performance of the postwash total motile sperm count as a predictor of pregnancy at the time of intrauterine insemination: a meta-analysis. *Fertility and Sterility*, **2004**, 82, 612-20	4.8	88
91	The effect of clinical characteristics on the lecithin/sphingomyelin ratio and lamellar body count: a cross-sectional study. *Journal of Maternal-Fetal and Neonatal Medicine*, **2003**, 14, 373-82	2	6
90	Characteristics of good diagnostic studies. *Seminars in Reproductive Medicine*, **2003**, 21, 17-25	1.4	22
89	The pre-operative assessment of the adnexal mass: the accuracy of clinical estimates versus clinical prediction rules. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2003**, 110, 519-523	3.7	13
88	Performance of basal follicle-stimulating hormone in the prediction of poor ovarian response and failure to become pregnant after in vitro fertilization: a meta-analysis. *Fertility and Sterility*, **2003**, 79, 1091-100	4.8	158
87	Life-table analysis falls short of the mark!. *Fertility and Sterility*, **2003**, 79, 1467-8; author reply 1468	4.8	1
86	Cost-effectiveness of transvaginal sonography and saline infused sonography in the evaluation of menorrhagia. *International Journal of Gynecology and Obstetrics*, **2003**, 83, 45-52	4	28
85	Cost-effectiveness of the use of transvaginal sonography in the evaluation of postmenopausal bleeding. *Maturitas*, **2003**, 45, 275-82	5	33
84	The pre-operative assessment of the adnexal mass: the accuracy of clinical estimates versus clinical prediction rules. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2003**, 110, 519-23	3.7	
83	Male predominance in fetal distress during labor. *American Journal of Obstetrics and Gynecology*, **2002**, 187, 1605-7	6.4	74

82	Comparison of single and repeated antenatal corticosteroid therapy to prevent neonatal death and morbidity in the preterm infant. *Early Human Development*, **2002**, 67, 29-36	2.2	9
81	Symptom-free women at increased risk of ectopic pregnancy: should we screen?. *Acta Obstetricia Et Gynecologica Scandinavica*, **2002**, 81, 661-72	3.8	25
80	Macrosomia despite good glycaemic control in Type I diabetic pregnancy; results of a nationwide study in The Netherlands. *Diabetologia*, **2002**, 45, 1484-9	10.3	193
79	Use of the total motile sperm count to predict total fertilization failure in in vitro fertilization. *Fertility and Sterility*, **2002**, 78, 22-8	4.8	33
78	Is the correlation between fetal oxygen saturation and blood pH sufficient for the use of fetal pulse oximetry?. *Journal of Maternal-Fetal and Neonatal Medicine*, **2002**, 11, 80-3	2	12
77	Prognostic factors for the success of thermal balloon ablation in the treatment of menorrhagia. *Obstetrics and Gynecology*, **2002**, 99, 1060-6	4.9	34
76	Distinguishing the benign and malignant adnexal mass: an external validation of prognostic models. *Gynecologic Oncology*, **2001**, 80, 162-7	4.9	93
75	Cost-effectiveness of hysterosalpingography, laparoscopy, and Chlamydia antibody testing in subfertile couples. *Fertility and Sterility*, **2001**, 75, 571-80	4.8	26
74	Extended-tip spatulas are more effective than Ayre's spatula for collection of endocervical cells and detection of dyskaryosis. *Evidence-Based Obstetrics and Gynecology*, **2001**, 3, 136-137		
73	The accuracy of lamellar body count and lecithin/sphingomyelin ratio in the prediction of neonatal respiratory distress syndrome: a meta-analysis. *British Journal of Obstetrics and Gynaecology*, **2001**, 108, 583-588		23
72	Treatment of menorrhagia. *Lancet, The*, **2001**, 357, 1886-7	40	2
71	Comparison of transvaginal sonography, saline infusion sonography, and hysteroscopy in premenopausal women with abnormal uterine bleeding. *Journal of Clinical Ultrasound*, **2000**, 28, 217-23	1	69
70	The effect of immersion on haemodynamic and fetal measures in uncomplicated pregnancies of nulliparous women. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2000**, 107, 663-8	3.7	11
69	Intra- and interoperator repeatability of the nuchal translucency measurement. *Ultrasound in Obstetrics and Gynecology*, **2000**, 15, 297-301	5.8	31
68	Is balloon ablation as effective as endometrial electroresection in the treatment of menorrhagia?. *Journal of Laparoendoscopic and Advanced Surgical Techniques - Part A*, **2000**, 10, 85-92	2.1	26
67	Use of ultrasound guidance during embryo transfer. *Human Reproduction*, **2000**, 15, 2449	5.7	6
66	Using prognostic models in clinical infertility. *Human Fertility*, **2000**, 3, 199-202	1.9	10
65	Treatment for patients with stage-1 endometrial carcinoma. *Lancet, The*, **2000**, 356, 853-4	40	4

64	Can hysterosalpingocontrast-sonography replace hysterosalpingography in the assessment of tubal subfertility?. *European Journal of Radiology*, **2000**, 35, 44-8	4.7	65
63	Randomised comparisons of medical tests: sometimes invalid, not always efficient. *Lancet, The*, **2000**, 356, 1844-7	40	171
62	Letters to the editor11March 3, 2000.. *Fertility and Sterility*, **2000**, 74, 614	4.8	
61	Cost-effectiveness of in vitro fertilization and embryo transfer. *Fertility and Sterility*, **2000**, 73, 748-54	4.8	37
60	Comparison of 8 Versus 16 Minutes Heating in the Treatment of Menorrhagia With Hot Fluid Balloon Ablation. *Obstetrical and Gynecological Survey*, **2000**, 55, 146-147	2.4	2
59	The accuracy of endometrial sampling in the diagnosis of patients with endometrial carcinoma and hyperplasia: a meta-analysis. *Cancer*, **2000**, 89, 1765-72	6.4	72
58	Chlamydia antibody titres. *Human Reproduction*, **1999**, 14, 268-70	5.7	6
57	How concordant are the estimated rates of natural conception and in-vitro fertilization/embryo transfer success?. *Human Reproduction*, **1999**, 14, 689-93	5.7	15
56	Implementation of probabilistic decision rules improves the predictive values of algorithms in the diagnostic management of ectopic pregnancy. *Human Reproduction*, **1999**, 14, 2855-62	5.7	53
55	Empirical evidence of design-related bias in studies of diagnostic tests. *JAMA - Journal of the American Medical Association*, **1999**, 282, 1061-6	27.4	1245
54	Comparison of 8 versus 16 Minutes Heating in the Treatment of Menorrhagia with Hot Fluid Balloon Ablation. *Journal of Gynecologic Surgery*, **1999**, 15, 143-148	0.4	10
53	Comparison of hysterosalpingography and laparoscopy in predicting fertility outcome. *Human Reproduction*, **1999**, 14, 1237-42	5.7	114
52	Use of the disutility ratio in prenatal screening for Down's syndrome. *BJOG: an International Journal of Obstetrics and Gynaecology*, **1999**, 106, 108-15	3.7	6
51	Prediction of recurrent and residual cervical dysplasia by human papillomavirus detection among patients with abnormal cytology. *Gynecologic Oncology*, **1999**, 72, 199-201	4.9	71
50	Treatment of tubal pregnancy in the netherlands: an economic comparison of systemic methotrexate administration and laparoscopic salpingostomy. *American Journal of Obstetrics and Gynecology*, **1999**, 181, 945-51	6.4	55
49	Pregnancy outcome and nuchal translucency measurements in fetuses with a normal karyotype. *Prenatal Diagnosis*, **1999**, 19, 1104-8	3.2	31
48	The combination of endometrial biopsy and transvaginal sonohysterography was a reliable diagnostic tool for abnormal uterine bleeding in postmenopausal women. *Evidence-Based Obstetrics and Gynecology*, **1999**, 1, 39-40		
47	Should patients who are suspected of having an ectopic pregnancy undergo physical examination?. *Fertility and Sterility*, **1999**, 71, 155-7	4.8	19

46	Can noninvasive diagnostic tools predict tubal rupture or active bleeding in patients with tubal pregnancy?. *Fertility and Sterility*, **1999**, 71, 167-73	4.8	42
45	Adjusting for "treatment-independent pregnancies". *Fertility and Sterility*, **1999**, 72, 562-3	4.8	
44	Are gestational age and endometrial thickness alternatives for serum human chorionic gonadotropin as criteria for the diagnosis of ectopic pregnancy?. *Fertility and Sterility*, **1999**, 72, 643-5	4.8	22
43	EFFECT OF STUDY DESIGN ON THE ASSOCIATION BETWEEN NUCHAL TRANSLUCENCY MEASUREMENT AND DOWN SYNDROME. *Obstetrics and Gynecology*, **1999**, 94, 864-869	4.9	12
42	Nifedipine versus ritodrine for suppression of preterm labor; a meta-analysis. *Acta Obstetricia Et Gynecologica Scandinavica*, **1999**, 78, 783-8	3.8	8
41	Prognostic significance of diagnostic laparoscopy for spontaneous fertility. *Journal of reproductive medicine, The*, **1999**, 44, 81-6		10
40	Weekly nuchal translucency measurements in normal fetuses. *Obstetrics and Gynecology*, **1998**, 91, 208-14	4.9	32
39	Clarification of fertility after tubal surgery for ectopic pregnancy. *Fertility and Sterility*, **1998**, 69, 790-1; author reply 791-2	4.8	
38	Value of detecting leukocytospermia in the diagnosis of genital tract infection in subfertile men. *Fertility and Sterility*, **1998**, 70, 315-9	4.8	62
37	Serum human chorionic gonadotropin measurement in the diagnosis of ectopic pregnancy when transvaginal sonography is inconclusive. *Fertility and Sterility*, **1998**, 70, 972-81	4.8	98
36	The performance of CA-125 measurement in the detection of endometriosis: a meta-analysis. *Fertility and Sterility*, **1998**, 70, 1101-8	4.8	221
35	Fertility after conservative and radical surgery for tubal pregnancy. *Human Reproduction*, **1998**, 13, 1804-9	3.7	77
34	Randomised Trial of Systemic Methotrexate Versus Laparoscopic Salpingostomy in Tubal Pregnancy. *Obstetrical and Gynecological Survey*, **1998**, 53, 27-28	2.4	2
33	Sperm penetration assay in predicting successful in vitro fertilization. A meta-analysis. *Journal of reproductive medicine, The*, **1998**, 43, 503-8		5
32	Diagnosis of ectopic pregnancy after in vitro fertilization and embryo transfer. *Fertility and Sterility*, **1997**, 68, 1027-32	4.8	13
31	Is hysterosalpingography an important tool in predicting fertility outcome?. *Fertility and Sterility*, **1997**, 67, 663-9	4.8	44
30	The accuracy of serum chlamydial antibodies in the diagnosis of tubal pathology: a meta-analysis. *Fertility and Sterility*, **1997**, 67, 1031-7	4.8	129
29	Observer variation and clinical decision making. *Fertility and Sterility*, **1997**, 68, 381-4	4.8	2

28	Cut-off level--what do you want it to be?. *Fertility and Sterility*, **1997**, 67, 980-1	4.8	3
27	Screening for ectopic pregnancy in symptom-free women at increased risk. *Obstetrics and Gynecology*, **1997**, 89, 704-7	4.9	20
26	A study of ruptured tubal ectopic pregnancy. *Obstetrics and Gynecology*, **1997**, 90, 866-866	4.9	4
25	Methotrexate in tubal pregnancy. *Lancet, The*, **1997**, 350, 1555-1556	40	
24	Randomised trial of systemic methotrexate versus laparoscopic salpingostomy in tubal pregnancy. *Lancet, The*, **1997**, 350, 774-9	40	208
23	Is conservative surgery for tubal pregnancy preferable to salpingectomy? An economic analysis. *BJOG: an International Journal of Obstetrics and Gynaecology*, **1997**, 104, 834-9	3.7	25
22	Human papillomavirus deoxyribonucleic acid detection in mildly or moderately dysplastic smears: a possible method for selecting patients for colposcopy. *American Journal of Obstetrics and Gynecology*, **1997**, 177, 548-53	6.4	24
21	Can flow cytometric detection of platelet activation early in pregnancy predict the occurrence of preeclampsia? A prospective study. *American Journal of Obstetrics and Gynecology*, **1997**, 177, 434-42	6.4	47
20	An economic evaluation of laparoscopy and open surgery in the treatment of tubal pregnancy. *Acta Obstetricia Et Gynecologica Scandinavica*, **1997**, 76, 596-600	3.8	16
19	LEPTO dipstick, a dipstick assay for detection of Leptospira-specific immunoglobulin M antibodies in human sera. *Journal of Clinical Microbiology*, **1997**, 35, 92-7	9.7	88
18	Reproducibility of the interpretation of hysterosalpingography in the diagnosis of tubal pathology. *Human Reproduction*, **1996**, 11, 1204-8	5.7	62
17	Progesterone alone versus progesterone combined with HCG as luteal support in GnRHa/HMG induced IVF cycles: a randomized clinical trial. *Human Reproduction*, **1996**, 11, 1602-5	5.7	57
16	Conservative versus radical surgery for tubal pregnancy. *Acta Obstetricia Et Gynecologica Scandinavica*, **1996**, 75, 866-7	3.8	12
15	Diagnosis of ligament rupture of the ankle joint. Physical examination, arthrography, stress radiography and sonography compared in 160 patients after inversion trauma. *Acta Orthopaedica*, **1996**, 67, 566-70		159
14	Time to pregnancy-after ectopic. *Fertility and Sterility*, **1996**, 66, 172-3	4.8	3
13	Serum human chorionic gonadotropin clearance curves in patients with interstitial pregnancy treated with systemic methotrexate. *Fertility and Sterility*, **1996**, 66, 723-8	4.8	38
12	Predictive value of normal hysterogram?. *Fertility and Sterility*, **1996**, 65, 673-5	4.8	1
11	Human papillomavirus DNA after treatment of cervical dysplasia: low prevalence in normal cytologic smears. *Cancer*, **1996**, 77, 2538-43	6.4	37

10	Screening for fetal trisomies by maternal age and fetal nuchal translucency thickness at 10 to 14 weeks of gestation. *BJOG: an International Journal of Obstetrics and Gynaecology*, **1996**, 103, 1051-2	3.7	2
9	Risk factors for ectopic pregnancy: a meta-analysis. *Fertility and Sterility*, **1996**, 65, 1093-9	4.8	69
8	Nuchal translucency measurement in normal fetuses. *Obstetrics and Gynecology*, **1995**, 86, 994-7	4.9	34
7	Contraception and the risk of ectopic pregnancy: a meta-analysis. *Contraception*, **1995**, 52, 337-41	2.5	61
6	Surgical treatment of ectopic pregnancy. *Lancet, The*, **1995**, 346, 638-9	40	4
5	The accuracy of hysterosalpingography in the diagnosis of tubal pathology: a meta-analysis. *Fertility and Sterility*, **1995**, 64, 486-91	4.8	251
4	Clearance curves of serum human chorionic gonadotrophin for the diagnosis of persistent trophoblast. *Human Reproduction*, **1995**, 10, 683-7	5.7	51
3	Intermethod variation in detection of human papillomavirus DNA in cervical smears. *Journal of Clinical Microbiology*, **1995**, 33, 2631-6	9.7	51
2	What is the fertility-enhancing effect of tubal flushing? A hypothesis article. *Journal of Obstetrics and Gynaecology*,1-7	1.3	1
1	Reply: One-stop shop ultrasound evaluation of an infertile patient: doing less is no longer an option. *Human Reproduction*,	5.7	