Consol Serra

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1599139/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Non-Pharmacological Preventive Measures Had an Impact on COVID-19 in Healthcare Workers before the Vaccination Effect: A Cohort Study. International Journal of Environmental Research and Public Health, 2022, 19, 3628.	1.2	3
2	Waiting time from identification to recognition an occupational disease in Spain. Gaceta Sanitaria, 2022, 36, 257-259.	0.6	0
3	Disinfection By-Products in Drinking Water and Bladder Cancer: Evaluation of Risk Modification by Common Genetic Polymorphisms in Two Case–Control Studies. Environmental Health Perspectives, 2022, 130, 57006.	2.8	5
4	Patterns of change of multisite pain over 1 year of followâ€up and related risk factors. European Journal of Pain, 2022, 26, 1499-1509.	1.4	5
5	Process evaluation of a complex workplace intervention to prevent musculoskeletal pain in nursing staff: results from INTEVAL_Spain. BMC Nursing, 2021, 20, 189.	0.9	2
6	What is meant by case management for the return-to-work of workers with musculoskeletal disorders? A scoping review. Work, 2021, 70, 1069-1087.	0.6	1
7	Diesel exhaust and bladder cancer risk by pathologic stage and grade subtypes. Environment International, 2020, 135, 105346.	4.8	25
8	Associations of sickness absence for pain in the low back, neck and shoulders with wider propensity to pain. Occupational and Environmental Medicine, 2020, 77, 301-308.	1.3	6
9	What can public health do for the welfare state? Occupational health could be an answer. Journal of Epidemiology and Community Health, 2019, 73, 1141-1144.	2.0	2
10	Determinants of international variation in the prevalence of disabling wrist and hand pain. BMC Musculoskeletal Disorders, 2019, 20, 436.	0.8	9
11	Prevention and management of musculoskeletal pain in nursing staff by a multifaceted intervention in the workplace: design of a cluster randomized controlled trial with effectiveness, process and economic evaluation (INTEVAL_Spain). BMC Public Health, 2019, 19, 348.	1.2	10
12	Multifaceted intervention for the prevention and management of musculoskeletal pain in nursing staff: Results of a cluster randomized controlled trial. PLoS ONE, 2019, 14, e0225198.	1,1	26
13	Ambient air pollution and incident bladder cancer risk: Updated analysis of the Spanish Bladder Cancer Study. International Journal of Cancer, 2019, 145, 894-900.	2.3	25
14	Title is missing!. , 2019, 14, e0225198.		0
15	Title is missing!. , 2019, 14, e0225198.		0
16	Title is missing!. , 2019, 14, e0225198.		0
17	Title is missing!. , 2019, 14, e0225198.		0
18	Asthma status is associated with decreased risk of aggressive urothelial bladder cancer. International Journal of Cancer, 2018, 142, 470-476.	2.3	10

#	Article	IF	CITATIONS
19	Low back pain among office workers in three Spanish-speaking countries: findings from the CUPID study. Injury Prevention, 2017, 23, 158-164.	1.2	13
20	Epidemiological Differences Between Localized and Nonlocalized Low Back Pain. Spine, 2017, 42, 740-747.	1.0	18
21	Are determinants for new and persistent upper limb pain different? An analysis based on anatomical sites. Work, 2016, 53, 313-323.	0.6	3
22	Cancer risk among workers of a secondary aluminium smelter: Table 1 Occupational Medicine, 2016, 66, 412-414.	0.8	9
23	Classification of neck/shoulder pain in epidemiological research. Pain, 2016, 157, 1028-1036.	2.0	44
24	Occupational diseases treated at Parc de Salut Mar (Barcelona, Spain), 2010–2014. Medicina ClÃnica (English Edition), 2016, 146, 506-510.	0.1	1
25	Identification of a novel susceptibility locus at 13q34 and refinement of the 20p12.2 region as a multi-signal locus associated with bladder cancer risk in individuals of European ancestry. Human Molecular Genetics, 2016, 25, 1203-1214.	1.4	38
26	Upper extremity musculoskeletal pain among office workers in three Spanish-speaking countries: findings from the CUPID study. Occupational and Environmental Medicine, 2016, 73, 394-400.	1.3	10
27	Descriptive Epidemiology of Somatising Tendency: Findings from the CUPID Study. PLoS ONE, 2016, 11, e0153748.	1.1	12
28	Effectiveness of very early workplace interventions to reduce sickness absence: a systematic review of the literature and meta-analysis. Scandinavian Journal of Work, Environment and Health, 2016, 42, 261-272.	1.7	29
29	Valid screening questions useful to diagnose hand and forearm eczema are available in the Spanish language, a new tool for global research. European Journal of Dermatology, 2015, 25, 145-155.	0.3	2
30	Preventing occupational stress in healthcare workers. The Cochrane Library, 2015, 2015, CD002892.	1.5	321
31	Nitrate in drinking water and bladder cancer risk in Spain. Environmental Research, 2015, 137, 299-307.	3.7	81
32	Modification of Occupational Exposures on Bladder Cancer Risk by Common Genetic Polymorphisms. Journal of the National Cancer Institute, 2015, 107, djv223.	3.0	34
33	Work-related psychosocial risk factors and musculoskeletal disorders in hospital nurses and nursing aides: A systematic review and meta-analysis. International Journal of Nursing Studies, 2015, 52, 635-648.	2.5	277
34	European Working Time Directive and doctors' health: a systematic review of the available epidemiological evidence. BMJ Open, 2014, 4, e004916-e004916.	0.8	43
35	Imputation and subset-based association analysis across different cancer types identifies multiple independent risk loci in the TERT-CLPTM1L region on chromosome 5p15.33. Human Molecular Genetics, 2014, 23, 6616-6633.	1.4	90
36	Responsiveness of the Work Role Functioning Questionnaire (Spanish Version) in a General Working Population. Journal of Occupational and Environmental Medicine, 2014, 56, 189-194.	0.9	11

#	Article	IF	CITATIONS
37	LINE-1 methylation in granulocyte DNA and trihalomethane exposure is associated with bladder cancer risk. Epigenetics, 2014, 9, 1532-1539.	1.3	24
38	Reliability and Validity of the Work Role Functioning Questionnaire (Spanish Version). Journal of Occupational Rehabilitation, 2014, 24, 640-649.	1.2	16
39	Genome-wide association study identifies multiple loci associated with bladder cancer risk. Human Molecular Genetics, 2014, 23, 1387-1398.	1.4	137
40	The 19q12 Bladder Cancer GWAS Signal: Association with Cyclin E Function and Aggressive Disease. Cancer Research, 2014, 74, 5808-5818.	0.4	24
41	Cross-Cultural Adaptation of the Work Role Functioning Questionnaire to Spanish Spoken in Spain. Journal of Occupational Rehabilitation, 2013, 23, 566-575.	1.2	17
42	Patterns of multisite pain and associations with risk factors. Pain, 2013, 154, 1769-1777.	2.0	133
43	Biological and Statistical Approaches for Modeling Exposure to Specific Trihalomethanes and Bladder Cancer Risk. American Journal of Epidemiology, 2013, 178, 652-660.	1.6	17
44	Common Genetic Polymorphisms Modify the Effect of Smoking on Absolute Risk of Bladder Cancer. Cancer Research, 2013, 73, 2211-2220.	0.4	107
45	Disabling musculoskeletal pain in working populations: Is it the job, the person, or the culture?. Pain, 2013, 154, 856-863.	2.0	139
46	International variation in absence from work attributed to musculoskeletal illness: findings from the CUPID study. Occupational and Environmental Medicine, 2013, 70, 575-584.	1.3	54
47	Psychological and culturally-influenced risk factors for the incidence and persistence of low back pain and associated disability in Spanish workers: findings from the CUPID study. Occupational and Environmental Medicine, 2013, 70, 57-62.	1.3	47
48	Bladder cancer and seroreactivity to BK, JC and Merkel cell polyomaviruses: The Spanish bladder cancer study. International Journal of Cancer, 2013, 133, 597-603.	2.3	23
49	Health beliefs, low mood, and somatizing tendency: contribution to incidence and persistence of musculoskeletal pain with and without reported disability. Scandinavian Journal of Work, Environment and Health, 2013, 39, 589-598.	1.7	25
50	Mapping of the UGT1A locus identifies an uncommon coding variant that affects mRNA expression and protects from bladder cancer. Human Molecular Genetics, 2012, 21, 1918-1930.	1.4	71
51	Effect of working conditions on non-work-related sickness absence. Occupational Medicine, 2012, 62, 60-63.	0.8	8
52	A European survey of professional bodies representing occupational medicine specialists. Occupational Medicine, 2012, 62, 366-370.	0.8	2
53	Common genetic variants in the <i>PSCA</i> gene influence gene expression and bladder cancer risk. Proceedings of the National Academy of Sciences of the United States of America, 2012, 109, 4974-4979.	3.3	79
54	The CUPID (Cultural and Psychosocial Influences on Disability) Study: Methods of Data Collection and Characteristics of Study Sample. PLoS ONE, 2012, 7, e39820.	1.1	58

#	Article	IF	CITATIONS
55	Return to Work Expectations of Workers on Long-Term Non-Work-Related Sick Leave. Journal of Occupational Rehabilitation, 2012, 22, 15-26.	1.2	49
56	Large-Scale Pathway-Based Analysis of Bladder Cancer Genome-Wide Association Data from Five Studies of European Background. PLoS ONE, 2012, 7, e29396.	1.1	36
57	An unusual suspect: an uncommon human-specific synonymous coding variant within the UCT1A6 gene explains a GWAS signal and protects against bladder cancer. Genome Biology, 2011, 12, .	3.8	0
58	Organizational Return to Work Support and Sick Leave Duration. Journal of Occupational and Environmental Medicine, 2011, 53, 674-679.	0.9	17
59	Socioeconomic status and exposure to disinfection by-products in drinking water in Spain. Environmental Health, 2011, 10, 18.	1.7	20
60	Urinary pH, cigarette smoking and bladder cancer risk. Carcinogenesis, 2011, 32, 843-847.	1.3	37
61	A genome-wide association study of bladder cancer identifies a new susceptibility locus within SLC14A1, a urea transporter gene on chromosome 18q12.3. Human Molecular Genetics, 2011, 20, 4282-4289.	1.4	100
62	Systematic Review of the Role of Occupational Health and Safety Interventions in the Prevention of Upper Extremity Musculoskeletal Symptoms, Signs, Disorders, Injuries, Claims and Lost Time. Journal of Occupational Rehabilitation, 2010, 20, 127-162.	1.2	131
63	Genetic Susceptibility to Distinct Bladder Cancer Subphenotypes. European Urology, 2010, 57, 283-292.	0.9	63
64	A multi-stage genome-wide association study of bladder cancer identifies multiple susceptibility loci. Nature Genetics, 2010, 42, 978-984.	9.4	493
65	Polymorphisms in <i>GSTT1</i> , <i>GSTZ1</i> , and <i>CYP2E1</i> , Disinfection By-products, and Risk of Bladder Cancer in Spain. Environmental Health Perspectives, 2010, 118, 1545-1550.	2.8	194
66	Does return to work occur earlier after work-related sick leave episodes than after non-work-related sick leave episodes? A retrospective cohort study in Spain. Occupational and Environmental Medicine, 2009, 66, 63-67.	1.3	6
67	Determinants of Quality of Interview and Impact on Risk Estimates in a Case-Control Study of Bladder Cancer. American Journal of Epidemiology, 2009, 170, 237-243.	1.6	9
68	<i>TGFB1</i> and <i>TGFBR1</i> polymorphic variants in relationship to bladder cancer risk and prognosis. International Journal of Cancer, 2009, 124, 608-613.	2.3	44
69	Coffee consumption, genetic susceptibility and bladder cancer risk. Cancer Causes and Control, 2009, 20, 121-127.	0.8	35
70	Bladder cancer and reproductive factors among women in Spain. Cancer Causes and Control, 2009, 20, 1907-1913.	0.8	17
71	Principles and methodology for translation and cross ultural adaptation of the Nordic Occupational Skin Questionnaire (NOSQâ€2002) to Spanish and Catalan. Contact Dermatitis, 2009, 61, 109-116.	0.8	18
72	Does increased urination frequency protect against bladder cancer?. International Journal of Cancer, 2008, 123, 1644-1648.	2.3	31

#	Article	IF	CITATIONS
73	Micronuclei assessment in the urothelial cells of women using hair dyes and its modulation by genetic polymorphisms. Cancer Letters, 2008, 263, 259-266.	3.2	17
74	Genomic DNA hypomethylation as a biomarker for bladder cancer susceptibility in the Spanish Bladder Cancer Study: a case–control study. Lancet Oncology, The, 2008, 9, 359-366.	5.1	211
75	p53 IN BLADDER CANCER PROGNOSIS. RESULTS FROM A PROSPECTIVE MULTICENTRIC STUDY IN SPAIN. Journal of Urology, 2008, 179, 585-585.	0.2	0
76	RISK OF BLADDER CANCER ASSOCIATED WITH FAMILY HISTORY OF CANCER: DO LOW-PENETRANCE POLYMORPHISMS ACCOUNT FOR THE INCRESE IN RISK?. Journal of Urology, 2008, 179, 322-323.	0.2	1
77	Occupational exposures and asthma among nursing professionals. Occupational and Environmental Medicine, 2008, 66, 274-278.	1.3	76
78	Air pollution and risk of urinary bladder cancer in a case-control study in Spain. Occupational and Environmental Medicine, 2008, 65, 56-60.	1.3	66
79	Occupation and bladder cancer in a hospital-based case-control study in Spain. Occupational and Environmental Medicine, 2008, 65, 347-353.	1.3	64
80	Bladder cancer risk and genetic variation in AKR1C3 and other metabolizing genes. Carcinogenesis, 2008, 29, 1955-1962.	1.3	88
81	Interventions for preventing tobacco smoking in public places. The Cochrane Library, 2008, , CD001294.	1.5	9
82	Systematic review of interventions for reducing occupational stress in health care workers. Scandinavian Journal of Work, Environment and Health, 2008, 34, 169-178.	1.7	140
83	Work in the textile industry in Spain and bladder cancer. Occupational and Environmental Medicine, 2007, 65, 552-559.	1.3	21
84	Bulky DNA Adduct Formation and Risk of Bladder Cancer. Cancer Epidemiology Biomarkers and Prevention, 2007, 16, 2155-2159.	1.1	14
85	Large-Scale Evaluation of Candidate Genes Identifies Associations between VEGF Polymorphisms and Bladder Cancer Risk. PLoS Genetics, 2007, 3, e29.	1.5	119
86	Evaluation of genetic variation in the double-strand break repair pathway and bladder cancer risk. Carcinogenesis, 2007, 28, 1788-1793.	1.3	87
87	Criteria and methods used for the assessment of fitness for work: a systematic review. Occupational and Environmental Medicine, 2007, 64, 304-312.	1.3	83
88	Risk of Bladder Cancer Associated with Family History of Cancer: Do Low-Penetrance Polymorphisms Account for the Increase in Risk?. Cancer Epidemiology Biomarkers and Prevention, 2007, 16, 1595-1600.	1.1	85
89	Evidence for an intensity-dependent interaction of NAT2 acetylation genotype and cigarette smoking in the Spanish Bladder Cancer Study. International Journal of Epidemiology, 2007, 36, 236-241.	0.9	33
90	Food, nutrient and heterocyclic amine intake and the risk of bladder cancer. European Journal of Cancer, 2007, 43, 1731-1740.	1.3	117

#	Article	IF	CITATIONS
91	Total Fluid and Water Consumption and the Joint Effect of Exposure to Disinfection By-Products on Risk of Bladder Cancer. Environmental Health Perspectives, 2007, 115, 1569-1572.	2.8	63
92	Polymorphisms in one-carbon metabolism and trans-sulfuration pathway genes and susceptibility to bladder cancer. International Journal of Cancer, 2007, 120, 2452-2458.	2.3	60
93	Genetic variation in the base excision repair pathway and bladder cancer risk. Human Genetics, 2007, 121, 233-242.	1.8	113
94	P53 IN BLADDER CANCER PROGNOSIS. RESULTS FROM A PROSPECTIVE MULTICENTRIC STUDY IN SPAIN. European Urology Supplements, 2006, 5, 805.	0.1	2
95	FGFR3 MUTATIONS AND FGFR3 PROTEIN OVEREXPRESSION IN SUPERFICIAL BLADDER TUMORS. European Urology Supplements, 2006, 5, 808.	0.1	0
96	PIK3CA MUTATIONS ARE AN EARLY GENETIC ALTERATION ASSOCIATED WITH FGFR3 MUTATIONS IN SUPERFICIAL PAPILLARY BLADDER TUMORS. European Urology Supplements, 2006, 5, 808.	0.1	133
97	Bladder Cancer and Exposure to Water Disinfection By-Products through Ingestion, Bathing, Showering, and Swimming in Pools. American Journal of Epidemiology, 2006, 165, 148-156.	1.6	471
98	Hair dye use is not associated with risk for bladder cancer: Evidence from a case-control study in Spain. European Journal of Cancer, 2006, 42, 1448-1454.	1.3	48
99	Smoking and Bladder Cancer in Spain: Effects of tobacco Type, Timing, Ets and Gender. American Journal of Epidemiology, 2006, 163, S110-S110.	1.6	1
100	Use of Analgesics and Nonsteroidal Anti-inflammatory Drugs, Genetic Predisposition, and Bladder Cancer Risk in Spain. Cancer Epidemiology Biomarkers and Prevention, 2006, 15, 1696-1702.	1.1	42
101	A Pooled Analysis of Bladder Cancer Case–Control Studies Evaluating Smoking in Men and Women. Cancer Causes and Control, 2006, 17, 71-79.	0.8	35
102	Smoking and Bladder Cancer in Spain: Effects of Tobacco Type, Timing, Environmental Tobacco Smoke, and Gender. Cancer Epidemiology Biomarkers and Prevention, 2006, 15, 1348-1354.	1.1	148
103	PIK3CA Mutations Are an Early Genetic Alteration Associated with FGFR3 Mutations in Superficial Papillary Bladder Tumors. Cancer Research, 2006, 66, 7401-7404.	0.4	213
104	The p53 Pathway and Outcome among Patients with T1G3 Bladder Tumors. Clinical Cancer Research, 2006, 12, 6029-6036.	3.2	57
105	Prospective Study of FGFR3 Mutations As a Prognostic Factor in Nonmuscle Invasive Urothelial Bladder Carcinomas. Journal of Clinical Oncology, 2006, 24, 3664-3671.	0.8	300
106	Genetic Variation in the Nucleotide Excision Repair Pathway and Bladder Cancer Risk. Cancer Epidemiology Biomarkers and Prevention, 2006, 15, 536-542.	1.1	139
107	Assessment of lifetime exposure to trihalomethanes through different routes. Occupational and Environmental Medicine, 2006, 63, 273-277.	1.3	59
108	Bladder Cancer, Disinfection Byproducts, and Markers of Genetic Susceptibility in a Case-control Study from Spain. Epidemiology, 2006, 17, S150.	1.2	12

#	Article	IF	CITATIONS
109	Air Pollution and Tp53 Mutations in Bladder Cancer In Spain. Epidemiology, 2006, 17, S366.	1.2	0
110	FGFR3 and Tp53 Mutations in T1G3 Transitional Bladder Carcinomas: Independent Distribution and Lack of Association with Prognosis. Clinical Cancer Research, 2005, 11, 5444-5450.	3.2	122
111	NAT2 slow acetylation, GSTM1 null genotype, and risk of bladder cancer: results from the Spanish Bladder Cancer Study and meta-analyses. Lancet, The, 2005, 366, 649-659.	6.3	558
112	Large-scale evaluation of candidate genes for cancer identifies common genetic variants in vascular endothelial growth factor associated with bladder cancer risk. PLoS Genetics, 2005, preprint, e29.	1.5	1
113	BLADDER CANCER AND EXPOSURE TO DISINFECTION BYPRODUCTS IN WATER THROUGH INGESTION, BATHING, SHOWERING AND SWIMMING IN POOLS: FINDINGS FROM THE SPANISH BLADDER CANCER STUDY. Epidemiology, 2004, 15, S105.	1.2	5
114	AIR POLLUTION AND BLADDER CANCER RISK IN SPAIN. Epidemiology, 2004, 15, S80.	1.2	2
115	Occupation and bladder cancer among men in Western Europe. Cancer Causes and Control, 2003, 14, 907-914.	0.8	204
116	Gender-Related Differences in Clinical and Pathological Characteristics and Therapy of Bladder Cancer. European Urology, 2003, 43, 53-62.	0.9	47
117	The contribution of cigarette smoking to bladder cancer in women (pooled European data). Cancer Causes and Control, 2001, 12, 411-417.	0.8	88
118	Cigar, pipe, and cigarette smoking and bladder cancer risk in European men. Cancer Causes and Control, 2001, 12, 551-556.	0.8	43
119	Cigarette smoking and bladder cancer in men: A pooled analysis of 11 case-control studies. , 2000, 86, 289-294.		309
120	Coffee consumption and bladder cancer in nonsmokers: a pooled analysis of case-control studies in European countries. Cancer Causes and Control, 2000, 11, 925-931.	0.8	52
121	Interventions for preventing tobacco smoking in public places. , 2000, , CD001294.		17
122	Bladder cancer in the textile industry. Scandinavian Journal of Work, Environment and Health, 2000, 26, 476-481.	1.7	23
123	Occupation and bladder cancer in European women. Cancer Causes and Control, 1999, 10, 209-217.	0.8	53
124	Tobacco, occupation and non-transitional-cell carcinoma of the bladder: An international case-control study. , 1999, 80, 44-46.		41
125	Smoking as a confounder in case-control studies of occupational bladder cancer in women. , 1999, 36, 75-82.		11
126	Employee and public responses to simulated violations of no-smoking regulations in Spain American Journal of Public Health, 1997, 87, 1035-1037.	1.5	18

#	Article	IF	CITATIONS
127	Occupational risk of hepatitis C virus infection after accidental exposure. Journal of Hepatology, 1997, 27, 1139.	1.8	8