

Clara Vias

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/16/clara-vinas-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

373
papers

11,218
citations

54
h-index

77
g-index

414
ext. papers

12,244
ext. citations

5.7
avg, IF

6.18
L-index

#	Paper	IF	Citations
373	Advances in the catalytic and photocatalytic behavior of carborane derived metal complexes. <i>Advances in Catalysis</i> , 2022 ,	2.4	
372	A stand-alone cobalt bis(dicarbollide) photoredox catalyst epoxidates alkenes in water at extremely low catalyst load. <i>Green Chemistry</i> , 2021 , 23, 10123-10131	10	2
371	1.3 V Inorganic Sequential Redox Chain with an All-Anionic Couple 1-/2- in a Single Framework. <i>Inorganic Chemistry</i> , 2021 , 60, 16168-16177	5.1	1
370	Aqueous Persistent Noncovalent Ion-Pair Cooperative Coupling in a Ruthenium Cobaltabis(dicarbollide) System as a Highly Efficient Photoredox Oxidation Catalyst. <i>Inorganic Chemistry</i> , 2021 , 60, 8898-8907	5.1	3
369	Tuning the Liquid Crystallinity of Cholesteryl-o-Carborane Dyads: Synthesis, Structure, Photoluminescence, and Mesomorphic Properties. <i>Crystals</i> , 2021 , 11, 133	2.3	1
368	Post-synthetic modification of a highly flexible 3D soft porous metal-organic framework by incorporating conducting polypyrrole: enhanced MOF stability and capacitance as an electrode material. <i>Chemical Communications</i> , 2021 , 57, 2523-2526	5.8	6
367	Synchrotron-Based Fourier-Transform Infrared Micro-Spectroscopy (SR-FTIRM) Fingerprint of the Small Anionic Molecule Cobaltabis(dicarbollide) Uptake in Glioma Stem Cells. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	1
366	Light-Induced On/Off Switching of the Surfactant Character of the o-Cobaltabis(dicarbollide) Anion with No Covalent Bond Alteration. <i>Angewandte Chemie - International Edition</i> , 2021 , 60, 25753-25757	16.4	2
365	Towards purely inorganic clusters in medicine: Biocompatible divalent cations as counterions of cobaltabis(dicarbollide) and its iodinated derivatives. <i>Journal of Organometallic Chemistry</i> , 2021 , 950, 121997	2.3	
364	Cobaltabis(dicarbollide) ([-COSAN]) as Multifunctional Chemotherapeutics: A Prospective Application in Boron Neutron Capture Therapy (BNCT) for Glioblastoma.. <i>Cancers</i> , 2021 , 13,	6.6	2
363	Noncovalently Linked Metallacarboranes on Functionalized Magnetic Nanoparticles as Highly Efficient, Robust, and Reusable Photocatalysts in Aqueous Medium. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 56372-56384	9.5	6
362	Anthracene- <i>styrene</i> -substituted m-carborane derivatives: insights into the electronic and structural effects of substituents on photoluminescence. <i>Inorganic Chemistry Frontiers</i> , 2020 , 7, 2370-2380	6.8	3
361	-Carboranyl- and Metallacarboranyl [1,2,3]triazolyl-Decorated Lapatinib-Scaffold for Cancer Therapy Combining Tyrosine Kinase Inhibition and Boron Neutron Capture Therapy. <i>Cells</i> , 2020 , 9,	7.9	10
360	-Carborane as a Novel Core for Periphery-Decorated Macromolecules. <i>Molecules</i> , 2020 , 25,	4.8	5
359	Blue Emitting Star-Shaped and Octasilsesquioxane-Based Polyanions Bearing Boron Clusters. Photophysical and Thermal Properties. <i>Molecules</i> , 2020 , 25,	4.8	7
358	Metallacarborane Assemblies as Effective Antimicrobial Agents, Including a Highly Potent Anti-MRSA Agent. <i>Organometallics</i> , 2020 , 39, 4253-4264	3.8	5
357	Highlights on the Binding of Cobalta-Bis-(Dicarbollide) with Glucose Units. <i>Chemistry - A European Journal</i> , 2020 , 26, 13935-13947	4.8	7

356	A fast and simple B-C bond formation in metallacarboranes avoiding halometallacarboranes and transition metal catalysts. <i>Dalton Transactions</i> , 2020 , 49, 3525-3531	4.3	5
355	Nomenclature for boranes and related species (IUPAC Recommendations 2019). <i>Pure and Applied Chemistry</i> , 2020 , 92, 355-381	2.1	8
354	Ruthenium carboranyl complexes with 2,2'-bipyridine derivatives for potential bimodal therapy application.. <i>RSC Advances</i> , 2020 , 10, 16266-16276	3.7	7
353	A Highly Water-Stable -Carborane-Based Copper Metal-Organic Framework for Efficient High-Temperature Butanol Separation. <i>Journal of the American Chemical Society</i> , 2020 , 142, 8299-8311	16.4	27
352	Atomistic Simulations of COSAN: Amphiphiles without a Head-and-Tail Design Display Head and Tail Surfactant Behavior. <i>Angewandte Chemie</i> , 2020 , 132, 3112-3116	3.6	7
351	Atomistic Simulations of COSAN: Amphiphiles without a Head-and-Tail Design Display "Head and Tail" Surfactant Behavior. <i>Angewandte Chemie - International Edition</i> , 2020 , 59, 3088-3092	16.4	22
350	Sunitinib-Containing Carborane Pharmacophore with the Ability to Inhibit Tyrosine Kinases Receptors FLT3, KIT and PDGFR- Exhibits Powerful In Vivo Anti-Glioblastoma Activity. <i>Cancers</i> , 2020 , 12,	6.6	9
349	Bimodal Therapeutic Agents Against Glioblastoma, One of the Most Lethal Forms of Cancer. <i>Chemistry - A European Journal</i> , 2020 , 26, 14335-14340	4.8	13
348	Magnetic Nanoparticles Fishing for Biomarkers in Artificial Saliva. <i>Molecules</i> , 2020 , 25,	4.8	1
347	Too Persistent to Give Up: Aromaticity in Boron Clusters Survives Radical Structural Changes. <i>Journal of the American Chemical Society</i> , 2020 , 142, 9396-9407	16.4	70
346	Metallacarboranes as Photoredox Catalysts in Water. <i>Chemistry - A European Journal</i> , 2020 , 26, 5027-5036	4.8	15
345	A Reversible Phase Transition of 2D Coordination Layers by B-H...Cu(II) Interactions in a Coordination Polymer. <i>Molecules</i> , 2019 , 24,	4.8	5
344	Icosahedral carboranes as scaffolds for congested regioselective polyaryl compounds: the distinct distance tuning of C-C and its antipodal B-B. <i>Chemical Communications</i> , 2019 , 55, 8927-8930	5.8	4
343	A simple membrane with the electroactive [Sulfapyridine-H] ⁺ [Co(C ₂ B ₉ H ₁₁) ₂] ⁻ for the easy potentiometric detection of sulfonamides. <i>Journal of Organometallic Chemistry</i> , 2019 , 893, 32-38	2.3	3
342	Combining magnetic nanoparticles and icosahedral boron clusters in biocompatible inorganic nanohybrids for cancer therapy. <i>Nanomedicine: Nanotechnology, Biology, and Medicine</i> , 2019 , 20, 101986 ⁶	6	13
341	The Next Stage in Colloidal Synthesis of Aqueous CdSe Quantum Dots: High Throughput and Intense Emissive Properties. <i>ChemNanoMat</i> , 2019 , 5, 940-947	3.5	1
340	Slow-spin relaxation of a low-spin S = 1/2 Fe carborane complex. <i>Chemical Communications</i> , 2019 , 55, 3825-3828	5.8	10
339	3,2,1 and stop! An innovative, straightforward and clean route for the flash synthesis of metallacarboranes. <i>Green Chemistry</i> , 2019 , 21, 1925-1928	10	5

338	Dietary inflammatory index and all-cause mortality in large cohorts: The SUN and PREDIMED studies. <i>Clinical Nutrition</i> , 2019 , 38, 1221-1231	5.9	55
337	Dual Binding Mode of Metallocarborane Produces a Robust Shield on Proteins. <i>Chemistry - A European Journal</i> , 2019 , 25, 12820-12829	4.8	16
336	Are the Accompanying Cations of Doping Anions Influential in Conducting Organic Polymers? The Case of the Popular PEDOT. <i>Chemistry - A European Journal</i> , 2019 , 25, 14308-14319	4.8	5
335	The key to controlling the morphologies of quantum nanocrystals: spherical carborane ligands. <i>Chemical Communications</i> , 2019 , 55, 9817-9820	5.8	5
334	Periphery Decorated and Core Initiated Neutral and Polyanionic Borane large molecules: Forthcoming and Promising properties for medicinal applications. <i>Current Medicinal Chemistry</i> , 2019 ,	4.3	20
333	Carboranylanylinoquinazoline EGFR-inhibitors: toward 'lead-to-candidate' stage in the drug-development pipeline. <i>Future Medicinal Chemistry</i> , 2019 , 11, 2273-2285	4.1	10
332	Efficient blue light emitting materials based on m-carborane-anthracene dyads. Structure, photophysics and bioimaging studies. <i>Biomaterials Science</i> , 2019 , 7, 5324-5337	7.4	11
331	Luminescence properties of carborane-containing distyrylaromatic systems. <i>Journal of Organometallic Chemistry</i> , 2018 , 865, 206-213	2.3	13
330	Fluorescent BODIPY-Anionic Boron Cluster Conjugates as Potential Agents for Cell Tracking. <i>Bioconjugate Chemistry</i> , 2018 , 29, 1763-1773	6.3	21
329	Electron Accumulative Molecules. <i>Journal of the American Chemical Society</i> , 2018 , 140, 2957-2970	16.4	32
328	Organotin Dyes Bearing Anionic Boron Clusters as Cell-Staining Fluorescent Probes. <i>Chemistry - A European Journal</i> , 2018 , 24, 5601-5612	4.8	20
327	Merging Icosahedral Boron Clusters and Magnetic Nanoparticles: Aiming toward Multifunctional Nanohybrid Materials. <i>Inorganic Chemistry</i> , 2018 , 57, 462-470	5.1	16
326	Deciphering the role of the cation in anionic cobaltabisdicarbollide clusters. <i>Journal of Organometallic Chemistry</i> , 2018 , 865, 214-225	2.3	25
325	Structural and dielectric properties of cobaltacarborane composite polybenzimidazole membranes as solid polymer electrolytes at high temperature. <i>Physical Chemistry Chemical Physics</i> , 2018 , 20, 10173-10184	2.6	21
324	Legume consumption is inversely associated with type 2 diabetes incidence in adults: A prospective assessment from the PREDIMED study. <i>Clinical Nutrition</i> , 2018 , 37, 906-913	5.9	71
323	Carborane-BODIPY Dyads: New Photoluminescent Materials through an Efficient Heck Coupling. <i>Chemistry - A European Journal</i> , 2018 , 24, 15622-15630	4.8	14
322	Carboranes as Hydrophobic Pharmacophores 2018 , 1-19		4
321	Half- and Mixed-Sandwich Transition Metal Dicarbollides and nido-Carboranes(II) for Medicinal Applications 2018 , 60-108		4

320	Ionic Boron Clusters as Superchaotropic Anions 2018 , 109-125		3
319	Cobaltabisdicarbollide-based Synthetic Vesicles 2018 , 159-173		2
318	Radiolabeling Strategies for Boron Clusters 2018 , 232-267		
317	Twenty Years of Research on 3-Carboranyl Thymidine Analogs (3CTAs) 2018 , 269-297		
316	Recent Advances in Boron Delivery Agents for Boron Neutron Capture Therapy (BNCT) 2018 , 298-342		7
315	Nanostructured Boron Compounds for Boron Neutron Capture Therapy (BNCT) in Cancer Treatment 2018 , 371-388		4
314	A novel potentiometric microsensor for real-time detection of Irgarol using the ion-pair complex [Irgarol-H] ⁺ [Co(C ₂ B ₉ H ₁₁) ₂] ⁻ <i>Sensors and Actuators B: Chemical</i> , 2018 , 268, 164-169	8.5	5
313	Halogenated Icosahedral Carboranes: A Platform for Remarkable Applications 2018 , 205-228		4
312	Tailored metallacarboranes as mediators for boosting the stability of carbon-based aqueous supercapacitors. <i>Sustainable Energy and Fuels</i> , 2018 , 2, 345-352	5.8	13
311	Discovery of Potent EGFR Inhibitors through the Incorporation of a 3D-Aromatic-Boron-Rich-Cluster into the 4-Anilinoquinazoline Scaffold: Potential Drugs for Glioma Treatment. <i>Chemistry - A European Journal</i> , 2018 , 24, 3122-3126	4.8	35
310	Photoluminescence in m-carborane- <i>n</i> anthracene triads: a combined experimental and computational study. <i>Journal of Materials Chemistry C</i> , 2018 , 6, 11336-11347	7.1	11
309	A Novel Transparent pH Sensor Based on a Nanostructured ITO Electrode Coated with [3,3'-Co(1,2-C ₂ B ₉ H ₁₁) ₂]-Doped Poly(pyrrole). <i>Proceedings (mdpi)</i> , 2018 , 2, 869	0.3	1
308	Metallacarboranes on the Road to Anticancer Therapies: Cellular Uptake, DNA Interaction, and Biological Evaluation of Cobaltabisdicarbollide [COSAN]. <i>Chemistry - A European Journal</i> , 2018 , 24, 17239-17254	4.8	46
307	All inorganic coordination polymers have been made possible with the m-carboranylphosphinate ligand. <i>Dalton Transactions</i> , 2018 , 47, 14785-14798	4.3	7
306	An Unprecedented Stimuli-Controlled Single-Crystal Reversible Phase Transition of a Metal-Organic Framework and Its Application to a Novel Method of Guest Encapsulation. <i>Advanced Materials</i> , 2018 , 30, e1800726	24	25
305	Carborane-layered double hydroxide nanohybrids for potential targeted- and magnetically targeted-BNCT applications. <i>Dalton Transactions</i> , 2017 , 46, 3303-3310	4.3	26
304	m-Carboranylphosphinate as Versatile Building Blocks To Design all Inorganic Coordination Polymers. <i>Inorganic Chemistry</i> , 2017 , 56, 5502-5505	5.1	18
303	Crystal structure and Hirshfeld surface analysis of [N(CH ₃) ₄][2,2'-Fe(1,7-closo-C ₂ B ₉ H ₁₁) ₂]. <i>Journal of Organometallic Chemistry</i> , 2017 , 846, 74-80	2.3	1

302	Carboranycarboxylate Complexes as Efficient Catalysts in Epoxidation Reactions. <i>European Journal of Inorganic Chemistry</i> , 2017 , 2017, 4425-4429	2.3	4
301	Small-Molecule Kinase-Inhibitors-Loaded Boron Cluster as Hybrid Agents for Glioma-Cell-Targeting Therapy. <i>Chemistry - A European Journal</i> , 2017 , 23, 9233-9238	4.8	40
300	Carborane Bis-pyridylalcohols as Linkers for Coordination Polymers: Synthesis, Crystal Structures, and Guest-Framework Dependent Mechanical Properties. <i>Crystal Growth and Design</i> , 2017 , 17, 846-857	3.5	25
299	Biomimetic Inspired Core-Canopy Quantum Dots: Ions Trapped in Voids Induce Kinetic Fluorescence Switching. <i>Advanced Materials</i> , 2017 , 29, 1704238	24	57
298	Crystalline Inclusion Compounds of a Palladacyclic Tetraol Host Featuring o-Carborane Units. <i>European Journal of Inorganic Chemistry</i> , 2017 , 2017, 4589-4598	2.3	1
297	Ion Transport across Biological Membranes by Carborane-Capped Gold Nanoparticles. <i>ACS Nano</i> , 2017 , 11, 12492-12499	16.7	33
296	Enhanced conductivity of sodium versus lithium salts measured by impedance spectroscopy. Sodium cobaltacarboranes as electrolytes of choice. <i>Physical Chemistry Chemical Physics</i> , 2017 , 19, 15172-15186	2.6	25
295	Photoluminescence in Carborane-Stilbene Triads: A Structural, Spectroscopic, and Computational Study. <i>Chemistry - A European Journal</i> , 2016 , 22, 13588-98	4.8	33
294	Switchable Surface Hydrophobicity-Hydrophilicity of a Metal-Organic Framework. <i>Angewandte Chemie</i> , 2016 , 128, 16283-16287	3.6	7
293	Switchable Surface Hydrophobicity-Hydrophilicity of a Metal-Organic Framework. <i>Angewandte Chemie - International Edition</i> , 2016 , 55, 16049-16053	16.4	57
292	Redox-Active Metallacarborane-Decorated Octasilsesquioxanes. Electrochemical and Thermal Properties. <i>Inorganic Chemistry</i> , 2016 , 55, 11630-11634	5.1	31
291	Hückel's Rule of Aromaticity Categorizes Aromatic closo Boron Hydride Clusters. <i>Chemistry - A European Journal</i> , 2016 , 22, 7437-43	4.8	84
290	Carving a 1D Co(II)-carboranycarboxylate system by using organic solvents to create stable trinuclear molecular analogues: complete structural and magnetic studies. <i>Dalton Transactions</i> , 2016 , 45, 10916-27	4.3	5
289	Metallacarboranes as tunable redox potential electrochemical indicators for screening of gene mutation. <i>Chemical Science</i> , 2016 , 7, 5786-5797	9.4	22
288	N,O-Type Carborane-Based Materials. <i>Crystals</i> , 2016 , 6, 50	2.3	15
287	Icosahedral boron clusters: a perfect tool for the enhancement of polymer features. <i>Chemical Society Reviews</i> , 2016 , 45, 5147-73	58.5	185
286	Synthesis, structures and properties of iron(III) complexes with (o-carboranyl)bis-(2-hydroxymethyl)pyridine: Racemic versus meso. <i>Inorganica Chimica Acta</i> , 2016 , 448, 97-103	2.7	3
285	Carboranylphosphinic Acids: A New Class of Purely Inorganic Ligands. <i>Chemistry - A European Journal</i> , 2016 , 22, 3665-70	4.8	8

284	Skipping the one C π one C σ bond rule in Kumada cross coupling reaction. Diarylation from an only B π in metallocarboranes. <i>Journal of Organometallic Chemistry</i> , 2015 , 798, 160-164	2.3	4
283	The effect of a paramagnetic metal ion within a molecule: comparison of the structurally identical paramagnetic [3,3-Fe(1,2-C ₂ B ₉ H ₁₁) ₂]- with the diamagnetic [3,3-Co(1,2-C ₂ B ₉ H ₁₁) ₂]- sandwich complexes. <i>Dalton Transactions</i> , 2015 , 44, 2809-18	4.3	9
282	Intramolecular hydrogen bonding stabilizes the nuclearity of complexes. A comparative study based on the H-carborane and Me-carborane framework. <i>Dalton Transactions</i> , 2015 , 44, 10399-409	4.3	8
281	High-boron-content porphyrin-cored aryl ether dendrimers: controlled synthesis, characterization, and photophysical properties. <i>Inorganic Chemistry</i> , 2015 , 54, 5021-31	5.1	22
280	Poly-iodinated closo 1,2-C ₂ B ₁₀ and nido [7,8-C ₂ B ₉]carborane frameworks: Synthesis and consequences. <i>Journal of Organometallic Chemistry</i> , 2015 , 798, 171-181	2.3	6
279	Boron Clusters as a Platform for New Materials: Synthesis of Functionalized o-Carborane (C ₂ B ₁₀ H ₁₂) Derivatives Incorporating DNA Fragments. <i>Chemistry - A European Journal</i> , 2015 , 21, 15118-22	4.8	16
278	Intramolecular Communication in Anionic Oxidized Phosphanes through a Chelated Proton. <i>Chemistry - A European Journal</i> , 2015 , 21, 8613-25	4.8	5
277	Negatively charged metallocarborane redox couples with both members stable to air. <i>Chemistry - A European Journal</i> , 2015 , 21, 6888-97	4.8	16
276	Synthesis of Periphery-Decorated and Core-Initiated Borane Polyanionic Macromolecules. <i>Chemistry - A European Journal</i> , 2015 , 21, 10650-3	4.8	13
275	Synthesis of globular precursors. <i>Chemistry - A European Journal</i> , 2015 , 21, 12778-86	4.8	23
274	How to get the desired reduction voltage in a single framework! Metallocarborane as an optimal probe for sequential voltage tuning. <i>Dalton Transactions</i> , 2015 , 44, 11690-5	4.3	23
273	Is Molecular Chirality Connected to Supramolecular Chirality? The Particular Case of Chiral 2-Pyridyl Alcohols. <i>Crystal Growth and Design</i> , 2015 , 15, 935-945	3.5	13
272	Surface activity and molecular organization of metallocarboranes at the air-water interface revealed by nonlinear optics. <i>Langmuir</i> , 2015 , 31, 2297-303	4	35
271	Biological interaction of living cells with COSAN-based synthetic vesicles. <i>Scientific Reports</i> , 2015 , 5, 7804	4.9	44
270	Metal promoted charge and hapticities of phosphines: The uniqueness of carboranylphosphines. <i>Coordination Chemistry Reviews</i> , 2014 , 269, 54-84	23.2	81
269	Aqueous self-assembly and cation selectivity of cobaltabisdicarbollide dianionic dumbbells. <i>Chemistry - A European Journal</i> , 2014 , 20, 6786-94	4.8	36
268	A racemic and enantiopure unsymmetric diiron(III) complex with a chiral o-carborane-based pyridylalcohol ligand: combined chiroptical, magnetic, and nonlinear optical properties. <i>Chemistry - A European Journal</i> , 2014 , 20, 1081-90	4.8	18
267	Boron clusters-based metallodendrimers. <i>Inorganica Chimica Acta</i> , 2014 , 409, 12-25	2.7	26

266	Surfactant behaviour of metallacarboranes. A study based on the electrolysis of water. <i>Dalton Transactions</i> , 2014 , 43, 5062-8	4.3	47
265	Preparation and characterization of Au nanoparticles capped with mercaptocarboranyl clusters. <i>Dalton Transactions</i> , 2014 , 43, 5054-61	4.3	21
264	Imaging in living cells using B-H Raman spectroscopy: monitoring COSAN uptake. <i>Chemical Communications</i> , 2014 , 50, 3370-2	5.8	44
263	Spermidinium closo-dodecaborate-encapsulating liposomes as efficient boron delivery vehicles for neutron capture therapy. <i>Chemical Communications</i> , 2014 , 50, 12325-8	5.8	49
262	Aromaticity and three-dimensional aromaticity: two sides of the same coin?. <i>Angewandte Chemie - International Edition</i> , 2014 , 53, 12191-5	16.4	187
261	Widely applicable metallacarborane reagents for π -conjugated systems. <i>Inorganic Chemistry</i> , 2014 , 53, 5803-9	5.1	4
260	Synthesis, structure, and catalytic applications for ortho- and meta-carboranyl based NBN pincer-Pd complexes. <i>Inorganic Chemistry</i> , 2014 , 53, 9284-95	5.1	46
259	New PtII diimine-dithiolate complexes containing a 1,2-dithiolate-1,2-closo-dicarbododecaborane: an experimental and theoretical investigation. <i>Dalton Transactions</i> , 2014 , 43, 13649-60	4.3	9
258	Fluorescence of new o-carborane compounds with different fluorophores: can it be tuned?. <i>Chemistry - A European Journal</i> , 2014 , 20, 9940-51	4.8	107
257	Amphiphilic COSAN and I2-COSAN crossing synthetic lipid membranes: planar bilayers and liposomes. <i>Chemical Communications</i> , 2014 , 50, 6700-3	5.8	49
256	COSAN as a molecular imaging platform: synthesis and "in vivo" imaging. <i>Chemical Communications</i> , 2014 , 50, 11415-7	5.8	32
255	Controlling the pirouetting motion in rotaxanes by counterion exchange. <i>Inorganic Chemistry</i> , 2014 , 53, 8654-61	5.1	19
254	Towards multifunctional materials incorporating elastomers and reversible redox-active fragments. <i>Chemistry - A European Journal</i> , 2014 , 20, 15808-15	4.8	8
253	Aromaticity and Three-Dimensional Aromaticity: Two sides of the Same Coin?. <i>Angewandte Chemie</i> , 2014 , 126, 12387-12391	3.6	56
252	Water-soluble manganese inorganic polymers: the role of carborane clusters and producing large structural adjustments from minor molecular changes. <i>Chemistry - A European Journal</i> , 2014 , 20, 13993-4003	4.8	17
251	Synthesis and Crystallographic Studies of Disubstituted Carboranyl Alcohol Derivatives: Prevailing Chiral Recognition?. <i>Crystal Growth and Design</i> , 2013 , 13, 1473-1484	3.5	12
250	Ion selective electrodes for protonable nitrogen containing analytes: Metallacarboranes as active membrane components. <i>Electrochimica Acta</i> , 2013 , 113, 94-98	6.7	15
249	Investigations on antimicrobial activity of cobaltabisdicarbollides. <i>Journal of Organometallic Chemistry</i> , 2013 , 747, 229-234	2.3	24

248	A water soluble Mn(II) polymer with aqua metal bridges. <i>Dalton Transactions</i> , 2013 , 42, 7838-41	4.3	12
247	Preferential chlorination vertices in cobaltabisdicarbollide anions. Substitution rate correlation with site charges computed by the two atoms natural population analysis method (2a-NPA). <i>Journal of Organometallic Chemistry</i> , 2013 , 747, 119-125	2.3	8
246	A simple link between hydrocarbon and borohydride chemistries. <i>Chemistry - A European Journal</i> , 2013 , 19, 4169-75	4.8	33
245	Methods to produce B-C, B-P, B-N and B-S bonds in boron clusters. <i>Chemical Society Reviews</i> , 2013 , 42, 3318-36	58.5	234
244	A Distinct Tetradentate N2O2-type Ligand: (o-Carboranyl)bis(2-hydroxymethyl)pyridine. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2013 , 639, 1194-1198	1.3	7
243	A versatile methodology for the controlled synthesis of photoluminescent high-boron-content dendrimers. <i>Chemistry - A European Journal</i> , 2013 , 19, 6299-312	4.8	43
242	Synthesis, characterization, and thermal behavior of carboranyl-styrene decorated octasilsesquioxanes: influence of the carborane clusters on photoluminescence. <i>Chemistry - A European Journal</i> , 2013 , 19, 17021-30	4.8	65
241	Lyotropic lamellar phase formed from monolayered Bshaped carborane-cage amphiphiles. <i>Angewandte Chemie - International Edition</i> , 2013 , 52, 12114-8	16.4	96
240	Lyotropic Lamellar Phase Formed from Monolayered Bshaped Carborane-Cage Amphiphiles. <i>Angewandte Chemie</i> , 2013 , 125, 12336-12340	3.6	37
239	Synthesis and characterization of new fluorescent styrene-containing carborane derivatives: the singular quenching role of a phenyl substituent. <i>Chemistry - A European Journal</i> , 2012 , 18, 544-53	4.8	76
238	Influential role of ethereal solvent on organolithium compounds: the case of carboranyllithium. <i>Chemistry - A European Journal</i> , 2012 , 18, 3174-84	4.8	45
237	Boron and carbon: Antagonistic or complementary? Proposal for a simple prototype of a molecular clutch or molecular switch. <i>Pure and Applied Chemistry</i> , 2012 , 84, 2457-2465	2.1	12
236	From an icosahedron to a plane: flattening dodecaiodo-dodecaborate by successive stripping of iodine. <i>Chemistry - A European Journal</i> , 2012 , 18, 13208-12	4.8	24
235	Li+-mediated B-C cross-coupling. <i>Chemistry - A European Journal</i> , 2012 , 18, 12936-40	4.8	10
234	Metallosupramolecular Chemistry of Novel Chiral closo-o-Carboranylalcohol Pyridine and Quinoline Ligands: Syntheses, Characterization, and Properties of Cobalt Complexes. <i>Crystal Growth and Design</i> , 2012 , 12, 5720-5736	3.5	16
233	Chelation of a proton by oxidized diphosphines. <i>Journal of Organometallic Chemistry</i> , 2012 , 721-722, 124-129	2.3	3
232	Mercaptocarborane-capped gold nanoparticles: electron pools and ion traps with switchable hydrophilicity. <i>Journal of the American Chemical Society</i> , 2012 , 134, 212-21	16.4	117
231	Grafting of metallacarboranes onto self-assembled monolayers deposited on silicon wafers. <i>Chemistry - an Asian Journal</i> , 2012 , 7, 277-81	4.5	10

230	Synthesis and fluorescence emission of neutral and anionic di- and tetra-carboranyl compounds. <i>Dalton Transactions</i> , 2011 , 40, 7541-50	4.3	59
229	First investigations of a silicon neutron detector with a carborane converter. <i>Journal of Instrumentation</i> , 2011 , 6, P11001-P11001	1	4
228	Relaxed but highly compact diansa metallacyclophanes. <i>Journal of the American Chemical Society</i> , 2011 , 133, 16537-52	16.4	28
227	Binaphthyl platform as starting materials for the preparation of electron rich benzo[g,h,i]perylene. Application to molecular architectures based on amino benzo[g,h,i]perylene and carborane combinations. <i>Chemical Communications</i> , 2011 , 47, 7725-7	5.8	17
226	Large Molecules Containing Icosahedral Boron Clusters Designed for Potential Applications 2011 , 701-740		4
225	Unprecedented B π Activation Through Pd-Catalysed B π -vinyl Bond Coupling on Borane Systems. <i>European Journal of Inorganic Chemistry</i> , 2011 , 2011, 2525-2532	2.3	27
224	Stepwise Sequential Redox Potential Modulation Possible on a Single Platform. <i>Angewandte Chemie</i> , 2011 , 123, 12699-12703	3.6	6
223	Stepwise sequential redox potential modulation possible on a single platform. <i>Angewandte Chemie - International Edition</i> , 2011 , 50, 12491-5	16.4	33
222	Uncommon coordination behaviour of P(S) and P(Se) units when bonded to carboranyl clusters: experimental and computational studies on the oxidation of carboranyl phosphine ligands. <i>Chemistry - A European Journal</i> , 2011 , 17, 4429-43	4.8	37
221	Design of dinuclear copper species with carboranylcarboxylate ligands: study of their steric and electronic effects. <i>Chemistry - A European Journal</i> , 2011 , 17, 13217-29	4.8	26
220	Supramolecular architectures in o-carboranyl alcohols bearing N-aromatic rings: syntheses, crystal structures and melting points correlation. <i>CrystEngComm</i> , 2011 , 13, 5788	3.3	30
219	Synthesis of quadruped-shaped polyfunctionalized o-carborane synthons. <i>Chemical Communications</i> , 2011 , 47, 2252-4	5.8	35
218	Synthesis, structural, spectroscopic and electrochemical studies of carborane substituted naphthyl selenides. <i>Dalton Transactions</i> , 2011 , 40, 3402-11	4.3	5
217	A highly radiopaque vertebroplasty cement using tetraiodinated o-carborane additive. <i>Biomaterials</i> , 2011 , 32, 6389-98	15.6	24
216	Decorating poly(alkyl aryl-ether) dendrimers with metallocarboranes. <i>Inorganic Chemistry</i> , 2010 , 49, 9993-10002		2
215	Crystal engineering of o-carboranyl alcohols: syntheses, crystal structures and thermal properties. <i>CrystEngComm</i> , 2010 , 12, 4109	3.3	15
214	Polyanionic Aryl Ether Metallodendrimers Based on Cobaltabisdicarbollide Derivatives. Photoluminescent Properties. <i>Macromolecules</i> , 2010 , 43, 150-159	5.5	52
213	Using the Wittig reaction to produce alkenylcarboranes. <i>Chemical Communications</i> , 2010 , 46, 2998-3003		14

212	The nature of the chlorination reaction in [1-C ₆ H ₅ -1-CB ₉ H ₉]- boron clusters. <i>Dalton Transactions</i> , 2010 , 39, 7684-91	4.3	11
211	A convenient synthetic route to useful monobranched polyethoxylated halogen terminated [3,3-Co(1,2-C(2)B(9)H(11))(2)](-) synthons. <i>Dalton Transactions</i> , 2010 , 39, 1716-8	4.3	19
210	closo-o-CarboranylmethylaminePyridine Associations: Synthesis, Characterization, and First Complexation Studies. <i>Organometallics</i> , 2010 , 29, 4130-4134	3.8	18
209	The Role of C \cdots H \cdots H \cdots B Interactions in Establishing Rotamer Configurations in Metallabis(dicarbollide) Systems. <i>European Journal of Inorganic Chemistry</i> , 2010 , 2010, 2385-2392	2.3	48
208	Additive tuning of redox potential in metallacarboranes by sequential halogen substitution. <i>Chemistry - A European Journal</i> , 2010 , 16, 6660-5	4.8	44
207	From mono- to poly-substituted frameworks: a way of tuning the acidic character of C(c)-H in o-carborane derivatives. <i>Chemistry - A European Journal</i> , 2009 , 15, 9755-63	4.8	34
206	Iodinated ortho-carboranes as versatile building blocks to design intermolecular interactions in crystal lattices. <i>Chemistry - A European Journal</i> , 2009 , 15, 9764-72	4.8	36
205	General access to aminobenzyl-o-carboranes as a new class of carborane derivatives: entry to enantiopure carborane-amine combinations. <i>Chemistry - A European Journal</i> , 2009 , 15, 12030-42	4.8	22
204	Syntheses of C-substituted icosahedral dicarbaboranes bearing the 8-dioxane-cobalt bisdicarbollide moiety. <i>Journal of Organometallic Chemistry</i> , 2009 , 694, 1599-1601	2.3	19
203	First example of the formation of a Si \cdots C bond from an intramolecular Si \cdots H \cdots H \cdots C dihydrogen interaction in a metallacarborane: A theoretical study. <i>Journal of Organometallic Chemistry</i> , 2009 , 694, 1764-1770	2.3	19
202	Investigations on the Reactivity of Li/Cl Phosphinidenoid Tungsten Complexes toward Various Iodine Compounds. <i>Organometallics</i> , 2009 , 28, 6031-6035	3.8	16
201	Toward the synthesis of high boron content polyanionic multicluster macromolecules. <i>Inorganic Chemistry</i> , 2009 , 48, 8210-9	5.1	26
200	Polyanionic Carbosilane and Carbosiloxane Metallodendrimers Based on Cobaltabisdicarbollide Derivatives. <i>Organometallics</i> , 2009 , 28, 5550-5559	3.8	38
199	Cobaltabisdicarbollide anion receptor for enantiomer-selective membrane electrodes. <i>Chemical Communications</i> , 2009 , 4988-90	5.8	59
198	Ionic liquids containing boron cluster anions. <i>Inorganic Chemistry</i> , 2009 , 48, 889-901	5.1	87
197	Cooperative effect of carborane and pyridine in the reaction of carboranyl alcohols with thionyl chloride: halogenation versus oxidation. <i>Journal of Organic Chemistry</i> , 2008 , 73, 9140-3	4.2	23
196	Designed synthesis of new ortho-carborane derivatives: from mono- to polysubstituted frameworks. <i>Inorganic Chemistry</i> , 2008 , 47, 7309-16	5.1	57
195	Influence of the solvent and R groups on the structure of (carboranyl) ₂ PI ₂ compounds in solution. Crystal structure of the first iodophosphonium salt incorporating the anion [7,8-nido-C ₂ B ₉ H ₁₀]-. <i>Dalton Transactions</i> , 2008 , 1471-80	4.3	15

194	New 13-vertex metallocarborane sandwich compounds; synthetic and structural studies. <i>Dalton Transactions</i> , 2008 , 1009-17	4.3	7
193	Synthesis, reactivity and complexation studies of N,S exo-heterodisubstituted o-carborane ligands. Carborane as a platform to produce the uncommon bidentate chelating (pyridine)N-C-C-C-s(H) motif. <i>Dalton Transactions</i> , 2008 , 345-54	4.3	25
192	Application of the cobaltabisdicarbollide anion to the development of ion selective PVC membrane electrodes for tuberculosis drug analysis. <i>Chemical Communications</i> , 2008 , 6492-4	5.8	53
191	Borane reaction chemistry. Alkyne insertion reactions into boron-containing clusters. Products from the thermolysis of [6,9-(2-HC[triple bond]C-C5H4N)2-arachno-B10H12]. <i>Dalton Transactions</i> , 2008 , 1552-63	4.3	21
190	Metallocarboranes as building blocks for polyanionic polyarmed aryl-ether materials. <i>Inorganic Chemistry</i> , 2008 , 47, 9497-508	5.1	58
189	Carboranyl Substituted Siloxanes and Octasilsesquioxanes: Synthesis, Characterization, and Reactivity. <i>Macromolecules</i> , 2008 , 41, 8458-8466	5.5	54
188	Controlled direct synthesis of C-mono- and C-disubstituted derivatives of [3,3'-Co(1,2-C2B9H11)2]- with organosilane groups: theoretical calculations compared with experimental results. <i>Chemistry - A European Journal</i> , 2008 , 14, 4924-38	4.8	20
187	Ru-hbpb-based water-oxidation catalysts anchored on conducting solid supports. <i>Angewandte Chemie - International Edition</i> , 2008 , 47, 5830-2	16.4	105
186	Ru-Hbpb-Based Water-Oxidation Catalysts Anchored on Conducting Solid Supports. <i>Angewandte Chemie</i> , 2008 , 120, 5914-5916	3.6	36
185	Influence of an electron-deficient bridging o-carborane on the electronic properties of an [FeFe] hydrogenase active site model. <i>Dalton Transactions</i> , 2008 , 2379-81	4.3	60
184	"Water-stable boron-iodinated dicarbollide dianions [7,8-nido-C2H2B9I9]2- and [7,8-nido-C2H2B9I8H]2-". <i>Dalton Transactions</i> , 2007 , 1668-70	4.3	8
183	Synthesis and investigation of the boron cluster anion [7-(2'-pyridyl)-7,8-nido-dicarbaundecaborate] and its protonated form. <i>Dalton Transactions</i> , 2007 , 3369-77	4.3	17
182	Post-Overoxidation Self-Recovery of Polypyrrole Doped with a Metallocarborane Anion. <i>Journal of Physical Chemistry C</i> , 2007 , 111, 18381-18386	3.8	24
181	Modular Construction of Neutral and Anionic Carboranyl-Containing Carbosilane-Based Dendrimers. <i>Macromolecules</i> , 2007 , 40, 5644-5652	5.5	38
180	Towards experimental mapping of the mechanism of heteroborane isomerisation. <i>Special Publication - Royal Society of Chemistry</i> , 2007 , 329-336	0.1	2
179	High boron content carboranyl-functionalized aryl ether derivatives displaying photoluminescent properties. <i>Dalton Transactions</i> , 2007 , 1898-903	4.3	61
178	Self-assembly of halogenated cobaltacarborane compounds: boron-assisted C-H...X-B hydrogen bonds?. <i>Chemistry - A European Journal</i> , 2007 , 13, 2493-502	4.8	18
177	Electrophoretic investigation of the boron cluster anion [7-(2'-pyridyl)-nido-7,8-dicarbaundecaborate]- and its protonated zwitterionic product. <i>Journal of Separation Science</i> , 2007 , 30, 2733-41	3.4	3

176	Nature of intramolecular interactions in hypercoordinate C-substituted 1,2-dicarba-closo-dodecaboranes with short P?P distances. <i>Inorganic Chemistry Communication</i> , 2007 , 10, 713-716	3.1	96
175	Polymorphism and phase transformations in cobaltacarborane molecular crystals. <i>CrystEngComm</i> , 2007 , 9, 888	3.3	17
174	Poly(3,4-ethylenedioxythiophene) doped with a non-extrudable metallacarborane anion electroactive during synthesis. <i>Polymer</i> , 2006 , 47, 4694-4702	3.9	20
173	All-solid-state hydrogen sensing microelectrodes based on novel PPy[3,3?-Co(1,2-C2B9H11)2] as a solid internal contact. <i>Materials Science and Engineering C</i> , 2006 , 26, 399-404	8.3	31
172	A discrete PI-IP assembly: the large influence of weak interactions on the 31P NMR spectra of phosphane-diiodine complexes. <i>Angewandte Chemie - International Edition</i> , 2006 , 45, 1270-2	16.4	90
171	A Discrete P???I?I???P Assembly: The Large Influence of Weak Interactions on the 31P NMR Spectra of PhosphaneDiiodine Complexes. <i>Angewandte Chemie</i> , 2006 , 118, 1292-1294	3.6	26
170	Synthesis, reactivity and structural studies of selenide bridged carboranyl compounds. <i>Dalton Transactions</i> , 2006 , 5240-7	4.3	23
169	Synthetic approaches to the preparation of hybrid network materials incorporating carborane clusters. <i>New Journal of Chemistry</i> , 2006 , 30, 546	3.6	25
168	A solvent-free regioselective iodination route of ortho-carboranes. <i>Dalton Transactions</i> , 2006 , 4884-5	4.3	22
167	Synthesis of small carboranylsilane dendrons as scaffolds for multiple functionalizations. <i>Organic Letters</i> , 2006 , 8, 4549-52	6.2	36
166	A boronBoron linked large metallacarborane cluster: Characterization and X-ray structure of 8,9?-[closo-{3-Co(??-C5H5)-1,2-C2B9H10}]2. <i>Journal of Organometallic Chemistry</i> , 2006 , 691, 3472-3476	2.3	16
165	Interplay of hydrogen bonding and ?interactions in the molecular complex of 2,6-lutidine N-oxide and water. <i>Journal of Molecular Structure</i> , 2006 , 787, 121-126	3.4	8
164	Synthesis of boron-iodinated o-carborane derivatives. Water stability of the periodinated monoprotic salt. <i>Inorganic Chemistry</i> , 2006 , 45, 3496-8	5.1	41
163	Are methyl groups electron-donating or electron-withdrawing in boron clusters? Permethylation of o-carborane. <i>Journal of the American Chemical Society</i> , 2005 , 127, 10158-9	16.4	161
162	Boron-Functionalized Carbosilanes: Insertion of Carborane Clusters into Peripheral Silicon Atoms of Carbosilane Compounds. <i>Organometallics</i> , 2005 , 24, 6351-6357	3.8	32
161	Approaches to the preparation of carborane-containing carbosilane compounds. <i>Organic Letters</i> , 2005 , 7, 231-3	6.2	44
160	Self-assembly of mercaptane-metallacarborane complexes by an unconventional cooperative effect: a C-H...S-H...H-B hydrogen/dihydrogen bond interaction. <i>Journal of the American Chemical Society</i> , 2005 , 127, 15976-82	16.4	95
159	Synthesis, reactivity and structural studies of carboranyl thioethers and disulfides. <i>Dalton Transactions</i> , 2005 , 1785-95	4.3	31

158	Strikingly long C...C distances in 1,2-disubstituted ortho-carboranes and their dianions. <i>Journal of the American Chemical Society</i> , 2005 , 127, 13538-47	16.4	158
157	Polypyrrole materials doped with weakly coordinating anions: influence of substituents and the fate of the doping anion during the overoxidation process. <i>Polymer</i> , 2005 , 46, 12218-12225	3.9	44
156	Plasticity of the five-membered chelate ring in [PdCl ₂ (1,2-(PR ₂) ₂ -1,2-C ₂ B ₁₀ H ₁₀)] complexes (R=H or iPr). <i>Inorganica Chimica Acta</i> , 2005 , 358, 2107-2111	2.7	11
155	B-Substituted (Arene)ruthenacarboraneSulfonium, Thioether and Mercaptan Complexes: Mild Single and Double Dealkylation and Structural Implications in the Antipodal Distance. <i>European Journal of Inorganic Chemistry</i> , 2005 , 2005, 4193-4205	2.3	25
154	Carbon extrusion in 1,2-dicarba-closo-dodecaboranes: regioselective boron substitution in ten-vertex closo-monocarborane anions. <i>Angewandte Chemie - International Edition</i> , 2005 , 44, 2220-2	16.4	31
153	Carbon Extrusion in 1,2-Dicarba-closo-dodecaboranes: Regioselective Boron Substitution in Ten-Vertex closo-Monocarborane Anions. <i>Angewandte Chemie</i> , 2005 , 117, 2260-2262	3.6	7
152	Restricted rotation in unbridged sandwich complexes: rotational behavior of closo-[Co(eta ⁵ -NC ₄ H ₄)(C ₂ B ₉ H ₁₁)] derivatives. <i>Chemistry - A European Journal</i> , 2005 , 11, 1933-41	4.8	11
151	Highly stable neutral and positively charged dicarbollide sandwich complexes. <i>Chemistry - A European Journal</i> , 2005 , 11, 5637-47	4.8	40
150	1,2-Bis(methylsulfanyl)-1,2-dicarba-closo-dodecaborane(12). <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2004 , 60, o524-6		11
149	Amino-Substituted Ferra-bis(tricarbollides) Metallatricarboranes Designed for Linear Molecular Constructions. <i>European Journal of Inorganic Chemistry</i> , 2004 , 2004, 1402-1410	2.3	16
148	Synthesis and coordinating ability of an anionic cobaltabisdicarbollide ligand geometrically analogous to BINAP. <i>Chemistry - A European Journal</i> , 2004 , 10, 5376-85	4.8	27
147	Formation of New π -Rhodium(III) Complexes from π -Rh(I) Rhodacarborane-Containing Charge-Compensated Ligands. <i>Organometallics</i> , 2004 , 23, 2273-2280	3.8	29
146	New Derivatives of [NHMe ₃][7-Me- η (9,10-HMeC)-nido-7-CB ₁₀ H ₁₀]. <i>Organometallics</i> , 2004 , 23, 3335-3342	3.8	23
145	Sulfur, tin and gold derivatives of 1-(2'-pyridyl)-ortho-carborane, 1-R-2-X-1,2-C ₂ B ₁₀ H ₁₀ (R = 2'-pyridyl, X = SH, SnMe ₃ or AuPPh ₃). <i>Dalton Transactions</i> , 2004 , 3822-8	4.3	33
144	Mild mono and double demethylation in dimethylsulfonium substituted ruthenacarborane complexes. A regioselective reaction. <i>Dalton Transactions</i> , 2004 , 2059-61	4.3	24
143	Synthesis, characterization, and dynamic studies of 12-vertex eta ⁵ -ruthenium(II) closo-phosphine complexes with monoanionic [10-L-nido-7-R-7,8-C ₂ B ₉ H ₉]- ligands. <i>Inorganic Chemistry</i> , 2004 , 43, 6067-74	5.1	19
142	Boron clusters: Do they receive the deserved interest?. <i>Pure and Applied Chemistry</i> , 2003 , 75, 1305-1313	2.1	101
141	Controlled Radical Polymerization Catalyzed by Ruthenium Complexes: Variations on Ru-Cp#. <i>ACS Symposium Series</i> , 2003 , 116-129	0.4	4

140	Sequential Nucleophilic/Electrophilic Reactions Selectively Produce Isomerically Pure Nona-B-Substituted o-Carborane Derivatives. <i>European Journal of Inorganic Chemistry</i> , 2003 , 2003, 1511-1513	2.3	21
139	Relevance of the electronegativity of boron in eta ⁵ -coordinating ligands: regioselective monoalkylation and monoarylation in cobaltabisdicarbollide [3,3'-Co(1,2-C ₂ B ₉ H ₁₁) ₂]- clusters. <i>Chemistry - A European Journal</i> , 2003 , 9, 4311-23	4.8	69
138	Coordination of the nido-carboranyldiphosphine ligand to ruthenium(II): the first example of the tricoordinating capacity of the 7,8-(PPh ₂) ₂ -7,8-C ₂ B ₉ H ₁₀ moiety. <i>Applied Organometallic Chemistry</i> , 2003 , 17, 509-517	3.1	16
137	Kharasch addition catalysed by half-sandwich ruthenium complexes. Enhanced activity of ruthenacarboranes. <i>Tetrahedron Letters</i> , 2003 , 44, 8421-8425	2	52
136	A versatile rigid binucleating ligand for Rh ₂ (ECl) ₂ moieties: its application as a catalyst in hydrogenation and cyclopropanation. <i>Journal of Organometallic Chemistry</i> , 2003 , 680, 89-99	2.3	15
135	High yield [¹²⁵ I]iodide-labeling of iodinated carboranes by palladium-catalyzed isotopic exchange. <i>Journal of Organometallic Chemistry</i> , 2003 , 680, 188-192	2.3	26
134	[Et ₄ N][7-Me ₂ S-nido-B ₁₁ H ₁₂]. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2003 , 59, o271-3		1
133	Hydrogen-selective microelectrodes based on silicon needles. <i>Sensors and Actuators B: Chemical</i> , 2003 , 91, 76-82	8.5	39
132	The modulating possibilities of dicarbollide clusters: optimizing the Kharasch catalysts. <i>Journal of the American Chemical Society</i> , 2003 , 125, 11830-1	16.4	109
131	The [3,3'-Co(1,2-C ₂ B ₉ H ₁₁) ₂] ⁻ anion as a platform for new materials: synthesis of its functionalized monosubstituted derivatives incorporating synthons for conducting organic polymers. <i>Dalton Transactions</i> , 2003 , 556-561	4.3	63
130	Diferratricarbaboranes of the subcloso-[(eta ⁵ -C ₅ H ₅) ₂ Fe ₂ C ₃ B ₈ H ₁₁] type, the first representatives of the 13-vertex dimetallatricarbaborane series. <i>Chemistry - A European Journal</i> , 2003 , 9, 6115-21	4.8	16
129	Chameleonic Capacity of [3,3'-Co(1,2-C ₂ B ₉ H ₁₁) ₂]- in Coordination. Generation of the Highly Uncommon S(thioether)Na Bond. <i>Organometallics</i> , 2003 , 22, 3414-3423	3.8	99
128	Methylation and Demethylation in Cobaltabis(dicarbollide) Derivatives. <i>Organometallics</i> , 2003 , 22, 4642-4646	3.6	30
127	Formation of bridging alkene and conjugated dialkenes exclusively generated from alkynes on the [3,3'-Co(1,2-C ₂ B ₉ H ₁₁) ₂]- platform. The unique hydroboration role of [3,3'-Co(1,2-C ₂ B ₉ H ₁₁) ₂]-. <i>Journal of the American Chemical Society</i> , 2003 , 125, 14720-1	16.4	51
126	Neutral nido-heteroboranes with non ionisable hydrogen as arenes in coordination. <i>Chemical Communications</i> , 2003 , 2458-9	5.8	20
125	Surface Layer Formation on Polypyrrole Films. <i>Advanced Materials</i> , 2002 , 14, 449-452	24	61
124	Extraordinary Overoxidation Resistance Increase in Self-Doped Polypyrroles by Using Non-conventional Low Charge-Density Anions. <i>Advanced Materials</i> , 2002 , 14, 826	24	120
123	Simple PVC-PPy electrode for pH measurement and titrations. <i>Analytical and Bioanalytical Chemistry</i> , 2002 , 372, 513-8	4.4	20

122	Half-sandwich ruthenium complexes for the controlled radical polymerisation of vinyl monomers. <i>Inorganic Chemistry Communication</i> , 2002 , 5, 941-945	3.1	34
121	cis-[1,2-Bis(diisopropylphosphino-kappaP)-1,2-dicarba-closo-dodecaborane]dichloroplatinum(II) dichloromethane hemisolvate. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2002 , 58, M237-9		9
120	2-Methyl-1-phenylsulfanyl-1,2-dicarba-closo-dodecaborane(12). <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2002 , 58, o570-1		4
119	The B π activation in o-carborane clusters: their fate towards B π H. Easy synthesis of [7,10-C2B10H13] <i>Journal of Organometallic Chemistry</i> , 2002 , 642, 16-19	2.3	26
118	Study of the o-carboranyl fragment as an uncommon substituent. Crystal structures of [PdClMe(1,2-(PPh ₂) ₂ -1,2-C2B10H10)] [CH ₂ Cl ₂] and [PdClMe(1,2-(PiPr ₂) ₂ -1,2-C2B10H10)]. <i>Journal of Organometallic Chemistry</i> , 2002 , 645, 39-46	2.3	37
117	Retention of the B(3)X (X=Br, I) bond in closo-o-carborane derivatives after nucleophilic attack. The first synthesis of [3-X-7-R-7,8-nido-C2B9H10] [X=Br, I]. Crystal structure of [HNMe ₃][3-I-7,8-nido-C2B9H11]. <i>Journal of Organometallic Chemistry</i> , 2002 , 657, 217-223	2.3	20
116	Pd(II) bromide complexes of 1,2-bis(diphenylphosphino)-1,2-dicarba-closo-dodecaborane. Crystal structures of [PdBr ₂ (1,2-(PPh ₂) ₂ -1,2-C2B10H10)] [CH ₂ Cl ₂], [PdBr _{1.133} Cl _{0.867} (1,2-(PPh ₂) ₂ -1,2-C2B10H10)] [CH ₂ Cl ₂] and [PdBrCl _{0.541} Me _{0.459} (1,2-(PPh ₂) ₂ -1,2-C2B10H10)] [CHCl ₃]. <i>Journal of Organometallic Chemistry</i> , 2002 , 657, 224-231	2.3	31
115	Phosphineboranes incorporating the carborane cluster. <i>Journal of Organometallic Chemistry</i> , 2002 , 657, 224-231	2.3	8
114	Cobaltabisdicarbollide anion [Co(C ₂ B ₉ H ₁₁) ₂] ⁻ as doping agent on intelligent membranes for ion capture. <i>Journal of Organometallic Chemistry</i> , 2002 , 657, 239-246	2.3	23
113	Recent studies on RR'S[C ₂ B ₉ H ₁₁] charge-compensated ligands. <i>Journal of Organometallic Chemistry</i> , 2002 , 657, 247-255	2.3	41
112	Modulation of the C-C distance in disubstituted 1,2-R ₂ -o-carboranes. Crystal structure of closo 1,2-(SPh) ₂ -1,2-C ₂ B ₁₀ H ₁₀ . <i>Journal of Organometallic Chemistry</i> , 2002 , 657, 232-238	2.3	90
111	Synthesis and characterisation of the exo-nido molybdacarborane complex Mo(η -C ₃ H ₅)(CO) ₂ (7,8- η -CH ₂ CH ₂ S-7,8-nido-C ₂ B ₉ H ₁₀). Strong B π H π Mo 3-centre bonding. <i>Journal of Organometallic Chemistry</i> , 2002 , 663, 221-226	2.3	12
110	Olefin cyclopropanation catalysed by half-sandwich ruthenium complexes. <i>Tetrahedron Letters</i> , 2002 , 43, 983-987	2	42
109	Redox potential modulation in mixed sandwich pyrrolyl/ dicarbollide complexes. <i>Inorganic Chemistry</i> , 2002 , 41, 3347-52	5.1	18
108	Frozen-Out Rotamers of Mixed Cobaltacarborane Complexes. <i>Organometallics</i> , 2002 , 21, 355-361	3.8	18
107	Cobalt bis(dicarbollide) ions with covalently bonded CMPO groups as selective extraction agents for lanthanide and actinide cations from highly acidic nuclear waste solutions. <i>New Journal of Chemistry</i> , 2002 , 26, 1519-1527	3.6	97
106	Coordinating properties of mixed pyrrolyl/dicarbollide cobalt metallocene-type complexes. <i>Dalton Transactions RSC</i> , 2002 , 1559-1565		14
105	Self-assembly of carborane molecules via C π H π I hydrogen bonding: the molecular and crystal structures of 3-I-1,2-closo-C ₂ B ₁₀ H ₁₁ . <i>Dalton Transactions RSC</i> , 2002 , 3647-3648		48

104	A thiophenophane ligand with endodentate coordination. <i>Polyhedron</i> , 2001 , 20, 2517-2522	2.7	7
103	Eta ⁵ -(3)-1-methyl-1,2-dicarbollyl-eta ⁵ -2',5'-dimethylpyrrolylcobalt(III). <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2001 , 57, 900-1		2
102	The first half-sandwich d ⁰ -metallacarboranes stabilized by metal–nitrogen sigma bond using C(cage)-appended anionic alkylamido moiety: a synthetic investigation. <i>Inorganic Chemistry Communication</i> , 2001 , 4, 486-489	3.1	47
101	Contribution of the nido-[7,8-C ₂ B ₉ H ₁₀]- anion to the chemical stability, basicity, and ³¹ P NMR chemical shift in nido-o-carboranylmonophosphines. <i>Inorganic Chemistry</i> , 2001 , 40, 2587-94	5.1	34
100	C–C Plasticity in Boron Chemistry: Modulation of the C–C Distance in Mixed Pyrrolyl/Dicarbollide Complexes <i>Organometallics</i> , 2001 , 20, 4024-4030	3.8	81
99	Are halocarboranes suitable for substitution reactions? The case for 3- <i>i</i> -1,2-closo-C(2)B(10)H(11): molecular orbital calculations, aryldehalogenation reactions, (11)B NMR interpretation of closo-carboranes, and molecular structures of 1-Ph-3-Br-1,2-closo-C(2)B(10)H(10) and 3-Ph-1,2-closo-C(2)B(10)H(11). <i>Inorganic Chemistry</i> , 2001 , 40, 4555-63	5.1	80
98	Comparative study of NS(2)(<i>S</i> -aryl) pyridine-based dithia-containing ligands with different substituent groups. Reactivity toward Cu(II) and Ru(II). <i>Inorganic Chemistry</i> , 2001 , 40, 4010-5	5.1	10
97	Proton mediated partial degradation of closo-dicarbaboranes. <i>Inorganic Chemistry</i> , 2001 , 40, 3259-60	5.1	17
96	The Distinct Effect of the <i>o</i> -Carboranyl Fragment: Its Influence on the I–I Distance in R ₃ PI ₂ Complexes. <i>Angewandte Chemie</i> , 2000 , 112, 4460-4462	3.6	33
95	The Distinct Effect of the <i>o</i> -Carboranyl Fragment: Its Influence on the I–I Distance in R ₃ PI ₂ Complexes. <i>Angewandte Chemie - International Edition</i> , 2000 , 39, 4290-4292	16.4	85
94	Are Low-Coordinating Anions of Interest as Doping Agents in Organic Conducting Polymers?. <i>Advanced Materials</i> , 2000 , 12, 1199-1202	24	87
93	Electronic structure and assignment of experimental ¹¹ B nuclei NMR signals in the ortho-carborane 1,2-(SH) 2-1,2-C ₂ B ₁₀ H ₁₀ by ab initio calculations. <i>Journal of Molecular Structure</i> , 2000 , 556, 33-42	3.4	25
92	Revising the [PdCl ₂ (1,2-(PPh ₂) ₂ -1,2-C ₂ B ₁₀ H ₁₀)] synthesis and comparison of its behavior with [PdCl ₂ (1,2-(PiPr ₂) ₂ -1,2-C ₂ B ₁₀ H ₁₀)]. Crystal structure of [PdCl ₂ (1,2-(PPh ₂) ₂ -1,2-C ₂ B ₁₀ H ₁₀)]. <i>Journal of Organometallic Chemistry</i> , 2000 , 606, 183-187	2.3	40
91	Radical reactions catalysed by ruthenium(II) complexes with anionic carborane phosphine ligands: Kharasch addition to olefins and controlled polymerisation. <i>Tetrahedron Letters</i> , 2000 , 41, 5347-5351	2	50
90	Forced exo-nido rhoda and ruthenacarboranes as catalyst precursors: a review. <i>Journal of Organometallic Chemistry</i> , 2000 , 614-615, 48-56	2.3	49
89	Unusual 9→10 rearrangement of the substituted cage carbon in the ferratricarbollide series. Synthesis of the isomeric complexes [2-eta ⁵ -(C ₅ H ₅)-10-X-closo-2,1,7,10-FeC ₃ B ₈ H ₁₀] (where X = H ₂ N, MeHN, Me ₂ N, and ButHN). <i>Inorganic Chemistry</i> , 2000 , 39, 2577-80	5.1	25
88	exo-nido-Cyclooctadienerhodacarboranes: Synthesis, Reactivity, and Catalytic Properties in Alkene Hydrogenation. <i>Journal of the American Chemical Society</i> , 2000 , 122, 1963-1973	16.4	98
87	The first examples of π -bonding of a carbaboranylphosphine ligand to transition metals. Synthesis and characterisation of 7-{PPh ₂ AuPPh ₃ }-8-Ph-7,8-nido-C ₂ B ₉ H ₁₀ , 1-{PPh ₂ AuCl}-2-Ph-3-(<i>p</i> -cymene)-3,1,2-pseudocloso-Ru ₂ C ₂ B ₉ H ₉ and 1-{PPh ₂ AuCl}-2-Ph-3-(<i>E</i> -C ₅ H ₄ -5)-3,1,2-pseudocloso-Rh ₂ C ₂ B ₉ H ₉ . <i>Journal of Organometallic Chemistry</i> , 1999 , 573, 165-170	2.3	25

86	C-substituted bis(dicarbollide) metal compounds as sensors and extractants of radionuclides from nuclear wastes. <i>Journal of Organometallic Chemistry</i> , 1999 , 581, 188-193	2.3	26
85	A simple route to essential tricarbollides. A high-yield synthesis of 7-amine-nido-7,8,9-tricarbaundecaboranes(10), 7-L-nido-7,8,9-C3B8H10 (where L=H3N, Me2NH, Me3N, and ButH2N). <i>Journal of Organometallic Chemistry</i> , 1999 , 582, 282-285	2.3	25
84	Synthesis of new arylcarboranes as precursors for oligomers. <i>Journal of Organometallic Chemistry</i> , 1999 , 587, 67-73	2.3	6
83	Contribution of the o-carboranyl fragment to the chemical stability and the 31P-NMR chemical shift in closo-carboranylphosphines. Crystal structure of bis(1-yl-2-methyl-1,2-dicarba-closo-dodecaborane)phenylphosphine. <i>Journal of Organometallic Chemistry</i> , 1999 , 588, 22-28	2.3	35
82	Cobaltacarboranes [closo-(9-R2N-1,7,9-C3B8H10)-commo-2,(3?)Co-(1?,2?-C2B9H11)] (where R=H and Me) [crossover complexes between metallatricarbollides and metalladicarbollides. <i>Inorganic Chemistry Communication</i> , 1999 , 2, 411-413	3.1	9
81	(PMePh3)(7,8-Et2-7,8-nido-C2B9H10). <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 1999 , 55, 1008-1009		3
80	Methyltriphenylphosphonium 2-methyl-1-sulfido-1,2-dicarba-closo-dodecaborane(12). <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 1999 , 55, 1581-1583		7
79	Ferratricarbollide design for molecular assemblies: complexes [9,9?-(ButHN)2-commo-2,2?-M-closo-1,7,9-(C3B8H10)-1?,7?,9?-(C3B8H10)] (where M = Fe or Ru), the first examples of double-cluster metallatricarbollides [<i>Journal of the Chemical Society Dalton Transactions</i> , 1999 , 3337-3338		13
78	Synthesis of Pyridine NS(2) Ligands Incorporating 1-Methoxycarbonyl-2-thio(o-carborane). Are They a Route to "Carboranethiophene" Compounds?. <i>Inorganic Chemistry</i> , 1999 , 38, 3605-3608	5.1	13
77	The First Optically Pure nido-Monothiocarborane Cluster. <i>Organometallics</i> , 1999 , 18, 5409-5411	3.8	14
76	A Series of the Twelve-Vertex Ferratricarbollides [2-(eta(5)-C(5)H(5))-9-X-closo-2,1,7,9-FeC(3)B(8)H(10)] (Where X = H(2)N, MeHN, Me(2)N, Bu(t)()HN, Bu(t)()(Me)N). A Highly Stable Metallatricarbaborane System with Amine Functions in the Para Position to the Metal Center. <i>Inorganic Chemistry</i> , 1999 , 38, 2775-2780	5.1	37
75	Asymmetric Benzothiophene Condensation Facilitated by Platinum(II). The Distinct Roles of Platinum(II) and Palladium(II). <i>Inorganic Chemistry</i> , 1999 , 38, 1642-1644	5.1	5
74	Formation of BB Bonds through the Reaction of nido-Monophosphinocarboranes with Palladium(II) Complexes. The First Example of a Chelating R2P(BB)R2 Diphosphine. <i>Organometallics</i> , 1999 , 18, 4712-4717	3.8	20
73	Partial Degradation of the New exo-Heterodisubstituted Carborane Derivatives with d10 Transition Metal Ions (Cu, Au). <i>Inorganic Chemistry</i> , 1999 , 38, 5916-5919	5.1	19
72	exo-nido-Monothio- and exo-nido-Monophosphinorhodacarboranes: Synthesis, Reactivity, and Catalytic Properties in Alkene Hydrogenation [<i>Organometallics</i> , 1998 , 17, 2278-2289	3.8	50
71	Influence of S-Aryl Groups in the Coordination and Reactivity of (nido-Thiocarborane)ruthenium Complexes. <i>Organometallics</i> , 1998 , 17, 4675-4679	3.8	25
70	A convenient route to carbon-substituted derivatives of nido-5,6-C2B8H121Dedicated to Professor K. Wade on the occasion of his 65th birthday for his essential contributions to the area of cluster boron chemistry. All cluster chemists know Wade's electron-counting rules and use them for the benefit of chemistry.1. <i>Journal of Organometallic Chemistry</i> , 1998 , 550, 125-130	2.3	20
69	Reactions of Pd(II) with closo-1,2-dicarbadodecaborane-1,2-diphosphines. <i>Journal of Organometallic Chemistry</i> , 1998 , 555, 17-23	2.3	38

- 68 Macrocycles incorporating sulphur and nido-carborane cages: reactivity towards Rh(III) and Ir(III). Molecular structures of [Ir(C5Me5)Cl(7,8- η [SCH₂CH₂S]-7,8-C₂B₉H₁₀)] and [Rh(C5Me5)Cl(7,8- η [S(CH₂CH₂(OCH₂CH₂)₃S)-7,8-C₂B₉H₁₀)]]. *Journal of Organometallic Chemistry*, **1998**, 568, 149-155 2.3 6
- 67 New NS 2 and S₂ 2 ligands derivatives of pyridine and thiophene incorporating icosahedral carboranes. *Journal of Organometallic Chemistry*, **1998**, 570, 79-87 2.3 8
- 66 Aromatic substituted metallacarboranes as extractants of ¹³⁷Cs and ⁹⁰Sr from nuclear wastes. *Journal of the Chemical Society Dalton Transactions*, **1998**, 2849-2854 35
- 65 Cobaltabis(dicarbollide) derivatives as extractants for europium from nuclear wastes. *Chemical Communications*, **1998**, 191-192 5.8 57
- 64 A novel binuclear rhodium complex with two mercapto bridges and two terminal thioether groups. *New Journal of Chemistry*, **1998**, 22, 665-666 3.6 3
- 63 Ruthenium(II) Complexes with NS₂ Pyridine-Based Dithia-Containing Ligands. Proposed Possible Structural Isomers and X-ray Confirmation of Their Existence. *Inorganic Chemistry*, **1998**, 37, 701-707 5.1 21
- 62 The Rh(PPh₃)₂ and Rh(cod) Fragments as Probes To Compare the Coordinating and Electronic Characteristics of CBR and CBPh₂ in Heterodisubstituted Carborane Ligands. *Organometallics*, **1998**, 17, 4630-4633 3.8 18
- 61 Metalation of a Bis(thiophenyl)carborane Giving Both Exo and Endo Products. Synthesis and Structural Characterization of RuCl{7,8-(SPh)₂-7,8-nido-C₂B₉H₁₀}(*p*-cymene) and 1,2-(SPh)₂-3-(*p*-cymene)-3,1,2-RuC₂B₉H₉. *Inorganic Chemistry*, **1998**, 37, 5394-5395 5.1 20
- 60 Synthesis and Characterization of the First Cyclic Monothioether Derivative of 1,2-*o*-Carborane and Its Reactivity toward Phosphine Transition Metal Complexes. *Inorganic Chemistry*, **1998**, 37, 6746-6750 5.1 18
- 59 New Polyether-Substituted Metallacarboranes as Extractants for (¹³⁷)Cs and (⁹⁰)Sr from Nuclear Wastes. *Inorganic Chemistry*, **1998**, 37, 3640-3643 5.1 56
- 58 Versatility of nido-Monophosphinocarboranes as Ligands. Tricoordination via PPh₂ and BH in Rhodium(I) Complexes. *Organometallics*, **1998**, 17, 2376-2378 3.8 11
- 57 A Return to the Plesek Reaction and Some Useful Variations. Carbon-Substituted Methyl and Phenyl Derivatives of 5,6-Dicarbido-nido-decaborane(12), nido-5,6-C₂B₈H₁₂. *Collection of Czechoslovak Chemical Communications*, **1997**, 62, 1229-1238 19
- 56 Mixed Cobaltacarboranes Incorporating β -Pyrrolyl and Dicarbollide Ligands. Synthetic Routes, Structures, and Mechanistic Implications. *Organometallics*, **1997**, 16, 1278-1283 3.8 46
- 55 Parent Tricarbollides [nido-7,8,9-C₃B₈H₁₁]-, nido-7,8,9-C₃B₈H₁₂, [nido-7,8,10-C₃B₈H₁₁]-, and Their Derivatives. *Journal of the American Chemical Society*, **1997**, 119, 7750-7759 16.4 55
- 54 The First Molecule Incorporating $\eta(5)$ -NC(4)H(4)(-) and an Organic C-NC(4)H(4) Group. Synthesis of [Co(7-C(4)H(4)N(CH₂))₃-8-R-7,8-C(2)B(9)H(9))($\eta(5)$ -NC(4)H(4))] (R = CH(3), C(6)H(5)). *Inorganic Chemistry*, **1997**, 36, 3565-3567 5.1 15
- 53 First Example of a Bis(dicarbollide) Metallacarborane Containing a B,C'-Heteronuclear Bridge. *Inorganic Chemistry*, **1997**, 36, 2988-2991 5.1 16
- 52 Synthesis of Cobaltabis(dicarbollyl) Complexes Incorporating Exocluster SR Substituents and the Improved Synthesis of [3,3'-Co(1-R-2-R'-1,2-C(2)B(9)H(9))(2)](-) Derivatives. *Inorganic Chemistry*, **1997**, 36, 2482-2486 5.1 41
- 51 A Route to exo-Heterodisubstituted and Monosubstituted *o*-Carborane Derivatives. *Inorganic Chemistry*, **1997**, 36, 1719-1723 5.1 51

50	Carborane to enhance chelating capacity S,S'-thioether-thioester coordination and its transition metal stability. <i>Journal of Organometallic Chemistry</i> , 1997 , 530, 89-94	2.3	11
49	Cyclopropanation reactions catalysed by ruthenium complexes with new anionic phosphine ligands. <i>Tetrahedron Letters</i> , 1997 , 38, 4079-4082	2	25
48	Cyclopropanation reactions catalysed by rhodium(I) complexes with new anionic carborane phosphine ligands. <i>Tetrahedron Letters</i> , 1997 , 38, 7879-7882	2	27
47	Phenyl-Induced 3,1,11-Rearrangement in the Synthesis of Mixed Pyrrolyl/Dicarbollide Cobaltadicarboranes. <i>Collection of Czechoslovak Chemical Communications</i> , 1997 , 62, 1263-1272		11
46	The Derivatives of the 7,8,9- Series of Tricarbollides. Preparation and Structural Characterization of the 11-Vertex Tricarbaboranes 7-L-nido-7,8,9-C ₃ B ₈ H ₁₀ (L = Amines). <i>Inorganic Chemistry</i> , 1996 , 35, 3635-3642	5.1	33
45	Rhodium Complexes with the New Anionic Diphosphine [7,8-(PPh ₂) ₂ -7,8-C ₂ B ₉ H ₁₀]- Ligand. <i>Organometallics</i> , 1996 , 15, 3154-3160	3.8	38
44	Modulation of Agostic B-H...Ru Bonds in exo-Monophosphino-7,8-Dicarba-nido-undecaborate Derivatives. <i>Organometallics</i> , 1996 , 15, 3850-3858	3.8	54
43	Anionic palladium-induced modification in NS ₂ ligands. <i>Chemical Communications</i> , 1996 , 715-716	5.8	2
42	[Rh(7-SPH-8-Me-7,8-C ₂ B ₉ H ₁₀)(PPh ₃) ₂]: ein neuer Carboran-Rhodiumkomplex mit erhöhter Aktivität bei der Hydrierung von 1-Alkenen. <i>Angewandte Chemie</i> , 1996 , 108, 2388-2391	3.6	16
41	High-yield and facile cluster rearrangements in the eleven-vertex nido series of tricarbollides. New parent tricarbaboranes [nido-7,8,10-C ₃ B ₈ H ₁₁] and arachno-5,6,9-C ₃ B ₇ H ₁₃ . <i>Inorganica Chimica Acta</i> , 1996 , 245, 129-131	2.7	29
40	[Rh(7-SPH-8-Me-7,8-C ₂ B ₉ H ₁₀)(PPh ₃) ₂]: A New Rhodacarborane with Enhanced Activity in the Hydrogenation of 1-Alkenes. <i>Angewandte Chemie International Edition in English</i> , 1996 , 35, 2251-2253		60
39	The Formation of nido [7,8-(PR ₂) ₂ -7,8-C ₂ B ₉ H ₁₀] from closo 1,2-(PR ₂) ₂ -1,2-C ₂ B ₁₀ H ₁₀ (1): a process enhanced by complexation. <i>Journal of Organometallic Chemistry</i> , 1996 , 509, 139-150	2.3	64
38	1-Diisopropylphosphino-2-phenyl-1,2-dicarba-closo-dodecaborane(12). <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 1996 , 52, 2223-2225		16
37	1-Diphenylphosphino-2-phenyl-1,2-dicarba-closo-dodecaborane(12). <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 1996 , 52, 3135-3138		8
36	Copper(I) Chloride Complexes of 1,2-Bis(disubstituted phosphino)-1,2-dicarba-closo-dodecaboranes and Crystal Structure of Chloro-[1,2-bis(diethoxyphosphino)-1,2-dicarba-closo-dodecaborane]triphenylphosphinecopper(I).. <i>Acta Chemica Scandinavica</i> , 1996 , 50, 499-504		16
35	Procedure for the degradation of 1,2-(PR ₂) ₂ -1,2-dicarba-closo-dodecaborane(12) and 1-(PR ₂)-2-R'-1,2-dicarba-closo-dodecaborane(12). <i>Journal of Organometallic Chemistry</i> , 1995 , 503, 193-203	2.3	77
34	Agostic B-H...Ru Bonds in exo-Monophosphino-7,8-dicarba-nido-undecaborate Derivatives. <i>Organometallics</i> , 1995 , 14, 3952-3957	3.8	38
33	Cathodic Cleavage of C-S and C-P in Carboranyl Derivatives. <i>Inorganic Chemistry</i> , 1995 , 34, 1726-1729	5.1	12

32	Tricarbollides—Compounds of the eleven-vertex series of tricarbaboranes. <i>Journal of the Chemical Society Chemical Communications</i> , 1995 , 795-796		36
31	Dimethoxyethane as a Solvent for the Synthesis of C-Monosubstituted o-Carborane Derivatives. <i>Inorganic Chemistry</i> , 1995 , 34, 3844-3845	5.1	101
30	1-Diphenylphosphino-1,2-dicarba-closo-dodecaborane(12) at 153 K. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 1995 , 51, 1868-1870		19
29	1-Diisopropylphosphino-2-methyl-1,2-dicarba-closo-dodecaborane(12), (1), and 1,2-Bis(diisopropylphosphino)-1,2-dicarba-closo-dodecaborane(12), (2), at 193 K. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 1995 , 51, 1864-1868		31
28	The First Examples of Metallatricarbollides. Isomeric Twelve-Vertex Cyclopentadienyl Ferratricarbododecaboranes [(η -C ₅ H ₅)-closo-FeC ₃ B ₈ H ₁₁]. <i>Collection of Czechoslovak Chemical Communications</i> , 1995 , 60, 2023-2027		29
27	Mercury coordination to Exo-dithio-7,8-dicarba-nido-undecaborate derivatives. <i>Journal of Organometallic Chemistry</i> , 1994 , 483, 153-157	2.3	18
26	1,1';2,2'-Bis-(dimethylsilyl)-bis[1,2-dicarba-closo-dodecaborane(12)], C ₈ H ₃₂ B ₂₀ Si ₂ . <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 1994 , 50, 638-640		3
25	1-Diphenylphosphino-2-methyl-1,2-dicarba-closo-dodecaborane(12). <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 1994 , 50, 2027-2030		45
24	Study of the Synergy in Electron-Rich Element/Carborane Compounds. Antipodal Boron Atom Labilization by Electron-Rich Elements. Conversion of {7-SR-8-Me-7,8-C ₂ B ₉ H ₁₀ }- into {7-SR-8-Me-7,8-(5)-C ₂ B ₈ H ₁₁ }-. <i>Organometallics</i> , 1994 , 13, 914-919	3.8	38
23	Nido-Carborane-Containing Compounds Resulting from the Reaction of closo-Carboranes with Transition Metal Complexes. <i>Inorganic Chemistry</i> , 1994 , 33, 2645-2650	5.1	42
22	Iridium Coordination to exo-Dithio-7,8-dicarba-nido-undecaborate Derivatives. <i>Inorganic Chemistry</i> , 1994 , 33, 4815-4818	5.1	20
21	Simple sensor molecules for detection of silver(I) based on monothioethers. <i>Journal of the Chemical Society Chemical Communications</i> , 1994 , 963-964		31
20	Modulation of the B(3)-H.fwdharw.Ru Distances in 7,8-Dicarba-nido-undecaborate Derivatives. <i>Organometallics</i> , 1994 , 13, 2751-2760	3.8	44
19	Stable Silver Complexes with C ₂ B ₉ H ₁₂ - derivatives. <i>Inorganic Chemistry</i> , 1994 , 33, 1756-1761	5.1	25
18	Synthesis and Crystal Structure of [7,8-(Ethane-1',2'-dithiolato-S,S')-dicarba-nido-undecaborate]bis(triphenylphosphine)copper(I).. <i>Acta Chemica Scandinavica</i> , 1994 , 48, 113-116		3
17	Synthesis and Crystal Structure of a New S-Substituted Dicarba-nido-undecaborate Derivative (Inner Phosponium Salt).. <i>Acta Chemica Scandinavica</i> , 1994 , 48, 117-121		10
16	Molecular modelling of carboranes using distance restraints: the molecular dynamics simulation of appended thioether macrocycles. <i>Journal of the Chemical Society Dalton Transactions</i> , 1993 , 1451-1461		10
15	Synthesis of [7,8-(PPh ₂) ₂ -7,8-C ₂ B ₉ H ₁₀]-: a ligand analogous to 1,2-bis(diphenylphosphino)ethane with a "built-in" negative charge. <i>Organometallics</i> , 1993 , 12, 3766-3768	3.8	59

14	A novel B π -Ru agostic bond. Crystal structure of [RuCl{7,8- μ -S(CH ₂ CH ₂)S-C ₂ B ₉ H ₁₀ }(PPh ₃) ₂][Me ₂ CO]. <i>Journal of the Chemical Society Chemical Communications</i> , 1992 , 1281-1282		37
13	Silver coordination to exo-dithio-7,8-dicarba-nido-undecaborate derivatives. Sulfur to metal and open face to metal: two ways of bonding. <i>Journal of the Chemical Society Chemical Communications</i> , 1992 , 1279-1280		19
12	A novel Rh π bond. Crystal structure of [N(CH ₃) ₄][RhCl{7,8- μ -S(CH ₂ CH ₂)S-C ₂ B ₉ H ₁₀ }{ η -7,8- μ -S(CH ₂ CH ₂)S-C ₂ B ₉ H ₉ }]. <i>Journal of the Chemical Society Chemical Communications</i> , 1991 , 192-193		21
11	Macrocycles incorporating sulfur and nido-carborane cages: reactivity toward nickel(II) and palladium(II). Molecular structures of Pd{7,8- μ -S(CH ₂ CH ₂ OCH ₂ CH ₂ OCH ₂ CH ₂ OCH ₂ CH ₂)S}C ₂ B ₉ H ₁₀ } ₂ and Pd{7,8- μ -S(CH ₂ CH ₂ OCH ₂ CH ₂ OCH ₂ CH ₂ OCH ₂ CH ₂)S}C ₂ B ₉ H ₉ } ₂ . <i>Inorganic Chemistry</i> , 1991 , 3339-3345	5.1	38
10	Simultaneous conversion of Pd-PPh ₃ and B-H to B-PPh ₂ under exceedingly mild conditions. Crystal and molecular structure of PdPPh ₃ Cl{7-SMe-8-Me-11-PPh ₂ -7,8-C ₂ B ₉ H ₁₀ }. <i>Journal of the American Chemical Society</i> , 1991 , 113, 9895-9896	16.4	32
9	exo-Dithio and monothio carborane derivatives: a mechanism for their partial degradation. Molecular structure of tetramethylammonium 7,8-(3,6,9-trioxaundecane-1,11-dithiolato-SS)-7,8-dicarba-nido-undecaborate. <i>Inorganica Chimica Acta</i> , 1990 , 176, 287-294	2.7	18
8	Reactivity of the anion 7,8-(ethane-1,2-dithiolato-SS)-nido-undecaborate. Molecular structure of [7,8-(ethane-1,2-dithiolato-SS)-dicarba-nido-undecaborate]bis(triphenylphosphine)rhodium(I). <i>Inorganica Chimica Acta</i> , 1990 , 176, 61-65	2.7	17
7	A new type of macrocycle incorporating closo- and nido-carborane cages: molecular structures of 1,2-(1,10-dithia-4,7-dioxadecane-1,10-diyl)-1,2-dicarba-closo-dodecaborane and sodium 7,8-(1,13-dithia-4,7,10-trioxatridecane-1,13-diyl)-7,8-dicarbanido-undecaborate(12). <i>Inorganic Chemistry</i> , 1990 , 28, 142-148	5.1	60
6	Macrocycles incorporating closo- and nido-carborane cages: molecular structure of 1,2-(3-oxapentane-1,5-dithiolato-SS)-1,2-dicarba-closo-dodecaborane. <i>Journal of the Chemical Society Dalton Transactions</i> , 1990 , 525-529		36
5	Rules for predicting the boron-11 NMR spectra of closo-boranes and closo-heteroboranes. <i>Inorganic Chemistry</i> , 1986 , 25, 3339-3345	5.1	56
4	Synthesis and crystal and molecular structure of trimethylammonium 7,8-dimercapto-7,8-dicarbaundecaborate(10) and trimethylammonium anti-7,7':8,8'-bis[dithio]bis(7,8-dicarbaundecaborate(10)). <i>Inorganic Chemistry</i> , 1986 , 25, 4369-4374	5.1	44
3	Synthesis and crystal and molecular structure of trimethylammonium anti-7,7':8,8'-bis(μ -dithio)bis(7,8-dicarbaundecaborate(10)). <i>Organometallics</i> , 1984 , 3, 503-504	3.8	24
2	Highlighting the Binding Behavior of Icosahedral Boron Clusters Incorporated into Polymers: Synthons, Polymers Preparation, and Relevant Properties41-60		
1	Tuning the architectures and luminescence properties of Cu(I) compounds of phenyl and carboranyl pyrazoles: the impact of 2D versus 3D aromatic moieties in the ligand backbone. <i>Journal of Materials Chemistry C</i> ,	7.1	4