

Takashi Oguchi

List of Publications by Citations

Source: <https://exaly.com/author-pdf/1600515/takashi-oguchi-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

108
papers

2,044
citations

28
h-index

41
g-index

122
ext. papers

2,329
ext. citations

3.2
avg, IF

5.09
L-index

#	Paper	IF	Citations
108	Drainage Density and Relative Relief in Humid Steep Mountains with Frequent Slope Failure. <i>Earth Surface Processes and Landforms</i> , 1997 , 22, 107-120	3.7	116
107	Comparison of new and existing global digital elevation models: ASTER G-DEM and SRTM-3. <i>Geophysical Research Letters</i> , 2008 , 35,	4.9	108
106	Fluvial geomorphology and paleohydrology in Japan. <i>Geomorphology</i> , 2001 , 39, 3-19	4.3	92
105	Drainage density, slope angle, and relative basin position in Japanese bare lands from high-resolution DEMs. <i>Geomorphology</i> , 2004 , 63, 159-173	4.3	74
104	DEM-based identification of fluvial knickzones and its application to Japanese mountain rivers. <i>Geomorphology</i> , 2006 , 78, 90-106	4.3	68
103	Channel braiding and stability of the Brahmaputra River, Bangladesh, since 1967: GIS and remote sensing analyses. <i>Geomorphology</i> , 2007 , 85, 294-305	4.3	56
102	GIS analysis of fluvial knickzone distribution in Japanese mountain watersheds. <i>Geomorphology</i> , 2009 , 111, 27-37	4.3	52
101	Change in riverine suspended sediment concentration in central Japan in response to late 20th century human activities. <i>Catena</i> , 2004 , 55, 231-254	5.8	52
100	Evaluation of gravel sphericity and roundness based on surface-area measurement with a laser scanner. <i>Computers and Geosciences</i> , 2005 , 31, 735-741	4.5	52
99	Slope of alluvial fans in humid regions of Japan, Taiwan and the Philippines. <i>Geomorphology</i> , 2005 , 70, 147-162	4.3	50
98	Shallow and Deep-Seated Landslide Differentiation Using Support Vector Machines: A Case Study of the Chuetsu Area, Japan. <i>Terrestrial, Atmospheric and Oceanic Sciences</i> , 2015 , 26, 227	1.8	48
97	Long-term (1842-2006) morphological change and equilibrium state of the Changjiang (Yangtze) Estuary, China. <i>Continental Shelf Research</i> , 2013 , 56, 71-81	2.4	45
96	Identification of an active fault in the Japanese Alps from DEM-based hill shading. <i>Computers and Geosciences</i> , 2003 , 29, 885-891	4.5	44
95	Rainfall conditions, typhoon frequency, and contemporary landslide erosion in Japan. <i>Geology</i> , 2014 , 42, 999-1002	5	43
94	Rainfall intensity-duration conditions for mass movements in Taiwan. <i>Progress in Earth and Planetary Science</i> , 2015 , 2,	3.9	42
93	Discrimination in magnetic properties of different-sized sediments from the Changjiang and Huanghe Estuaries of China and its implication for provenance of sediment on the shelf. <i>Marine Geology</i> , 2009 , 260, 121-129	3.3	41
92	Magnetic properties of muddy sediments on the northeastern continental shelves of China: Implication for provenance and transportation. <i>Marine Geology</i> , 2010 , 274, 107-119	3.3	41

91	Open image in new windowGIS-Based Landslide Susceptibility Mapping Using a Certainty Factor Model and Its Validation in the Chuetsu Area, Central Japan 2014 , 419-424		41
90	Exploring the linkages between river water chemistry and watershed characteristics using GIS-based catchment and locality analyses. <i>Regional Environmental Change</i> , 2002 , 3, 36-50	4.3	39
89	Late Quaternary activity of the Zemuhe and Xiaojiang faults in southwest China from geomorphological mapping. <i>Geomorphology</i> , 2008 , 96, 62-85	4.3	38
88	Neanderthal infant burial from the Dederiyeh cave in Syria.. <i>Paleorient</i> , 1995 , 21, 77-86	0.3	37
87	Late Holocene slackwater deposits on the Nakagawa River, Tochigi Prefecture, Japan. <i>Geomorphology</i> , 2001 , 39, 39-51	4.3	35
86	DEM analysis on longitudinal and transverse profiles of steep mountainous watersheds. <i>Geomorphology</i> , 2006 , 78, 77-89	4.3	33
85	Landform development during the Last Glacial and the Post-Glacial Ages in the Matsumoto Basin and its surrounding mountains, Central Japan.. <i>The Quaternary Research</i> , 1988 , 27, 101-124	0.1	33
84	Assessment for soil loss by using a scheme of alterative sub-models based on the RUSLE in a Karst Basin of Southwest China. <i>Journal of Integrative Agriculture</i> , 2017 , 16, 377-388	3.2	31
83	Multi-Resolution Landslide Susceptibility Analysis Using a DEM and Random Forest. <i>International Journal of Geosciences</i> , 2016 , 07, 726-743	0.4	30
82	Analysis of relationships among alluvial fan area, source basin area, basin slope, and sediment yield. <i>Zeitschrift für Geomorphologie</i> , 1994 , 38, 405-420	1.9	29
81	Relationship between landslide size and rainfall conditions in Taiwan. <i>Landslides</i> , 2017 , 14, 1235-1240	6.6	28
80	River water quality in the Humber catchment: an introduction using GIS-based mapping and analysis. <i>Science of the Total Environment</i> , 2000 , 251-252, 9-26	10.2	28
79	Morphometric Analysis of Drainage Basins in the Western Arabian Peninsula Using Multivariate Statistics. <i>International Journal of Geosciences</i> , 2014 , 05, 527-539	0.4	27
78	Catastrophic flooding, palaeolakes, and late Quaternary drainage reorganization in northern Eurasia. <i>International Geology Review</i> , 2016 , 58, 1693-1722	2.3	25
77	Late quaternary sediment budget in alluvial-fan-source-basin systems in Japan. <i>Journal of Quaternary Science</i> , 1997 , 12, 381-390	2.3	25
76	GIS analysis of depositional slope change at alluvial-fan toes in Japan and the American Southwest. <i>Geomorphology</i> , 2008 , 100, 120-130	4.3	25
75	Spatial correspondence of knickzones and stream confluences along bedrock rivers in japan: implications for hydraulic formation of knickzones. <i>Geografiska Annaler, Series A: Physical Geography</i> , 2014 , 96, 9-19	1.1	24
74	Effect of forest clear-cutting on landslide occurrences: Analysis of rainfall thresholds at Mt. Ichifusa, Japan. <i>Geomorphology</i> , 2017 , 276, 1-7	4.3	23

73	Factors affecting the magnitude of post-glacial hillslope incision in Japanese mountains. <i>Catena</i> , 1996 , 26, 171-186	5.8	23
72	Altitudinal Changes in Slope Angle and Profile Curvature in the Japan Alps: A Hypothesis Regarding a Characteristic Slope Angle 1999 , 72, 63-72		21
71	Data Sources. <i>Developments in Earth Surface Processes</i> , 2011 , 15, 189-224	2.8	19
70	Assessing landslide characteristics in a changing climate in northern Taiwan. <i>Catena</i> , 2019 , 175, 263-277	5.8	19
69	An endmember optimization approach for linear spectral unmixing of fine-scale urban imagery. <i>International Journal of Applied Earth Observation and Geoinformation</i> , 2014 , 27, 137-146	7.3	18
68	Acid-available particulate trace metals associated with suspended sediment in the Humber rivers: a regional assessment. <i>Hydrological Processes</i> , 1999 , 13, 1117-1136	3.3	18
67	Sediment yield during typhoon events in relation to landslides, rainfall, and catchment areas in Taiwan. <i>Geomorphology</i> , 2018 , 303, 540-548	4.3	16
66	Distributions of landslides, vegetation, and related sediment yields during typhoon events in northwestern Taiwan. <i>Geomorphology</i> , 2016 , 273, 1-13	4.3	16
65	Analyzing rainfall-induced mass movements in Taiwan using the soil water index. <i>Landslides</i> , 2017 , 14, 1031-1041	6.6	14
64	Japan's sediment flux to the Pacific Ocean revisited. <i>Earth-Science Reviews</i> , 2014 , 135, 1-16	10.2	14
63	Multidisciplinary Cooperation in GIS Education: A Case Study of US Colleges and Universities. <i>Journal of Geography in Higher Education</i> , 2010 , 34, 493-509	1.6	13
62	Late Quaternary rapid talus dissection and debris flow deposition on an alluvial fan in Syria. <i>Catena</i> , 2004 , 55, 125-140	5.8	13
61	Longitudinal and transverse profiles of hilly and mountainous watersheds in Japan. <i>Geomorphology</i> , 2009 , 111, 17-26	4.3	12
60	Pollution regimes and variability in river water quality across the Humber catchment: interrogation and mapping of an extensive and highly heterogeneous spatial dataset. <i>Science of the Total Environment</i> , 2000 , 251-252, 27-43	10.2	12
59	Framework for Investigation of Karst Aquifer in an Arid Zone, Using Isotopes, Remote Sensing and GIS Applications: the Northwestern Coast of Egypt. <i>Environmental Processes</i> , 2015 , 2, 37-60	2.8	11
58	Geomorphic imprints of repeated tsunami waves in a coastal valley in northeastern Japan. <i>Geomorphology</i> , 2015 , 242, 3-10	4.3	10
57	Constant-slope alluvial fans and source basins in Taiwan. <i>Geology</i> , 2009 , 37, 787-790	5	10
56	Paleohydrological implications of late Quaternary fluvial deposits in and around archaeological sites in Syria. <i>Geomorphology</i> , 2008 , 101, 33-43	4.3	10

55	Rapid On-site Topographic Mapping with a Handheld Laser Range Finder for a Geoarchaeological Survey in Syria. <i>Geographical Research</i> , 2007 , 45, 95-104	1.6	10
54	Knickzone Extraction Tool (KET) [A new ArcGIS toolset for automatic extraction of knickzones from a DEM based on multi-scale stream gradients. <i>Open Geosciences</i> , 2017 , 9,	1.3	9
53	Global evaluation of erosion rates in relation to tectonics. <i>Progress in Earth and Planetary Science</i> , 2017 , 4,	3.9	9
52	Land cover change on Mt. Pinatubo, the Philippines, monitored using ASTER VNIR. <i>International Journal of Remote Sensing</i> , 2011 , 32, 9279-9305	3.1	9
51	Applications of Photogrammetry in Geomorphology: A Review.. <i>Journal of Geography (Chigaku Zasshi)</i> , 2002 , 111, 1-15	0.5	9
50	Luminescence dating of scoria fall and lahar deposits from SommaVesuvius, Italy. <i>Quaternary Geochronology</i> , 2014 , 20, 39-50	2.7	8
49	Late Quaternary Geomorphic Development of Alluvial Fan-Source 1994 , 67, 81-100		8
48	Applications of Terrestrial Laser Scanning in Geomorphology. <i>Journal of Geography (Chigaku Zasshi)</i> , 2016 , 125, 299-324	0.5	8
47	Remote identification of fluvial knickzones and their imprints on landscape morphology in the passive margins of Western Arabia. <i>Journal of Arid Environments</i> , 2016 , 130, 14-29	2.5	7
46	Scaling land-surface variables for landslide detection. <i>Progress in Earth and Planetary Science</i> , 2019 , 6,	3.9	7
45	Anthropogenic influence on sedimentation during the last 100 years inferred from magnetic properties in the Changjiang Estuary, China. <i>Environmental Earth Sciences</i> , 2013 , 70, 1671-1680	2.9	7
44	Factors Affecting Late Twentieth Century Land Use Patterns in Kamakura City, Japan. <i>Geographical Research</i> , 2009 , 47, 175-191	1.6	7
43	Occurrence of extrazonal periglacial landforms in the lowlands of western Japan and Korea. <i>Permafrost and Periglacial Processes</i> , 1998 , 9, 285-294	4.2	7
42	River processes after rapid valley-filling due to large landslides. <i>Geo Journal</i> , 1996 , 38, 339	2.2	7
41	Characteristics of Erosional Morphology Formed by Tsunami Waves along the Sanriku Coast, Northeastern Japan. <i>Journal of Geography (Chigaku Zasshi)</i> , 2015 , 124, 241-258	0.5	6
40	GIS Education at Geographical Departments in Japanese Universities in Relation to the Japan Standard GIS Core Curriculum. <i>International Research in Geographical and Environmental Education</i> , 2008 , 17, 298-306	1.7	6
39	Effects of Digital Elevation Model Resolution on Topographic Representation: A Case Study in the Tama Area, Western Tokyo. <i>Geographical Review of Japan</i> , 2003 , 76, 800-818		6
38	DIFFERENCES IN LANDFORM DEVELOPMENT DURING THE LATE GLACIAL AND THE POST-GLACIAL AGES AMONG DRAINAGES AROUND THE MATSUMOTO BASIN, CENTRAL JAPAN. <i>Chirigaku Hyoron</i> , 1988 , 61, 872-893		6

37	Drainage Density and Relative Relief in Humid Steep Mountains with Frequent Slope Failure 1997 , 22, 107		5
36	Geospatial Information and Environmental Isotopes for Hydrogeological Evaluation: Ras Alam El Rum, Northwestern Coast of Egypt. <i>Natural Resources Research</i> , 2014 , 23, 423-445	4.9	3
35	Buried landforms in the Yodo River lowland, the Osaka Plain, Japan, from analysis of a borehole database. <i>Journal of the Sedimentological Society of Japan</i> , 2015 , 74, 21-29	0	3
34	Effects of Hillslope Failure on Stream Bifurcation Ratios and Stream Length Ratios for the Matsumoto Region, Japan. <i>Chirigaku Hyoron</i> , 1995 , 68, 447-464		3
33	Investigating Representative GIS Curricula in the U.S. and GIS Textbooks in English. <i>Theory and Applications of GIS</i> , 2004 , 12, 81-89	0	3
32	Effects of Tsunami Wave Erosion on Natural Landscapes: Examples from the 2011 Tohoku-oki Tsunami. <i>Advances in Natural and Technological Hazards Research</i> , 2014 , 243-253	1.8	3
31	Geomorphological debates in Japan related to surface processes, tectonics, climate, research principles, and international geomorphology. <i>Geomorphology</i> , 2020 , 366, 106805	4.3	3
30	Evaluation of beach vegetation for conservation/rehabilitation in Tottori Prefecture, Southwest Japan. <i>Landscape and Ecological Engineering</i> , 2018 , 14, 231-243	2	2
29	Morphometric analysis of sinkholes using a semi-automatic approach in Zhijin County, China. <i>Arabian Journal of Geosciences</i> , 2018 , 11, 1	1.8	2
28	Evaluation of the similarity between spatial tessellations. <i>Environment and Planning B: Planning and Design</i> , 2015 , 42, 930-950		2
27	Geographic Information Systems in Geomorphology 227-245		2
26	Late Quaternary depositional sequences and landforms in relation to sea-level changes in the Osaka intra-arc basin, Japan: A borehole database analysis. <i>Quaternary International</i> , 2018 , 471, 298-317 ²		2
25	Estimation of the antecedent rainfall period for mass movements in Taiwan. <i>Environmental Earth Sciences</i> , 2018 , 77, 1	2.9	1
24	Surficial geological tools in fluvial geomorphology 2016 , 13-39		1
23	Preface for the Special Issue on GIS <i>Journal of Geography (Chigaku Zasshi)</i> , 2008 , 117, 307-311	0.5	1
22	Relationship between Distribution of Residential Areas and Topographic Factors in the Sagarmatha Zone, Eastern Nepal. <i>Journal of Geography (Chigaku Zasshi)</i> , 2008 , 117, 561-567	0.5	1
21	Surficial Geologic Tools in Fluvial Geomorphology 2005 , 23-57		1
20	Analysis of River Water Quality in the Humber Catchment Using the LOIS Database and GIS. <i>Journal of Geography (Chigaku Zasshi)</i> , 2002 , 111, 410-415	0.5	1

19	Influence of sampling design on landslide susceptibility modeling in lithologically heterogeneous areas.. <i>Scientific Reports</i> , 2022 , 12, 2106	4.9	1
18	Topographic and Climatic Influences on Population and Soil in East to Southeast Asia: A GIS Approach 1999 , 72, 181-192		1
17	Report of International Union for Quaternary Research, XIX Congress, July 26 to August 2, 2015, Nagoya Congress Center, Nagoya, Japan. <i>The Quaternary Research</i> , 2016 , 55, 119-151	0.1	1
16	Topographic Evolution Involving Co-Seismic Landslide, Deformation, Long-Term Folding and Isostatic Rebound: A Case Study on the 2004 Chuetsu Earthquake. <i>Remote Sensing</i> , 2021 , 13, 1073	5	1
15	Application of web hazard maps to high school education for disaster risk reduction. <i>International Journal of Disaster Risk Reduction</i> , 2022 , 72, 102866	4.5	1
14	Concurrent and sustainable development of a local-scale digital heritage inventory through action research at Bat, Oman. <i>Journal of Cultural Heritage Management and Sustainable Development</i> , 2016 , 6, 195-212	1.3	0
13	Vegetation Succession and Land Recovery Process Based on Soil Properties in the Upper Mt. Pinatubo, the Philippines. <i>Journal of Geography (Chigaku Zasshi)</i> , 2011 , 120, 631-645	0.5	0
12	Geomorphology and GIS in Japan: Background and characteristics. <i>Geo Journal</i> , 2000 , 52, 195-202	2.2	0
11	Quaternary Fluvial Environments and Palaeohydrology in Syria 417-422		
10	Historical Development of Maps and GIS. <i>Journal of Rural Planning Association</i> , 2020 , 38, 436-439	0.1	
9	Damage and Seismic Intensity of the 1996 Lijiang Earthquake, China: 2001 , 74, 187-198		
8	LithosphereThe Solid Realm Which Supports Human Life. <i>Advances in Geological Science</i> , 2020 , 27-38	0.1	
7	An Explanation of Broad Occurrence of Extrazonal Periglacial Landforms in the Lowlands of Western Japan and Korea. <i>Chirigaku Hyoron</i> , 1992 , 65, 195-212		
6	A Morphometric Approach to Post-Glacial Channel Development in the Mountains of Central Japan 1995 , 68, 151-165		
5	GIS-related Geomorphological Research in the USA. <i>Theory and Applications of GIS</i> , 1998 , 6, 75-80		0
4	GIS Research in Poland Examples from Five Organizations. <i>Theory and Applications of GIS</i> , 1999 , 7, 53-56		0
3	Mt. Fuji: The Beauty of a Symmetric Stratovolcano 2009 , 303-309		
2	Hazards and Risks as Viewed from Geography and Geomorphology. <i>Trends in the Sciences</i> , 2018 , 23, 7_15-7_19		

- 1 Elucidation of the historical changing of coastal sand dunes □For conservation and restoration of coastal sand dune vegetation □*Landscape Ecology and Management*, **2021**, 26, 23-33

○