

Wu-Xing Zhang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1601258/publications.pdf>

Version: 2024-02-01

73
papers

8,465
citations

87843

38
h-index

82499

72
g-index

74
all docs

74
docs citations

74
times ranked

10266
citing authors

#	ARTICLE	IF	CITATIONS
1	Post-Synthetic and In Situ Vacancy Repairing of Iron Hexacyanoferrate Toward Highly Stable Cathodes for Sodium-Ion Batteries. <i>Nano-Micro Letters</i> , 2022, 14, 9.	14.4	32
2	Hexacyanoferrate-Type Prussian Blue Analogs: Principles and Advances Toward High-Performance Sodium and Potassium Ion Batteries. <i>Advanced Energy Materials</i> , 2021, 11, 2000943.	10.2	217
3	Reducing the thickness of solid-state electrolyte membranes for high-energy lithium batteries. <i>Energy and Environmental Science</i> , 2021, 14, 12-36.	15.6	236
4	Polycationic Polymer Layer for Air-Stable and Dendrite-Free Li Metal Anodes in Carbonate Electrolytes. <i>Advanced Materials</i> , 2021, 33, e2007428.	11.1	94
5	Lithium-Metal Batteries: Polycationic Polymer Layer for Air-Stable and Dendrite-Free Li Metal Anodes in Carbonate Electrolytes (Adv. Mater. 12/2021). <i>Advanced Materials</i> , 2021, 33, 2170087.	11.1	2
6	A self-passivating tungsten bulk composite: Effects of silicon on its oxidation resistance. <i>International Journal of Refractory Metals and Hard Materials</i> , 2021, 100, 105631.	1.7	2
7	Oxidation resistance behavior of smart W-Si bulk composites. <i>Corrosion Science</i> , 2020, 163, 108222.	3.0	7
8	Surface passivation of $\text{Na}_x\text{Fe}[\text{Fe}(\text{CN})_6]$ cathode to improve its electrochemical kinetics and stability in sodium-ion batteries. <i>Journal of Power Sources</i> , 2020, 448, 227421.	4.0	31
9	Constructing Stable Anodic Interphase for Quasi-Solid-State Lithium-Sulfur Batteries. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 39335-39341.	4.0	12
10	Si/Cu ₃ Si@C Composite Encapsulated in CNTs Network as High Performance Anode for Lithium Ion Batteries. <i>Journal Wuhan University of Technology, Materials Science Edition</i> , 2019, 34, 1055-1061.	0.4	2
11	Effect of Vapor Carbon Coating on the Surface Structure and Sodium Storage Performance of Hard Carbon Spheres. <i>Energy Technology</i> , 2019, 7, 1900779.	1.8	15
12	Double Coating of Micron-Sized Silicon by TiN@NC for High-Performance Anode in Lithium-Ion Batteries. <i>Energy Technology</i> , 2019, 7, 1900487.	1.8	12
13	Ultrafine Prussian Blue as a High-Rate and Long-Life Sodium-Ion Battery Cathode. <i>Energy Technology</i> , 2019, 7, 1900108.	1.8	31
14	Ball-milling synthesis of ultrafine $\text{Na}_y\text{Fe}_x\text{Mn}_{1-x}[\text{Fe}(\text{CN})_6]$ as high-performance cathode in sodium-ion batteries. <i>Journal of Nanoparticle Research</i> , 2019, 21, 1.	0.8	19
15	CoP ₃ @PPy microcubes as anode for lithium-ion batteries with improved cycling and rate performance. <i>Chemical Engineering Journal</i> , 2018, 347, 455-461.	6.6	49
16	High capacity hard carbon derived from lotus stem as anode for sodium ion batteries. <i>Journal of Power Sources</i> , 2018, 378, 331-337.	4.0	159
17	Fe ₇ Se ₈ nanoparticles encapsulated by nitrogen-doped carbon with high sodium storage performance and evolving redox reactions. <i>Energy Storage Materials</i> , 2018, 10, 114-121.	9.5	106
18	The effects of Fe@C nanoparticles on the lithium storage performance of VS ₄ anode. <i>Journal of Alloys and Compounds</i> , 2018, 768, 938-943.	2.8	11

#	ARTICLE	IF	CITATIONS
19	Hexacyanoferrate Cathode for Superior Na-Ion Batteries. ECS Meeting Abstracts, 2018, , .	0.0	0
20	Ultrasonic-assisted solution combustion synthesis of porous Na ₃ V ₂ (PO ₄) ₃ /C: formation mechanism and sodium storage performance. Journal of Nanoparticle Research, 2017, 19, 1.	0.8	12
21	Mechanism of Capacity Fade in Sodium Storage and the Strategies of Improvement for FeS ₂ Anode. ACS Applied Materials & Interfaces, 2017, 9, 1536-1541.	4.0	77
22	Graphene-induced growth of single crystalline Sb ₂ MoO ₆ sheets and their sodium storage performance. Journal of Materials Chemistry A, 2017, 5, 21328-21333.	5.2	28
23	Facile synthesis of FeSi ₄ P ₄ and its Sodium Ion Storage Performance. Electrochimica Acta, 2017, 247, 820-825.	2.6	11
24	Routes to High Energy Cathodes of Sodium-Ion Batteries. Advanced Energy Materials, 2016, 6, 1501727.	10.2	408
25	Hollow K _{0.27} MnO ₂ Nanospheres as Cathode for High-Performance Aqueous Sodium Ion Batteries. ACS Applied Materials & Interfaces, 2016, 8, 14564-14571.	4.0	81
26	A Ternary Polyaniline/Active Carbon/Lithium Iron Phosphate Composite as Cathode Material for Lithium Ion Battery. Journal of Nanoscience and Nanotechnology, 2016, 16, 6494-6497.	0.9	10
27	Core-shell hexacyanoferrate for superior Na-ion batteries. Journal of Power Sources, 2016, 329, 290-296.	4.0	57
28	Gamma titanium phosphate as an electrode material for Li-ion and Na-ion storage: performance and mechanism. Journal of Materials Chemistry A, 2016, 4, 18084-18090.	5.2	6
29	Hybrid aqueous battery based on Na ₃ V ₂ (PO ₄) ₃ /C cathode and zinc anode for potential large-scale energy storage. Journal of Power Sources, 2016, 308, 52-57.	4.0	153
30	Polypyrrole-promoted superior cyclability and rate capability of Na _x Fe[Fe(CN) ₆] cathodes for sodium-ion batteries. Journal of Materials Chemistry A, 2016, 4, 6036-6041.	5.2	100
31	Sodium storage in Na-rich Na _x FeFe(CN) ₆ nanocubes. Nano Energy, 2015, 12, 386-393.	8.2	253
32	Nanostructured alkali cation incorporated γ-MnO ₂ cathode materials for aqueous sodium-ion batteries. Journal of Materials Chemistry A, 2015, 3, 7780-7785.	5.2	70
33	Self-wrapped Sb/C nanocomposite as anode material for High-performance sodium-ion batteries. Nano Energy, 2015, 16, 479-487.	8.2	141
34	Effects of binders on electrochemical performance of nitrogen-doped carbon nanotube anode in sodium-ion battery. Electrochimica Acta, 2015, 174, 970-977.	2.6	87
35	Carbon coated K _{0.8} Ti _{1.73} Li _{0.27} O ₄ : a novel anode material for sodium-ion batteries with a long cycle life. Chemical Communications, 2015, 51, 1608-1611.	2.2	33
36	Facile fabrication of CuO nanosheets on Cu substrate as anode materials for electrochemical energy storage. Journal of Alloys and Compounds, 2014, 586, 208-215.	2.8	74

#	ARTICLE	IF	CITATIONS
37	High-performance aqueous sodium-ion batteries with $K_{0.27}MnO_2$ cathode and their sodium storage mechanism. <i>Nano Energy</i> , 2014, 5, 97-104.	8.2	138
38	Synthesis of hierarchical MoS_2 and its electrochemical performance as an anode material for lithium-ion batteries. <i>Journal of Materials Chemistry A</i> , 2014, 2, 3498-3504.	5.2	117
39	Hydrothermal Synthesis of $Li_4Ti_5O_{12}/TiO_2$ Nano-composite As High Performance Anode Material for Li-ion Batteries. <i>Electrochimica Acta</i> , 2014, 147, 506-512.	2.6	30
40	Biomass derived hard carbon used as a high performance anode material for sodium ion batteries. <i>Journal of Materials Chemistry A</i> , 2014, 2, 12733.	5.2	582
41	Self-templated synthesis of hollow porous submicron $ZnMn_2O_4$ sphere as anode for lithium-ion batteries. <i>Journal of Alloys and Compounds</i> , 2013, 559, 5-10.	2.8	66
42	Hydrothermal synthesis of bismuth sodium titanate particles with different morphologies. <i>Journal of Materials Science</i> , 2013, 48, 6878-6884.	1.7	9
43	Porous carbon nanotubes improved sulfur composite cathode for lithium-sulfur battery. <i>Journal of Solid State Electrochemistry</i> , 2013, 17, 1641-1647.	1.2	27
44	Evaluation of $Ca_3Co_2O_6$ as cathode material for high-performance solid-oxide fuel cell. <i>Scientific Reports</i> , 2013, 3, 1125.	1.6	22
45	Thermal and electrochemical properties of $PrBa_{0.5}Sr_{0.5}Co_{2-x}Fe_xO_{5+\delta}$ ($x=0.5, 1.0, 1.5$) cathode materials for solid-oxide fuel cells. <i>Journal of Power Sources</i> , 2013, 232, 279-285.	4.0	134
46	Effects of reaction parameters on solution combustion synthesis of lepidocrocite-like $K_{0.80}Ti_{1.733}Li_{0.267}O_4$: phase formation and morphology evolution. <i>Journal of Materials Science</i> , 2013, 48, 1533-1542.	1.7	6
47	A SnO_2 @carbon nanocluster anode material with superior cyclability and rate capability for lithium-ion batteries. <i>Nanoscale</i> , 2013, 5, 3298.	2.8	125
48	Superior lithium storage performance in nanoscaled MnO promoted by N-doped carbon webs. <i>Nano Energy</i> , 2013, 2, 412-418.	8.2	145
49	Functionalized N-doped interconnected carbon nanofibers as an anode material for sodium-ion storage with excellent performance. <i>Carbon</i> , 2013, 55, 328-334.	5.4	589
50	Flower-Like $K_{0.27}MnO_2$ As Cathode Materials for High-Performance Aqueous Sodium-Ion Batteries. <i>ECS Meeting Abstracts</i> , 2013, , .	0.0	2
51	Revisit of Polypyrrole as Cathode Material for Lithium-Ion Battery. <i>Journal of the Electrochemical Society</i> , 2012, 159, A1624-A1629.	1.3	77
52	Coral-like \pm - MnS composites with N-doped carbon as anode materials for high-performance lithium-ion batteries. <i>Journal of Materials Chemistry</i> , 2012, 22, 24026.	6.7	134
53	High-performance $Li_3V_2(PO_4)_3/C$ cathode materials prepared via a sol-gel route with double carbon sources. <i>Journal of Alloys and Compounds</i> , 2012, 513, 414-419.	2.8	40
54	$LiFe_{0.8}Mn_{0.2}PO_4/C$ cathode material with high energy density for lithium-ion batteries. <i>Journal of Alloys and Compounds</i> , 2012, 532, 25-30.	2.8	53

#	ARTICLE	IF	CITATIONS
55	Morphology-controllable solvothermal synthesis of nanoscale LiFePO ₄ in a binary solvent. <i>Science Bulletin</i> , 2012, 57, 4170-4175.	1.7	15
56	Controllable Synthesis of Hollow Bipyramid MnO_2 and Its High Electrochemical Performance for Lithium Storage. <i>ACS Applied Materials & Interfaces</i> , 2012, 4, 3047-3053.	4.0	78
57	Thermoelectric Solid-Oxide Fuel Cells with Extra Power Conversion from Waste Heat. <i>Chemistry of Materials</i> , 2012, 24, 1401-1403.	3.2	21
58	Facile synthesis of mesoporous 0.4Li ₂ MnO ₃ ·0.6LiNi _{2/3} Mn _{1/3} O ₂ foams with superior performance for lithium-ion batteries. <i>Journal of Materials Chemistry</i> , 2012, 22, 14964.	6.7	42
59	Nitrogen-Doped Porous Carbon Nanofiber Webs as Anodes for Lithium Ion Batteries with a Superhigh Capacity and Rate Capability. <i>Advanced Materials</i> , 2012, 24, 2047-2050.	11.1	1,541
60	Significant Improved Electrochemical Performance of Spinel LiMn ₂ O ₄ Promoted by FePO ₄ Incorporation. <i>Electrochemical and Solid-State Letters</i> , 2011, 14, A109-A112.	2.2	22
61	Morphosynthesis of a hierarchical MoO ₂ nanoarchitecture as a binder-free anode for lithium-ion batteries. <i>Energy and Environmental Science</i> , 2011, 4, 2870.	15.6	245
62	Enhanced Cyclability for Sulfur Cathode Achieved by a Water-Soluble Binder. <i>Journal of Physical Chemistry C</i> , 2011, 115, 15703-15709.	1.5	201
63	Effect of Vanadium Incorporation on Electrochemical Performance of LiFePO ₄ for Lithium-Ion Batteries. <i>Journal of Physical Chemistry C</i> , 2011, 115, 13520-13527.	1.5	114
64	SnO ₂ -based composite coaxial nanocables with multi-walled carbon nanotube and polypyrrole as anode materials for lithium-ion batteries. <i>Electrochemistry Communications</i> , 2011, 13, 1431-1434.	2.3	44
65	Development and challenges of LiFePO ₄ cathode material for lithium-ion batteries. <i>Energy and Environmental Science</i> , 2011, 4, 269-284.	15.6	1,058
66	Large-scale synthesis of Ag _{1.8} Mn ₈ O ₁₆ nanorods and their electrochemical lithium-storage properties. <i>Journal of Nanoparticle Research</i> , 2011, 13, 3139-3148.	0.8	14
67	Insight into the improvement of rate capability and cyclability in LiFePO ₄ /polyaniline composite cathode. <i>Electrochimica Acta</i> , 2011, 56, 2689-2695.	2.6	77
68	Synthesis and modification of well-ordered layered cathode oxide LiNi _{2/3} Mn _{1/3} O ₂ . <i>Science Bulletin</i> , 2010, 55, 3419-3423.	1.7	3
69	Synthesis and assembly of zinc hydroxide sulfate large flakes: Application in gas sensor based on a novel surface mount technology. <i>Sensors and Actuators B: Chemical</i> , 2010, 147, 495-501.	4.0	18
70	Phase Controllable Synthesis of Well-Crystallized Rhodium Sulfides by the Hydrothermal Method. <i>Crystal Growth and Design</i> , 2009, 9, 3765-3770.	1.4	10
71	Solvothermal Preparation and Control of Phase Composition of Nanosized Rhodium Sulfide Particles. <i>Chemistry Letters</i> , 2009, 38, 210-211.	0.7	6
72	Fabrication of patterned Ba _{0.71} Sr _{0.29} TiO ₃ thick film on Si substrate by tape casting method. <i>Journal of the European Ceramic Society</i> , 2006, 26, 2793-2798.	2.8	7

#	ARTICLE	IF	CITATIONS
73	Hydrothermal Synthesis of ZnO Long Fibers. Chemistry Letters, 2005, 34, 1170-1171.	0.7	15