List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1601391/publications.pdf Version: 2024-02-01



YILLE FEND

#	Article	IF	CITATIONS
1	Synthesis of Visible-Light Responsive Graphene Oxide/TiO ₂ Composites with p/n Heterojunction. ACS Nano, 2010, 4, 6425-6432.	14.6	829
2	Brewery wastewater treatment using air-cathode microbial fuel cells. Applied Microbiology and Biotechnology, 2008, 78, 873-880.	3.6	545
3	Reaction pathways and mechanisms of the electrochemical degradation of phenol on different electrodes. Water Research, 2005, 39, 1972-1981.	11.3	525
4	Use of Carbon Mesh Anodes and the Effect of Different Pretreatment Methods on Power Production in Microbial Fuel Cells. Environmental Science & amp; Technology, 2009, 43, 6870-6874.	10.0	486
5	Treatment of carbon fiber brush anodes for improving power generation in air–cathode microbial fuel cells. Journal of Power Sources, 2010, 195, 1841-1844.	7.8	466
6	Assessment of Microbial Fuel Cell Configurations and Power Densities. Environmental Science and Technology Letters, 2015, 2, 206-214.	8.7	423
7	Electroactive biofilms: Current status and future research needs. Energy and Environmental Science, 2011, 4, 4813.	30.8	394
8	Multifunctional iron-biochar composites for the removal of potentially toxic elements, inherent cations, and hetero-chloride from hydraulic fracturing wastewater. Environment International, 2019, 124, 521-532.	10.0	384
9	Lipid production of Chlorella vulgaris cultured in artificial wastewater medium. Bioresource Technology, 2011, 102, 101-105.	9.6	322
10	Longâ€Lived, Visibleâ€Lightâ€Excited Charge Carriers of TiO ₂ /BiVO ₄ Nanocomposites and their Unexpected Photoactivity for Water Splitting. Advanced Energy Materials, 2014, 4, 1300995.	19.5	268
11	A 90-liter stackable baffled microbial fuel cell for brewery wastewater treatment based on energy self-sufficient mode. Bioresource Technology, 2015, 195, 66-72.	9.6	264
12	Removal of trace antibiotics from wastewater: A systematic study of nanofiltration combined with ozone-based advanced oxidation processes. Chemical Engineering Journal, 2014, 240, 211-220.	12.7	244
13	A horizontal plug flow and stackable pilot microbial fuel cell for municipal wastewater treatment. Bioresource Technology, 2014, 156, 132-138.	9.6	237
14	Electrochemical technologies for wastewater treatment and resource reclamation. Environmental Science: Water Research and Technology, 2016, 2, 800-831.	2.4	220
15	Accelerated start-up of two-chambered microbial fuel cells: Effect of anodic positive poised potential. Electrochimica Acta, 2009, 54, 1109-1114.	5.2	219
16	Sequestration of CO2 discharged from anode by algal cathode in microbial carbon capture cells (MCCs). Biosensors and Bioelectronics, 2010, 25, 2639-2643.	10.1	214
17	Acid hydrolysis of corn stover for biohydrogen production using Thermoanaerobacterium thermosaccharolyticum W16. International Journal of Hydrogen Energy, 2009, 34, 7182-7188.	7.1	183
18	Simultaneous water desalination and electricity generation in a microbial desalination cell with electrolyte recirculation for pH control. Bioresource Technology, 2012, 106, 89-94.	9.6	159

#	Article	IF	CITATIONS
19	Enhancing anaerobic digestion and methane production of tetracycline wastewater in EGSB reactor with GAC/NZVI mediator. Water Research, 2018, 136, 54-63.	11.3	159
20	Ultrathin nanoflakes constructed erythrocyte-like Bi2WO6 hierarchical architecture via anionic self-regulation strategy for improving photocatalytic activity and gas-sensing property. Applied Catalysis B: Environmental, 2015, 163, 415-423.	20.2	152
21	Bioaugmentation for Electricity Generation from Corn Stover Biomass Using Microbial Fuel Cells. Environmental Science & Technology, 2009, 43, 6088-6093.	10.0	149
22	High-yield synthesis of strong photoluminescent N-doped carbon nanodots derived from hydrosoluble chitosan for mercury ion sensing via smartphone APP. Biosensors and Bioelectronics, 2016, 79, 1-8.	10.1	143
23	Hydrosoluble, UV-crosslinkable and injectable chitosan for patterned cell-laden microgel and rapid transdermal curing hydrogel in vivo. Acta Biomaterialia, 2015, 22, 59-69.	8.3	139
24	Regulation of metal ions in smart metal-cluster nodes of metal-organic frameworks with open metal sites for improved photocatalytic CO2 reduction reaction. Applied Catalysis B: Environmental, 2020, 276, 119173.	20.2	138
25	Exceptional Photocatalytic Activity of 001-Facet-Exposed TiO ₂ Mainly Depending on Enhanced Adsorbed Oxygen by Residual Hydrogen Fluoride. ACS Catalysis, 2013, 3, 1378-1385.	11.2	137
26	Biodegradation of polyacrylamide by bacteria isolated from activated sludge and oil-contaminated soil. Journal of Hazardous Materials, 2010, 175, 955-959.	12.4	130
27	Enhanced photocatalytic activity for degrading Rhodamine B solution of commercial Degussa P25 TiO2 and its mechanisms. Journal of Hazardous Materials, 2009, 172, 1168-1174.	12.4	126
28	Influence of rare earths doping on the structure and electro-catalytic performance of Ti/Sb–SnO2 electrodes. Electrochimica Acta, 2009, 54, 4903-4909.	5.2	125
29	Fate of antibiotics during wastewater treatment and antibiotic distribution in the effluent-receiving waters of the Yellow Sea, northern China. Marine Pollution Bulletin, 2013, 73, 282-290.	5.0	116
30	Performance of Gd-doped Ti-based Sb-SnO2 anodes for electrochemical destruction of phenol. Chemosphere, 2008, 70, 1629-1636.	8.2	114
31	Nitrogen doped and hierarchically porous carbons derived from chitosan hydrogel via rapid microwave carbonization for high-performance supercapacitors. Carbon, 2017, 122, 592-603.	10.3	114
32	Highly efficient electro-generation of H2O2 by adjusting liquid-gas-solid three phase interfaces of porous carbonaceous cathode during oxygen reduction reaction. Water Research, 2019, 164, 114933.	11.3	113
33	A critical review of risks, characteristics, and treatment strategies for potentially toxic elements in wastewater from shale gas extraction. Environment International, 2019, 125, 452-469.	10.0	112
34	Using bacterial catalyst in the cathode of microbial desalination cell to improve wastewater treatment and desalination. Bioresource Technology, 2012, 125, 108-113.	9.6	107
35	Surface properties of activated sludge-derived biochar determine the facilitating effects on Geobacter co-cultures. Water Research, 2018, 142, 441-451.	11.3	104
36	Treatment of biodiesel production wastes with simultaneous electricity generation using a single-chamber microbial fuel cell. Bioresource Technology, 2011, 102, 411-415.	9.6	103

#	Article	IF	CITATIONS
37	Response of anaerobic granular sludge to iron oxide nanoparticles and multi-wall carbon nanotubes during beet sugar industrial wastewater treatment. Water Research, 2017, 117, 87-94.	11.3	103
38	Fe-MOF derived jujube pit like Fe3O4/C composite as sulfur host for lithium-sulfur battery. Electrochimica Acta, 2019, 295, 444-451.	5.2	101
39	Continuous electricity generation by a graphite granule baffled air–cathode microbial fuel cell. Bioresource Technology, 2010, 101, 632-638.	9.6	98
40	Nitrogen and sulfur co-doped porous carbon derived from bio-waste as a promising electrocatalyst for zinc-air battery. Energy, 2018, 143, 43-55.	8.8	98
41	Enhanced electricity generation and extracellular electron transfer by polydopamine–reduced graphene oxide (PDA–rGO) modification for high-performance anode in microbial fuel cell. Chemical Engineering Journal, 2020, 387, 123408.	12.7	97
42	Carbon dots-fed Shewanella oneidensis MR-1 for bioelectricity enhancement. Nature Communications, 2020, 11, 1379.	12.8	97
43	Enhanced electron transfer and methane production from low-strength wastewater using a new granular activated carbon modified with nano-Fe3O4. Chemical Engineering Journal, 2019, 374, 1344-1352.	12.7	94
44	Effect of nitrogen addition on the performance of microbial fuel cell anodes. Bioresource Technology, 2011, 102, 395-398.	9.6	93
45	Nanoscale zero-valent iron for metal/metalloid removal from model hydraulic fracturing wastewater. Chemosphere, 2017, 176, 315-323.	8.2	93
46	Molten salt synthesis of nitrogen and oxygen enriched hierarchically porous carbons derived from biomass via rapid microwave carbonization for high voltage supercapacitors. Applied Surface Science, 2018, 439, 712-723.	6.1	93
47	Nitric acid activation of graphite granules to increase the performance of the non-catalyzed oxygen reduction reaction (ORR) for MFC applications. Electrochemistry Communications, 2009, 11, 1547-1549.	4.7	91
48	Acidic and alkaline pretreatments of activated carbon and their effects on the performance of air-cathodes in microbial fuel cells. Bioresource Technology, 2013, 144, 632-636.	9.6	91
49	Bread-derived 3D macroporous carbon foams as high performance free-standing anode in microbial fuel cells. Biosensors and Bioelectronics, 2018, 122, 217-223.	10.1	91
50	Electricity Generation and Pollutant Degradation Using a Novel Biocathode Coupled Photoelectrochemical Cell. Environmental Science & Technology, 2014, 48, 7634-7641.	10.0	90
51	Visual inÂvivo degradation of injectable hydrogel by real-time and non-invasive tracking using carbon nanodots as fluorescent indicator. Biomaterials, 2017, 145, 192-206.	11.4	89
52	Effect of CeO2 addition on the structure and activity of RuO2/γ-Al2O3 catalyst. Applied Surface Science, 2005, 246, 222-228.	6.1	87
53	Enhanced electricity generation for microbial fuel cell by using electrochemical oxidation to modify carbon cloth anode. Journal of Power Sources, 2014, 265, 391-396.	7.8	87
54	Graphene Aerogels with Anchored Subâ€Micrometer Mulberryâ€Like ZnO Particles for Highâ€Rate and Longâ€Cycle Anode Materials in Lithium Ion Batteries. Small, 2016, 12, 5208-5216.	10.0	87

#	Article	IF	CITATIONS
55	Cadmium-induced oxidative stress, histopathology, and transcriptome changes in the hepatopancreas of freshwater crayfish (Procambarus clarkii). Science of the Total Environment, 2019, 666, 944-955.	8.0	87
56	The effect of flow modes and electrode combinations on the performance of a multiple module microbial fuel cell installed at wastewater treatment plant. Water Research, 2016, 105, 351-360.	11.3	86
57	Folic Acid Functionalized Zirconiumâ€Based Metal–Organic Frameworks as Drug Carriers for Active Tumorâ€Targeted Drug Delivery. Chemistry - A European Journal, 2018, 24, 17148-17154.	3.3	85
58	A combined microbial desalination cell and electrodialysis system for copper-containing wastewater treatment and high-salinity-water desalination. Journal of Hazardous Materials, 2017, 321, 307-315.	12.4	83
59	Nanomaterials for facilitating microbial extracellular electron transfer: Recent progress and challenges. Bioelectrochemistry, 2018, 123, 190-200.	4.6	83
60	Field tests of cubic-meter scale microbial electrochemical system in a municipal wastewater treatment plant. Water Research, 2019, 155, 372-380.	11.3	83
61	Remediation of nitrate contamination by membrane hydrogenotrophic denitrifying biofilm integrated in microbial electrolysis cell. Water Research, 2021, 188, 116498.	11.3	82
62	Application of nitrogen-doped carbon powders as low-cost and durable cathodic catalyst to air–cathode microbial fuel cells. Bioresource Technology, 2012, 108, 89-93.	9.6	81
63	Carbon Footprint Analyses of Mainstream Wastewater Treatment Technologies under Different Sludge Treatment Scenarios in China. Water (Switzerland), 2015, 7, 918-938.	2.7	81
64	Integrating electrochemical oxidation into forward osmosis process for removal of trace antibiotics in wastewater. Journal of Hazardous Materials, 2015, 296, 248-255.	12.4	79
65	An efficient method to enhance the stability of sulphide semiconductor photocatalysts: a case study of N-doped ZnS. Physical Chemistry Chemical Physics, 2015, 17, 1870-1876.	2.8	79
66	Use of a Coculture To Enable Current Production by Geobacter sulfurreducens. Applied and Environmental Microbiology, 2012, 78, 3484-3487.	3.1	78
67	Adsorption behavior of EE2 (17α-ethinylestradiol) onto the inactivated sewage sludge: Kinetics, thermodynamics and influence factors. Journal of Hazardous Materials, 2010, 175, 970-976.	12.4	76
68	Effects of cadmium on intestinal histology and microbiota in freshwater crayfish (Procambarus) Tj ETQq0 0 0 rgE	ST /Overloo	ck 10 Tf 50 2
69	Phosphate-bridged TiO2–BiVO4 nanocomposites with exceptional visible activities for photocatalytic water splitting. Journal of Alloys and Compounds, 2015, 631, 120-124.	5.5	74
70	Opportunities for nanotechnology to enhance electrochemical treatment of pollutants in potable water and industrial wastewater – a perspective. Environmental Science: Nano, 2020, 7, 2178-2194.	4.3	74
71	Stability, durability and regeneration ability of a novel Ag-based photocatalyst, Ag ₂ Nb ₄ O ₁₁ . Chemical Communications, 2014, 50, 6596-6599.	4.1	73
	Stable artificial colid electrolyte interplace films for lithium metal anode (i) via (i) metalâc"organie		

⁷²Stable artificial solid electrolyte interphase films for lithium metal anode <i>via</i>73Stable artificial solid electrolyte interphase films for lithium metal anode <i>via10.37272frameworks cemented by polyvinyl alcohol. Journal of Materials Chemistry A, 2020, 8, 251-258.10.372

#	Article	IF	CITATIONS
73	Bidirectional electron transfer biofilm assisted complete bioelectrochemical denitrification process. Chemical Engineering Journal, 2019, 375, 121960.	12.7	71
74	MOF-Derived Cu ₂ O/Cu Nanospheres Anchored in Nitrogen-Doped Hollow Porous Carbon Framework for Increasing the Selectivity and Activity of Electrochemical CO ₂ -to-Formate Conversion. ACS Applied Materials & Interfaces, 2020, 12, 7030-7037.	8.0	69
75	Salt removal using multiple microbial desalination cells under continuous flow conditions. Desalination, 2013, 317, 17-22.	8.2	67
76	Highly-effective photocatalytic properties and interfacial transfer efficiencies of charge carriers for the novel Ag ₂ CO ₃ /AgX heterojunctions achieved by surface modification. Dalton Transactions, 2014, 43, 7282-7289.	3.3	66
77	UV-crosslinkable and thermo-responsive chitosan hybrid hydrogel for NIR-triggered localized on-demand drug delivery. Carbohydrate Polymers, 2017, 174, 904-914.	10.2	66
78	A novel electro-coagulation-Fenton for energy efficient cyanobacteria and cyanotoxins removal without chemical addition. Journal of Hazardous Materials, 2019, 365, 650-658.	12.4	65
79	Preparation and properties of Ti/SnO2–Sb2O5 electrodes by electrodeposition. Materials Letters, 2007, 61, 4920-4923.	2.6	63
80	Enhanced performance of microbial fuel cell with a bacteria/multi-walled carbon nanotube hybrid biofilm. Journal of Power Sources, 2017, 361, 318-325.	7.8	63
81	Microwave absorption properties of La doped barium titanate in X-band. Journal of Alloys and Compounds, 2009, 472, 441-445.	5.5	62
82	Intermittent contact of fluidized anode particles containing exoelectrogenic biofilms for continuous power generation in microbial fuel cells. Journal of Power Sources, 2014, 261, 278-284.	7.8	62
83	Nitrogen-doped carbon nanotubes/reduced graphene oxide nanosheet hybrids towards enhanced cathodic oxygen reduction and power generation of microbial fuel cells. Nano Energy, 2019, 61, 533-539.	16.0	61
84	Decoupled pH―and Thermoâ€Responsive Injectable Chitosan/PNIPAM Hydrogel via Thiolâ€Ene Click Chemistry for Potential Applications in Tissue Engineering. Advanced Healthcare Materials, 2020, 9, e2000454.	7.6	61
85	Using ammonium bicarbonate as pore former in activated carbon catalyst layer to enhance performance of air cathode microbial fuel cell. Journal of Power Sources, 2014, 272, 909-914.	7.8	60
86	Rapid and high yield synthesis of carbon dots with chelating ability derived from acrylamide/chitosan for selective detection of ferrous ions. Applied Surface Science, 2019, 487, 1167-1175.	6.1	60
87	Degradation of raw corn stover powder (RCSP) by an enriched microbial consortium and its community structure. Bioresource Technology, 2011, 102, 742-747.	9.6	59
88	Patterned ion exchange membranes for improved power production in microbial reverse-electrodialysis cells. Journal of Power Sources, 2014, 271, 437-443.	7.8	58
89	Occurrence and removal efficiencies of eight EDCs and estrogenicity in a STP. Journal of Environmental Monitoring, 2011, 13, 1366.	2.1	57
90	pH-responsive UV crosslinkable chitosan hydrogel via "thiol-ene―click chemistry for active modulating opposite drug release behaviors. Carbohydrate Polymers, 2021, 251, 117101.	10.2	57

#	Article	IF	CITATIONS
91	Titanium dioxide nanoparticles increase plasma glucose via reactive oxygen speciesâ€induced insulin resistance in mice. Journal of Applied Toxicology, 2015, 35, 1122-1132.	2.8	56
92	Tuning the pore structure of porous tin foam electrodes for enhanced electrochemical reduction of carbon dioxide to formate. Chemical Engineering Journal, 2019, 375, 122024.	12.7	56
93	Revealing Decay Mechanisms of H ₂ O ₂ -Based Electrochemical Advanced Oxidation Processes after Long-Term Operation for Phenol Degradation. Environmental Science & Technology, 2020, 54, 10916-10925.	10.0	56
94	Aging effects on chemical transformation and metal(loid) removal by entrapped nanoscale zero-valent iron for hydraulic fracturing wastewater treatment. Science of the Total Environment, 2018, 615, 498-507.	8.0	55
95	Chitosan in-situ grafted magnetite nanoparticles toward mechanically robust and electrically conductive ionic-covalent nanocomposite hydrogels with sensitive strain-responsive resistance. Composites Science and Technology, 2020, 195, 108173.	7.8	55
96	Potential impact of flowback water from hydraulic fracturing on agricultural soil quality: Metal/metalloid bioaccessibility, Microtox bioassay, and enzyme activities. Science of the Total Environment, 2017, 579, 1419-1426.	8.0	54
97	Enhanced Shewanella oneidensis MR-1 anode performance by adding fumarate in microbial fuel cell. Chemical Engineering Journal, 2017, 328, 697-702.	12.7	54
98	Facile synthesis of porous Cu-Sn alloy electrode with prior selectivity of formate in a wide potential range for CO2 electrochemical reduction. Applied Catalysis B: Environmental, 2021, 292, 120119.	20.2	54
99	Roles of magnetic particles in magnetic seeding coagulation-flocculation process for surface water treatment. Separation and Purification Technology, 2019, 212, 337-343.	7.9	53
100	Factors affecting the electro-catalytic characteristics of Eu doped SnO2/Sb electrode. Journal of Hazardous Materials, 2010, 178, 29-34.	12.4	52
101	Efficient photocatalytic CO2 reduction by P–O linked g-C3N4/TiO2-nanotubes Z-scheme composites. Energy, 2019, 178, 168-175.	8.8	52
102	Pilot-scale benthic microbial electrochemical system (BMES) for the bioremediation of polluted river sediment. Journal of Power Sources, 2017, 356, 430-437.	7.8	50
103	Microcystin-LR-induced changes of hepatopancreatic transcriptome, intestinal microbiota, and histopathology of freshwater crayfish (Procambarus clarkii). Science of the Total Environment, 2020, 711, 134549.	8.0	50
104	Extracellular Electron Exchange Capabilities of <i>Desulfovibrio ferrophilus</i> and <i>Desulfopila corrodens</i> . Environmental Science & Technology, 2021, 55, 16195-16203.	10.0	50
105	Kinetic degradation model and estrogenicity changes of EE2 (17α-ethinylestradiol) in aqueous solution by UV and UV/H2O2 technology. Journal of Hazardous Materials, 2010, 181, 1127-1133.	12.4	49
106	A combined system of microbial fuel cell and intermittently aerated biological filter for energy self-sufficient wastewater treatment. Scientific Reports, 2015, 5, 18070.	3.3	49
107	Microbial fuel cells with an integrated spacer and separate anode and cathode modules. Environmental Science: Water Research and Technology, 2016, 2, 186-195.	2.4	49
108	Enhanced biotransformation of nitrobenzene by the synergies of Shewanella species and mediator-functionalized polyurethane foam. Journal of Hazardous Materials, 2013, 252-253, 227-232.	12.4	48

#	Article	IF	CITATIONS
109	Construction of TiO2 nanotube clusters on Ti mesh for immobilizing Sb-SnO2 to boost electrocatalytic phenol degradation. Journal of Hazardous Materials, 2020, 393, 122329.	12.4	48
110	Synthesis of Efficient Nanosized Rutile TiO ₂ and Its Main Factors Determining Its Photodegradation Activity: Roles of Residual Chloride and Adsorbed Oxygen. Journal of Physical Chemistry C, 2012, 116, 17094-17100.	3.1	47
111	A dynamic contaminant fate model of organic compound: A case study of Nitrobenzene pollution in Songhua River, China. Chemosphere, 2012, 88, 69-76.	8.2	47
112	A multimedia fate model to evaluate the fate of PAHs in Songhua River, China. Environmental Pollution, 2012, 164, 81-88.	7.5	45
113	Effects of sulfide on microbial fuel cells with platinum and nitrogen-doped carbon powder cathodes. Biosensors and Bioelectronics, 2012, 35, 413-415.	10.1	45
114	Enhanced charge separation of rutile TiO ₂ nanorods by trapping holes and transferring electrons for efficient cocatalyst-free photocatalytic conversion of CO ₂ to fuels. Chemical Communications, 2016, 52, 5027-5029.	4.1	45
115	Removal of chlorinated organic solvents from hydraulic fracturing wastewater by bare and entrapped nanoscale zero-valent iron. Chemosphere, 2018, 196, 9-17.	8.2	45
116	Effectiveness and pathways of electrochemical degradation of pretilachlor herbicides. Journal of Hazardous Materials, 2011, 189, 84-91.	12.4	44
117	Long-lived photogenerated charge carriers of 001-facet-exposed TiO2 with enhanced thermal stability as an efficient photocatalyst. Applied Catalysis B: Environmental, 2014, 147, 29-34.	20.2	44
118	Bio-Electron-Fenton (BEF) process driven by sediment microbial fuel cells (SMFCs) for antibiotics desorption and degradation. Biosensors and Bioelectronics, 2019, 136, 8-15.	10.1	43
119	Enhancing methane production of synthetic brewery water with granular activated carbon modified with nanoscale zero-valent iron (NZVI) in anaerobic system. Science of the Total Environment, 2021, 760, 143933.	8.0	43
120	Power generation using adjustable Nafion/PTFE mixed binders in air-cathode microbial fuel cells. Biosensors and Bioelectronics, 2010, 26, 946-948.	10.1	42
121	A microbial fluidized electrode electrolysis cell (MFEEC) for enhanced hydrogen production. Journal of Power Sources, 2014, 271, 530-533.	7.8	42
122	The promotion effect of surface negative electrostatic field on the photogenerated charge separation of BiVO ₄ and its contribution to the enhanced PEC water oxidation. Chemical Communications, 2015, 51, 2821-2823.	4.1	42
123	Combined effects of carbon, phosphorus and nitrogen on lipid accumulation of <i>Chlorella vulgaris</i> in mixotrophic culture. Journal of Chemical Technology and Biotechnology, 2016, 91, 680-684.	3.2	42
124	Exposure and health risk assessment of PM 2.5 -bound trace metals during winter in university campus in Northeast China. Science of the Total Environment, 2017, 576, 628-636.	8.0	41
125	Enhanced mechanical properties of polyacrylamide/chitosan hydrogels by tuning the molecular structure of hyperbranched polysiloxane. Materials and Design, 2019, 162, 162-170.	7.0	41
126	The effect of water proofing on the performance of nickel foam cathode in microbial fuel cells. Journal of Power Sources, 2012, 198, 100-104.	7.8	40

#	Article	IF	CITATIONS
127	Coupling interaction of cathodic reduction and microbial metabolism in aerobic biocathode of microbial fuel cell. RSC Advances, 2014, 4, 34350-34355.	3.6	40
128	Influence of Silver nanoparticles on nutrient removal and microbial communities in SBR process after long-term exposure. Science of the Total Environment, 2016, 569-570, 234-243.	8.0	40
129	Fabrication of pilot-scale photocatalytic disinfection device by installing TiO2 coated helical support into UV annular reactor for strengthening sterilization. Chemical Engineering Journal, 2016, 283, 1506-1513.	12.7	40
130	Preparation of Al–O-Linked Porous-g-C ₃ N ₄ /TiO ₂ -Nanotube Z-Scheme Composites for Efficient Photocatalytic CO ₂ Conversion and 2,4-Dichlorophenol Decomposition and Mechanism. ACS Sustainable Chemistry and Engineering, 2019, 7, 15289-15296.	6.7	40
131	Efficient hydrogen recovery with CoP-NF as cathode in microbial electrolysis cells. Applied Energy, 2020, 264, 114700.	10.1	40
132	The use of double-sided cloth without diffusion layers as air-cathode in microbial fuel cells. Journal of Power Sources, 2011, 196, 8409-8412.	7.8	39
133	Influence of boron concentration on growth characteristic and electro-catalytic performance of boron-doped diamond electrodes prepared by direct current plasma chemical vapor deposition. Applied Surface Science, 2011, 257, 3433-3439.	6.1	39
134	The electrochemical behavior of three air cathodes for microbial electrochemical system (MES) under meter scale water pressure. Journal of Power Sources, 2014, 267, 219-226.	7.8	39
135	RNA sequencing analysis shows that titanium dioxide nanoparticles induce endoplasmic reticulum stress, which has a central role in mediating plasma glucose in mice. Nanotoxicology, 2018, 12, 341-356.	3.0	39
136	Hydrophilic graphene aerogel anodes enhance the performance of microbial electrochemical systems. Bioresource Technology, 2020, 304, 122907.	9.6	39
137	Enhancing anaerobic degradation of phenol to methane via solubilizing Fe(III) oxides for dissimilatory iron reduction with organic chelates. Bioresource Technology, 2019, 291, 121858.	9.6	38
138	Application of a microalga, Scenedesmus obliquus PF3, for the biological removal of nitric oxide (NO) and carbon dioxide. Environmental Pollution, 2019, 252, 344-351.	7.5	38
139	Enhanced electricity generation and effective water filtration using graphene-based membrane air-cathodes in microbial fuel cells. Journal of Power Sources, 2018, 395, 221-227.	7.8	36
140	Performance of CSTR–EGSB–SBR system for treating sulfate-rich cellulosic ethanol wastewater and microbial community analysis. Environmental Science and Pollution Research, 2017, 24, 14387-14395.	5.3	35
141	Bioaccessibility and exposure assessment of trace metals from urban airborne particulate matter (PM10 and PM2.5) in simulated digestive fluid. Environmental Pollution, 2018, 242, 1669-1677.	7.5	35
142	Distribution, inhalation and health risk of PM2.5 related PAHs in indoor environments. Ecotoxicology and Environmental Safety, 2018, 164, 409-415.	6.0	35
143	Mixed-Metal-Cluster Strategy for Boosting Electrocatalytic Oxygen Evolution Reaction of Robust Metal–Organic Frameworks. ACS Applied Materials & Interfaces, 2019, 11, 45080-45086.	8.0	35
144	Electrochemical degradation of 17-alpha-ethinylestradiol (EE2) and estrogenic activity changes. Journal of Environmental Monitoring, 2010, 12, 404.	2.1	34

#	Article	IF	CITATIONS
145	Zero-valent iron for the abatement of arsenate and selenate from flowback water of hydraulic fracturing. Chemosphere, 2017, 167, 163-170.	8.2	33
146	Enhanced nutrients enrichment and removal from eutrophic water using a self-sustaining in situ photomicrobial nutrients recovery cell (PNRC). Water Research, 2019, 167, 115097.	11.3	33
147	Efficient CO2 conversion to formic acid in a novel microbial photoelectrochemical cell using a visible-light responsive Co3O4 nanorod-arrayed photocathode. Applied Catalysis B: Environmental, 2020, 276, 119102.	20.2	33
148	Improving desalination by coupling membrane capacitive deionization with microbial desalination cell. Desalination, 2014, 354, 23-29.	8.2	32
149	Titanium dioxide nanoparticles modified by salicylic acid and arginine: Structure, surface properties and photocatalytic decomposition of p-nitrophenol. Applied Surface Science, 2016, 363, 627-635.	6.1	32
150	Biosynthetic FeS/BC hybrid particles enhanced the electroactive bacteria enrichment in microbial electrochemical systems. Science of the Total Environment, 2021, 762, 143142.	8.0	32
151	Study on the mechanism of tetracycline removal in electrocoagulation coupled with electro-fenton reaction system with Fe anode and carbon nanotube cathode. Chemical Engineering Journal, 2022, 428, 131045.	12.7	32
152	CeO ₂ –TiO ₂ Coated Ceramic Membrane with Catalytic Ozonation Capability for Treatment of Tetracycline in Drinking Water. Science of Advanced Materials, 2012, 4, 1191-1199.	0.7	32
153	Distribution and fate of synthetic musks in the Songhua River, Northeastern China: influence of environmental variables. Environmental Science and Pollution Research, 2015, 22, 9090-9099.	5.3	31
154	A mechanistic study to increase understanding of titanium dioxide nanoparticles-increased plasma glucose in mice. Food and Chemical Toxicology, 2016, 95, 175-187.	3.6	31
155	Ultrahigh-yield synthesis of N-doped carbon nanodots that down-regulate ROS in zebrafish. Journal of Materials Chemistry B, 2017, 5, 7848-7860.	5.8	31
156	Synthesis of efficient N-containing TiO2photocatalysts with high anatase thermal stability and the effects of the nitrogen residue on the photoinduced charge separation. Physical Chemistry Chemical Physics, 2012, 14, 1352-1359.	2.8	30
157	Comparison of electrocatalytic characterization of boron-doped diamond and SnO2 electrodes. Applied Surface Science, 2013, 283, 900-905.	6.1	30
158	Boosting Highâ€Rate Lithium Storage of V ₂ O ₅ Nanowires by Selfâ€Assembly on Nâ€Doped Graphene Nanosheets. ChemElectroChem, 2016, 3, 1730-1736.	3.4	30
159	Investigation on decolorization of biologically pretreated cellulosic ethanol wastewater by electrochemical method. Chemical Engineering Journal, 2017, 323, 455-464.	12.7	30
160	Sludge decrement and electricity generation of sludge microbial fuel cell enhanced by zero valent iron. Journal of Cleaner Production, 2018, 174, 35-41.	9.3	30
161	Silicon dioxide nanoparticles induce insulin resistance through endoplasmic reticulum stress and generation of reactive oxygen species. Particle and Fibre Toxicology, 2019, 16, 41.	6.2	30
162	Simulation and prediction of phenolic compounds fate in Songhua River, China. Science of the Total Environment, 2012, 431, 366-374.	8.0	29

#	Article	IF	CITATIONS
163	Cascade degradation of organic matters in brewery wastewater using a continuous stirred microbial electrochemical reactor and analysis of microbial communities. Scientific Reports, 2016, 6, 27023.	3.3	29
164	Response of exoelectrogens centered consortium to nitrate on collaborative metabolism, microbial community, and spatial structure. Chemical Engineering Journal, 2021, 426, 130975.	12.7	29
165	Electrosynthesis of H2O2 through a two-electron oxygen reduction reaction by carbon based catalysts: From mechanism, catalyst design to electrode fabrication. Environmental Science and Ecotechnology, 2022, 11, 100170.	13.5	29
166	Unsterilized sewage treatment and carbohydrate accumulation in Tetradesmus obliquus PF3 with CO2 supplementation. Algal Research, 2020, 45, 101741.	4.6	28
167	A Pilot-scale Benthic Microbial Electrochemical System (BMES) for Enhanced Organic Removal in Sediment Restoration. Scientific Reports, 2017, 7, 39802.	3.3	27
168	Photodegradation performance and transformation mechanisms of sulfamethoxazole by porous g-C3N4 modified with ammonia bicarbonate. Separation and Purification Technology, 2020, 235, 116172.	7.9	27
169	Fabrication of Bi/Sn bimetallic electrode for high-performance electrochemical reduction of carbon dioxide to formate. Chemical Engineering Journal, 2022, 428, 130901.	12.7	27
170	Assessment on the occupational exposure of urban public bus drivers to bioaccessible trace metals through resuspended fraction of settled bus dust. Science of the Total Environment, 2015, 508, 37-45.	8.0	26
171	Bioaccessible trace metals in lip cosmetics and their health risks to female consumers. Environmental Pollution, 2018, 238, 554-561.	7.5	26
172	Impact of nano-TiO ₂ on horizontal transfer of resistance genes mediated by filamentous phage transduction. Environmental Science: Nano, 2020, 7, 1214-1224.	4.3	26
173	Tailoring spatial structure of electroactive biofilm for enhanced activity and direct electron transfer on iron phthalocyanine modified anode in microbial fuel cells. Biosensors and Bioelectronics, 2021, 191, 113410.	10.1	26
174	Acidification impacts on the molecular composition of dissolved organic matter revealed by FT-ICR MS. Science of the Total Environment, 2022, 805, 150284.	8.0	26
175	Study on the service life and deactivation mechanism of Ti/SnO2-Sb electrode by physical and electrochemical methods. Russian Journal of Electrochemistry, 2010, 46, 72-76.	0.9	25
176	Evaluation of an integrated continuous stirred microbial electrochemical reactor: Wastewater treatment, energy recovery and microbial community. Bioresource Technology, 2015, 195, 89-95.	9.6	25
177	Influence of spacer on rejection of trace antibiotics in wastewater during forward osmosis process. Desalination, 2015, 371, 134-143.	8.2	25
178	Enhanced catalytic activity and inhibited biofouling of cathode in microbial fuel cells through controlling hydrophilic property. Journal of Power Sources, 2016, 332, 454-460.	7.8	25
179	Insights into the subsurface transport of As(V) and Se(VI) in produced water from hydraulic fracturing using soil samples from Qingshankou Formation, Songliao Basin, China. Environmental Pollution, 2017, 223, 449-456.	7.5	25
180	Review—Status of Zinc-Silver Battery. Journal of the Electrochemical Society, 2019, 166, A2980-A2989.	2.9	25

#	Article	IF	CITATIONS
181	Operation strategy of cubic-meter scale microbial electrochemistry system in a municipal wastewater treatment plant. Journal of Power Sources, 2019, 441, 227124.	7.8	25
182	Three-dimensional amino modification carbon nanotubes/graphene composite aerogel anode enhanced Geobacter enrichment and performance in microbial electrochemical systems. Journal of Power Sources, 2020, 473, 228555.	7.8	25
183	Nonswelling injectable chitosan hydrogel via UV crosslinking induced hydrophobic effect for minimally invasive tissue engineering. Carbohydrate Polymers, 2021, 252, 117143.	10.2	25
184	Tailoring Surface Properties of Electrodes for Synchronous Enhanced Extracellular Electron Transfer and Enriched Exoelectrogens in Microbial Fuel Cells. ACS Applied Materials & Interfaces, 2021, 13, 58508-58521.	8.0	25
185	Adsorption of estrone with few-layered boron nitride nanosheets: Kinetics, thermodynamics and mechanism. Chemosphere, 2018, 207, 534-542.	8.2	24
186	Mechanisms of titanium dioxide nanoparticleâ€induced oxidative stress and modulation of plasma glucose in mice. Environmental Toxicology, 2019, 34, 1221-1235.	4.0	24
187	In-situ Cu(II) enrichment and recovery from low-strength copper-laden wastewater using a novel electrically enhanced microbial copper recovery cell (MCRC). Chemical Engineering Journal, 2020, 382, 122788.	12.7	24
188	Selective CO ₂ -to-formate electrochemical conversion with core–shell structured Cu ₂ O/Cu@C composites immobilized on nitrogen-doped graphene sheets. Journal of Materials Chemistry A, 2020, 8, 18302-18309.	10.3	24
189	The anaerobic and starving treatment eliminates filamentous bulking and recovers biocathode biocatalytic activity with residual organic loading in microbial electrochemical system. Chemical Engineering Journal, 2021, 404, 127072.	12.7	24
190	Microbial separator allied biocathode supports simultaneous nitrification and denitrification for nitrogen removal in microbial electrochemical system. Bioresource Technology, 2022, 345, 126537.	9.6	24
191	Analysis of the effect of biofouling distribution on electricity output in microbial fuel cells. RSC Advances, 2016, 6, 27494-27500.	3.6	23
192	Microstructural Characterization and Phase Separation Sequences During Solidification of Ni3Al-Based Superalloy. Acta Metallurgica Sinica (English Letters), 2017, 30, 949-956.	2.9	23
193	Acid pretreatment of three-dimensional graphite cathodes enhances the hydrogen peroxide synthesis in bioelectrochemical systems. Science of the Total Environment, 2018, 630, 308-313.	8.0	23
194	Integrating sludge microbial fuel cell with inclined plate settling and membrane filtration for electricity generation, efficient sludge reduction and high wastewater quality. Chemical Engineering Journal, 2018, 331, 152-160.	12.7	23
195	Enhanced electricity generation and water pressure tolerance using carbon black-based sintered filtration air-cathodes in microbial fuel cells. Chemical Engineering Journal, 2019, 369, 652-659.	12.7	23
196	Target-oriented synthesis of high synthetic yield carbon dots with tailored surface functional groups for bioimaging of zebrafish, flocculation of heavy metal ions and ethanol detection. Applied Surface Science, 2021, 538, 148118.	6.1	23
197	Urea-assisted synthesis of ultra-thin hexagonal tungsten trioxide photocatalyst sheets. Journal of Materials Science, 2015, 50, 8111-8119.	3.7	22
198	Pressurized air cathodes for enhanced stability and power generation by microbial fuel cells. Journal of Power Sources, 2016, 332, 447-453.	7.8	22

#	Article	IF	CITATIONS
199	Enhanced Oxygen and Hydroxide Transport in a Cathode Interface by Efficient Antibacterial Property of a Silver Nanoparticle-Modified, Activated Carbon Cathode in Microbial Fuel Cells. ACS Applied Materials & Interfaces, 2016, 8, 20814-20821.	8.0	22
200	Characterization of persistent colors and decolorization of effluent from biologically treated cellulosic ethanol production wastewater. Environmental Science and Pollution Research, 2016, 23, 10215-10222.	5.3	22
201	Enhancing carbon and nitrogen removals by a novel tubular bio-electrochemical system with functional biocathode coupling with oxygen-producing submerged plants. Chemical Engineering Journal, 2020, 402, 125400.	12.7	22
202	Electroreduction of CO2 to formate with excellent selectivity and stability on nano-dendrite Bi film electrode. Journal of CO2 Utilization, 2021, 43, 101360.	6.8	22
203	Simultaneous electricity generation and eutrophic water treatment utilizing iron coagulation cell with nitrification and denitrification biocathodes. Science of the Total Environment, 2021, 782, 146436.	8.0	22
204	Emission Characteristics of Microbial Aerosols in a Municipal Sewage Treatment Plant in Xi'an, China. Aerosol and Air Quality Research, 2013, 13, 343-349.	2.1	22
205	Construction of a new type of three-dimensional honeycomb-structure anode in microbial electrochemical systems for energy harvesting and pollutant removal. Water Research, 2022, 218, 118429.	11.3	22
206	Electricity generation using eight amino acids by air–cathode microbial fuel cells. Fuel, 2012, 102, 478-482.	6.4	21
207	Effects of oral administration of titanium dioxide fine-sized particles on plasma glucose in mice. Food and Chemical Toxicology, 2015, 86, 124-131.	3.6	21
208	Exposure assessment of PM2.5 during winter in outdoor and indoor environments of research center: spatial-temporal distribution, carbonaceous compositions and contributions of infiltration. Science of the Total Environment, 2016, 573, 854-861.	8.0	21
209	Enhanced photocatalytic activities of commercial P25 TiO 2 by trapping holes and transferring electrons for CO 2 conversion and 2,4-dichlorophenol degradation. Materials Research Bulletin, 2017, 92, 23-28.	5.2	21
210	Effects of Applied Potential and Reactants to Hydrogen-Producing Biocathode in a Microbial Electrolysis Cell. Frontiers in Chemistry, 2018, 6, 318.	3.6	21
211	Electrochemical reduction of carbon dioxide to formate via nano-prism assembled CuO microspheres. Chemosphere, 2019, 237, 124527.	8.2	21
212	Mechanically Robust Polyacrylamide Composite Hydrogel Achieved by Integrating Lamellar Montmorillonite and Chitosan Microcrystalline Structure into Covalently Cross-linked Network. ACS Applied Polymer Materials, 2020, 2, 1874-1885.	4.4	21
213	Spatial-type skeleton induced Geobacter enrichment and tailored bio-capacitance of electroactive bioanode for efficient electron transfer in microbial fuel cells. Science of the Total Environment, 2022, 821, 153123.	8.0	21
214	Using cathode spacers to minimize reactor size in air cathode microbial fuel cells. Bioresource Technology, 2012, 110, 273-277.	9.6	20
215	Health impact of bioaccessible metal in lip cosmetics to female college students and career women, northeast of China. Environmental Pollution, 2015, 197, 214-220.	7.5	20
216	Microbial community structural analysis of an expanded granular sludge bed (EGSB) reactor for beet sugar industrial wastewater (BSIW) treatment. Applied Microbiology and Biotechnology, 2016, 100, 4651-4661.	3.6	20

#	Article	IF	CITATIONS
217	Electrochemical regulation on the metabolism of anode biofilms under persistent exogenous bacteria interference. Electrochimica Acta, 2020, 340, 135922.	5.2	20
218	Effects of ammonia on electrochemical active biofilm in microbial electrolysis cells for synthetic swine wastewater treatment. Water Research, 2022, 219, 118570.	11.3	20
219	Concentrations of polycyclic aromatic hydrocarbons in resuspendable fraction of settled bus dust and its implications for human exposure. Environmental Pollution, 2015, 198, 1-7.	7.5	19
220	Microbial community analysis in a combined anaerobic and aerobic digestion system for treatment of cellulosic ethanol production wastewater. Environmental Science and Pollution Research, 2015, 22, 17789-17798.	5.3	19
221	Effects of high ammonia loading and in-situ short-cut nitrification in low carbon‑nitrogen ratio wastewater treatment by biocathode microbial electrochemical system. Science of the Total Environment, 2021, 755, 142641.	8.0	19
222	Effects of heat treatment on the microstructure and mechanical properties of Ni3Al-based superalloys: A review. International Journal of Minerals, Metallurgy and Materials, 2021, 28, 553-566.	4.9	19
223	Magnetic seeding coagulation: Effect of Al species and magnetic particles on coagulation efficiency, residual Al, and floc properties. Chemosphere, 2021, 268, 129363.	8.2	19
224	How to go beyond C ₁ products with electrochemical reduction of CO ₂ . Sustainable Energy and Fuels, 2021, 5, 5893-5914.	4.9	19
225	A novel boost circuit design and in situ electricity application for elemental sulfur recovery. Journal of Power Sources, 2014, 248, 317-322.	7.8	18
226	Enhanced photocatalytic activity of Cl-residual rutile TiO ₂ nanorods after targeted co-modification with phosphoric and boric acids. Physical Chemistry Chemical Physics, 2015, 17, 15837-15842.	2.8	18
227	Microwave-assisted synthesis of nitrogen-doped activated carbon as an oxygen reduction catalyst in microbial fuel cells. RSC Advances, 2016, 6, 90410-90416.	3.6	18
228	Simultaneous algae-polluted water treatment and electricity generation using a biocathode-coupled electrocoagulation cell (bio-ECC). Journal of Hazardous Materials, 2017, 340, 104-112.	12.4	18
229	Performance of integrated bioelectrochemical membrane reactor: Energy recovery, pollutant removal and membrane fouling alleviation. Journal of Power Sources, 2018, 384, 178-186.	7.8	18
230	Enhancing anaerobic digestion performance of synthetic brewery wastewater with direct voltage. Bioresource Technology, 2020, 315, 123764.	9.6	18
231	Effects of heavy metals released from sediment accelerated by artificial sweeteners and humic acid on a green algae Scenedesmus obliquus. Science of the Total Environment, 2020, 729, 138960.	8.0	18
232	Formation of Concentric Multilayers in a Chitosan Hydrogel Inspired by Liesegang Ring Phenomena. Journal of Biomaterials Science, Polymer Edition, 2011, 22, 2295-2304.	3.5	17
233	Synthesis of mesoporous TiO ₂ -coupled Fe ₂ O ₃ as efficient visible nano-photocatalysts for degrading colorless pollutants. RSC Advances, 2014, 4, 52053-52059.	3.6	17
234	A thin empty-shell bismuth tungstate hierarchical structure constructed by the acid sculpture effect with improved visible-light photocatalytic activity. New Journal of Chemistry, 2015, 39, 4384-4390.	2.8	17

#	Article	IF	CITATIONS
235	An approach of measuring environmental protection in Chinese industries: a study using input–output model analysis. Journal of Cleaner Production, 2016, 137, 1479-1490.	9.3	17
236	Microbial electrolysis cell powered by an aluminum-air battery for hydrogen generation, in-situ coagulant production and wastewater treatment. International Journal of Hydrogen Energy, 2018, 43, 7764-7772.	7.1	17
237	Influence of Gd Doping on the Structure and Electrocatalytic Performance of TiO ₂ Nanotube/SnO ₂ â^`Sb Nanoâ€coated Electrode. ChemElectroChem, 2018, 5, 3451-3459.	3.4	17
238	High-concentration organic dye removal using Fe ₂ O ₃ Â-3.9MoO ₃ nanowires as Fenton-like catalysts. Environmental Science: Nano, 2018, 5, 2069-2076.	4.3	17
239	The plant-enhanced bio-cathode: Root exudates and microbial community for nitrogen removal. Journal of Environmental Sciences, 2019, 77, 97-103.	6.1	17
240	Iron and carbon granules added to anode enhanced the sludge decrement and electrical performance of sludge microbial fuel cell. Chemical Engineering Journal, 2019, 372, 572-580.	12.7	17
241	Molecular mechanisms underlying zinc oxide nanoparticle induced insulin resistance in mice. Nanotoxicology, 2020, 14, 59-76.	3.0	17
242	Power density of microbial electrochemical system responds to mass transfer characters of non–ion–selective microbial separator. Bioresource Technology, 2020, 311, 123478.	9.6	17
243	Interactions between magnetic particles and polyaluminum chloride on the coagulation behavior in humic acid-kaolin synthetic water treatment. Environmental Research, 2021, 197, 111093.	7.5	17
244	Facile Synthesis of Nâ€doped TiO ₂ and Its Enhanced Photocatalytic Activity for Degrading Colorless Pollutants. ChemPlusChem, 2014, 79, 737-742.	2.8	16
245	Simultaneous current generation and ammonia recovery from real urine using nitrogen-purged bioelectrochemical systems. RSC Advances, 2015, 5, 70371-70378.	3.6	16
246	Combined intra- and extracellular reduction involved in the anaerobic biodecolorization of cationic azo dye by Shewanella oneidensis MR-1. Chemosphere, 2018, 211, 701-708.	8.2	16
247	EPR study on Sb doped Ti-base SnO2 electrodes. Journal of Materials Science, 2005, 40, 4695-4697.	3.7	15
248	Performance of a batch two hambered microbial fuel cell operated at different anode potentials. Journal of Chemical Technology and Biotechnology, 2011, 86, 590-594.	3.2	15
249	Effects of azide on electron transport of exoelectrogens in air-cathode microbial fuel cells. Bioresource Technology, 2014, 169, 265-270.	9.6	15
250	Enhanced Power Generation of Oxygen-Reducing Biocathode with an Alternating Hydrophobic and Hydrophilic Surface. ACS Applied Materials & Interfaces, 2016, 8, 31995-32003.	8.0	15
251	Hierarchical Mn ₃ O ₄ Anchored on 3D Graphene Aerogels via Câ^'Oâ^'Mn Linkage with Superior Electrochemical Performance for Flexible Asymmetric Supercapacitor. Chemistry - A European Journal, 2020, 26, 9314-9318.	3.3	15
252	CFD simulation of mass transfer in electrochemical reactor with mesh cathode for higher phenol degradation. Chemosphere, 2021, 262, 127626.	8.2	15

#	Article	IF	CITATIONS
253	Self-driving CO2-to-formate electro-conversion on Bi film electrode in novel microbial reverse-electrodialysis CO2 reduction cell. Chemical Engineering Journal, 2021, 414, 128671.	12.7	15
254	Performance and Microbial Characteristics of Bioaugmentation Systems for Polyacrylamide Degradation. Journal of Polymers and the Environment, 2011, 19, 125-132.	5.0	14
255	Lipid Production for Biofuels from Effluent-based Culture by Heterotrophic Chlorella Protothecoides. Bioenergy Research, 2013, 6, 877-882.	3.9	14
256	Effect of long-term operation on stability and electrochemical response under water pressure for activated carbon cathodes in microbial fuel cells. Chemical Engineering Journal, 2016, 299, 314-319.	12.7	14
257	Corncobâ€ŧoâ€xylose residue (CCXR) derived porous biochar as an excellent adsorbent to remove organic dyes from wastewater. Surface and Interface Analysis, 2019, 51, 234-245.	1.8	14
258	Graphene family for hydrogen peroxide production in electrochemical system. Science of the Total Environment, 2021, 769, 144491.	8.0	14
259	In Vitro Cell Uptake of Biocompatible Magnetite/Chitosan Nanoparticles with High Magnetization: A Single-Step Synthesis Approach for In-Situ-Modified Magnetite by Amino Groups of Chitosan. Journal of Biomaterials Science, Polymer Edition, 2012, 23, 843-860.	3.5	13
260	Capturing photogenerated electrons and holes at the B/Cl co-modified rutile TiO ₂ nanorods during organic pollutant degradation. RSC Advances, 2014, 4, 29964.	3.6	13
261	Energy-positive nitrogen removal from reject water using a tide-type biocathode microbial electrochemical system. Bioresource Technology, 2016, 222, 317-325.	9.6	13
262	Fabrication of Nano-Structured Stacked Sphere SnO ₂ -Sb Electrode with Enhanced Performance Using a Situ Solvothermal Synthesis Method. Journal of the Electrochemical Society, 2018, 165, E208-E213.	2.9	13
263	Interaction of bacteria and archaea in a microbial fuel cell with ITO anode. RSC Advances, 2018, 8, 28487-28495.	3.6	13
264	Enhanced antifouling performance for modified carbon nanotubes filtration cathode by the electric field. Journal of Power Sources, 2018, 400, 493-501.	7.8	13
265	Hematite and multi-walled carbon nanotubes stimulate a faster syntrophic pathway during methanogenic beet sugar industrial wastewater degradation. Applied Microbiology and Biotechnology, 2018, 102, 7147-7158.	3.6	13
266	The toxic effects of titanium dioxide nanoparticles on plasma glucose metabolism are more severe in developing mice than in adult mice. Environmental Toxicology, 2020, 35, 443-456.	4.0	13
267	Remediation of saline-sodic soil by plant microbial desalination cell. Chemosphere, 2021, 277, 130275.	8.2	13
268	In-situ enrichment and removal of Cu(II) and Cd(II) from low-strength wastewater by a novel microbial metals enrichment and recovery cell (MMERC). Journal of Power Sources, 2020, 451, 227627.	7.8	13
269	Heterogeneous Structure Regulated by Selection Pressure on Bacterial Adhesion Optimized the Viability Stratification Structure of Electroactive Biofilms. ACS Applied Materials & Interfaces, 2022, 14, 2754-2767.	8.0	13
270	Construction of a novel integrated electrochemical oxidation-coagulation system for simultaneous removal of suspended solids and antibiotics. Chemical Engineering Journal, 2022, 447, 137505.	12.7	13

#	Article	IF	CITATIONS
271	Transport of cerium oxide nanoparticles in saturated silica media: influences of operational parameters and aqueous chemical conditions. Scientific Reports, 2016, 6, 34135.	3.3	12
272	A new design of activated carbon membrane air-cathode for wastewater treatment and energy recovery. RSC Advances, 2016, 6, 4587-4592.	3.6	12
273	Enhanced Electricity Generation and Pollutant Degradation by Hybrid Photoelectrochemical and Microbial Fuel Cells. Energy Technology, 2017, 5, 402-405.	3.8	12
274	Analysis of Anodes of Microbial Fuel Cells When Carbon Brushes Are Preheated at Different Temperatures. Catalysts, 2017, 7, 312.	3.5	12
275	Enhancing the electricity generation and sludge reduction of sludge microbial fuel cell with graphene oxide and reduced graphene oxide. Journal of Cleaner Production, 2018, 186, 104-112.	9.3	12
276	A novel single chamber vertical baffle flow biocathode microbial electrochemical system with microbial separator. Bioresource Technology, 2019, 294, 122236.	9.6	12
277	Formate production from CO2 electroreduction in a salinity-gradient energy intensified microbial electrochemical system. Bioresource Technology, 2021, 320, 124292.	9.6	12
278	Coupling direct voltage and granular activated carbon modified nanoscale zero valent iron for enhancing anaerobic methane production. Chemosphere, 2022, 286, 131840.	8.2	12
279	Economic affordable carbonized phenolic foam anode with controlled structure for microbial fuel cells. Science of the Total Environment, 2022, 810, 151314.	8.0	12
280	Ag/Cu co-doped ZnS–In ₂ S ₃ solid solutions: facile synthesis, theoretical calculations and enhanced photocatalytic activity. RSC Advances, 2014, 4, 44466-44471.	3.6	11
281	Effects of azide on current generation and microbial community in air-cathode MFCs. RSC Advances, 2015, 5, 14235-14241.	3.6	11
282	Enhanced photocatalytic CO2 reduction and 2,4-dichlorophenol degradation of TiO2 nanotubes via bi-directionally controlling electrons and holes. Chemosphere, 2019, 226, 704-714.	8.2	11
283	Surface modification by β-cyclodextrin/polyquaternium-11 composite for enhanced biofilm formation in microbial fuel cells. Journal of Power Sources, 2020, 480, 228789.	7.8	11
284	Utilization of domestic wastewater as a water source of Tetradesmus obliquus PF3 for the biological removal of nitric oxide. Environmental Pollution, 2020, 262, 114243.	7.5	11
285	Enhanced electrocatalytic activity and antifouling performance by iron phthalocyanine doped filtration membrane cathode. Chemical Engineering Journal, 2021, 413, 127536.	12.7	11
286	Nitric oxide reduction by microbial fuel cell with carbon based gas diffusion cathode for power generation and gas purification. Journal of Hazardous Materials, 2020, 399, 122878.	12.4	11
287	Amplifying anti-flooding electrode to fabricate modular electro-fenton system for degradation of antiviral drug lamivudine in wastewater. Journal of Hazardous Materials, 2022, 428, 128185.	12.4	11
288	Inhibiting sulfate reducing bacteria activity by denitrification in an anaerobic baffled reactor: influencing factors and mechanism analysis. Desalination and Water Treatment, 2014, 52, 4144-4153.	1.0	10

#	Article	IF	CITATIONS
289	Factors affecting microalgae harvesting efficiencies using electrocoagulation-flotation for lipid extraction. RSC Advances, 2015, 5, 5795-5800.	3.6	10
290	Enhanced mass transfer and service time of mesh Ti/Sb-SnO2 electrode for electro-catalytic oxidation of phenol. Environmental Science and Pollution Research, 2020, 27, 42072-42081.	5.3	10
291	Energy efficient bioelectro-concentration and recovery system of nutrients from human urine by integrating forward osmosis. Resources, Conservation and Recycling, 2022, 181, 106253.	10.8	10
292	Characterization of nitrogen-fixing moderate halophilic cyanobacteria isolated from saline soils of Songnen Plain in China. Progress in Natural Science: Materials International, 2008, 18, 769-773.	4.4	9
293	Microstructural Feature and Evolution of Rapidly Solidified Ni3Al-Based Superalloys. Acta Metallurgica Sinica (English Letters), 2019, 32, 764-770.	2.9	9
294	The operation characters of biocathode microbial electrochemical system with microbial separator for domestic wastewater treatment: Power generation, long-term stability, and organic removal. Journal of Power Sources, 2021, 495, 229785.	7.8	9
295	Electron flow assisted COD removal in wastewater under continuous flow conditions using microbial electrochemical system. Science of the Total Environment, 2021, 776, 145978.	8.0	9
296	Thermal reduced graphene oxide enhanced in-situ H2O2 generation and electrochemical advanced oxidation performance of air-breathing cathode. Environmental Research, 2022, 204, 112327.	7.5	9
297	Enhanced Microbial Electrochemical Systems Performance by Optimizing the "Anode-Collector― Collection Mode: From Enhancement Mechanism to Construction Strategy. ACS ES&T Engineering, 2022, 2, 263-270.	7.6	9
298	Simultaneous nutrient-energy recovery from source-separated urine based on bioelectrically enhanced bipolar membrane-driven in-situ alkali production coupling with gas-permeable membrane system. Chemical Engineering Journal, 2022, 431, 134161.	12.7	9
299	Anaerobic biodegradation characteristics of estrone, estradiol, and 17α-ethinylestradiol in activated sludge batch tests. Desalination and Water Treatment, 2013, , 1-9.	1.0	8
300	Electricity generation by biocathode coupled photoelectrochemical cells. RSC Advances, 2015, 5, 25325-25328.	3.6	8
301	Trace metals in resuspended fraction of settled bus dust and assessment of non-occupational exposure. Ecotoxicology and Environmental Safety, 2016, 130, 214-223.	6.0	8
302	Anode biofilm communities and the performance of microbial fuel cells with different reactor configurations. RSC Advances, 2016, 6, 85149-85155.	3.6	8
303	The influence of the filtration membrane air-cathode biofilm on wastewater treatment. Bioresource Technology, 2018, 256, 17-21.	9.6	8
304	Enhanced Charge Separation of TiO ₂ Nanotubes Photoelectrode for Efficient Conversion of CO ₂ . ACS Sustainable Chemistry and Engineering, 2018, 6, 12953-12960.	6.7	8
305	Carbon-Based Materials in Microbial Fuel Cells. , 2019, , 49-74.		8
306	Investigation on the electrocatalytic characteristics of SnO2 electrodes with nanocoating prepared by electrodeposition method. Science in China Series D: Earth Sciences, 2009, 52, 1799-1803.	0.9	7

#	Article	IF	CITATIONS
307	Chitosan hydrogels with 3D Liesegang ring structure for rifampicin release. Journal of Controlled Release, 2011, 152, e47-e49.	9.9	7
308	Multi-walled carbon nanotubes accelerate interspecies electron transfer between Geobacter cocultures. Bioelectrochemistry, 2020, 131, 107346.	4.6	7
309	Immobilization of Lead and Cadmium in Soil Using Biochars Derived from Pig Manure and Suaeda glauca. Bulletin of Environmental Contamination and Toxicology, 2020, 105, 146-154.	2.7	7
310	Improved membrane permeability with cetyltrimethylammonium bromide (CTAB) addition for enhanced bidirectional transport of substrate and electron shuttles. Science of the Total Environment, 2022, 822, 153443.	8.0	7
311	Enhanced performance and microbial interactions of shallow wetland bed coupling with functional biocathode microbial electrochemical system (MES). Science of the Total Environment, 2022, 838, 156383.	8.0	7
312	Formation of concentric multi-layer chitosan hydrogel loaded with isoniazid. Journal of Controlled Release, 2011, 152, e45-e47.	9.9	6
313	Enhanced Photocatalytic Activity of P25 TiO ₂ after Modification with Phosphateâ€Treated Porous SiO ₂ . ChemPlusChem, 2014, 79, 1271-1277.	2.8	6
314	Understanding energy loss in parallelly connected microbial fuel cells: Non-Faradaic current. Bioresource Technology, 2016, 203, 280-286.	9.6	6
315	Boosting oxygen reduction and permeability properties of doped iron-porphyrin membrane cathode in microbial fuel cells. Bioresource Technology, 2021, 320, 124343.	9.6	6
316	Enhanced oxygen reduction activity and high-quality effluent of membrane filtration electrodes with Prussian blue in microbial fuel cells. Science of the Total Environment, 2021, 753, 142021.	8.0	6
317	Discerning realizable advantages of microbial electrochemical system towards raw municipal wastewater treatment: From the analyses of mass and energy flow. Journal of Power Sources, 2021, 495, 229706.	7.8	6
318	Simultaneous recovery of nutrients and power generation from source-separated urine based on bioelectrical coupling with the hydrophobic gas permeable tube system. Science of the Total Environment, 2022, 824, 153788.	8.0	6
319	Accelerating the extracellular electron transfer of Shewanella oneidensis MR-1 by carbon dots: The role of carbon dots concentration. Electrochimica Acta, 2022, 421, 140490.	5.2	6
320	Effect of wet surface treated nano-SiO2 on mechanical properties of polypropylene composite. Journal Wuhan University of Technology, Materials Science Edition, 2008, 23, 354-357.	1.0	5
321	Fungus-sourced filament-array anode facilitates Geobacter enrichment and promotes anodic bio-capacitance improvement for efficient power generation in microbial fuel cells. Science of the Total Environment, 2022, 838, 155926.	8.0	5
322	Ultraviolet-Crosslinkable and Injectable Chitosan/Hydroxyapatite Hybrid Hydrogel for Critical Size Calvarial Defect Repair In Vivo. Journal of Nanotechnology in Engineering and Medicine, 2015, 6, .	0.8	4
323	Spatiotemporal characteristics of organic contaminant concentrations and ecological risk assessment in the Songhua River, China. Environmental Sciences: Processes and Impacts, 2015, 17, 1967-1975.	3.5	4
324	Comprehensive assessments of ecological states of Songhua River using chemical analysis and bivalves as bioindicators. Environmental Science and Pollution Research, 2019, 26, 33341-33350.	5.3	4

#	Article	IF	CITATIONS
325	Energetically self-sustaining treatment of swine wastewater in a microbial electrochemical technology-centered hybrid system. Environmental Science: Water Research and Technology, 2020, 6, 747-756.	2.4	4
326	Optimization of catalyst dosage and total volume for extendible stacked microbial fuel cell reactors using spacer. Journal of Power Sources, 2022, 517, 230697.	7.8	4
327	Electricity Generation in Microbial Fuel Cells at Different Temperature and Isolation of Electrogenic Bacteria. , 2009, , .		3
328	Influence of operating parameters on the fate and removal of three estrogens in a laboratory-scale AAO system. Water Science and Technology, 2015, 71, 1701-1708.	2.5	3
329	A microbial electrochemical hybrid system for simultaneous sludge treatment, acid production, and desalination. Science of the Total Environment, 2021, 760, 144153.	8.0	3
330	Kinetically enhanced electrochemical redox reactions by chemical bridging SnO2 and graphene sponges toward high-rate and long-cycle lithium ion battery. Journal of Materials Science and Technology, 2021, 88, 250-257.	10.7	3
331	Influence of Boron Doping on Growth Characteristic of Diamond Films Prepared by Hot Cathode DC Chemical Vapor Deposition. Wuji Cailiao Xuebao/Journal of Inorganic Materials, 2009, 24, 607-611.	1.3	3
332	Malting barley carbon dots-mediated oxidative stress promotes insulin resistance in mice via NF-κB pathway and MAPK cascade. Journal of Nanobiotechnology, 2022, 20, .	9.1	3
333	Kinetic and Thermodynamic Studies of Phenolic Compounds' Adsorption on River Sediment. Soil and Sediment Contamination, 2012, 21, 625-639.	1.9	2
334	A novel adsorbent obtained by caging activated carbon by konjac glucomannan gel for elimination of organic compounds. Journal of Applied Polymer Science, 2014, 131, .	2.6	2
335	Cell laden and patterned chitosan microgel for micro-scale tissue engineering. Journal of Controlled Release, 2015, 213, e9.	9.9	2
336	Boosting High-Rate Lithium Storage of V2 O5 Nanowires by Self-Assembly on N-Doped Graphene Nanosheets. ChemElectroChem, 2016, 3, 1729-1729.	3.4	2
337	Hyperbranched polysiloxane for highly stretchable and tough hydrogel by one-pot polymerization. Journal of Controlled Release, 2017, 259, e122.	9.9	2
338	Promotion on electrochemical performance of Baâ€deficient Ba1Ââ^'ÂxBi0.05Co0.8Nb0.15O3Ââ^'Âδcathode for intermediate temperature solid oxide fuel cells. International Journal of Energy Research, 2019, 43, 7085.	4.5	2
339	High performance cathode membrane by using zinc phthalocyanine for improved oxygen reduction reaction activity and reduced membrane fouling. Journal of Power Sources, 2021, 509, 230365.	7.8	2
340	Azide as an oxidant in the cathodic reaction of bioelectrochemical systems (BESs). RSC Advances, 2015, 5, 97076-97079.	3.6	1
341	Selection of fungus with high ability of cellulase activity production using UV mutagenesis. , 2011, , .		0
342	Preparation, Analysis and Behaviors of Ti-Based SnO2 Electrode and the Function of Rare-Earth Doping in Aqueous Wastes Treatment. , 2010, , 325-352.		0

#	Article	IF	CITATIONS
343	Organic Pollutants in Water Using SnO2, Direct Electrochemical Oxidation. , 2014, , 1416-1418.		0
344	Chitosan: Drug Release and Bone Tissue Engineering. , 0, , 1722-1734.		0
345	Improved the in-situ remediation effect of benthic microbial electrochemical system by optimizing the anode structure. Biotechnology Letters, 2022, , .	2.2	0