

# Zhuo Wang

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1601441/publications.pdf>

Version: 2024-02-01

28  
papers

3,865  
citations

471371

17  
h-index

526166

27  
g-index

28  
all docs

28  
docs citations

28  
times ranked

3469  
citing authors

#	ARTICLE	IF	CITATIONS
1	Polyethylenimine-aminated polyvinyl chloride fiber for adsorption of reactive dyes from single and binary component systems: Adsorption kinetics and isotherm studies. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2022, 647, 128983.	2.3	17
2	Preparation of adsorptive polyethyleneimine/polyvinyl chloride electrospun nanofiber membrane: Characterization and application. <i>Journal of Environmental Management</i> , 2022, 316, 115155.	3.8	10
3	Na <sup>+</sup> pre-intercalated Na <sub>0.11</sub> MnO <sub>2</sub> on three-dimensional graphene as cathode for aqueous zinc ion hybrid supercapacitor with high energy density. <i>Carbon</i> , 2022, 198, 46-56.	5.4	31
4	Towards High-Performance Zinc-Based Hybrid Supercapacitors via Macropores-Based Charge Storage in Organic Electrolytes. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 9610-9617.	7.2	90
5	Towards High-Performance Zinc-Based Hybrid Supercapacitors via Macropores-Based Charge Storage in Organic Electrolytes. <i>Angewandte Chemie</i> , 2021, 133, 9696-9703.	1.6	5
6	Adsorption and Desorption Properties of Polyethylenimine/Polyvinyl Chloride Cross-Linked Fiber for the Treatment of Azo Dye Reactive Yellow 2. <i>Molecules</i> , 2021, 26, 1519.	1.7	8
7	Selective adsorption of palladium(II) from aqueous solution using epichlorohydrin crosslinked polyethylenimine-chitin adsorbent: Batch and column studies. <i>Journal of Environmental Chemical Engineering</i> , 2021, 9, 105058.	3.3	17
8	Recovery of Pd(II) from Aqueous Solution by Polyethylenimine-Crosslinked Chitin Biosorbent. <i>Coatings</i> , 2021, 11, 593.	1.2	3
9	Polyethylenimine-crosslinked chitin biosorbent for efficient recovery of Pd(II) from acidic solution: Characterization and adsorption mechanism. <i>Carbohydrate Polymer Technologies and Applications</i> , 2021, 2, 100091.	1.6	1
10	<i>In situ</i> structural evolution of the multi-site alloy electrocatalyst to manipulate the intermediate for enhanced water oxidation reaction. <i>Energy and Environmental Science</i> , 2020, 13, 2200-2208.	15.6	101
11	Zinc-Organic Battery with a Wide Operation Temperature Window from ~70 to 150 °C. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 14577-14583.	7.2	158
12	Zinc-Organic Battery with a Wide Operation Temperature Window from ~70 to 150 °C. <i>Angewandte Chemie</i> , 2020, 132, 14685-14691.	1.6	49
13	Binding Zinc Ions by Carboxyl Groups from Adjacent Molecules toward Long-Life Aqueous Zinc-Organic Batteries. <i>Advanced Materials</i> , 2020, 32, e2000338.	11.1	215
14	Energizing hybrid supercapacitors by using Mn <sup>2+</sup> -based active electrolyte. <i>Journal of Materials Chemistry A</i> , 2020, 8, 15051-15057.	5.2	13
15	An organic/inorganic electrode-based hydronium-ion battery. <i>Nature Communications</i> , 2020, 11, 959.	5.8	157
16	Highly Reversible Zn Anode Enabled by Controllable Formation of Nucleation Sites for Zn-Based Batteries. <i>Advanced Functional Materials</i> , 2020, 30, 1908528.	7.8	523
17	Solid-State Proton Battery Operated at Ultralow Temperature. <i>ACS Energy Letters</i> , 2020, 5, 685-691.	8.8	125
18	Boosting Polysulfide Redox Kinetics by Graphene-Supported Ni Nanoparticles with Carbon Coating. <i>Advanced Energy Materials</i> , 2020, 10, 2000907.	10.2	89

#	ARTICLE	IF	CITATIONS
19	First Principle Material Genome Approach for All Solid-State Batteries. <i>Energy and Environmental Materials</i> , 2019, 2, 234-250.	7.3	69
20	Polyethylenimine-crosslinked chitin flake as a biosorbent for removal of Acid Blue 25. <i>Korean Journal of Chemical Engineering</i> , 2019, 36, 1455-1465.	1.2	17
21	Nano-Cu-embedded carbon for dendrite-free lithium metal anodes. <i>Journal of Materials Chemistry A</i> , 2019, 7, 22930-22938.	5.2	17
22	High performance TiP2O7 nanoporous microsphere as anode material for aqueous lithium-ion batteries. <i>Science China Chemistry</i> , 2019, 62, 118-125.	4.2	13
23	A Metal-Organic Framework Host for Highly Reversible Dendrite-free Zinc Metal Anodes. <i>Joule</i> , 2019, 3, 1289-1300.	11.7	672
24	Polyaniline-intercalated manganese dioxide nanolayers as a high-performance cathode material for an aqueous zinc-ion battery. <i>Nature Communications</i> , 2018, 9, 2906.	5.8	1,036
25	Removal of NaCl from saltwater solutions using micro/mesoporous carbon sheets derived from watermelon peel via deionization capacitors. <i>RSC Advances</i> , 2017, 7, 4297-4305.	1.7	64
26	<i>In Situ</i> Expanding Pores of Dodecahedron-like Carbon Frameworks Derived from MOFs for Enhanced Capacitive Deionization. <i>ACS Applied Materials &amp; Interfaces</i> , 2017, 9, 15068-15078.	4.0	134
27	High Salt Removal Capacity of Metal-Organic Gel Derived Porous Carbon for Capacitive Deionization. <i>ACS Sustainable Chemistry and Engineering</i> , 2017, 5, 11637-11644.	3.2	67
28	Nitrogen-doped porous carbon derived from a bimetallic metal-organic framework as highly efficient electrodes for flow-through deionization capacitors. <i>Journal of Materials Chemistry A</i> , 2016, 4, 10858-10868.	5.2	164