

Nezire KÃ¶se

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1601473/publications.pdf>

Version: 2024-02-01

15
papers

164
citations

1163117

8
h-index

1199594

12
g-index

15
all docs

15
docs citations

15
times ranked

212
citing authors

#	ARTICLE	IF	CITATIONS
1	Effects of Two Exercise Regimes on Patients with Chiari Malformation Type 1: a Randomized Controlled Trial. <i>Cerebellum</i> , 2023, 22, 305-315.	2.5	3
2	The musculoskeletal problems and psychosocial status of teachers giving online education during the COVID-19 pandemic and preventive telerehabilitation for musculoskeletal problems. <i>Work</i> , 2021, 68, 33-43.	1.1	30
3	The ProFitMap-neck - a questionnaire for measuring symptoms and functional limitations in neck pain: reliability, validity and cross-cultural adaptation of the Turkish version. <i>Turkish Journal of Medical Sciences</i> , 2020, 50, 937-944.	0.9	4
4	Correlation of force sense error test measured by a pressure biofeedback unit and EMG activity of quadriceps femoris in healthy individuals. <i>Journal of Electromyography and Kinesiology</i> , 2019, 49, 102366.	1.7	6
5	Multivariate Analysis of Risk Factors Predisposing to Kinesiophobia in Persons With Chronic Low Back and Neck Pain. <i>Journal of Manipulative and Physiological Therapeutics</i> , 2019, 42, 565-571.	0.9	14
6	The effect of stabilization exercises on diaphragm muscle thickness and movement in women with low back pain. <i>Journal of Back and Musculoskeletal Rehabilitation</i> , 2018, 31, 323-329.	1.1	12
7	A comparison of the acute effects of radial extracorporeal shockwave therapy, ultrasound therapy, and exercise therapy in plantar fasciitis. <i>Journal of Exercise Rehabilitation</i> , 2018, 14, 306-312.	1.0	19
8	Comparison of the Acute Effect of Radial Shock Wave Therapy and Ultrasound Therapy in the Treatment of Plantar Fasciitis: A Randomized Controlled Study. <i>Pain Medicine</i> , 2017, 18, 2443-2452.	1.9	24
9	Early rehabilitation improves neurofunctional outcome after surgery in children with spinal tumors. <i>Neural Regeneration Research</i> , 2014, 9, 129.	3.0	10
10	Gait and Glasgow Coma Scale scores can predict functional recovery in patients with traumatic brain injury. <i>Neural Regeneration Research</i> , 2012, 7, 1978-84.	3.0	11
11	Outcomes of early physiotherapy in patients with cerebral aneurysms treated by surgical clipping or endovascular embolization. <i>Neural Regeneration Research</i> , 2012, 7, 1900-5.	3.0	0
12	Early rehabilitation results of patients with thalamic tumor and thalamic hemorrhage. <i>Neurosciences</i> , 2006, 11, 119-20.	0.1	0
13	The risk factors of fall and their correlation with balance, depression, cognitive impairment and mobility skills in elderly nursing home residents. <i>Journal of King Abdulaziz University, Islamic Economics</i> , 2005, 26, 978-81.	1.1	28
14	Psychosocial Status, Depression, and Stress Symptoms in Patients with Lumbar Disc Herniation and the Relation with Disability, Pain, and Occupational Handicap. <i>Journal of Musculoskeletal Pain</i> , 2003, 11, 17-24.	0.3	3
15	Factors affecting the performance of the deep cervical flexors in young people using smartphones. <i>Cranio - Journal of Craniomandibular Practice</i> , 0, , 1-9.	1.4	0