J Jans Fromow-Guerra

List of Publications by Citations

Source: https://exaly.com/author-pdf/160240/j-jans-fromow-guerra-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

46
papers

2,071
citations

45
g-index

48
ext. papers

2,272
ext. citations

3.6
avg, IF

L-index

#	Paper	IF	Citations
46	Twelve-month safety of intravitreal injections of bevacizumab (Avastin): results of the Pan-American Collaborative Retina Study Group (PACORES). <i>Graefex Archive for Clinical and Experimental Ophthalmology</i> , 2008 , 246, 81-7	3.8	336
45	Primary intravitreal bevacizumab (Avastin) for diabetic macular edema: results from the Pan-American Collaborative Retina Study Group at 6-month follow-up. <i>Ophthalmology</i> , 2007 , 114, 743	-50 ⁻³	279
44	Short-term effects of intravitreal bevacizumab for subfoveal choroidal neovascularization in pathologic myopia. <i>Genetics in Medicine</i> , 2007 , 27, 707-12	8.1	108
43	Primary intravitreal bevacizumab for diffuse diabetic macular edema: the Pan-American Collaborative Retina Study Group at 24 months. <i>Ophthalmology</i> , 2009 , 116, 1488-97, 1497.e1	7.3	105
42	Comparison of two doses of intravitreal bevacizumab (Avastin) for treatment of macular edema secondary to branch retinal vein occlusion: results from the Pan-American Collaborative Retina Study Group at 6 months of follow-up. <i>Retina</i> , 2008 , 28, 212-9	3.6	88
41	intravitreal tumor necrosis factor inhibitors in the treatment of refractory diabetic macular edema: a pilot study from the Pan-American Collaborative Retina Study Group. <i>Retina</i> , 2011 , 31, 298-303	3.6	80
40	Intravitreal bevacizumab for refractory pseudophakic cystoid macular edema: the Pan-American Collaborative Retina Study Group results. <i>Ophthalmology</i> , 2009 , 116, 1481-7, 1487.e1	7.3	74
39	Comparison of two doses of primary intravitreal bevacizumab (Avastin) for diffuse diabetic macular edema: results from the Pan-American Collaborative Retina Study Group (PACORES) at 12-month follow-up. <i>Graefex Archive for Clinical and Experimental Ophthalmology</i> , 2009 , 247, 735-43	3.8	69
38	Endophthalmitis after pars plana vitrectomy: results of the Pan American Collaborative Retina Study Group. <i>Retina</i> , 2011 , 31, 673-8	3.6	62
37	Primary intravitreal bevacizumab for subfoveal choroidal neovascularization in age-related macular degeneration: results of the Pan-American Collaborative Retina Study Group at 12 months follow-up. <i>Retina</i> , 2008 , 28, 1387-94	3.6	53
36	Prevalence of macular anatomic abnormalities in high myopia. <i>Ophthalmic Surgery Lasers and Imaging Retina</i> , 2013 , 44, 140-4	1.4	51
35	Comparison of two doses of intravitreal bevacizumab as primary treatment for macular edema secondary to branch retinal vein occlusions: results of the Pan American Collaborative Retina Study Group at 24 months. <i>Retina</i> , 2009 , 29, 1396-403	3.6	48
34	Radial optic neurotomy for central retinal vein occlusion: results of the Pan-American Collaborative Retina Study Group (PACORES). <i>Retina</i> , 2008 , 28, 1044-52	3.6	45
33	Primary intravitreal bevacizumab for the management of pseudophakic cystoid macular edema: pilot study of the Pan-American Collaborative Retina Study Group. <i>Journal of Cataract and Refractive Surgery</i> , 2007 , 33, 2098-105	2.3	45
32	Intraocular pressure elevation after uncomplicated pars plana vitrectomy: results of the Pan American Collaborative Retina Study Group. <i>Retina</i> , 2014 , 34, 1985-9	3.6	40
31	Intravitreal bevacizumab for inflammatory choroidal neovascularization: results from the Pan-American Collaborative Retina Study Group at 24 months. <i>Retina</i> , 2011 , 31, 353-63	3.6	39
30	Comparison of two doses of intravitreal bevacizumab as primary treatment for macular edema secondary to central retinal vein occlusion: results of the pan American collaborative retina study group at 24 months. <i>Retina</i> , 2010 , 30, 1002-11	3.6	39

(2017-2013)

29	photocoagulation for diffuse diabetic macular edema: results of the Pan-american Collaborative Retina Study Group at 24 months. <i>Retina</i> , 2013 , 33, 403-13	3.6	36
28	Intravitreal infliximab for refractory pseudophakic cystoid macular edema: results of the Pan-American Collaborative Retina Study Group. <i>International Ophthalmology</i> , 2012 , 32, 235-43	2.2	35
27	Vitrectomy with complete posterior hyaloid removal for ischemic central retinal vein occlusion: series of cases. <i>BMC Ophthalmology</i> , 2005 , 5, 10	2.3	34
26	Intravitreal Bevacizumab (Avastin) for Diabetic Retinopathy: The 2010 GLADAOF Lecture. <i>Journal of Ophthalmology</i> , 2011 , 2011, 584238	2	33
25	The effect of unilateral intravitreal bevacizumab (avastin), in the treatment of diffuse bilateral diabetic macular edema: a pilot study. <i>Retina</i> , 2009 , 29, 20-6	3.6	32
24	Fluorescein fundus angiographic findings in Vogt-Koyanagi-Harada syndrome. <i>International Ophthalmology</i> , 2007 , 27, 155-61	2.2	32
23	Residual internal limiting membrane after epiretinal membrane peeling: results of the Pan-American Collaborative Retina Study Group. <i>Retina</i> , 2013 , 33, 2026-31	3.6	30
22	Intravitreal tumor necrosis factor-alpha inhibitors for neovascular age-related macular degeneration suboptimally responsive to antivascular endothelial growth factor agents: a pilot study from the Pan American Collaborative Retina Study Group. <i>Journal of Ocular Pharmacology</i>	2.6	26
21	Intravitreal bevacizumab for subfoveal choroidal neovascularization in age-related macular degeneration at twenty-four months: the Pan-American Collaborative Retina Study. <i>Ophthalmology</i> , 2010 , 117, 1974-81, 1981.e1	7-3	26
20	Perfluorocarbon-perfused vitrectomy: a new method for vitrectomya safety and feasibility study. Graefex Archive for Clinical and Experimental Ophthalmology, 2005, 243, 551-62	3.8	23
19	Intravitreal Bevacizumab (Avastin([])) for Diabetic Retinopathy at 24-months: The 2008 Juan Verdaguer-Planas Lecture. <i>Current Diabetes Reviews</i> , 2010 , 6, 313-22	2.7	23
18	Effect of lens status in the surgical success of 23-gauge primary vitrectomy for the management of rhegmatogenous retinal detachment: the Pan American Collaborative Retina Study (PACORES) group results. <i>Retina</i> , 2015 , 35, 326-33	3.6	22
17	Pattern scan laser photocoagulation: safety and complications, experience after 1301 consecutive cases. <i>British Journal of Ophthalmology</i> , 2010 , 94, 720-4	5.5	20
16	Retinal detachment after bevacizumab. <i>Ophthalmology</i> , 2011 , 118, 2304.e3-7	7:3	19
15	ANATOMICAL AND FUNCTIONAL OUTCOMES OF SYMPTOMATIC IDIOPATHIC VITREOMACULAR TRACTION: A Natural History Study From the Pan American Collaborative Retina Study Group. <i>Retina</i> , 2016 , 36, 1913-8	3.6	18
14	Intraocular and systemic levels of vascular endothelial growth factor in advanced cases of retinopathy of prematurity. <i>Clinical Ophthalmology</i> , 2010 , 4, 947-53	2.5	18
13	Outcomes of cataract surgery in diabetic patients: results of the Pan American Collaborative Retina Study Group. <i>Arquivos Brasileiros De Oftalmologia</i> , 2014 , 77, 355-9	1.1	11
12	A Diabetic Retinopathy Screening Tool for Low-Income Adults in Mexico. <i>Preventing Chronic Disease</i> , 2017 , 14, E95	3.7	9

11	Multifocal electrophysiologic findings after intravitreal bevacizumab (avastin) treatment. <i>Retina</i> , 2012 , 32, 972-6	3.6	9
10	Bevacizumab local complications. <i>Ophthalmology</i> , 2009 , 116, 2264.e1-3	7.3	9
9	Human lymphocyte antigen DR7 protects against proliferative retinopathy with type II diabetes mellitus. <i>Archives of Medical Research</i> , 2002 , 33, 123-7	6.6	9
8	Long-term follow-up of patients with choroidal neovascularization due to angioid streaks. <i>Clinical Ophthalmology</i> , 2017 , 11, 23-30	2.5	8
7	Comparing outcomes in patients with subfoveal choroidal neovascularization secondary to age-related macular degeneration treated with two different doses of primary intravitreal bevacizumab: results of the Pan-American Collaborative Retina Study Group (PACORES) at the	2.6	7
6	12-month follow-up. <i>Japanese Journal of Ophthalmology</i> , 2009 , 53, 125-130 Intravitreal Ampicillin Sodium for Antibiotic-Resistant Endophthalmitis: Streptococcus uberis First Human Intraocular Infection Report. <i>Journal of Ophthalmology</i> , 2010 , 2010,	2	5
5	Intravitreal triamcinolone with transpupillary therapy for subfoveal choroidal neovascularization in age related macular degeneration. A randomized controlled pilot study [ISRCTN74123635]. <i>BMC Ophthalmology</i> , 2005 , 5, 27	2.3	5
4	Perfluorocarbon-perfused 23 gauge three-dimensional vitrectomy for complicated diabetic tractional retinal detachment. <i>Clinical Ophthalmology</i> , 2011 , 5, 1709-15	2.5	4
3	Whole exome profiling and mutational analysis of Ocular Surface Squamous Neoplasia. <i>Ocular Surface</i> , 2020 , 18, 627-632	6.5	2
2	Correspondence to: Intravitreal tumor necrosis factor inhibitors in the treatment of refractory diabetic macular edema: a pilot study from the Pan-American Collaborative Retina Study Group. <i>Retina</i> , 2013 , 33, 1285-7	3.6	1
1	The Effect of Altitude on Intraocular Pressure in Vitrectomized Eyes with Sulfur Hexafluoride Tamponade by the Friedenwald Method: Rabbit Animal Model. <i>BioMed Research International</i> , 2016 , 2016, 7326160	3	