
Goh-Eun Chung

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1602430/publications.pdf

Version: 2024-02-01



| # | Article | lF | CITATIONS |
|----|---|-----|-----------|
| 1 | Transarterial Chemoembolization Can Be Safely Performed in Patients with Hepatocellular Carcinoma Invading the Main Portal Vein and May Improve the Overall Survival. Radiology, 2011, 258, 627-634. | 7.3 | 264 |
| 2 | Non-alcoholic fatty liver disease across the spectrum of hypothyroidism. Journal of Hepatology, 2012, 57, 150-156. | 3.7 | 234 |
| 3 | Body Fat Distribution and Risk of Incident and Regressed Nonalcoholic Fatty Liver Disease. Clinical Gastroenterology and Hepatology, 2016, 14, 132-138.e4. | 4.4 | 117 |
| 4 | Antiplatelet therapy and the risk of hepatocellular carcinoma in chronic hepatitis B patients on antiviral treatment. Hepatology, 2017, 66, 1556-1569. | 7.3 | 92 |
| 5 | Improved Accuracy in Optical Diagnosis of Colorectal Polyps Using Convolutional Neural Networks with Visual Explanations. Gastroenterology, 2020, 158, 2169-2179.e8. | 1.3 | 92 |
| 6 | Cholecystectomy is independently associated with nonalcoholic fatty liver disease in an Asian population. World Journal of Gastroenterology, 2015, 21, 6287. | 3.3 | 51 |
| 7 | The serum vitamin D level is inversely correlated with nonalcoholic fatty liver disease. Clinical and Molecular Hepatology, 2016, 22, 146-151. | 8.9 | 51 |
| 8 | High Salt Intake Is Associated with Atrophic Gastritis with Intestinal Metaplasia. Cancer Epidemiology Biomarkers and Prevention, 2017, 26, 1133-1138. | 2.5 | 48 |
| 9 | Genetic Polymorphisms of PNPLA3 and SAMM50 Are Associated with Nonalcoholic Fatty Liver Disease in a Korean Population. Gut and Liver, 2018, 12, 316-323. | 2.9 | 45 |
| 10 | Nonalcoholic fatty liver disease and advanced fibrosis are associated with left ventricular diastolic dysfunction. Atherosclerosis, 2018, 272, 137-144. | 0.8 | 38 |
| 11 | Nonalcoholic fatty liver disease is associated with breast cancer in nonobese women. Digestive and Liver Disease, 2019, 51, 1030-1035. | 0.9 | 38 |
| 12 | Sarcopenia Is Significantly Associated with Presence and Severity of Nonalcoholic Fatty Liver Disease. Journal of Obesity and Metabolic Syndrome, 2019, 28, 129-138. | 3.6 | 36 |
| 13 | Dietary patterns are associated with the prevalence of nonalcoholic fatty liver disease in Korean adults. Nutrition, 2019, 62, 32-38. | 2.4 | 32 |
| 14 | Add-On Adefovir Is Superior to a Switch to Entecavir as Rescue Therapy for Lamivudine-Resistant Chronic Hepatitis B. Digestive Diseases and Sciences, 2011, 56, 2130-2136. | 2.3 | 31 |
| 15 | Association Between Anxiety and Depression and Nonalcoholic Fatty Liver Disease. Frontiers in Medicine, 2020, 7, 585618. | 2.6 | 31 |
| 16 | Inverse association of marijuana use with nonalcoholic fatty liver disease among adults in the United States. PLoS ONE, 2017, 12, e0186702. | 2.5 | 30 |
| 17 | The preventive effect of sustained physical activity on incident nonalcoholic fatty liver disease. Liver International, 2017, 37, 919-926. | 3.9 | 29 |
| 18 | The Influence of Metabolic Factors for Nonalcoholic Fatty Liver Disease in Women. BioMed Research International, 2015, 2015, 1-8. | 1.9 | 27 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Nonalcoholic Fatty Liver Disease as a Risk Factor of Arterial Stiffness Measured by the Cardioankle Vascular Index. Medicine (United States), 2015, 94, e654. | 1.0 | 27 |
| 20 | Associations between White Blood Cell Count and the Development of Incidental Nonalcoholic Fatty Liver Disease. Gastroenterology Research and Practice, 2016, 2016, 1-6. | 1.5 | 27 |
| 21 | Visceral Adipose Tissue Area as an Independent Risk Factor for Elevated Liver Enzyme in Nonalcoholic Fatty Liver Disease. Medicine (United States), 2015, 94, e573. | 1.0 | 25 |
| 22 | Nonalcoholic fatty liver disease is associated with decreased lung function. Liver International, 2018, 38, 2091-2100. | 3.9 | 25 |
| 23 | Association between Helicobacter pylori infection and arterial stiffness: Results from a large cross-sectional study. PLoS ONE, 2019, 14, e0221643. | 2.5 | 23 |
| 24 | Helicobacter pylori seropositivity in diabetic patients is associated with microalbuminuria. World Journal of Gastroenterology, 2013, 19, 97. | 3.3 | 22 |
| 25 | Clinical significance of hepatic steatosis according to coronary plaque morphology: assessment using controlled attenuation parameter. Journal of Gastroenterology, 2019, 54, 271-280. | 5.1 | 21 |
| 26 | Prognostic implications of tumor vascularity and its relationship to cytokeratin 19 expression in patients with hepatocellular carcinoma. Abdominal Imaging, 2012, 37, 439-446. | 2.0 | 19 |
| 27 | Nonalcoholic fatty liver disease increases the risk of diabetes in young adults: A nationwide population-based study in Korea. Metabolism: Clinical and Experimental, 2021, 123, 154866. | 3.4 | 19 |
| 28 | Associations between hemoglobin concentrations and the development of incidental metabolic syndrome or nonalcoholic fatty liver disease. Digestive and Liver Disease, 2017, 49, 57-62. | 0.9 | 18 |
| 29 | Effect of longitudinal changes of body fat on the incidence and regression of nonalcoholic fatty liver disease. Digestive and Liver Disease, 2018, 50, 389-395. | 0.9 | 18 |
| 30 | Sarcopenic Obesity Is Significantly Associated With Coronary Artery Calcification. Frontiers in Medicine, 2021, 8, 651961. | 2.6 | 18 |
| 31 | Fatty Liver Index for Predicting Nonalcoholic Fatty Liver Disease in an Asymptomatic Korean Population. Diagnostics, 2021, 11, 2233. | 2.6 | 18 |
| 32 | Ursodeoxycholic acid-induced inhibition of DLC1 protein degradation leads to suppression of hepatocellular carcinoma cell growth. Oncology Reports, 2011, 25, 1739-46. | 2.6 | 17 |
| 33 | Negative hepatitis B envelope antigen predicts intrahepatic recurrence in hepatitis B virusâ€related hepatocellular carcinoma after ablation therapy. Journal of Gastroenterology and Hepatology (Australia), 2011, 26, 1638-1645. | 2.8 | 17 |
| 34 | ls Vitamin D an Independent Risk Factor of Nonalcoholic Fatty Liver Disease?: a Cross-Sectional Study of the Healthy Population. Journal of Korean Medical Science, 2017, 32, 95. | 2.5 | 17 |
| 35 | The risk of atrial fibrillation in patients with non-alcoholic fatty liver disease and a high hepatic fibrosis index. Scientific Reports, 2020, 10, 5023. | 3.3 | 17 |
| 36 | Training Effect on the Inter-observer Agreement in Endoscopic Diagnosis and Grading of Atrophic Gastritis according to Level of Endoscopic Experience. Journal of Korean Medical Science, 2018, 33, e117. | 2.5 | 17 |

| # | Article | IF | CITATIONS |
|----|---|-----------------|---------------------------|
| 37 | Does antiviral therapy reduce complications of cirrhosis?. World Journal of Gastroenterology, 2014, 20, 7306. | 3.3 | 16 |
| 38 | Nonalcoholic fatty liver disease is associated with coronary artery calcium score in diabetes patients with higher HbA1c. Diabetology and Metabolic Syndrome, 2015, 7, 28. | 2.7 | 16 |
| 39 | Dietary protein and fat intake in relation to risk of colorectal adenoma in Korean. Medicine (United) Tj ETQq1 1 | 0.784314 1.0 | rgBT /Overlo $_{16}^{16}$ |
| 40 | Association between Lipid Profiles and the Incidence of Hepatocellular Carcinoma: A Nationwide Population-Based Study. Cancers, 2021, 13, 1599. | 3.7 | 16 |
| 41 | Colonoscopic image synthesis with generative adversarial network for enhanced detection of sessile serrated lesions using convolutional neural network. Scientific Reports, 2022, 12, 261. | 3.3 | 16 |
| 42 | Clinical implications of controlled attenuation parameter in a health checkâ€up cohort. Liver International, 2018, 38, 915-923. | 3.9 | 15 |
| 43 | Sub-classification of Advanced-Stage Hepatocellular Carcinoma: A Cohort Study Including 612 Patients Treated with Sorafenib. Cancer Research and Treatment, 2018, 50, 366-373. | 3.0 | 15 |
| 44 | Young adults with nonalcoholic fatty liver disease, defined using the fatty liver index, can be at increased risk of myocardial infarction or stroke. Diabetes, Obesity and Metabolism, 2022, 24, 465-472. | 4.4 | 15 |
| 45 | Seroprevalence of Hepatitis A and Associated Socioeconomic Factors in Young Healthy Korean Adults. Gut and Liver, 2011, 5, 88-92. | 2.9 | 14 |
| 46 | Tenofovir has inferior efficacy in adefovir-experienced chronic hepatitis B patients compared to nucleos(t)ide-naÃ ⁻ ve patients. Clinical and Molecular Hepatology, 2017, 23, 66-73. | 8.9 | 13 |
| 47 | Nonâ€obese fatty liver disease is associated with lacunar infarct. Liver International, 2018, 38, 1292-1299. | 3.9 | 13 |
| 48 | Nonalcoholic fatty liver disease is associated with the development of obstructive sleep apnea. Scientific Reports, 2021, 11, 13473. | 3.3 | 13 |
| 49 | The Risk of Colorectal Adenoma in Nonalcoholic or Metabolic-Associated Fatty Liver Disease. Biomedicines, 2021, 9, 1401. | 3.2 | 13 |
| 50 | Factors that determine prolonged cecal intubation time during colonoscopy: impact of visceral adipose tissue. Scandinavian Journal of Gastroenterology, 2014, 49, 1261-1267. | 1.5 | 12 |
| 51 | Improved Real-Time Optical Diagnosis of Colorectal Polyps Following a Comprehensive Training Program. Clinical Gastroenterology and Hepatology, 2019, 17, 2479-2488.e4. | 4.4 | 12 |
| 52 | Impact of comprehensive optical diagnosis training using Workgroup serrAted polypS and Polyposis classification on detection of adenoma and sessile serrated lesion. Digestive Endoscopy, 2021, , . | 2.3 | 11 |
| 53 | Long-term outcomes of HBsAg/anti-HBs double-positive versus HBsAg single-positive patients with chronic hepatitis B. Scientific Reports, 2019, 9, 19417. | 3.3 | 10 |
| 54 | A PNPLA3 Polymorphism Confers Lower Susceptibility to Incident Diabetes Mellitus in Subjects With Nonalcoholic Fatty Liver Disease. Clinical Gastroenterology and Hepatology, 2022, 20, 682-691.e8. | 4.4 | 10 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Natural Language Processing for Assessing Quality Indicators in Free-Text Colonoscopy and Pathology Reports: Development and Usability Study. JMIR Medical Informatics, 2022, 10, e35257. | 2.6 | 10 |
| 56 | Usefulness of controlled attenuation parameter for detecting increased arterial stiffness in general population. Digestive and Liver Disease, 2018, 50, 1062-1067. | 0.9 | 9 |
| 57 | Multidirectional Colonoscopy Quality Improvement Increases Adenoma Detection Rate: Results of the Seoul National University Hospital Healthcare System Gangnam Center Colonoscopy Quality Upgrade Project (Gangnam-CUP). Digestive Diseases and Sciences, 2020, 65, 1806-1815. | 2.3 | 9 |
| 58 | Clinical significance of increased arterial stiffness associated with atrial fibrillation, according to Framingham risk score. Scientific Reports, 2021, 11, 4955. | 3.3 | 9 |
| 59 | The Association between Vitamin D and Nonalcoholic Fatty Liver Disease Assessed by Controlled Attenuation Parameter. Journal of Clinical Medicine, 2021, 10, 2611. | 2.4 | 9 |
| 60 | Development of Metachronous Tumors after Endoscopic Resection for Gastric Neoplasm according to the Baseline Tumor Grade at a Health Checkup Center. Korean journal of gastroenterology = Taehan Sohwagi Hakhoe chi, The, 2017, 70, 223. | 0.4 | 8 |
| 61 | Association between advanced fibrosis in fatty liver disease and overall mortality based on body fat distribution. Journal of Gastroenterology and Hepatology (Australia), 2020, 35, 90-96. | 2.8 | 7 |
| 62 | A genome-wide association study on liver enzymes in Korean population. PLoS ONE, 2020, 15, e0229374. | 2.5 | 7 |
| 63 | Longitudinal Change in Thyroid-Stimulating Hormone and Risk of Nonalcoholic Fatty Liver Disease. Clinical Gastroenterology and Hepatology, 2021, 19, 848-849.e1. | 4.4 | 7 |
| 64 | Nonalcoholic Fatty Liver Disease Is Associated with Benign Prostate Hyperplasia. Journal of Korean Medical Science, 2020, 35, e164. | 2.5 | 7 |
| 65 | The association between Helicobacter pylori with nonalcoholic fatty liver disease assessed by controlled attenuation parameter and other metabolic factors. PLoS ONE, 2021, 16, e0260994. | 2.5 | 7 |
| 66 | Weight fluctuation and risk of hepatocellular carcinoma: a nationwide population-based 8-million-subject study. Hepatology International, 2021, 15, 482-492. | 4.2 | 6 |
| 67 | Hepatic fibrosis is associated with an increased rate of decline in bone mineral density in men with nonalcoholic fatty liver disease. Hepatology International, 2021, 15, 1347-1355. | 4.2 | 6 |
| 68 | Non-alcoholic/Metabolic-Associated Fatty Liver Disease and Helicobacter pylori Additively Increase the Risk of Arterial Stiffness. Frontiers in Medicine, 2022, 9, 844954. | 2.6 | 6 |
| 69 | Nonalcoholic Fatty Liver Disease Is a Precursor of New-Onset Metabolic Syndrome in Metabolically Healthy Young Adults. Journal of Clinical Medicine, 2022, 11, 935. | 2.4 | 6 |
| 70 | Association of Chronic Hepatitis B Infection and Antiviral Treatment With the Development of the Extrahepatic Malignancies: A Nationwide Cohort Study. Journal of Clinical Oncology, 2022, 40, 3394-3405. | 1.6 | 6 |
| 71 | Significance of Low Muscle Mass on Arterial Stiffness as Measured by Cardio-Ankle Vascular Index. Frontiers in Cardiovascular Medicine, 0, 9, . | 2.4 | 5 |
| 72 | Predicting the Development of Gastric Neoplasms in a Healthcare Cohort by Combining <i>Helicobacter pylori</i> Antibodies and Serum Pepsinogen: A 5-Year Longitudinal Study. Gastroenterology Research and Practice, 2018, 2018, 1-7. | 1.5 | 4 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Dietary pattern and its association with rightâ€colonic diverticulosis. Journal of Gastroenterology and Hepatology (Australia), 2021, 36, 144-150. | 2.8 | 4 |
| 74 | Body weight gain rather than body weight variability is associated with increased risk of nonalcoholic fatty liver disease. Scientific Reports, 2021, 11, 14428. | 3.3 | 4 |
| 75 | The Change in Metabolic Syndrome Status and the Risk of Nonviral Liver Cirrhosis. Biomedicines, 2021, 9, 1948. | 3.2 | 4 |
| 76 | Characteristics of interval gastric neoplasms detected within two years after negative screening endoscopy among Koreans. BMC Cancer, 2021, 21, 218. | 2.6 | 3 |
| 77 | The Association between Low Muscle Mass and Hepatic Steatosis in Asymptomatic Population in Korea. Life, 2021, 11, 848. | 2.4 | 3 |
| 78 | The association of genetic polymorphisms with nonalcoholic fatty liver disease in a longitudinal study. BMC Gastroenterology, 2020, 20, 344. | 2.0 | 2 |
| 79 | Identifying Helminth Infections via Routine Fecal Parasitological Examinations in Korea. American Journal of Tropical Medicine and Hygiene, 2017, 97, 888-895. | 1.4 | 2 |
| 80 | Response: Sarcopenia Is Significantly Associated with Presence and Severity of Nonalcoholic Fatty Liver Disease (J Obes Metab Syndr 2019;28:129-38). Journal of Obesity and Metabolic Syndrome, 2020, 29, 160-162. | 3.6 | 2 |
| 81 | Natural Language Processing for Information Extraction of Gastric Diseases and Its Application in Large-Scale Clinical Research. Journal of Clinical Medicine, 2022, 11, 2967. | 2.4 | 2 |
| 82 | Combined Effects of Chronic Kidney Disease and Nonalcoholic Fatty Liver Disease on the Risk of Cardiovascular Disease in Patients with Diabetes. Biomedicines, 2022, 10, 1245. | 3.2 | 2 |
| 83 | Impact of Evolutionary Changes in Nonalcoholic Fatty Liver Disease on Lung Function Decline. Gut and Liver, 2023, 17, 139-149. | 2.9 | 1 |
| 84 | Response: Sarcopenia Is Significantly Associated with Presence and Severity of Nonalcoholic Fatty Liver Disease (J Obes Metab Syndr 2019;28:129-38). Journal of Obesity and Metabolic Syndrome, 2020, 29, 78-80. | 3.6 | 0 |