

Goh-Eun Chung

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1602430/publications.pdf>

Version: 2024-02-01

84
papers

2,054
citations

304743

22
h-index

276875

41
g-index

88
all docs

88
docs citations

88
times ranked

3244
citing authors

#	ARTICLE	IF	CITATIONS
1	Impact of Evolutionary Changes in Nonalcoholic Fatty Liver Disease on Lung Function Decline. <i>Gut and Liver</i> , 2023, 17, 139-149.	2.9	1
2	A PNPLA3 Polymorphism Confers Lower Susceptibility to Incident Diabetes Mellitus in Subjects With Nonalcoholic Fatty Liver Disease. <i>Clinical Gastroenterology and Hepatology</i> , 2022, 20, 682-691.e8.	4.4	10
3	Young adults with nonalcoholic fatty liver disease, defined using the fatty liver index, can be at increased risk of myocardial infarction or stroke. <i>Diabetes, Obesity and Metabolism</i> , 2022, 24, 465-472.	4.4	15
4	Colonoscopic image synthesis with generative adversarial network for enhanced detection of sessile serrated lesions using convolutional neural network. <i>Scientific Reports</i> , 2022, 12, 261.	3.3	16
5	Non-alcoholic/Metabolic-Associated Fatty Liver Disease and <i>Helicobacter pylori</i> Additively Increase the Risk of Arterial Stiffness. <i>Frontiers in Medicine</i> , 2022, 9, 844954.	2.6	6
6	Nonalcoholic Fatty Liver Disease Is a Precursor of New-Onset Metabolic Syndrome in Metabolically Healthy Young Adults. <i>Journal of Clinical Medicine</i> , 2022, 11, 935.	2.4	6
7	Natural Language Processing for Assessing Quality Indicators in Free-Text Colonoscopy and Pathology Reports: Development and Usability Study. <i>JMIR Medical Informatics</i> , 2022, 10, e35257.	2.6	10
8	Association of Chronic Hepatitis B Infection and Antiviral Treatment With the Development of the Extrahepatic Malignancies: A Nationwide Cohort Study. <i>Journal of Clinical Oncology</i> , 2022, 40, 3394-3405.	1.6	6
9	Natural Language Processing for Information Extraction of Gastric Diseases and Its Application in Large-Scale Clinical Research. <i>Journal of Clinical Medicine</i> , 2022, 11, 2967.	2.4	2
10	Combined Effects of Chronic Kidney Disease and Nonalcoholic Fatty Liver Disease on the Risk of Cardiovascular Disease in Patients with Diabetes. <i>Biomedicines</i> , 2022, 10, 1245.	3.2	2
11	Longitudinal Change in Thyroid-Stimulating Hormone and Risk of Nonalcoholic Fatty Liver Disease. <i>Clinical Gastroenterology and Hepatology</i> , 2021, 19, 848-849.e1.	4.4	7
12	Dietary pattern and its association with right-€colon diverticulosis. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2021, 36, 144-150.	2.8	4
13	Weight fluctuation and risk of hepatocellular carcinoma: a nationwide population-based 8-million-subject study. <i>Hepatology International</i> , 2021, 15, 482-492.	4.2	6
14	Characteristics of interval gastric neoplasms detected within two years after negative screening endoscopy among Koreans. <i>BMC Cancer</i> , 2021, 21, 218.	2.6	3
15	Association between Lipid Profiles and the Incidence of Hepatocellular Carcinoma: A Nationwide Population-Based Study. <i>Cancers</i> , 2021, 13, 1599.	3.7	16
16	Sarcopenic Obesity Is Significantly Associated With Coronary Artery Calcification. <i>Frontiers in Medicine</i> , 2021, 8, 651961.	2.6	18
17	Clinical significance of increased arterial stiffness associated with atrial fibrillation, according to Framingham risk score. <i>Scientific Reports</i> , 2021, 11, 4955.	3.3	9
18	Nonalcoholic fatty liver disease is associated with the development of obstructive sleep apnea. <i>Scientific Reports</i> , 2021, 11, 13473.	3.3	13

#	ARTICLE	IF	CITATIONS
19	The Association between Vitamin D and Nonalcoholic Fatty Liver Disease Assessed by Controlled Attenuation Parameter. <i>Journal of Clinical Medicine</i> , 2021, 10, 2611.	2.4	9
20	Impact of comprehensive optical diagnosis training using Workgroup serrated polyps and Polyposis classification on detection of adenoma and sessile serrated lesion. <i>Digestive Endoscopy</i> , 2021, , .	2.3	11
21	Body weight gain rather than body weight variability is associated with increased risk of nonalcoholic fatty liver disease. <i>Scientific Reports</i> , 2021, 11, 14428.	3.3	4
22	The Association between Low Muscle Mass and Hepatic Steatosis in Asymptomatic Population in Korea. <i>Life</i> , 2021, 11, 848.	2.4	3
23	Nonalcoholic fatty liver disease increases the risk of diabetes in young adults: A nationwide population-based study in Korea. <i>Metabolism: Clinical and Experimental</i> , 2021, 123, 154866.	3.4	19
24	Hepatic fibrosis is associated with an increased rate of decline in bone mineral density in men with nonalcoholic fatty liver disease. <i>Hepatology International</i> , 2021, 15, 1347-1355.	4.2	6
25	The Risk of Colorectal Adenoma in Nonalcoholic or Metabolic-Associated Fatty Liver Disease. <i>Biomedicines</i> , 2021, 9, 1401.	3.2	13
26	Fatty Liver Index for Predicting Nonalcoholic Fatty Liver Disease in an Asymptomatic Korean Population. <i>Diagnostics</i> , 2021, 11, 2233.	2.6	18
27	The association between <i>Helicobacter pylori</i> with nonalcoholic fatty liver disease assessed by controlled attenuation parameter and other metabolic factors. <i>PLoS ONE</i> , 2021, 16, e0260994.	2.5	7
28	The Change in Metabolic Syndrome Status and the Risk of Nonviral Liver Cirrhosis. <i>Biomedicines</i> , 2021, 9, 1948.	3.2	4
29	Association between advanced fibrosis in fatty liver disease and overall mortality based on body fat distribution. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2020, 35, 90-96.	2.8	7
30	Multidirectional Colonoscopy Quality Improvement Increases Adenoma Detection Rate: Results of the Seoul National University Hospital Healthcare System Gangnam Center Colonoscopy Quality Upgrade Project (Gangnam-CUP). <i>Digestive Diseases and Sciences</i> , 2020, 65, 1806-1815.	2.3	9
31	The association of genetic polymorphisms with nonalcoholic fatty liver disease in a longitudinal study. <i>BMC Gastroenterology</i> , 2020, 20, 344.	2.0	2
32	The risk of atrial fibrillation in patients with non-alcoholic fatty liver disease and a high hepatic fibrosis index. <i>Scientific Reports</i> , 2020, 10, 5023.	3.3	17
33	Improved Accuracy in Optical Diagnosis of Colorectal Polyps Using Convolutional Neural Networks with Visual Explanations. <i>Gastroenterology</i> , 2020, 158, 2169-2179.e8.	1.3	92
34	A genome-wide association study on liver enzymes in Korean population. <i>PLoS ONE</i> , 2020, 15, e0229374.	2.5	7
35	Association Between Anxiety and Depression and Nonalcoholic Fatty Liver Disease. <i>Frontiers in Medicine</i> , 2020, 7, 585618.	2.6	31
36	Nonalcoholic Fatty Liver Disease Is Associated with Benign Prostate Hyperplasia. <i>Journal of Korean Medical Science</i> , 2020, 35, e164.	2.5	7

#	ARTICLE	IF	CITATIONS
37	Response: Sarcopenia Is Significantly Associated with Presence and Severity of Nonalcoholic Fatty Liver Disease (J Obes Metab Syndr 2019;28:129-38). Journal of Obesity and Metabolic Syndrome, 2020, 29, 160-162.	3.6	2
38	Response: Sarcopenia Is Significantly Associated with Presence and Severity of Nonalcoholic Fatty Liver Disease (J Obes Metab Syndr 2019;28:129-38). Journal of Obesity and Metabolic Syndrome, 2020, 29, 78-80.	3.6	0
39	Association between Helicobacter pylori infection and arterial stiffness: Results from a large cross-sectional study. PLoS ONE, 2019, 14, e0221643.	2.5	23
40	Improved Real-Time Optical Diagnosis of Colorectal Polyps Following a Comprehensive Training Program. Clinical Gastroenterology and Hepatology, 2019, 17, 2479-2488.e4.	4.4	12
41	Nonalcoholic fatty liver disease is associated with breast cancer in nonobese women. Digestive and Liver Disease, 2019, 51, 1030-1035.	0.9	38
42	Long-term outcomes of HBsAg/anti-HBs double-positive versus HBsAg single-positive patients with chronic hepatitis B. Scientific Reports, 2019, 9, 19417.	3.3	10
43	Dietary patterns are associated with the prevalence of nonalcoholic fatty liver disease in Korean adults. Nutrition, 2019, 62, 32-38.	2.4	32
44	Clinical significance of hepatic steatosis according to coronary plaque morphology: assessment using controlled attenuation parameter. Journal of Gastroenterology, 2019, 54, 271-280.	5.1	21
45	Sarcopenia Is Significantly Associated with Presence and Severity of Nonalcoholic Fatty Liver Disease. Journal of Obesity and Metabolic Syndrome, 2019, 28, 129-138.	3.6	36
46	Nonalcoholic fatty liver disease is associated with decreased lung function. Liver International, 2018, 38, 2091-2100.	3.9	25
47	Effect of longitudinal changes of body fat on the incidence and regression of nonalcoholic fatty liver disease. Digestive and Liver Disease, 2018, 50, 389-395.	0.9	18
48	Nonalcoholic fatty liver disease and advanced fibrosis are associated with left ventricular diastolic dysfunction. Atherosclerosis, 2018, 272, 137-144.	0.8	38
49	Clinical implications of controlled attenuation parameter in a health check-up cohort. Liver International, 2018, 38, 915-923.	3.9	15
50	Non-obese fatty liver disease is associated with lacunar infarct. Liver International, 2018, 38, 1292-1299.	3.9	13
51	Usefulness of controlled attenuation parameter for detecting increased arterial stiffness in general population. Digestive and Liver Disease, 2018, 50, 1062-1067.	0.9	9
52	Predicting the Development of Gastric Neoplasms in a Healthcare Cohort by Combining Helicobacter pylori Antibodies and Serum Pepsinogen: A 5-Year Longitudinal Study. Gastroenterology Research and Practice, 2018, 2018, 1-7.	1.5	4
53	Training Effect on the Inter-observer Agreement in Endoscopic Diagnosis and Grading of Atrophic Gastritis according to Level of Endoscopic Experience. Journal of Korean Medical Science, 2018, 33, e117.	2.5	17
54	Sub-classification of Advanced-Stage Hepatocellular Carcinoma: A Cohort Study Including 612 Patients Treated with Sorafenib. Cancer Research and Treatment, 2018, 50, 366-373.	3.0	15

#	ARTICLE	IF	CITATIONS
55	Genetic Polymorphisms of PNPLA3 and SAMM50 Are Associated with Nonalcoholic Fatty Liver Disease in a Korean Population. <i>Gut and Liver</i> , 2018, 12, 316-323.	2.9	45
56	Antiplatelet therapy and the risk of hepatocellular carcinoma in chronic hepatitis B patients on antiviral treatment. <i>Hepatology</i> , 2017, 66, 1556-1569.	7.3	92
57	High Salt Intake Is Associated with Atrophic Gastritis with Intestinal Metaplasia. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2017, 26, 1133-1138.	2.5	48
58	The preventive effect of sustained physical activity on incident nonalcoholic fatty liver disease. <i>Liver International</i> , 2017, 37, 919-926.	3.9	29
59	Associations between hemoglobin concentrations and the development of incidental metabolic syndrome or nonalcoholic fatty liver disease. <i>Digestive and Liver Disease</i> , 2017, 49, 57-62.	0.9	18
60	Is Vitamin D an Independent Risk Factor of Nonalcoholic Fatty Liver Disease?: a Cross-Sectional Study of the Healthy Population. <i>Journal of Korean Medical Science</i> , 2017, 32, 95.	2.5	17
61	Inverse association of marijuana use with nonalcoholic fatty liver disease among adults in the United States. <i>PLoS ONE</i> , 2017, 12, e0186702.	2.5	30
62	Development of Metachronous Tumors after Endoscopic Resection for Gastric Neoplasm according to the Baseline Tumor Grade at a Health Checkup Center. <i>Korean journal of gastroenterology = Taehan Sohwagi Hakhoe chi, The</i> , 2017, 70, 223.	0.4	8
63	Tenofovir has inferior efficacy in adefovir-experienced chronic hepatitis B patients compared to nucleos(t)ide-naïve patients. <i>Clinical and Molecular Hepatology</i> , 2017, 23, 66-73.	8.9	13
64	Identifying Helminth Infections via Routine Fecal Parasitological Examinations in Korea. <i>American Journal of Tropical Medicine and Hygiene</i> , 2017, 97, 888-895.	1.4	2
65	Associations between White Blood Cell Count and the Development of Incidental Nonalcoholic Fatty Liver Disease. <i>Gastroenterology Research and Practice</i> , 2016, 2016, 1-6.	1.5	27
66	Dietary protein and fat intake in relation to risk of colorectal adenoma in Korean. <i>Medicine (United States)</i> , 2016, 95, 1016-1021.	1.0	16
67	Body Fat Distribution and Risk of Incident and Regressed Nonalcoholic Fatty Liver Disease. <i>Clinical Gastroenterology and Hepatology</i> , 2016, 14, 132-138.e4.	4.4	117
68	The serum vitamin D level is inversely correlated with nonalcoholic fatty liver disease. <i>Clinical and Molecular Hepatology</i> , 2016, 22, 146-151.	8.9	51
69	The Influence of Metabolic Factors for Nonalcoholic Fatty Liver Disease in Women. <i>BioMed Research International</i> , 2015, 2015, 1-8.	1.9	27
70	Cholecystectomy is independently associated with nonalcoholic fatty liver disease in an Asian population. <i>World Journal of Gastroenterology</i> , 2015, 21, 6287.	3.3	51
71	Visceral Adipose Tissue Area as an Independent Risk Factor for Elevated Liver Enzyme in Nonalcoholic Fatty Liver Disease. <i>Medicine (United States)</i> , 2015, 94, e573.	1.0	25
72	Nonalcoholic fatty liver disease is associated with coronary artery calcium score in diabetes patients with higher HbA1c. <i>Diabetology and Metabolic Syndrome</i> , 2015, 7, 28.	2.7	16

#	ARTICLE	IF	CITATIONS
73	Nonalcoholic Fatty Liver Disease as a Risk Factor of Arterial Stiffness Measured by the Cardioankle Vascular Index. <i>Medicine (United States)</i> , 2015, 94, e654.	1.0	27
74	Does antiviral therapy reduce complications of cirrhosis?. <i>World Journal of Gastroenterology</i> , 2014, 20, 7306.	3.3	16
75	Factors that determine prolonged cecal intubation time during colonoscopy: impact of visceral adipose tissue. <i>Scandinavian Journal of Gastroenterology</i> , 2014, 49, 1261-1267.	1.5	12
76	<i>Helicobacter pylori</i> seropositivity in diabetic patients is associated with microalbuminuria. <i>World Journal of Gastroenterology</i> , 2013, 19, 97.	3.3	22
77	Non-alcoholic fatty liver disease across the spectrum of hypothyroidism. <i>Journal of Hepatology</i> , 2012, 57, 150-156.	3.7	234
78	Prognostic implications of tumor vascularity and its relationship to cytokeratin 19 expression in patients with hepatocellular carcinoma. <i>Abdominal Imaging</i> , 2012, 37, 439-446.	2.0	19
79	Seroprevalence of Hepatitis A and Associated Socioeconomic Factors in Young Healthy Korean Adults. <i>Gut and Liver</i> , 2011, 5, 88-92.	2.9	14
80	Ursodeoxycholic acid-induced inhibition of DLC1 protein degradation leads to suppression of hepatocellular carcinoma cell growth. <i>Oncology Reports</i> , 2011, 25, 1739-46.	2.6	17
81	Negative hepatitis B envelope antigen predicts intrahepatic recurrence in hepatitis B virus-related hepatocellular carcinoma after ablation therapy. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2011, 26, 1638-1645.	2.8	17
82	Add-On Adefovir Is Superior to a Switch to Entecavir as Rescue Therapy for Lamivudine-Resistant Chronic Hepatitis B. <i>Digestive Diseases and Sciences</i> , 2011, 56, 2130-2136.	2.3	31
83	Transarterial Chemoembolization Can Be Safely Performed in Patients with Hepatocellular Carcinoma Invading the Main Portal Vein and May Improve the Overall Survival. <i>Radiology</i> , 2011, 258, 627-634.	7.3	264
84	Significance of Low Muscle Mass on Arterial Stiffness as Measured by Cardio-Ankle Vascular Index. <i>Frontiers in Cardiovascular Medicine</i> , 0, 9, .	2.4	5