Adel Maamar

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1606032/publications.pdf

Version: 2024-02-01

567281 526287 1,324 30 15 27 citations h-index g-index papers 31 31 31 2405 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	1-hour t-piece spontaneous breathing trial vs 1-hour zero pressure support spontaneous breathing trial and reintubation at day 7: A non-inferiority approach. Journal of Critical Care, 2022, 67, 95-99.	2.2	2
2	Beneficial Effects of Noninvasive Ventilation after Extubation in Obese or Overweight Patients: A <i>Post Hoc</i> Analysis of a Randomized Clinical Trial. American Journal of Respiratory and Critical Care Medicine, 2022, 205, 440-449.	5.6	33
3	Tolerance and complications of therapeutic plasma exchange by centrifugation: A single center experience. Journal of Clinical Apheresis, 2022, 37, 54-64.	1.3	5
4	Venoarterial extracorporeal membrane oxygenation induces early immune alterations. Critical Care, 2021, 25, 9.	5.8	22
5	SARS-CoV-2-Induced ARDS Associates with MDSC Expansion, Lymphocyte Dysfunction, and Arginine Shortage. Journal of Clinical Immunology, 2021, 41, 515-525.	3.8	87
6	Effect of High-Dose Baclofen on Agitation-Related Events Among Patients With Unhealthy Alcohol Use Receiving Mechanical Ventilation. JAMA - Journal of the American Medical Association, 2021, 325, 732.	7.4	5
7	Monitoring Transcutaneously Measured Partial Pressure of CO ₂ During Intubation in Critically III Subjects. Respiratory Care, 2021, 66, 1004-1015.	1.6	1
8	Influenza- and COVID-19-Associated Pulmonary Aspergillosis: Are the Pictures Different?. Journal of Fungi (Basel, Switzerland), 2021, 7, 388.	3.5	26
9	Outcomes in patients treated with chimeric antigen receptor T-cell therapy who were admitted to intensive care (CARTTAS): an international, multicentre, observational cohort study. Lancet Haematology,the, 2021, 8, e355-e364.	4.6	43
10	Non-invasive ventilation versus high-flow nasal oxygen for postextubation respiratory failure in ICU: a post-hoc analysis of a randomized clinical trial. Critical Care, 2021, 25, 221.	5.8	7
11	Efficacy and safety of suvratoxumab for prevention of Staphylococcus aureus ventilator-associated pneumonia (SAATELLITE): a multicentre, randomised, double-blind, placebo-controlled, parallel-group, phase 2 pilot trial. Lancet Infectious Diseases, The, 2021, 21, 1313-1323.	9.1	46
12	Multicentric evaluation of BioFire FilmArray Pneumonia Panel for rapid bacteriological documentation of pneumonia. Clinical Microbiology and Infection, 2021, 27, 1308-1314.	6.0	41
13	Determinants and consequences of positive valve culture when cardiac surgery is performed during the acute phase of infective endocarditis. European Journal of Clinical Microbiology and Infectious Diseases, 2020, 39, 629-635.	2.9	3
14	Multicenter evaluation of a syndromic rapid multiplex PCR test for early adaptation of antimicrobial therapy in adult patients with pneumonia. Critical Care, 2020, 24, 434.	5.8	57
15	Neurologic and neuroimaging findings in patients with COVID-19. Neurology, 2020, 95, e1868-e1882.	1.1	186
16	Reply to: Return of spontaneous circulation after an out-of-hospital cardiac arrest: An acute brain injury like others?. Resuscitation, 2020, 153, 270-271.	3.0	0
17	Pressure-Support Ventilation vsÂT-Piece During Spontaneous Breathing Trials Before Extubation Among Patients at High Risk of Extubation Failure. Chest, 2020, 158, 1446-1455.	0.8	17
18	Brain MRI Findings in Severe COVID-19: A Retrospective Observational Study. Radiology, 2020, 297, E242-E251.	7.3	333

#	Article	IF	CITATION
19	Hydroxychloroquine pharmacokinetic in COVID-19 critically ill patients: an observational cohort study. Intensive Care Medicine, 2020, 46, 1772-1773.	8.2	7
20	Impact on ICU mortality of moderate alcohol consumption in patients admitted with infection. Journal of Critical Care, 2020, 57, 91-96.	2.2	5
21	Severe leptospirosis in non-tropical areas: a nationwide, multicentre, retrospective study in French ICUs. Intensive Care Medicine, 2019, 45, 1763-1773.	8.2	18
22	Effect of Postextubation High-Flow Nasal Oxygen With Noninvasive Ventilation vs High-Flow Nasal Oxygen Alone on Reintubation Among Patients at High Risk of Extubation Failure. JAMA - Journal of the American Medical Association, 2019, 322, 1465.	7.4	188
23	Nasal high-flow preoxygenation for endotracheal intubation in the critically ill patient: a randomized clinical trial. Intensive Care Medicine, 2019, 45, 447-458.	8.2	86
24	Doppler sonography of cerebral blood flow for early prognostication after out-of-hospital cardiac arrest: DOTAC study. Resuscitation, 2019, 141, 188-194.	3.0	15
25	At-Risk Drinking Is Independently Associated With Acute Kidney Injury in Critically Ill Patients. Critical Care Medicine, 2019, 47, 1041-1049.	0.9	6
26	COPD is independently associated with 6â€month survival in patients who have life support withheld in intensive care. Clinical Respiratory Journal, 2018, 12, 2249-2256.	1.6	0
27	Rare myopathy associated to MGUS, causing heart failure and responding to chemotherapy. Annals of Hematology, 2017, 96, 695-696.	1.8	15
28	Patients with preexisting psychiatric disorders admitted to ICU: a descriptive and retrospective cohort study. Annals of Intensive Care, 2017, 7, 1.	4.6	45
29	Admission of tetanus patients to the ICU: a retrospective multicentre study. Annals of Intensive Care, 2017, 7, 112.	4.6	24
30	Nasal High-Flow Preoxygenation for Endotracheal Intubation in the Critically III Patient: A	0.4	1