

Masataka Kuwana

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1606145/publications.pdf>

Version: 2024-02-01

197
papers

12,473
citations

26630

56
h-index

28297

105
g-index

197
all docs

197
docs citations

197
times ranked

7904
citing authors

#	ARTICLE	IF	CITATIONS
1	Nintedanib for Systemic Sclerosis-associated Interstitial Lung Disease. <i>New England Journal of Medicine</i> , 2019, 380, 2518-2528.	27.0	1,025
2	Autoantibodies to a 140-kd polypeptide, CADM-140, in Japanese patients with clinically amyopathic dermatomyositis. <i>Arthritis and Rheumatism</i> , 2005, 52, 1571-1576.	6.7	627
3	RNA helicase encoded by melanoma differentiation-associated gene 5 is a major autoantigen in patients with clinically amyopathic dermatomyositis: Association with rapidly progressive interstitial lung disease. <i>Arthritis and Rheumatism</i> , 2009, 60, 2193-2200.	6.7	511
4	Tocilizumab in systemic sclerosis: a randomised, double-blind, placebo-controlled, phase 3 trial. <i>Lancet Respiratory Medicine</i> , 2020, 8, 963-974.	10.7	348
5	Standardization of the Modified Rodnan Skin Score for Use in Clinical Trials of Systemic Sclerosis. <i>Journal of Scleroderma and Related Disorders</i> , 2017, 2, 11-18.	1.7	321
6	Common and Distinct Clinical Features in Adult Patients with Anti-Aminoacyl-tRNA Synthetase Antibodies: Heterogeneity within the Syndrome. <i>PLoS ONE</i> , 2013, 8, e60442.	2.5	306
7	Clinical Correlations With Dermatomyositis-Specific Autoantibodies in Adult Japanese Patients With Dermatomyositis. <i>Archives of Dermatology</i> , 2011, 147, 391.	1.4	293
8	Human circulating CD14+ monocytes as a source of progenitors that exhibit mesenchymal cell differentiation. <i>Journal of Leukocyte Biology</i> , 2003, 74, 833-845.	3.3	275
9	Defective vasculogenesis in systemic sclerosis. <i>Lancet, The</i> , 2004, 364, 603-610.	13.7	261
10	Clinical manifestation and prognostic factor in anti-melanoma differentiation-associated gene 5 antibody-associated interstitial lung disease as a complication of dermatomyositis. <i>Rheumatology</i> , 2010, 49, 1713-1719.	1.9	261
11	Anti-MDA5 antibody, ferritin and IL-18 are useful for the evaluation of response to treatment in interstitial lung disease with anti-MDA5 antibody-positive dermatomyositis. <i>Rheumatology</i> , 2012, 51, 1563-1570.	1.9	261
12	Clinical and Prognostic Associations Based on Serum Antinuclear Antibodies in Japanese Patients with Systemic Sclerosis. <i>Arthritis and Rheumatism</i> , 1994, 37, 75-83.	6.7	259
13	The diagnostic utility of anti-melanoma differentiation-associated gene 5 antibody testing for predicting the prognosis of Japanese patients with DM. <i>Rheumatology</i> , 2012, 51, 1278-1284.	1.9	252
14	Pathogenesis of systemic sclerosis: recent insights of molecular and cellular mechanisms and therapeutic opportunities. <i>Journal of Scleroderma and Related Disorders</i> , 2017, 2, 137-152.	1.7	243
15	Utility of Anti-Melanoma Differentiation-Associated Gene 5 Antibody Measurement in Identifying Patients With Dermatomyositis and a High Risk for Developing Rapidly Progressive Interstitial Lung Disease: A Review of the Literature and a Meta-Analysis. <i>Arthritis Care and Research</i> , 2013, 65, 1316-1324.	3.4	223
16	Anti-NXP2 autoantibodies in adult patients with idiopathic inflammatory myopathies: possible association with malignancy. <i>Annals of the Rheumatic Diseases</i> , 2012, 71, 710-713.	0.9	220
17	Anti-Melanoma Differentiation-Associated Gene 5 Is Associated With Rapidly Progressive Lung Disease and Poor Survival in US Patients With Amyopathic and Myopathic Dermatomyositis. <i>Arthritis Care and Research</i> , 2016, 68, 689-694.	3.4	199
18	Anti-CADM-140/MDA5 autoantibody titer correlates with disease activity and predicts disease outcome in patients with dermatomyositis and rapidly progressive interstitial lung disease. <i>Modern Rheumatology</i> , 2013, 23, 496-502.	1.8	170

#	ARTICLE	IF	CITATIONS
19	Clinical manifestations of dermatomyositis and clinically amyopathic dermatomyositis patients with positive expression of anti-melanoma differentiation-associated gene 5 antibody. <i>Arthritis Care and Research</i> , 2012, 64, 1602-1610.	3.4	156
20	Inflammatory myopathy with anti-signal recognition particle antibodies: case series of 100 patients. <i>Orphanet Journal of Rare Diseases</i> , 2015, 10, 61.	2.7	156
21	Cytokine profiles in polymyositis and dermatomyositis complicated by rapidly progressive or chronic interstitial lung disease. <i>Rheumatology</i> , 2014, 53, 2196-2203.	1.9	153
22	Outcomes of patients with systemic sclerosis treated with rituximab in contemporary practice: a prospective cohort study. <i>Annals of the Rheumatic Diseases</i> , 2019, 78, 979-987.	0.9	142
23	Initial combination therapy with ambrisentan and tadalafil in connective tissue disease-associated pulmonary arterial hypertension (CTD-PAH): subgroup analysis from the AMBITION trial. <i>Annals of the Rheumatic Diseases</i> , 2017, 76, 1219-1227.	0.9	135
24	Guidelines for the Treatment of Pulmonary Hypertension (JCS 2017/JPCPHS 2017). <i>Circulation Journal</i> , 2019, 83, 842-945.	1.6	132
25	Influence of ethnic background on clinical and serologic features in patients with systemic sclerosis and anti-DNA topoisomerase I antibody. <i>Arthritis and Rheumatism</i> , 1999, 42, 465-474.	6.7	127
26	Platelet count response to <i>H. pylori</i> treatment in patients with immune thrombocytopenic purpura with and without <i>H. pylori</i> infection: a systematic review. <i>Haematologica</i> , 2009, 94, 850-856.	3.5	118
27	Sarcoplasmic MxA expression. <i>Neurology</i> , 2017, 88, 493-500.	1.1	118
28	Efficacy and safety of nintedanib in patients with systemic sclerosis-associated interstitial lung disease treated with mycophenolate: a subgroup analysis of the SENSICIS trial. <i>Lancet Respiratory Medicine</i> , 2021, 9, 96-106.	10.7	118
29	Endothelial Differentiation Potential of Human Monocyte-Derived Multipotential Cells. <i>Stem Cells</i> , 2006, 24, 2733-2743.	3.2	116
30	Racial differences in the distribution of systemic sclerosis-related serum antinuclear antibodies. <i>Arthritis and Rheumatism</i> , 1994, 37, 902-906.	6.7	115
31	<i>Helicobacter pylori</i> eradication shifts monocyte Fc γ 3 receptor balance toward inhibitory Fc γ 3RIIB in immune thrombocytopenic purpura patients. <i>Journal of Clinical Investigation</i> , 2008, 118, 2939-49.	8.2	114
32	Clinical and laboratory features of fatal rapidly progressive interstitial lung disease associated with juvenile dermatomyositis. <i>Rheumatology</i> , 2015, 54, 784-791.	1.9	114
33	Antimelanoma Differentiation-associated Gene 5 Antibody: Expanding the Clinical Spectrum in North American Patients with Dermatomyositis. <i>Journal of Rheumatology</i> , 2017, 44, 319-325.	2.0	112
34	Anti-U11/U12 RNP antibodies in systemic sclerosis: A new serologic marker associated with pulmonary fibrosis. <i>Arthritis and Rheumatism</i> , 2009, 61, 958-965.	6.7	105
35	Clinical Utility of an Enzyme-Linked Immunosorbent Assay for Detecting Anti-Melanoma Differentiation-Associated Gene 5 Autoantibodies. <i>PLoS ONE</i> , 2016, 11, e0154285.	2.5	102
36	Initial predictors of poor survival in myositis-associated interstitial lung disease: a multicentre cohort of 497 patients. <i>Rheumatology</i> , 2018, 57, 1212-1221.	1.9	101

#	ARTICLE	IF	CITATIONS
37	Performance of Candidate Serum Biomarkers for Systemic Sclerosis-Associated Interstitial Lung Disease. <i>Arthritis and Rheumatology</i> , 2019, 71, 972-982.	5.6	101
38	Clinically amyopathic dermatomyositis. <i>Current Opinion in Rheumatology</i> , 2010, 22, 639-643.	4.3	90
39	Autoantibodies to RuvBL1 and RuvBL2: A Novel Systemic Sclerosis-Related Antibody Associated With Diffuse Cutaneous and Skeletal Muscle Involvement. <i>Arthritis Care and Research</i> , 2014, 66, 575-584.	3.4	86
40	Anti-CADM-140/MDA5 autoantibody titer correlates with disease activity and predicts disease outcome in patients with dermatomyositis and rapidly progressive interstitial lung disease. <i>Modern Rheumatology</i> , 2013, 23, 496-502.	1.8	84
41	Myopathy Associated With Antibodies to Signal Recognition Particle. <i>Archives of Neurology</i> , 2012, 69, 728-32.	4.5	82
42	CD4+CD25+Foxp3+ Regulatory T Cells in the Pathophysiology of Immune Thrombocytopenia. <i>Seminars in Hematology</i> , 2013, 50, S43-S49.	3.4	82
43	Anti-Melanoma Differentiation-Associated Gene 5 Antibody is a Diagnostic and Predictive Marker for Interstitial Lung Diseases Associated with Juvenile Dermatomyositis. <i>Journal of Pediatrics</i> , 2011, 158, 675-677.	1.8	79
44	Diagnostic and Prognostic Biomarkers for Chronic Fibrosing Interstitial Lung Diseases With a Progressive Phenotype. <i>Chest</i> , 2020, 158, 646-659.	0.8	79
45	Brief Report: Association of HLA-DRB1*0101/*0405 with susceptibility to anti-melanoma differentiation-associated gene 5 antibody-positive dermatomyositis in the Japanese population. <i>Arthritis and Rheumatism</i> , 2012, 64, 3736-3740.	6.7	78
46	Transethnic meta-analysis identifies <i>GSDMA</i> and <i>PRDM1</i> as susceptibility genes to systemic sclerosis. <i>Annals of the Rheumatic Diseases</i> , 2017, 76, 1150-1158.	0.9	77
47	Epidemiology of primary immune thrombocytopenia in children and adults in Japan: a population-based study and literature review. <i>International Journal of Hematology</i> , 2011, 93, 329-335.	1.6	76
48	Elevated Serum Krebs von den Lungen-6 in Early Disease Predicts Subsequent Deterioration of Pulmonary Function in Patients with Systemic Sclerosis and Interstitial Lung Disease. <i>Journal of Rheumatology</i> , 2016, 43, 1825-1831.	2.0	74
49	Riociguat in patients with early diffuse cutaneous systemic sclerosis (RISE-SSc): randomised, double-blind, placebo-controlled multicentre trial. <i>Annals of the Rheumatic Diseases</i> , 2020, 79, 618-625.	0.9	71
50	T cells that are autoreactive to Î2-glycoprotein I in patients with antiphospholipid syndrome and healthy individuals. <i>Arthritis and Rheumatism</i> , 2000, 43, 65-75.	6.7	70
51	Enzyme-linked immunosorbent assays for detection of anti-transcriptional intermediary factor-1 gamma and anti-Mi-2 autoantibodies in dermatomyositis. <i>Journal of Dermatological Science</i> , 2016, 84, 272-281.	1.9	69
52	Sensitivity and specificity of 2010 rheumatoid arthritis classification criteria. <i>Rheumatology</i> , 2011, 50, 1268-1274.	1.9	68
53	Serum interferon-Î± is a useful biomarker in patients with anti-melanoma differentiation-associated gene 5 (MDA5) antibody-positive dermatomyositis. <i>Modern Rheumatology</i> , 2015, 25, 85-89.	1.8	66
54	<i>PLD4</i> as a novel susceptibility gene for systemic sclerosis in a Japanese population. <i>Arthritis and Rheumatism</i> , 2013, 65, 472-480.	6.7	62

#	ARTICLE	IF	CITATIONS
55	Clinical evaluation of anti-aminoacyl tRNA synthetase antibodies in Japanese patients with dermatomyositis. <i>Journal of Rheumatology</i> , 2007, 34, 1012-8.	2.0	62
56	The Role of Autoreactive T-Cells in the Pathogenesis of Idiopathic Thrombocytopenic Purpura. <i>International Journal of Hematology</i> , 2005, 81, 106-112.	1.6	60
57	Risk Prediction Modeling Based on a Combination of Initial Serum Biomarker Levels in Polymyositis/Dermatomyositis-Associated Interstitial Lung Disease. <i>Arthritis and Rheumatology</i> , 2021, 73, 677-686.	5.6	60
58	KL-6 But Not CCL-18 Is a Predictor of Early Progression in Systemic Sclerosis-related Interstitial Lung Disease. <i>Journal of Rheumatology</i> , 2018, 45, 1153-1158.	2.0	56
59	Analysis of dermatomyositis-specific autoantibodies and clinical characteristics in Japanese patients. <i>Journal of Dermatology</i> , 2011, 38, 973-979.	1.2	55
60	Distinct profiles of myositis-specific autoantibodies in Chinese and Japanese patients with polymyositis/dermatomyositis. <i>Clinical Rheumatology</i> , 2015, 34, 1627-1631.	2.2	55
61	Progression of Interstitial Lung Disease in Systemic Sclerosis: The Importance of Pneumoproteins Krebs von den Lungen 6 and CCL18. <i>Arthritis and Rheumatology</i> , 2019, 71, 2059-2067.	5.6	55
62	Elevated Levels of Pentraxin 3 in Systemic Sclerosis: Associations With Vascular Manifestations and Defective Vasculogenesis. <i>Arthritis and Rheumatology</i> , 2015, 67, 498-507.	5.6	54
63	Association of Human Leukocyte Antigen Class II Genes with Autoantibody Profiles, but not with Disease Susceptibility in Japanese Patients with Systemic Sclerosis.. <i>Internal Medicine</i> , 1999, 38, 336-344.	0.7	53
64	Clinical and histological findings associated with autoantibodies detected by RNA immunoprecipitation in inflammatory myopathies. <i>Journal of Neuroimmunology</i> , 2014, 274, 202-208.	2.3	53
65	The role of chest CT in deciphering interstitial lung involvement: systemic sclerosis versus COVID-19. <i>Rheumatology</i> , 2022, 61, 1600-1609.	1.9	53
66	Serum ferritin correlates with activity of anti-MDA5 antibody-associated acute interstitial lung disease as a complication of dermatomyositis. <i>Modern Rheumatology</i> , 2011, 21, 223-227.	1.8	51
67	Systemic sclerosis and the COVID-19 pandemic: World Scleroderma Foundation preliminary advice for patient management. <i>Annals of the Rheumatic Diseases</i> , 2020, 79, 724-726.	0.9	51
68	Immune Checkpoint Inhibitor-Induced Myositis: a Case Report and Literature Review. <i>Current Rheumatology Reports</i> , 2019, 21, 10.	4.7	49
69	2019 Diagnostic criteria for mixed connective tissue disease (MCTD): From the Japan research committee of the ministry of health, labor, and welfare for systemic autoimmune diseases. <i>Modern Rheumatology</i> , 2021, 31, 29-33.	1.8	49
70	Initial laboratory findings useful for predicting the diagnosis of idiopathic thrombocytopenic purpura. <i>American Journal of Medicine</i> , 2005, 118, 1026-1033.	1.5	48
71	Critical role of CD4+CD25+ regulatory T cells in preventing murine autoantibody-mediated thrombocytopenia. <i>Experimental Hematology</i> , 2012, 40, 279-289.	0.4	47
72	Clinical and serological features of patients with dermatomyositis complicated by spontaneous pneumomediastinum. <i>Clinical Rheumatology</i> , 2016, 35, 489-493.	2.2	46

#	ARTICLE	IF	CITATIONS
73	Circulating Anti-Nuclear Antibodies in Systemic Sclerosis: Utility in Diagnosis and Disease Subsetting. <i>Journal of Nippon Medical School</i> , 2017, 84, 56-63.	0.9	46
74	2020 guide for the diagnosis and treatment of interstitial lung disease associated with connective tissue disease. <i>Respiratory Investigation</i> , 2021, 59, 709-740.	1.8	45
75	Identification of an immunodominant epitope on RNA polymerase III recognized by systemic sclerosis sera: Application to enzyme-linked immunosorbent assay. <i>Arthritis and Rheumatism</i> , 2002, 46, 2742-2747.	6.7	44
76	Autoreactive T cells to topoisomerase I in monozygotic twins discordant for systemic sclerosis. <i>Arthritis and Rheumatism</i> , 2001, 44, 1654-1659.	6.7	43
77	Effects of a <i>Helicobacter pylori</i> eradication regimen on anti-platelet autoantibody response in infected and uninfected patients with idiopathic thrombocytopenic purpura. <i>Haematologica</i> , 2006, 91, 1436-7.	3.5	43
78	Human Pentraxin 3 (PTX3) as a Novel Biomarker for the Diagnosis of Pulmonary Arterial Hypertension. <i>PLoS ONE</i> , 2012, 7, e45834.	2.5	42
79	Brief Report: Impaired In Vivo Neovascularization Capacity of Endothelial Progenitor Cells in Patients With Systemic Sclerosis. <i>Arthritis and Rheumatology</i> , 2014, 66, 1300-1305.	5.6	40
80	Gottron Papules and Gottron Sign with Ulceration: A Distinctive Cutaneous Feature in a Subset of Patients with Classic Dermatomyositis and Clinically Amyopathic Dermatomyositis. <i>Journal of Rheumatology</i> , 2016, 43, 1735-1742.	2.0	39
81	Versican is upregulated in circulating monocytes in patients with systemic sclerosis and amplifies a CCL2-mediated pathogenic loop. <i>Arthritis Research and Therapy</i> , 2013, 15, R74.	3.5	38
82	Reference guide for management of adult immune thrombocytopenia in Japan: 2019 Revision. <i>International Journal of Hematology</i> , 2020, 111, 329-351.	1.6	38
83	HLA-DRB1 Alleles as Genetic Risk Factors for the Development of Anti-MDA5 Antibodies in Patients with Dermatomyositis. <i>Journal of Rheumatology</i> , 2017, 44, 1389-1393.	2.0	37
84	Seasonal and residential clustering at disease onset of anti-MDA5-associated interstitial lung disease. <i>RMD Open</i> , 2020, 6, e001202.	3.8	37
85	COVID-19 vaccination in autoimmune disease (COVAD) survey protocol. <i>Rheumatology International</i> , 2022, 42, 23-29.	3.0	37
86	Discordance in Global Assessments Between Patient and Estimator in Patients with Newly Diagnosed Rheumatoid Arthritis: Associations with Progressive Joint Destruction and Functional Impairment. <i>Journal of Rheumatology</i> , 2014, 41, 1061-1066.	2.0	34
87	Initial combination therapy of ambrisentan and tadalafil in connective tissue disease-associated pulmonary arterial hypertension (CTD-PAH) in the modified intention-to-treat population of the AMBITION study: post hoc analysis. <i>Annals of the Rheumatic Diseases</i> , 2020, 79, 626-634.	0.9	34
88	Enhanced angiogenic potency of monocytic endothelial progenitor cells in patients with systemic sclerosis. <i>Arthritis Research and Therapy</i> , 2010, 12, R205.	3.5	33
89	Quantification of circulating endothelial progenitor cells in systemic sclerosis: a direct comparison of protocols. <i>Annals of the Rheumatic Diseases</i> , 2012, 71, 617-620.	0.9	33
90	An immunodominant epitope on DNA topoisomerase I is conformational in nature: Heterogeneity in its recognition by systemic sclerosis sera. <i>Arthritis and Rheumatism</i> , 1999, 42, 1179-1188.	6.7	32

#	ARTICLE	IF	CITATIONS
91	Autoantibodies to RNA polymerases recognize multiple subunits and demonstrate cross-reactivity with RNA polymerase complexes. <i>Arthritis and Rheumatism</i> , 1999, 42, 275-284.	6.7	32
92	Amyopathic dermatomyositis developing rapidly progressive interstitial lung disease with elevation of anti-CADM-140/MDA5 autoantibodies. <i>Modern Rheumatology</i> , 2012, 22, 625-629.	1.8	32
93	Comparison of radioimmunoprecipitation versus antigen-specific assays for identification of myositis-specific autoantibodies in dermatomyositis patients. <i>Modern Rheumatology</i> , 2014, 24, 945-948.	1.8	32
94	Choosing the right biomarkers to predict ILD in myositis. <i>Nature Reviews Rheumatology</i> , 2016, 12, 504-506.	8.0	31
95	Induction of immune tolerance to platelet antigen by short-term thrombopoietin treatment in a mouse model of immune thrombocytopenia. <i>International Journal of Hematology</i> , 2014, 100, 341-344.	1.6	30
96	Role of autoantibodies in the diagnosis and prognosis of interstitial lung disease in autoimmune rheumatic disorders. <i>Therapeutic Advances in Musculoskeletal Disease</i> , 2021, 13, 1759720X2110324.	2.7	30
97	Nintedanib: New indication for systemic sclerosis-associated interstitial lung disease. <i>Modern Rheumatology</i> , 2020, 30, 225-231.	1.8	29
98	Serum chemokine levels as prognostic markers in patients with early systemic sclerosis: a multicenter, prospective, observational study. <i>Modern Rheumatology</i> , 2013, 23, 1076-1084.	1.8	28
99	Myositis-specific autoantibodies in Japanese patients with juvenile idiopathic inflammatory myopathies. <i>Modern Rheumatology</i> , 2019, 29, 351-356.	1.8	27
100	The promise, perceptions, and pitfalls of immunoassays for autoantibody testing in myositis. <i>Arthritis Research and Therapy</i> , 2020, 22, 117.	3.5	27
101	Current and Future Outlook on Disease Modification and Defining Low Disease Activity in Systemic Sclerosis. <i>Arthritis and Rheumatology</i> , 2020, 72, 1049-1058.	5.6	27
102	Association of Functional Microsatellites in the Human Type I Collagen $\alpha 2$ Chain (COL1A2) Gene with Systemic Sclerosis. <i>Biochemical and Biophysical Research Communications</i> , 2000, 272, 36-40.	2.1	26
103	Efficacy and safety of TNF- α antagonists and tocilizumab in Takayasu arteritis: multicentre retrospective study of 209 patients. <i>Rheumatology</i> , 2022, 61, 1376-1384.	1.9	26
104	Low positive titer of anti-melanoma differentiation-associated gene 5 antibody is not associated with a poor long-term outcome of interstitial lung disease in patients with dermatomyositis. <i>Respiratory Investigation</i> , 2018, 56, 464-472.	1.8	25
105	Primary systemic sclerosis heart involvement: A systematic literature review and preliminary data-driven, consensus-based WSF/HFA definition. <i>Journal of Scleroderma and Related Disorders</i> , 2022, 7, 24-32.	1.7	25
106	Association of anti-aminoacyl-transfer RNA synthetase antibody and anti-melanoma differentiation-associated gene 5 antibody with the therapeutic response of polymyositis/dermatomyositis-associated interstitial lung disease. <i>Respiratory Investigation</i> , 2017, 55, 24-32.	1.8	24
107	$\alpha 2$ -Glycoprotein I-Reactive T Cells in Autoimmune Disease. <i>Frontiers in Immunology</i> , 2018, 9, 2836.	4.8	24
108	Antiviral proinflammatory phenotype of monocytes in anti-MDA5 antibody-associated interstitial lung disease. <i>Rheumatology</i> , 2022, 61, 806-814.	1.9	23

#	ARTICLE	IF	CITATIONS
109	High-dose intravenous immunoglobulin therapy for rapidly progressive interstitial pneumonitis accompanied by anti-melanoma differentiation-associated gene 5 antibody-positive amyopathic dermatomyositis. <i>European Journal of Rheumatology</i> , 2015, 2, 83-85.	0.6	23
110	HLA loci predisposing to immune TTP in Japanese: potential role of the shared ADAMTS13 peptide bound to different HLA-DR. <i>Blood</i> , 2020, 135, 2413-2419.	1.4	22
111	Early diagnosis and treatment for remission of clinically amyopathic dermatomyositis complicated by rapid progress interstitial lung disease: a report of two cases. <i>Modern Rheumatology</i> , 2013, 23, 190-194.	1.8	21
112	Tocilizumab is effective against polymyalgia rheumatica: experience in 13 intractable cases. <i>RMD Open</i> , 2015, 1, e000162.	3.8	21
113	Performance evaluation of a commercial line blot assay system for detection of myositis- and systemic sclerosis-related autoantibodies. <i>Clinical Rheumatology</i> , 2020, 39, 3489-3497.	2.2	21
114	Nintedanib in Patients With Systemic Sclerosis-Associated Interstitial Lung Disease: Subgroup Analyses by Autoantibody Status and Modified Rodnan Skin Thickness Score. <i>Arthritis and Rheumatology</i> , 2022, 74, 518-526.	5.6	21
115	Therapeutic Approaches to Systemic Sclerosis: Recent Approvals and Future Candidate Therapies. <i>Clinical Reviews in Allergy and Immunology</i> , 2023, 64, 239-261.	6.5	20
116	COVID-19 vaccination-related adverse events among autoimmune disease patients: results from the COVAD study. <i>Rheumatology</i> , 2022, 62, 65-76.	1.9	19
117	Risk factors for skin, mucosal, and organ bleeding in adults with primary ITP: a nationwide study in Japan. <i>Blood Advances</i> , 2020, 4, 1648-1655.	5.2	17
118	Endothelial cells and endothelial progenitor cells in the pathogenesis of systemic sclerosis. <i>European Journal of Rheumatology</i> , 2020, 7, 139-146.	0.6	17
119	Fc γ 3 receptor IIB gene polymorphism in adult Japanese patients with primary immune thrombocytopenia. <i>Blood</i> , 2013, 122, 1991-1992.	1.4	16
120	Comparison of anti-OJ antibody detection assays between an immunoprecipitation assay and line blot assay. <i>Modern Rheumatology</i> , 2017, 27, 551-552.	1.8	16
121	Evaluation of the alternative classification criteria of systemic lupus erythematosus established by Systemic Lupus International Collaborating Clinics (SLICC). <i>Modern Rheumatology</i> , 2018, 28, 642-648.	1.8	16
122	Efficacy and safety of nintedanib in Asian patients with systemic sclerosis-associated interstitial lung disease: Subgroup analysis of the SENSICIS trial. <i>Respiratory Investigation</i> , 2021, 59, 252-259.	1.8	15
123	Updates on genetics in systemic sclerosis. <i>Inflammation and Regeneration</i> , 2021, 41, 17.	3.7	15
124	Association of psoriasis with Hashimoto's thyroiditis, Sjögren's syndrome and dermatomyositis. <i>Journal of Dermatology</i> , 2016, 43, 711-712.	1.2	14
125	Current understanding and recent advances in myositis-specific and -associated autoantibodies detected in patients with dermatomyositis. <i>Expert Review of Clinical Immunology</i> , 2020, 16, 79-89.	3.0	14
126	A unique thymus-derived regulatory T cell subset associated with systemic lupus erythematosus. <i>Arthritis Research and Therapy</i> , 2020, 22, 88.	3.5	14

#	ARTICLE	IF	CITATIONS
127	Nintedanib in patients with systemic sclerosis-associated interstitial lung disease: A Japanese population analysis of the SENSICIS trial. <i>Modern Rheumatology</i> , 2021, 31, 141-150.	1.8	14
128	HLA class II alleles in systemic sclerosis patients with anti-RNA polymerase I/III antibody: associations with subunit reactivities. <i>Journal of Rheumatology</i> , 2003, 30, 2392-7.	2.0	14
129	Vaccine hesitancy in patients with autoimmune diseases: Data from the coronavirus disease-2019 vaccination in autoimmune diseases study. <i>Indian Journal of Rheumatology</i> , 2022, 17, 188.	0.4	14
130	Add-on tocilizumab versus conventional treatment for systemic sclerosis, and cytokine analysis to identify an endotype to tocilizumab therapy. <i>Modern Rheumatology</i> , 2019, 29, 134-139.	1.8	12
131	T cells from induced and spontaneous models of SLE recognize a common T cell epitope on β 2-glycoprotein I. <i>Cellular and Molecular Immunology</i> , 2019, 16, 685-693.	10.5	12
132	Chest wall muscle atrophy as a contributory factor for forced vital capacity decline in systemic sclerosis-associated interstitial lung disease. <i>Rheumatology</i> , 2021, 60, 250-255.	1.9	12
133	Clinical impact of myositis-specific autoantibodies on long-term prognosis of juvenile idiopathic inflammatory myopathies: multicentre study. <i>Rheumatology</i> , 2021, 60, 4821-4831.	1.9	12
134	Coexistence of anti-melanoma differentiation-associated gene 5 and anti-aminoacyl-transfer RNA synthetase antibodies in a patient with dermatomyositis and rapidly progressive and relapsing interstitial lung disease. <i>Modern Rheumatology Case Reports</i> , 2017, 1, 3-8.	0.7	11
135	Two cases with autoantibodies to small ubiquitin-like modifier activating enzyme: A potential unique subset of dermatomyositis-associated interstitial lung disease. <i>International Journal of Rheumatic Diseases</i> , 2019, 22, 1582-1586.	1.9	11
136	Recent progress and missing gaps to achieve goal in the care of systemic sclerosis-associated interstitial lung disease. <i>Journal of Scleroderma and Related Disorders</i> , 2020, 5, 3-5.	1.7	9
137	Clinical worsening following discontinuation of tocilizumab in diffuse cutaneous systemic sclerosis: a single-centre experience in Japan. <i>Rheumatology</i> , 2022, 61, 4491-4496.	1.9	9
138	Incidence Rate and Prevalence of Systemic Sclerosis and Systemic Sclerosis-Associated Interstitial Lung Disease in Japan: Analysis Using Japanese Claims Databases. <i>Advances in Therapy</i> , 2022, 39, 2222-2235.	2.9	9
139	Distinct arthropathies of the hands in patients with anti-aminoacyl tRNA synthetase antibodies: usefulness of autoantibody profiles in classifying patients. <i>Rheumatology</i> , 2014, 53, 1120-1124.	1.9	8
140	Oral vasopressin receptor antagonist tolvaptan in right heart failure due to pulmonary hypertension. <i>European Respiratory Journal</i> , 2015, 46, 283-286.	6.7	8
141	A To-Do List at Diagnosis of Systemic Sclerosis with Positive Anti-RNA Polymerase III Antibodies. <i>Journal of Rheumatology</i> , 2017, 44, 550-552.	2.0	8
142	Anti-MDA5 antibody-positive rapidly progressive interstitial pneumonia without cutaneous manifestations. <i>Respiratory Medicine Case Reports</i> , 2019, 26, 193-196.	0.4	8
143	Improved quantification of a commercial enzyme-linked immunosorbent assay kit for measuring anti-MDA5 antibody. <i>Modern Rheumatology</i> , 2019, 29, 140-145.	1.8	8
144	Complex Pathophysiology of Pulmonary Hypertension Associated with Systemic Sclerosis: Potential Unfavorable Effects of Vasodilators. <i>Journal of Scleroderma and Related Disorders</i> , 2017, 2, 92-99.	1.7	7

#	ARTICLE	IF	CITATIONS
145	Performance evaluation of a line blot assay system for detection of anti-CPM-EScl antibody in Japanese patients with systemic sclerosis. <i>International Journal of Rheumatic Diseases</i> , 2019, 22, 1746-1751.	1.9	7
146	Use of vonoprazan, a novel potassium-competitive acid blocker, for the treatment of proton pump inhibitor-refractory reflux esophagitis in patients with systemic sclerosis. <i>Journal of Scleroderma and Related Disorders</i> , 2022, 7, 57-61.	1.7	7
147	The development of quality indicators for systemic lupus erythematosus using electronic health data: A modified RAND appropriateness method. <i>Modern Rheumatology</i> , 2020, 30, 525-531.	1.8	6
148	Initial predictors of skin thickness progression in patients with diffuse cutaneous systemic sclerosis: Results from a multicentre prospective cohort in Japan. <i>Modern Rheumatology</i> , 2021, 31, 386-393.	1.8	6
149	Efficacy and safety of nintedanib in Japanese patients with progressive fibrosing interstitial lung diseases: Subgroup analysis of the randomised, double-blind, placebo-controlled, phase 3 INBUILD trial. <i>Respiratory Medicine</i> , 2021, 187, 106574.	2.9	6
150	Clinical Relevance of the Serial Measurement of Krebs von den Lungen-6 Levels in Patients with Systemic Sclerosis-Associated Interstitial Lung Disease. <i>Diagnostics</i> , 2021, 11, 2007.	2.6	6
151	Should we reconsider the definition of elderly-onset rheumatoid arthritis in an ageing society?. <i>Modern Rheumatology</i> , 2022, 32, 323-329.	1.8	6
152	Three cases of interstitial pneumonia with anti-signal recognition particle antibody. <i>Allergology International</i> , 2017, 66, 485-487.	3.3	5
153	Cluster of differentiation 30 expression in lacrimal gland and conjunctival tissues in patients with Sjögren's syndrome. <i>Medicine (United States)</i> , 2019, 98, e16390.	1.0	5
154	Nintedanib for the treatment of systemic sclerosis-associated interstitial lung disease. <i>Expert Review of Clinical Immunology</i> , 2020, 16, 547-560.	3.0	5
155	Current monitoring and treatment of progressive fibrosing interstitial lung disease: a survey of physicians in Japan, the United States, and the European Union. <i>Current Medical Research and Opinion</i> , 2021, 37, 327-339.	1.9	5
156	Rapid Initiation of Intravenous Epoprostenol Infusion Is the Favored Option in Patients with Advanced Pulmonary Arterial Hypertension. <i>PLoS ONE</i> , 2015, 10, e0121894.	2.5	5
157	Outcomes in patients with systemic sclerosis undergoing early vs delayed intervention with potential disease-modifying therapies. <i>Rheumatology</i> , 2022, 61, 3677-3685.	1.9	5
158	Mortality Risk Stratification Using Cluster Analysis in Patients With Myositis-Associated Interstitial Lung Disease Receiving Initial Triple-Combination Therapy. <i>Frontiers in Medicine</i> , 2022, 9, .	2.6	5
159	A multianalyte assay for the detection of dermatomyositis-related autoantibodies based on immunoprecipitation combined with immunoblotting. <i>Modern Rheumatology</i> , 2023, 33, 543-548.	1.8	5
160	Dual phosphodiesterase type 5 inhibitor therapy for refractory pulmonary arterial hypertension: a pilot study. <i>BMC Pulmonary Medicine</i> , 2015, 15, 62.	2.0	4
161	Utility of dermatomyositis-specific autoantibodies for diagnosis and clinical subsetting. <i>International Journal of Clinical Rheumatology</i> , 2015, 10, 257-271.	0.3	4
162	Presence and Implications of Anti-Angiotensin Converting Enzyme 2 Immunoglobulin M Antibodies in Anti-Melanoma Differentiation-5 Dermatomyositis. <i>ACR Open Rheumatology</i> , 2022, 4, 457-463.	2.1	4

#	ARTICLE	IF	CITATIONS
163	Cost-effectiveness analyses of biologic and targeted synthetic disease-modifying anti-rheumatic diseases in patients with rheumatoid arthritis: Three approaches with a cohort simulation and real-world data. <i>Modern Rheumatology</i> , 2023, 33, 302-311.	1.8	4
164	RXR8 Is an MHC-Encoded Susceptibility Gene Associated with Anti-Topoisomerase I Antibody-Positive Systemic Sclerosis. <i>Journal of Investigative Dermatology</i> , 2017, 137, 1878-1886.	0.7	3
165	Predictive factors for sustained remission with stratification by myositis-specific autoantibodies in adult polymyositis/dermatomyositis. <i>Rheumatology</i> , 2019, 59, 586-593.	1.9	3
166	A case of cancer-associated myositis with anti-Mi-2 antibody: False-positive anti-transcriptional intermediary factor 1 antibody by commercial enzyme-linked immunosorbent assay. <i>International Journal of Rheumatic Diseases</i> , 2019, 22, 1335-1339.	1.9	3
167	Infratentorial onset of progressive multifocal leukoencephalopathy in a patient with systemic lupus erythematosus complicated with lymphoma: a case report. <i>Modern Rheumatology Case Reports</i> , 2021, 5, 272-277.	0.7	3
168	Identification of Molecular Factors Required for Transdifferentiation of Human Circulating Monocytes into Multipotential Cells.. <i>Blood</i> , 2007, 110, 2408-2408.	1.4	3
169	What do we learn from immunomodulation in patients with immune thrombocytopenia?. <i>Seminars in Hematology</i> , 2016, 53, S27-S30.	3.4	2
170	Mouse immune thrombocytopenia is associated with Th1 bias and expression of activating Fcγ3 receptors. <i>International Journal of Hematology</i> , 2017, 105, 598-605.	1.6	2
171	OP0183...EFFICACY AND SAFETY OF RIOCIQUAT IN PATIENTS WITH EARLY DIFFUSE CUTANEOUS SYSTEMIC SCLEROSIS AND INTERSTITIAL LUNG DISEASE (SSC-ILD): RESULTS FROM THE PHASE IIB RISE-SSC STUDY. , 2019, , .		2
172	Infection or Autoimmunity? The Clinical Challenge of Interstitial Lung Disease in Systemic Sclerosis During the COVID-19 Pandemic. <i>Journal of Rheumatology</i> , 2021, 48, 790-792.	2.0	2
173	Splenic Macrophages Maintain the Anti-Platelet Autoimmune Response Via Uptake of Opsonized Platelets in Patients with Chronic ITP.. <i>Blood</i> , 2005, 106, 221-221.	1.4	2
174	Dermatomyositis-Associated Autoantibodies: TIF1-β, NXP2, and MDA5. , 2020, , 193-198.		2
175	Development of an Automated Chemiluminescent Enzyme Immunoassay for Measuring Thrombopoietin in Human Plasma. <i>Diagnostics</i> , 2022, 12, 313.	2.6	2
176	Clinical characteristics of four myositis-specific autoantibodies with regulatory-approved testing in Japan: A Japanese multi-centre adult myositis patients cohort. <i>Journal of Dermatological Science</i> , 2021, 103, 53-56.	1.9	1
177	Inflammation and pathogenic fibrosis in human ocular chronic graft versus host disease. <i>Inflammation and Regeneration</i> , 2008, 28, 529-536.	3.7	1
178	Role of Myositis Autoantibodies in Management and Prognosis. , 2020, , 175-180.		1
179	Personalized medicine for connective tissue disease: Historical and future perspectives. <i>Personalized Medicine Universe</i> , 2018, 7, 1-6.	0.3	0
180	Fos-related antigen-1 transgenic mouse as a model for systemic sclerosis: A potential role of M2 polarization. <i>Journal of Scleroderma and Related Disorders</i> , 2019, 4, 137-148.	1.7	0

#	ARTICLE	IF	CITATIONS
181	FRI0303...THE EFFECTS OF RIOCIQUAT ON RAYNAUD'S PHENOMENON AND DIGITAL ULCERS IN PATIENTS WITH DIFFUSE SYSTEMIC SCLEROSIS: RESULTS FROM THE PHASE IIB RISE-SSC STUDY. , 2019, , .		0
182	OP0067...UTILITY OF RISK STRATIFICATION IN PREDICTING OUTCOMES OF INITIAL MONOTHERAPY VERSUS COMBINATION THERAPY IN PULMONARY ARTERIAL HYPERTENSION ASSOCIATED WITH CONNECTIVE TISSUE DISEASE: A POST-HOC ANALYSIS OF THE AMBITION STUDY. , 2019, , .		0
183	Joint contractures responsive to immunosuppressive therapy in a girl with childhood-onset systemic sclerosis double-seropositive for rare anti-nucleolar autoantibodies: a case report. <i>Pediatric Rheumatology</i> , 2021, 19, 37.	2.1	0
184	Clinical Features and Effects of Eradication on Helicobacter Pylori Positive 207 ITP Cases in Japan.. <i>Blood</i> , 2004, 104, 2071-2071.	1.4	0
185	Therapeutic Action of Helicobacter pylori (H. pylori) Eradication in Patients with Chronic ITP - Lessons from Eradication Therapy on H. pylori-Negative Patients.. <i>Blood</i> , 2004, 104, 2070-2070.	1.4	0
186	Impaired Platelet Production and Autoantibody-Mediated Platelet Destruction Are Two Major Causes for Prolonged Thrombocytopenia after Allogeneic HSCT.. <i>Blood</i> , 2004, 104, 2256-2256.	1.4	0
187	Multi-Lineage Potential of Human Monocyte-Derived Mesenchymal Progenitors (MOMPs).. <i>Blood</i> , 2004, 104, 3595-3595.	1.4	0
188	Initial Laboratory Findings Useful for Predicting the Diagnosis of Chronic ITP: Results of a Multicenter Prospective Study.. <i>Blood</i> , 2004, 104, 2061-2061.	1.4	0
189	A regulatory T cell-deficient mouse model as a useful tool for evaluating the pathophysiology of human immune thrombocytopenia. <i>Japanese Journal of Thrombosis and Hemostasis</i> , 2015, 26, 605-610.	0.1	0
190	17. Importance of Early Diagnosis and Treatment in Patients with Systemic Sclerosis. <i>The Journal of the Japanese Society of Internal Medicine</i> , 2016, 105, 1864-1869.	0.0	0
191	Endothelial Progenitor Cells. , 2016, , 39-56.		0
192	T-Cell Abnormalities. , 2017, , 63-72.		0
193	Current understanding of the mechanisms for autoantibody production. <i>Japanese Journal of Thrombosis and Hemostasis</i> , 2018, 29, 243-250.	0.1	0
194	Next-Generation Sequencing of HLA Loci Identifies Predisposing and Protective Factors for Immune-Mediated Thrombotic Thrombocytopenic Purpura in a Japanese Population. <i>Blood</i> , 2019, 134, 1085-1085.	1.4	0
195	Branched chain amino acids in the treatment of polymyositis and dermatomyositis: a phase II/III, multi-centre, randomized controlled trial. <i>Rheumatology</i> , 2022, , .	1.9	0
196	Immune-mediated thrombotic thrombocytopenic purpura and HLA. Major Histocompatibility Complex, 2022, 29, 42-51.	0.1	0
197	Severe digital ischemia as an unrecognized manifestation in patients with antisynthetase autoantibodies: Case series and systematic literature review. <i>Journal of Scleroderma and Related Disorders</i> , 0, , 239719832210908.	1.7	0