

Masataka Kuwana

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1606145/publications.pdf>

Version: 2024-02-01

197
papers

12,473
citations

30551

56
h-index

32181

105
g-index

197
all docs

197
docs citations

197
times ranked

8283
citing authors

#	ARTICLE	IF	CITATIONS
1	Therapeutic Approaches to Systemic Sclerosis: Recent Approvals and Future Candidate Therapies. <i>Clinical Reviews in Allergy and Immunology</i> , 2023, 64, 239-261.	2.9	20
2	Cost-effectiveness analyses of biologic and targeted synthetic disease-modifying anti-rheumatic diseases in patients with rheumatoid arthritis: Three approaches with a cohort simulation and real-world data. <i>Modern Rheumatology</i> , 2023, 33, 302-311.	0.9	4
3	A multianalyte assay for the detection of dermatomyositis-related autoantibodies based on immunoprecipitation combined with immunoblotting. <i>Modern Rheumatology</i> , 2023, 33, 543-548.	0.9	5
4	Efficacy and safety of TNF- α antagonists and tocilizumab in Takayasu arteritis: multicentre retrospective study of 209 patients. <i>Rheumatology</i> , 2022, 61, 1376-1384.	0.9	26
5	Antiviral proinflammatory phenotype of monocytes in anti-MDA5 antibody-associated interstitial lung disease. <i>Rheumatology</i> , 2022, 61, 806-814.	0.9	23
6	Use of vonoprazan, a novel potassium-competitive acid blocker, for the treatment of proton pump inhibitor-refractory reflux esophagitis in patients with systemic sclerosis. <i>Journal of Scleroderma and Related Disorders</i> , 2022, 7, 57-61.	1.0	7
7	The role of chest CT in deciphering interstitial lung involvement: systemic sclerosis versus COVID-19. <i>Rheumatology</i> , 2022, 61, 1600-1609.	0.9	53
8	Nintedanib in Patients With Systemic Sclerosis-Associated Interstitial Lung Disease: Subgroup Analyses by Autoantibody Status and Modified Rodnan Skin Thickness Score. <i>Arthritis and Rheumatology</i> , 2022, 74, 518-526.	2.9	21
9	Primary systemic sclerosis heart involvement: A systematic literature review and preliminary data-driven, consensus-based WSF/HFA definition. <i>Journal of Scleroderma and Related Disorders</i> , 2022, 7, 24-32.	1.0	25
10	COVID-19 vaccination in autoimmune disease (COVAD) survey protocol. <i>Rheumatology International</i> , 2022, 42, 23-29.	1.5	37
11	Should we reconsider the definition of elderly-onset rheumatoid arthritis in an ageing society?. <i>Modern Rheumatology</i> , 2022, 32, 323-329.	0.9	6
12	Development of an Automated Chemiluminescent Enzyme Immunoassay for Measuring Thrombopoietin in Human Plasma. <i>Diagnostics</i> , 2022, 12, 313.	1.3	2
13	Outcomes in patients with systemic sclerosis undergoing early vs delayed intervention with potential disease-modifying therapies. <i>Rheumatology</i> , 2022, 61, 3677-3685.	0.9	5
14	Vaccine hesitancy in patients with autoimmune diseases: Data from the coronavirus disease-2019 vaccination in autoimmune diseases study. <i>Indian Journal of Rheumatology</i> , 2022, 17, 188.	0.2	14
15	Branched chain amino acids in the treatment of polymyositis and dermatomyositis: a phase II/III, multi-centre, randomized controlled trial. <i>Rheumatology</i> , 2022, , .	0.9	0
16	Clinical worsening following discontinuation of tocilizumab in diffuse cutaneous systemic sclerosis: a single-centre experience in Japan. <i>Rheumatology</i> , 2022, 61, 4491-4496.	0.9	9
17	Incidence Rate and Prevalence of Systemic Sclerosis and Systemic Sclerosis-Associated Interstitial Lung Disease in Japan: Analysis Using Japanese Claims Databases. <i>Advances in Therapy</i> , 2022, 39, 2222-2235.	1.3	9
18	Presence and Implications of Anti-Angiotensin Converting Enzyme 2 Immunoglobulin M Antibodies in Anti-Melanoma Differentiation-Associated 5 Dermatomyositis. <i>ACR Open Rheumatology</i> , 2022, 4, 457-463.	0.9	4

#	ARTICLE	IF	CITATIONS
19	Immune-mediated thrombotic thrombocytopenic purpura and HLA. Major Histocompatibility Complex, 2022, 29, 42-51.	0.2	0
20	Mortality Risk Stratification Using Cluster Analysis in Patients With Myositis-Associated Interstitial Lung Disease Receiving Initial Triple-Combination Therapy. <i>Frontiers in Medicine</i> , 2022, 9, .	1.2	5
21	COVID-19 vaccination-related adverse events among autoimmune disease patients: results from the COVAD study. <i>Rheumatology</i> , 2022, 62, 65-76.	0.9	19
22	Nintedanib in patients with systemic sclerosis-associated interstitial lung disease: A Japanese population analysis of the SENSICIS trial. <i>Modern Rheumatology</i> , 2021, 31, 141-150.	0.9	14
23	Initial predictors of skin thickness progression in patients with diffuse cutaneous systemic sclerosis: Results from a multicentre prospective cohort in Japan. <i>Modern Rheumatology</i> , 2021, 31, 386-393.	0.9	6
24	Chest wall muscle atrophy as a contributory factor for forced vital capacity decline in systemic sclerosis-associated interstitial lung disease. <i>Rheumatology</i> , 2021, 60, 250-255.	0.9	12
25	Infection or Autoimmunity? The Clinical Challenge of Interstitial Lung Disease in Systemic Sclerosis During the COVID-19 Pandemic. <i>Journal of Rheumatology</i> , 2021, 48, 790-792.	1.0	2
26	Efficacy and safety of nintedanib in Asian patients with systemic sclerosis-associated interstitial lung disease: Subgroup analysis of the SENSICIS trial. <i>Respiratory Investigation</i> , 2021, 59, 252-259.	0.9	15
27	Current monitoring and treatment of progressive fibrosing interstitial lung disease: a survey of physicians in Japan, the United States, and the European Union. <i>Current Medical Research and Opinion</i> , 2021, 37, 327-339.	0.9	5
28	Risk Prediction Modeling Based on a Combination of Initial Serum Biomarker Levels in Polymyositis/Dermatomyositis-Associated Interstitial Lung Disease. <i>Arthritis and Rheumatology</i> , 2021, 73, 677-686.	2.9	60
29	2019 Diagnostic criteria for mixed connective tissue disease (MCTD): From the Japan research committee of the ministry of health, labor, and welfare for systemic autoimmune diseases. <i>Modern Rheumatology</i> , 2021, 31, 29-33.	0.9	49
30	Efficacy and safety of nintedanib in patients with systemic sclerosis-associated interstitial lung disease treated with mycophenolate: a subgroup analysis of the SENSICIS trial. <i>Lancet Respiratory Medicine</i> , 2021, 9, 96-106.	5.2	118
31	Clinical impact of myositis-specific autoantibodies on long-term prognosis of juvenile idiopathic inflammatory myopathies: multicentre study. <i>Rheumatology</i> , 2021, 60, 4821-4831.	0.9	12
32	Joint contractures responsive to immunosuppressive therapy in a girl with childhood-onset systemic sclerosis double-seropositive for rare anti-nucleolar autoantibodies: a case report. <i>Pediatric Rheumatology</i> , 2021, 19, 37.	0.9	0
33	Infratentorial onset of progressive multifocal leukoencephalopathy in a patient with systemic lupus erythematosus complicated with lymphoma: a case report. <i>Modern Rheumatology Case Reports</i> , 2021, 5, 272-277.	0.3	3
34	Updates on genetics in systemic sclerosis. <i>Inflammation and Regeneration</i> , 2021, 41, 17.	1.5	15
35	Clinical characteristics of four myositis-specific autoantibodies with regulatory-approved testing in Japan: A Japanese multi-centre adult myositis patients' cohort. <i>Journal of Dermatological Science</i> , 2021, 103, 53-56.	1.0	1
36	2020 guide for the diagnosis and treatment of interstitial lung disease associated with connective tissue disease. <i>Respiratory Investigation</i> , 2021, 59, 709-740.	0.9	45

#	ARTICLE	IF	CITATIONS
37	Efficacy and safety of nintedanib in Japanese patients with progressive fibrosing interstitial lung diseases: Subgroup analysis of the randomised, double-blind, placebo-controlled, phase 3 INBUILD trial. <i>Respiratory Medicine</i> , 2021, 187, 106574.	1.3	6
38	Role of autoantibodies in the diagnosis and prognosis of interstitial lung disease in autoimmune rheumatic disorders. <i>Therapeutic Advances in Musculoskeletal Disease</i> , 2021, 13, 1759720X2110324.	1.2	30
39	Clinical Relevance of the Serial Measurement of Krebs von den Lungen-6 Levels in Patients with Systemic Sclerosis-Associated Interstitial Lung Disease. <i>Diagnostics</i> , 2021, 11, 2007.	1.3	6
40	The development of quality indicators for systemic lupus erythematosus using electronic health data: A modified RAND appropriateness method. <i>Modern Rheumatology</i> , 2020, 30, 525-531.	0.9	6
41	Nintedanib: New indication for systemic sclerosis-associated interstitial lung disease. <i>Modern Rheumatology</i> , 2020, 30, 225-231.	0.9	29
42	Current understanding and recent advances in myositis-specific and -associated autoantibodies detected in patients with dermatomyositis. <i>Expert Review of Clinical Immunology</i> , 2020, 16, 79-89.	1.3	14
43	Reference guide for management of adult immune thrombocytopenia in Japan: 2019 Revision. <i>International Journal of Hematology</i> , 2020, 111, 329-351.	0.7	38
44	Tocilizumab in systemic sclerosis: a randomised, double-blind, placebo-controlled, phase 3 trial. <i>Lancet Respiratory Medicine</i> , 2020, 8, 963-974.	5.2	348
45	Systemic sclerosis and the COVID-19 pandemic: World Scleroderma Foundation preliminary advice for patient management. <i>Annals of the Rheumatic Diseases</i> , 2020, 79, 724-726.	0.5	51
46	Performance evaluation of a commercial line blot assay system for detection of myositis- and systemic sclerosis-related autoantibodies. <i>Clinical Rheumatology</i> , 2020, 39, 3489-3497.	1.0	21
47	The promise, perceptions, and pitfalls of immunoassays for autoantibody testing in myositis. <i>Arthritis Research and Therapy</i> , 2020, 22, 117.	1.6	27
48	HLA loci predisposing to immune TTP in Japanese: potential role of the shared ADAMTS13 peptide bound to different HLA-DR. <i>Blood</i> , 2020, 135, 2413-2419.	0.6	22
49	Nintedanib for the treatment of systemic sclerosis-associated interstitial lung disease. <i>Expert Review of Clinical Immunology</i> , 2020, 16, 547-560.	1.3	5
50	Seasonal and residential clustering at disease onset of anti-MDA5-associated interstitial lung disease. <i>RMD Open</i> , 2020, 6, e001202.	1.8	37
51	Current and Future Outlook on Disease Modification and Defining Low Disease Activity in Systemic Sclerosis. <i>Arthritis and Rheumatology</i> , 2020, 72, 1049-1058.	2.9	27
52	Diagnostic and Prognostic Biomarkers for Chronic Fibrosing Interstitial Lung Diseases With a Progressive Phenotype. <i>Chest</i> , 2020, 158, 646-659.	0.4	79
53	A unique thymus-derived regulatory T cell subset associated with systemic lupus erythematosus. <i>Arthritis Research and Therapy</i> , 2020, 22, 88.	1.6	14
54	Initial combination therapy of ambrisentan and tadalafil in connective tissue disease-associated pulmonary arterial hypertension (CTD-PAH) in the modified intention-to-treat population of the AMBITION study: post hoc analysis. <i>Annals of the Rheumatic Diseases</i> , 2020, 79, 626-634.	0.5	34

#	ARTICLE	IF	CITATIONS
55	Riociguat in patients with early diffuse cutaneous systemic sclerosis (RISE-SSc): randomised, double-blind, placebo-controlled multicentre trial. <i>Annals of the Rheumatic Diseases</i> , 2020, 79, 618-625.	0.5	71
56	Risk factors for skin, mucosal, and organ bleeding in adults with primary ITP: a nationwide study in Japan. <i>Blood Advances</i> , 2020, 4, 1648-1655.	2.5	17
57	Recent progress and missing gaps to achieve goal in the care of systemic sclerosis-associated interstitial lung disease. <i>Journal of Scleroderma and Related Disorders</i> , 2020, 5, 3-5.	1.0	9
58	Endothelial cells and endothelial progenitor cells in the pathogenesis of systemic sclerosis. <i>European Journal of Rheumatology</i> , 2020, 7, 139-146.	1.3	17
59	Dermatomyositis-Associated Autoantibodies: TIF1- β , NXP2, and MDA5. , 2020, , 193-198.		2
60	Role of Myositis Autoantibodies in Management and Prognosis. , 2020, , 175-180.		1
61	Predictive factors for sustained remission with stratification by myositis-specific autoantibodies in adult polymyositis/dermatomyositis. <i>Rheumatology</i> , 2019, 59, 586-593.	0.9	3
62	Performance evaluation of a line blot assay system for detection of anti-PM-Scl antibody in Japanese patients with systemic sclerosis. <i>International Journal of Rheumatic Diseases</i> , 2019, 22, 1746-1751.	0.9	7
63	Fos-related antigen-1 transgenic mouse as a model for systemic sclerosis: A potential role of M2 polarization. <i>Journal of Scleroderma and Related Disorders</i> , 2019, 4, 137-148.	1.0	0
64	Progression of Interstitial Lung Disease in Systemic Sclerosis: The Importance of Pneumoproteins Krebs von den Lungen 6 and CCL18. <i>Arthritis and Rheumatology</i> , 2019, 71, 2059-2067.	2.9	55
65	Nintedanib for Systemic Sclerosis-associated Interstitial Lung Disease. <i>New England Journal of Medicine</i> , 2019, 380, 2518-2528.	13.9	1,025
66	Two cases with autoantibodies to small ubiquitin-like modifier activating enzyme: A potential unique subset of dermatomyositis-associated interstitial lung disease. <i>International Journal of Rheumatic Diseases</i> , 2019, 22, 1582-1586.	0.9	11
67	Outcomes of patients with systemic sclerosis treated with rituximab in contemporary practice: a prospective cohort study. <i>Annals of the Rheumatic Diseases</i> , 2019, 78, 979-987.	0.5	142
68	Guidelines for the Treatment of Pulmonary Hypertension (JCS 2017/JPCPHS 2017). <i>Circulation Journal</i> , 2019, 83, 842-945.	0.7	132
69	Immune Checkpoint Inhibitor-Induced Myositis: a Case Report and Literature Review. <i>Current Rheumatology Reports</i> , 2019, 21, 10.	2.1	49
70	Anti-MDA5 antibody-positive rapidly progressive interstitial pneumonia without cutaneous manifestations. <i>Respiratory Medicine Case Reports</i> , 2019, 26, 193-196.	0.2	8
71	FRIO303...THE EFFECTS OF RIOCIQUAT ON RAYNAUD'S PHENOMENON AND DIGITAL ULCERS IN PATIENTS WITH DIFFUSE SYSTEMIC SCLEROSIS: RESULTS FROM THE PHASE IIB RISE-SSC STUDY. , 2019, , .		0
72	OP0067...UTILITY OF RISK STRATIFICATION IN PREDICTING OUTCOMES OF INITIAL MONOTHERAPY VERSUS COMBINATION THERAPY IN PULMONARY ARTERIAL HYPERTENSION ASSOCIATED WITH CONNECTIVE TISSUE DISEASE: A POST-HOC ANALYSIS OF THE AMBITION STUDY. , 2019, , .		0

#	ARTICLE	IF	CITATIONS
73	OP0183â€¦EFFICACY AND SAFETY OF RIOCIQUAT IN PATIENTS WITH EARLY DIFFUSE CUTANEOUS SYSTEMIC SCLEROSIS AND INTERSTITIAL LUNG DISEASE (SSC-ILD): RESULTS FROM THE PHASE IIB RISE-SSC STUDY. , 2019, , .		2
74	Cluster of differentiation 30 expression in lacrimal gland and conjunctival tissues in patients with Sjögren's syndrome. <i>Medicine (United States)</i> , 2019, 98, e16390.	0.4	5
75	A case of cancer-associated myositis with anti-Mi2 antibody: False-positive anti-transcriptional intermediary factor 1 antibody by commercial enzyme-linked immunosorbent assay. <i>International Journal of Rheumatic Diseases</i> , 2019, 22, 1335-1339.	0.9	3
76	Performance of Candidate Serum Biomarkers for Systemic Sclerosis-associated Interstitial Lung Disease. <i>Arthritis and Rheumatology</i> , 2019, 71, 972-982.	2.9	101
77	Add-on tocilizumab versus conventional treatment for systemic sclerosis, and cytokine analysis to identify an endotype to tocilizumab therapy. <i>Modern Rheumatology</i> , 2019, 29, 134-139.	0.9	12
78	Myositis-specific autoantibodies in Japanese patients with juvenile idiopathic inflammatory myopathies. <i>Modern Rheumatology</i> , 2019, 29, 351-356.	0.9	27
79	Improved quantification of a commercial enzyme-linked immunosorbent assay kit for measuring anti-MDA5 antibody. <i>Modern Rheumatology</i> , 2019, 29, 140-145.	0.9	8
80	T cells from induced and spontaneous models of SLE recognize a common T cell epitope on Î²2-glycoprotein I. <i>Cellular and Molecular Immunology</i> , 2019, 16, 685-693.	4.8	12
81	Next-Generation Sequencing of HLA Loci Identifies Predisposing and Protective Factors for Immune-Mediated Thrombotic Thrombocytopenic Purpura in a Japanese Population. <i>Blood</i> , 2019, 134, 1085-1085.	0.6	0
82	Initial predictors of poor survival in myositis-associated interstitial lung disease: a multicentre cohort of 497 patients. <i>Rheumatology</i> , 2018, 57, 1212-1221.	0.9	101
83	Evaluation of the alternative classification criteria of systemic lupus erythematosus established by Systemic Lupus International Collaborating Clinics (SLICC). <i>Modern Rheumatology</i> , 2018, 28, 642-648.	0.9	16
84	Î²2-Glycoprotein I-Reactive T Cells in Autoimmune Disease. <i>Frontiers in Immunology</i> , 2018, 9, 2836.	2.2	24
85	KL-6 But Not CCL-18 Is a Predictor of Early Progression in Systemic Sclerosis-related Interstitial Lung Disease. <i>Journal of Rheumatology</i> , 2018, 45, 1153-1158.	1.0	56
86	Personalized medicine for connective tissue disease: Historical and future perspectives. <i>Personalized Medicine Universe</i> , 2018, 7, 1-6.	0.1	0
87	Low positive titer of anti-melanoma differentiation-associated gene 5 antibody is not associated with a poor long-term outcome of interstitial lung disease in patients with dermatomyositis. <i>Respiratory Investigation</i> , 2018, 56, 464-472.	0.9	25
88	Current understanding of the mechanisms for autoantibody production. <i>Japanese Journal of Thrombosis and Hemostasis</i> , 2018, 29, 243-250.	0.1	0
89	Three cases of interstitial pneumonia with anti-signal recognition particle antibody. <i>Allergology International</i> , 2017, 66, 485-487.	1.4	5
90	Antimelanoma Differentiation-associated Gene 5 Antibody: Expanding the Clinical Spectrum in North American Patients with Dermatomyositis. <i>Journal of Rheumatology</i> , 2017, 44, 319-325.	1.0	112

#	ARTICLE	IF	CITATIONS
91	Initial combination therapy with ambrisentan and tadalafil in connective tissue disease-associated pulmonary arterial hypertension (CTD-PAH): subgroup analysis from the AMBITION trial. <i>Annals of the Rheumatic Diseases</i> , 2017, 76, 1219-1227.	0.5	135
92	Mouse immune thrombocytopenia is associated with Th1 bias and expression of activating Fc γ 3 receptors. <i>International Journal of Hematology</i> , 2017, 105, 598-605.	0.7	2
93	A To-Do List at Diagnosis of Systemic Sclerosis with Positive Anti-RNA Polymerase III Antibodies. <i>Journal of Rheumatology</i> , 2017, 44, 550-552.	1.0	8
94	RXR8 Is an MHC-Encoded Susceptibility Gene Associated with Anti-Topoisomerase I Antibody-Positive Systemic Sclerosis. <i>Journal of Investigative Dermatology</i> , 2017, 137, 1878-1886.	0.3	3
95	Transethnic meta-analysis identifies <i>GSDMA</i> and <i>PRDM1</i> as susceptibility genes to systemic sclerosis. <i>Annals of the Rheumatic Diseases</i> , 2017, 76, 1150-1158.	0.5	77
96	Sarcoplasmic MxA expression. <i>Neurology</i> , 2017, 88, 493-500.	1.5	118
97	HLA-DRB1 Alleles as Genetic Risk Factors for the Development of Anti-MDA5 Antibodies in Patients with Dermatomyositis. <i>Journal of Rheumatology</i> , 2017, 44, 1389-1393.	1.0	37
98	Comparison of anti-OJ antibody detection assays between an immunoprecipitation assay and line blot assay. <i>Modern Rheumatology</i> , 2017, 27, 551-552.	0.9	16
99	Association of anti-aminoacyl-transfer RNA synthetase antibody and anti-melanoma differentiation-associated gene 5 antibody with the therapeutic response of polymyositis/dermatomyositis-associated interstitial lung disease. <i>Respiratory Investigation</i> , 2017, 55, 24-32.	0.9	24
100	Pathogenesis of systemic sclerosis: recent insights of molecular and cellular mechanisms and therapeutic opportunities. <i>Journal of Scleroderma and Related Disorders</i> , 2017, 2, 137-152.	1.0	243
101	Standardization of the Modified Rodnan Skin Score for Use in Clinical Trials of Systemic Sclerosis. <i>Journal of Scleroderma and Related Disorders</i> , 2017, 2, 11-18.	1.0	321
102	Complex Pathophysiology of Pulmonary Hypertension Associated with Systemic Sclerosis: Potential Unfavorable Effects of Vasodilators. <i>Journal of Scleroderma and Related Disorders</i> , 2017, 2, 92-99.	1.0	7
103	Circulating Anti-Nuclear Antibodies in Systemic Sclerosis: Utility in Diagnosis and Disease Subsetting. <i>Journal of Nippon Medical School</i> , 2017, 84, 56-63.	0.3	46
104	Coexistence of anti-melanoma differentiation-associated gene 5 and anti-aminoacyl-transfer RNA synthetase antibodies in a patient with dermatomyositis and rapidly progressive and relapsing interstitial lung disease. <i>Modern Rheumatology Case Reports</i> , 2017, 1, 3-8.	0.3	11
105	T-Cell Abnormalities. , 2017, , 63-72.		0
106	Clinical Utility of an Enzyme-Linked Immunosorbent Assay for Detecting Anti-Melanoma Differentiation-Associated Gene 5 Autoantibodies. <i>PLoS ONE</i> , 2016, 11, e0154285.	1.1	102
107	Association of psoriasis with Hashimoto's thyroiditis, Sjögren's syndrome and dermatomyositis. <i>Journal of Dermatology</i> , 2016, 43, 711-712.	0.6	14
108	What do we learn from immunomodulation in patients with immune thrombocytopenia?. <i>Seminars in Hematology</i> , 2016, 53, S27-S30.	1.8	2

#	ARTICLE	IF	CITATIONS
109	Elevated Serum Krebs von den Lungen-6 in Early Disease Predicts Subsequent Deterioration of Pulmonary Function in Patients with Systemic Sclerosis and Interstitial Lung Disease. <i>Journal of Rheumatology</i> , 2016, 43, 1825-1831.	1.0	74
110	Enzyme-linked immunosorbent assays for detection of anti-transcriptional intermediary factor-1 gamma and anti-Mi-2 autoantibodies in dermatomyositis. <i>Journal of Dermatological Science</i> , 2016, 84, 272-281.	1.0	69
111	Choosing the right biomarkers to predict ILD in myositis. <i>Nature Reviews Rheumatology</i> , 2016, 12, 504-506.	3.5	31
112	Anti-Melanoma Differentiation-Associated Gene 5 Is Associated With Rapidly Progressive Lung Disease and Poor Survival in US Patients With Amyopathic and Myopathic Dermatomyositis. <i>Arthritis Care and Research</i> , 2016, 68, 689-694.	1.5	199
113	Gottron Papules and Gottron Sign with Ulceration: A Distinctive Cutaneous Feature in a Subset of Patients with Classic Dermatomyositis and Clinically Amyopathic Dermatomyositis. <i>Journal of Rheumatology</i> , 2016, 43, 1735-1742.	1.0	39
114	Clinical and serological features of patients with dermatomyositis complicated by spontaneous pneumomediastinum. <i>Clinical Rheumatology</i> , 2016, 35, 489-493.	1.0	46
115	17. Importance of Early Diagnosis and Treatment in Patients with Systemic Sclerosis. <i>The Journal of the Japanese Society of Internal Medicine</i> , 2016, 105, 1864-1869.	0.0	0
116	Endothelial Progenitor Cells. , 2016, , 39-56.		0
117	Tocilizumab is effective against polymyalgia rheumatica: experience in 13 intractable cases. <i>RMD Open</i> , 2015, 1, e000162.	1.8	21
118	Distinct profiles of myositis-specific autoantibodies in Chinese and Japanese patients with polymyositis/dermatomyositis. <i>Clinical Rheumatology</i> , 2015, 34, 1627-1631.	1.0	55
119	Dual phosphodiesterase type 5 inhibitor therapy for refractory pulmonary arterial hypertension: a pilot study. <i>BMC Pulmonary Medicine</i> , 2015, 15, 62.	0.8	4
120	Inflammatory myopathy with anti-signal recognition particle antibodies: case series of 100 patients. <i>Orphanet Journal of Rare Diseases</i> , 2015, 10, 61.	1.2	156
121	Clinical and laboratory features of fatal rapidly progressive interstitial lung disease associated with juvenile dermatomyositis. <i>Rheumatology</i> , 2015, 54, 784-791.	0.9	114
122	Serum interferon- γ is a useful biomarker in patients with anti-melanoma differentiation-associated gene 5 (MDA5) antibody-positive dermatomyositis. <i>Modern Rheumatology</i> , 2015, 25, 85-89.	0.9	66
123	Oral vasopressin receptor antagonist tolvaptan in right heart failure due to pulmonary hypertension. <i>European Respiratory Journal</i> , 2015, 46, 283-286.	3.1	8
124	Utility of dermatomyositis-specific autoantibodies for diagnosis and clinical subsetting. <i>International Journal of Clinical Rheumatology</i> , 2015, 10, 257-271.	0.3	4
125	Elevated Levels of Pentraxin 3 in Systemic Sclerosis: Associations With Vascular Manifestations and Defective Vasculogenesis. <i>Arthritis and Rheumatology</i> , 2015, 67, 498-507.	2.9	54
126	Rapid Initiation of Intravenous Epoprostenol Infusion Is the Favored Option in Patients with Advanced Pulmonary Arterial Hypertension. <i>PLoS ONE</i> , 2015, 10, e0121894.	1.1	5

#	ARTICLE	IF	CITATIONS
127	High-dose intravenous immunoglobulin therapy for rapidly progressive interstitial pneumonitis accompanied by anti-melanoma differentiation-associated gene 5 antibody-positive amyopathic dermatomyositis. <i>European Journal of Rheumatology</i> , 2015, 2, 83-85.	1.3	23
128	A regulatory T cell-deficient mouse model as a useful tool for evaluating the pathophysiology of human immune thrombocytopenia. <i>Japanese Journal of Thrombosis and Hemostasis</i> , 2015, 26, 605-610.	0.1	0
129	Induction of immune tolerance to platelet antigen by short-term thrombopoietin treatment in a mouse model of immune thrombocytopenia. <i>International Journal of Hematology</i> , 2014, 100, 341-344.	0.7	30
130	Comparison of radioimmunoprecipitation versus antigen-specific assays for identification of myositis-specific autoantibodies in dermatomyositis patients. <i>Modern Rheumatology</i> , 2014, 24, 945-948.	0.9	32
131	Brief Report: Impaired In Vivo Neovascularization Capacity of Endothelial Progenitor Cells in Patients With Systemic Sclerosis. <i>Arthritis and Rheumatology</i> , 2014, 66, 1300-1305.	2.9	40
132	Autoantibodies to RuvBL1 and RuvBL2: A Novel Systemic Sclerosis-Related Antibody Associated With Diffuse Cutaneous and Skeletal Muscle Involvement. <i>Arthritis Care and Research</i> , 2014, 66, 575-584.	1.5	86
133	Distinct arthropathies of the hands in patients with anti-aminoacyl tRNA synthetase antibodies: usefulness of autoantibody profiles in classifying patients. <i>Rheumatology</i> , 2014, 53, 1120-1124.	0.9	8
134	Discordance in Global Assessments Between Patient and Estimator in Patients with Newly Diagnosed Rheumatoid Arthritis: Associations with Progressive Joint Destruction and Functional Impairment. <i>Journal of Rheumatology</i> , 2014, 41, 1061-1066.	1.0	34
135	Clinical and histological findings associated with autoantibodies detected by RNA immunoprecipitation in inflammatory myopathies. <i>Journal of Neuroimmunology</i> , 2014, 274, 202-208.	1.1	53
136	Cytokine profiles in polymyositis and dermatomyositis complicated by rapidly progressive or chronic interstitial lung disease. <i>Rheumatology</i> , 2014, 53, 2196-2203.	0.9	153
137	Versican is upregulated in circulating monocytes in patients with systemic sclerosis and amplifies a CCL2-mediated pathogenic loop. <i>Arthritis Research and Therapy</i> , 2013, 15, R74.	1.6	38
138	Early diagnosis and treatment for remission of clinically amyopathic dermatomyositis complicated by rapid progress interstitial lung disease: a report of two cases. <i>Modern Rheumatology</i> , 2013, 23, 190-194.	0.9	21
139	<i>PLD4</i> as a novel susceptibility gene for systemic sclerosis in a Japanese population. <i>Arthritis and Rheumatism</i> , 2013, 65, 472-480.	6.7	62
140	Utility of Anti-Melanoma Differentiation-Associated Gene 5 Antibody Measurement in Identifying Patients With Dermatomyositis and a High Risk for Developing Rapidly Progressive Interstitial Lung Disease: A Review of the Literature and a Meta-Analysis. <i>Arthritis Care and Research</i> , 2013, 65, 1316-1324.	1.5	223
141	CD4+CD25+Foxp3+ Regulatory T Cells in the Pathophysiology of Immune Thrombocytopenia. <i>Seminars in Hematology</i> , 2013, 50, S43-S49.	1.8	82
142	Serum chemokine levels as prognostic markers in patients with early systemic sclerosis: a multicenter, prospective, observational study. <i>Modern Rheumatology</i> , 2013, 23, 1076-1084.	0.9	28
143	Anti-CADM-140/MDA5 autoantibody titer correlates with disease activity and predicts disease outcome in patients with dermatomyositis and rapidly progressive interstitial lung disease. <i>Modern Rheumatology</i> , 2013, 23, 496-502.	0.9	170
144	Fc γ 3 receptor IIB gene polymorphism in adult Japanese patients with primary immune thrombocytopenia. <i>Blood</i> , 2013, 122, 1991-1992.	0.6	16

#	ARTICLE	IF	CITATIONS
145	Common and Distinct Clinical Features in Adult Patients with Anti-Aminoacyl-tRNA Synthetase Antibodies: Heterogeneity within the Syndrome. <i>PLoS ONE</i> , 2013, 8, e60442.	1.1	306
146	Anti-CADM-140/MDA5 autoantibody titer correlates with disease activity and predicts disease outcome in patients with dermatomyositis and rapidly progressive interstitial lung disease. <i>Modern Rheumatology</i> , 2013, 23, 496-502.	0.9	84
147	Anti-MDA5 antibody, ferritin and IL-18 are useful for the evaluation of response to treatment in interstitial lung disease with anti-MDA5 antibody-positive dermatomyositis. <i>Rheumatology</i> , 2012, 51, 1563-1570.	0.9	261
148	Anti-NXP2 autoantibodies in adult patients with idiopathic inflammatory myopathies: possible association with malignancy. <i>Annals of the Rheumatic Diseases</i> , 2012, 71, 710-713.	0.5	220
149	Amyopathic dermatomyositis developing rapidly progressive interstitial lung disease with elevation of anti-CADM-140/MDA5 autoantibodies. <i>Modern Rheumatology</i> , 2012, 22, 625-629.	0.9	32
150	The diagnostic utility of anti-melanoma differentiation-associated gene 5 antibody testing for predicting the prognosis of Japanese patients with DM. <i>Rheumatology</i> , 2012, 51, 1278-1284.	0.9	252
151	Myopathy Associated With Antibodies to Signal Recognition Particle. <i>Archives of Neurology</i> , 2012, 69, 728-32.	4.9	82
152	Brief Report: Association of HLA-DRB1*0101/*0405 with susceptibility to anti-melanoma differentiation-associated gene 5 antibody-positive dermatomyositis in the Japanese population. <i>Arthritis and Rheumatism</i> , 2012, 64, 3736-3740.	6.7	78
153	Clinical manifestations of dermatomyositis and clinically amyopathic dermatomyositis patients with positive expression of anti-melanoma differentiation-associated gene 5 antibody. <i>Arthritis Care and Research</i> , 2012, 64, 1602-1610.	1.5	156
154	Human Pentraxin 3 (PTX3) as a Novel Biomarker for the Diagnosis of Pulmonary Arterial Hypertension. <i>PLoS ONE</i> , 2012, 7, e45834.	1.1	42
155	Quantification of circulating endothelial progenitor cells in systemic sclerosis: a direct comparison of protocols. <i>Annals of the Rheumatic Diseases</i> , 2012, 71, 617-620.	0.5	33
156	Critical role of CD4+CD25+ regulatory T cells in preventing murine autoantibody-mediated thrombocytopenia. <i>Experimental Hematology</i> , 2012, 40, 279-289.	0.2	47
157	Serum ferritin correlates with activity of anti-MDA5 antibody-associated acute interstitial lung disease as a complication of dermatomyositis. <i>Modern Rheumatology</i> , 2011, 21, 223-227.	0.9	51
158	Analysis of dermatomyositis-specific autoantibodies and clinical characteristics in Japanese patients. <i>Journal of Dermatology</i> , 2011, 38, 973-979.	0.6	55
159	Anti-Melanoma Differentiation-Associated Gene 5 Antibody is a Diagnostic and Predictive Marker for Interstitial Lung Diseases Associated with Juvenile Dermatomyositis. <i>Journal of Pediatrics</i> , 2011, 158, 675-677.	0.9	79
160	Epidemiology of primary immune thrombocytopenia in children and adults in Japan: a population-based study and literature review. <i>International Journal of Hematology</i> , 2011, 93, 329-335.	0.7	76
161	Sensitivity and specificity of 2010 rheumatoid arthritis classification criteria. <i>Rheumatology</i> , 2011, 50, 1268-1274.	0.9	68
162	Clinical Correlations With Dermatomyositis-Specific Autoantibodies in Adult Japanese Patients With Dermatomyositis. <i>Archives of Dermatology</i> , 2011, 147, 391.	1.7	293

#	ARTICLE	IF	CITATIONS
163	Clinically amyopathic dermatomyositis. <i>Current Opinion in Rheumatology</i> , 2010, 22, 639-643.	2.0	90
164	Clinical manifestation and prognostic factor in anti-melanoma differentiation-associated gene 5 antibody-associated interstitial lung disease as a complication of dermatomyositis. <i>Rheumatology</i> , 2010, 49, 1713-1719.	0.9	261
165	Enhanced angiogenic potency of monocytic endothelial progenitor cells in patients with systemic sclerosis. <i>Arthritis Research and Therapy</i> , 2010, 12, R205.	1.6	33
166	Anti-U11/U12 RNP antibodies in systemic sclerosis: A new serologic marker associated with pulmonary fibrosis. <i>Arthritis and Rheumatism</i> , 2009, 61, 958-965.	6.7	105
167	RNA helicase encoded by melanoma differentiation-associated gene 5 is a major autoantigen in patients with clinically amyopathic dermatomyositis: Association with rapidly progressive interstitial lung disease. <i>Arthritis and Rheumatism</i> , 2009, 60, 2193-2200.	6.7	511
168	Platelet count response to <i>H. pylori</i> treatment in patients with immune thrombocytopenic purpura with and without <i>H. pylori</i> infection: a systematic review. <i>Haematologica</i> , 2009, 94, 850-856.	1.7	118
169	<i>Helicobacter pylori</i> eradication shifts monocyte Fc γ 3 receptor balance toward inhibitory Fc γ 3RIIB in immune thrombocytopenic purpura patients. <i>Journal of Clinical Investigation</i> , 2008, 118, 2939-49.	3.9	114
170	Inflammation and pathogenic fibrosis in human ocular chronic graft versus host disease. <i>Inflammation and Regeneration</i> , 2008, 28, 529-536.	1.5	1
171	Identification of Molecular Factors Required for Transdifferentiation of Human Circulating Monocytes into Multipotential Cells. <i>Blood</i> , 2007, 110, 2408-2408.	0.6	3
172	Clinical evaluation of anti-aminoacyl tRNA synthetase antibodies in Japanese patients with dermatomyositis. <i>Journal of Rheumatology</i> , 2007, 34, 1012-8.	1.0	62
173	Endothelial Differentiation Potential of Human Monocyte-Derived Multipotential Cells. <i>Stem Cells</i> , 2006, 24, 2733-2743.	1.4	116
174	Effects of a <i>Helicobacter pylori</i> eradication regimen on anti-platelet autoantibody response in infected and uninfected patients with idiopathic thrombocytopenic purpura. <i>Haematologica</i> , 2006, 91, 1436-7.	1.7	43
175	The Role of Autoreactive T-Cells in the Pathogenesis of Idiopathic Thrombocytopenic Purpura. <i>International Journal of Hematology</i> , 2005, 81, 106-112.	0.7	60
176	Autoantibodies to a 140-kd polypeptide, CADM-140, in Japanese patients with clinically amyopathic dermatomyositis. <i>Arthritis and Rheumatism</i> , 2005, 52, 1571-1576.	6.7	627
177	Initial laboratory findings useful for predicting the diagnosis of idiopathic thrombocytopenic purpura. <i>American Journal of Medicine</i> , 2005, 118, 1026-1033.	0.6	48
178	Splenic Macrophages Maintain the Anti-Platelet Autoimmune Response Via Uptake of Opsonized Platelets in Patients with Chronic ITP. <i>Blood</i> , 2005, 106, 221-221.	0.6	2
179	Defective vasculogenesis in systemic sclerosis. <i>Lancet, The</i> , 2004, 364, 603-610.	6.3	261
180	Clinical Features and Effects of Eradication on <i>Helicobacter Pylori</i> Positive 207 ITP Cases in Japan. <i>Blood</i> , 2004, 104, 2071-2071.	0.6	0

#	ARTICLE	IF	CITATIONS
181	Therapeutic Action of Helicobacter pylori (H. pylori) Eradication in Patients with Chronic ITP - Lessons from Eradication Therapy on H. pylori-Negative Patients.. Blood, 2004, 104, 2070-2070.	0.6	0
182	Impaired Platelet Production and Autoantibody-Mediated Platelet Destruction Are Two Major Causes for Prolonged Thrombocytopenia after Allogeneic HSCT.. Blood, 2004, 104, 2256-2256.	0.6	0
183	Multi-Lineage Potential of Human Monocyte-Derived Mesenchymal Progenitors (MOMPs).. Blood, 2004, 104, 3595-3595.	0.6	0
184	Initial Laboratory Findings Useful for Predicting the Diagnosis of Chronic ITP: Results of a Multicenter Prospective Study.. Blood, 2004, 104, 2061-2061.	0.6	0
185	Human circulating CD14+monocytes as a source of progenitors that exhibit mesenchymal cell differentiation. Journal of Leukocyte Biology, 2003, 74, 833-845.	1.5	275
186	HLA class II alleles in systemic sclerosis patients with anti-RNA polymerase I/III antibody: associations with subunit reactivities. Journal of Rheumatology, 2003, 30, 2392-7.	1.0	14
187	Identification of an immunodominant epitope on RNA polymerase III recognized by systemic sclerosis sera: Application to enzyme-linked immunosorbent assay. Arthritis and Rheumatism, 2002, 46, 2742-2747.	6.7	44
188	Autoreactive T cells to topoisomerase I in monozygotic twins discordant for systemic sclerosis. Arthritis and Rheumatism, 2001, 44, 1654-1659.	6.7	43
189	T cells that are autoreactive to β 2-glycoprotein I in patients with antiphospholipid syndrome and healthy individuals. Arthritis and Rheumatism, 2000, 43, 65-75.	6.7	70
190	Association of Functional Microsatellites in the Human Type I Collagen α 2 Chain (COL1A2) Gene with Systemic Sclerosis. Biochemical and Biophysical Research Communications, 2000, 272, 36-40.	1.0	26
191	Influence of ethnic background on clinical and serologic features in patients with systemic sclerosis and anti-DNA topoisomerase I antibody. Arthritis and Rheumatism, 1999, 42, 465-474.	6.7	127
192	An immunodominant epitope on DNA topoisomerase I is conformational in nature: Heterogeneity in its recognition by systemic sclerosis sera. Arthritis and Rheumatism, 1999, 42, 1179-1188.	6.7	32
193	Autoantibodies to RNA polymerases recognize multiple subunits and demonstrate cross-reactivity with RNA polymerase complexes. Arthritis and Rheumatism, 1999, 42, 275-284.	6.7	32
194	Association of Human Leukocyte Antigen Class II Genes with Autoantibody Profiles, but not with Disease Susceptibility in Japanese Patients with Systemic Sclerosis.. Internal Medicine, 1999, 38, 336-344.	0.3	53
195	Clinical and Prognostic Associations Based on Serum Antinuclear Antibodies in Japanese Patients with Systemic Sclerosis. Arthritis and Rheumatism, 1994, 37, 75-83.	6.7	259
196	Racial differences in the distribution of systemic sclerosis-related serum antinuclear antibodies. Arthritis and Rheumatism, 1994, 37, 902-906.	6.7	115
197	Severe digital ischemia as an unrecognized manifestation in patients with antisynthetase autoantibodies: Case series and systematic literature review. Journal of Scleroderma and Related Disorders, 0, , 239719832210908.	1.0	0