

Cristina Ramos Almeida

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1606671/publications.pdf>

Version: 2024-02-01

131
papers

4,614
citations

101384

36
h-index

123241

61
g-index

132
all docs

132
docs citations

132
times ranked

3099
citing authors

#	ARTICLE	IF	CITATIONS
1	The Complex Infrared Dust Continuum Emission of NGC 1068: Ground-based N- and Q-band Spectroscopy and New Radiative Transfer Models. <i>Astrophysical Journal</i> , 2022, 926, 192.	1.6	5
2	Spatially resolved evidence of the impact of quasar-driven outflows on recent star formation: the case of Mrk 34. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2022, 512, L54-L59.	1.2	13
3	The diverse cold molecular gas contents, morphologies, and kinematics of type-2 quasars as seen by ALMA. <i>Astronomy and Astrophysics</i> , 2022, 658, A155.	2.1	31
4	Quantifying the cool ISM in radio AGNs: evidence for late-time retriggering by galaxy mergers and interactions. <i>Monthly Notices of the Royal Astronomical Society</i> , 2022, 512, 86-103.	1.6	6
5	HARMONI view of the host galaxies of active galactic nuclei around cosmic noon. <i>Astronomy and Astrophysics</i> , 2022, 659, A79.	2.1	0
6	The complex multi-component outflow of the Seyfert galaxy NGC 7130 (<i>Corrigendum</i>). <i>Astronomy and Astrophysics</i> , 2021, 649, C3.	2.1	0
7	The Galaxy Activity, Torus, and Outflow Survey (GATOS). <i>Astronomy and Astrophysics</i> , 2021, 652, A98.	2.1	60
8	The Galaxy Activity, Torus, and Outflow Survey (GATOS). <i>Astronomy and Astrophysics</i> , 2021, 652, A99.	2.1	26
9	Capturing dual AGN activity and kiloparsec-scale outflows in IRAS 20210+1121. <i>Astronomy and Astrophysics</i> , 2021, 654, A154.	2.1	2
10	The complex multi-component outflow of the Seyfert galaxy NGC 7130. <i>Astronomy and Astrophysics</i> , 2021, 645, A130.	2.1	10
11	Multiphase feedback processes in the Sy2 galaxy NGC 5643. <i>Astronomy and Astrophysics</i> , 2021, 645, A21.	2.1	26
12	Do AGN triggering mechanisms vary with radio power? II. The importance of mergers as a function of radio power and optical luminosity. <i>Monthly Notices of the Royal Astronomical Society</i> , 2021, 510, 1163-1183.	1.6	12
13	Modeling the Unresolved NIR-MIR SEDs of Local ($z < 0.1$) QSOs. <i>Astrophysical Journal</i> , 2021, 922, 157.	1.6	3
14	Larger $\langle \hat{\sigma} \rangle$ in the disc of isolated active spiral galaxies than in their non-active twins. <i>Astronomy and Astrophysics</i> , 2020, 639, L9.	2.1	8
15	Cold molecular gas and PAH emission in the nuclear and circumnuclear regions of Seyfert galaxies. <i>Astronomy and Astrophysics</i> , 2020, 639, A43.	2.1	25
16	Searching for molecular gas inflows and outflows in the nuclear regions of five Seyfert galaxies. <i>Astronomy and Astrophysics</i> , 2020, 643, A127.	2.1	21
17	Modeling the Strongest Silicate Emission Features of Local Type 1 AGNs. <i>Astrophysical Journal</i> , 2020, 890, 152.	1.6	15
18	Polarization of changing-look quasars. <i>Astronomy and Astrophysics</i> , 2019, 625, A54.	2.1	38

#	ARTICLE	IF	CITATIONS
19	Do AGN triggering mechanisms vary with radio power? â€“ I. Optical morphologies of radio-intermediate HERGs. Monthly Notices of the Royal Astronomical Society, 2019, 487, 5490-5507.	1.6	18
20	Quantifying the AGN-driven outflows in ULIRGs (QUADROS) IV: HST/STIS spectroscopy of the sub-kpc warm outflow in F14394+5332. Monthly Notices of the Royal Astronomical Society, 2019, 488, 1813-1821.	1.6	6
21	Torus model properties of an ultra-hard X-ray selected sample of Seyfert galaxies. Monthly Notices of the Royal Astronomical Society, 2019, 486, 4917-4935.	1.6	34
22	A near-infrared study of the multiphase outflow in the type-2 quasar J1509+0434. Monthly Notices of the Royal Astronomical Society: Letters, 2019, 487, L18-L23.	1.2	21
23	SOFIA/FORCAST resolves 30â€“40 Î¼m extended dust emission in nearby active galactic nuclei. Monthly Notices of the Royal Astronomical Society, 2019, 483, 3404-3419.	1.6	11
24	Spotting the differences between active and non-active twin galaxies on kpc-scales: a pilot study. Monthly Notices of the Royal Astronomical Society, 2019, 485, 3794-3815.	1.6	3
25	Quantifying Star Formation Activity in the Inner 1 kpc of Local MIR Bright QSOs. Astrophysical Journal, 2019, 871, 190.	1.6	7
26	Exploring the Mid-infrared SEDs of Six AGN Dusty Torus Models. II. The Data. Astrophysical Journal, 2019, 884, 11.	1.6	28
27	Nuclear molecular outflow in the Seyfert galaxy NGC 3227. Astronomy and Astrophysics, 2019, 628, A65.	2.1	48
28	Intrinsic and observed dual AGN fractions from major mergers. Astronomy and Astrophysics, 2019, 624, A86.	2.1	11
29	ALMA images the many faces of the NGC 1068 torus and its surroundings. Astronomy and Astrophysics, 2019, 632, A61.	2.1	97
30	Exploring the Mid-infrared SEDs of Six AGN Dusty Torus Models. I. Synthetic Spectra. Astrophysical Journal, 2019, 884, 10.	1.6	20
31	Physical Parameters of the Torus for the Type 2 Seyfert IC 5063 from Mid-IR and X-Ray Simultaneous Spectral Fitting. Astrophysical Journal, 2019, 886, 125.	1.6	9
32	The largely unconstrained multiphase nature of outflows in AGN host galaxies. Nature Astronomy, 2018, 2, 176-178.	4.2	89
33	Quantifying the AGN-driven outflows in ULIRGs (QUADROS) â€“ I: VLT/Xshooter observations of nine nearby objects. Monthly Notices of the Royal Astronomical Society, 2018, 474, 128-156.	1.6	52
34	Resolving the Nuclear Obscuring Disk in the Compton-thick Seyfert Galaxy NGC 5643 with ALMA. Astrophysical Journal, 2018, 859, 144.	1.6	67
35	New active galactic nuclei science cases with interferometry. Experimental Astronomy, 2018, 46, 413-419.	1.6	4
36	The host galaxy of the Î³-ray-emitting narrow-line Seyfert 1 galaxy PKS 1502+036. Monthly Notices of the Royal Astronomical Society: Letters, 2018, 478, L66-L71.	1.2	13

#	ARTICLE	IF	CITATIONS
37	Circumnuclear Star Formation and AGN Activity: Clues from Surface Brightness Radial Profile of PAHs and [S IV]. <i>Astrophysical Journal</i> , 2018, 859, 124.	1.6	18
38	Quantifying the AGN-driven outflows in ULIRGs (QUADROS) – II. Evidence for compact outflow regions from HST [OIII] imaging observations. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018, 478, 1558-1569.	1.6	27
39	A 100 kpc nebula associated with the Teacup fading quasar. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018, 474, 2302-2312.	1.6	21
40	The origin of the mid-infrared nuclear polarization of active galactic nuclei. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018, 478, 2350-2358.	1.6	11
41	The Emission and Distribution of Dust of the Torus of NGC 1068. <i>Astrophysical Journal</i> , 2018, 859, 99.	1.6	35
42	Hints on the Gradual Resizing of the Torus in AGNs through Decomposition of Spitzer/IRS Spectra. <i>Astrophysical Journal</i> , 2017, 841, 37.	1.6	22
43	Survival of the Obscuring Torus in the Most Powerful Active Galactic Nuclei. <i>Astrophysical Journal Letters</i> , 2017, 841, L18.	3.0	39
44	Nuclear obscuration in active galactic nuclei. <i>Nature Astronomy</i> , 2017, 1, 679-689.	4.2	195
45	A comparison between the soft X-ray and [OIII] morphologies of active galactic nuclei. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017, 469, 2720-2736.	1.6	17
46	A mid-infrared statistical investigation of clumpy torus model predictions. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017, 470, 2578-2598.	1.6	29
47	The dusty tori of nearby QSOs as constrained by high-resolution mid-IR observations. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017, 468, 2-46.	1.6	24
48	The infrared to X-ray correlation spectra of unobscured type 1 active galactic nuclei. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017, 469, 110-126.	1.6	9
49	An infrared view of AGN feedback in a type-2 quasar: the case of the Teacup galaxy. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017, 470, 964-976.	1.6	35
50	Galaxy-wide radio-induced feedback in a radio-quiet quasar. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017, 472, 4659-4678.	1.6	22
51	Infrared polarimetry of Mrk 231: scattering off hot dust grains in the central core. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017, 464, 1762-1770.	1.6	7
52	Young stellar populations in type II quasars: timing the onset of star formation and nuclear activity. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017, 466, 3887-3917.	1.6	12
53	The complex, dusty narrow-line region of NGC 4388: gas-jet interactions, outflows and extinction revealed by near-IR spectroscopy. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017, 465, 906-925.	1.6	13
54	ALMA imaging of C ₂ H emission in the disk of NGC 1068. <i>Astronomy and Astrophysics</i> , 2017, 608, A56.	2.1	30

#	ARTICLE	IF	CITATIONS
55	Polarization of the changing-look quasar J1011+5442. <i>Astronomy and Astrophysics</i> , 2017, 604, L3.	2.1	25
56	Uncovering the host galaxy of the $\hat{\text{I}}^3$ -ray-emitting narrow-line Seyfert 1 galaxy FBQS J1644+2619. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2017, 469, L11-L15.	1.2	32
57	The complex evolutionary paths of local infrared bright galaxies: a high-angular resolution mid-infrared view. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016, 463, 2405-2424.	1.6	15
58	The nuclear and extended mid-infrared emission of Seyfert galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016, 463, 3531-3555.	1.6	22
59	Investigating the dusty torus of Seyfert galaxies using SOFIA/FORCAST photometry. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016, 462, 2618-2630.	1.6	25
60	X-RAY ABSORPTION, NUCLEAR INFRARED EMISSION, AND DUST COVERING FACTORS OF AGNs: TESTING UNIFICATION SCHEMES. <i>Astrophysical Journal</i> , 2016, 819, 166.	1.6	43
61	ALMA RESOLVES THE TORUS OF NGC 1068: CONTINUUM AND MOLECULAR LINE EMISSION. <i>Astrophysical Journal Letters</i> , 2016, 823, L12.	3.0	170
62	Upholding the unified model for active galactic nuclei: VLT/FORS2 spectropolarimetry of Seyfert 2 galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016, 461, 1387-1403.	1.6	32
63	A mid-infrared spectroscopic atlas of local active galactic nuclei on sub-arcsecond resolution using GTC/CanariCam. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016, 455, 563-583.	1.6	51
64	The nuclear and integrated far-infrared emission of nearby Seyfert galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016, 458, 4512-4529.	1.6	14
65	Ionized outflows in luminous type 2 AGNs at $z < 0.6$: no evidence for significant impact on the host galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016, 460, 130-162.	1.6	57
66	Mid-infrared imaging- and spectro-polarimetric subarcsecond observations of NGC 1068. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016, 458, 3851-3866.	1.6	18
67	The nuclear and extended infrared emission of the Seyfert galaxy NGC 2992 and the interacting system Arp 245. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015, 449, 1309-1326.	1.6	23
68	Nuclear obscuration in LINERs. <i>Astronomy and Astrophysics</i> , 2015, 578, A74.	2.1	41
69	A deep look at the nuclear region of UGC 5101 through high angular resolution mid-IR data with GTC/CanariCam. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015, 454, 3577-3589.	1.6	13
70	VLT FORS2 optical imaging and spectroscopy of nine luminous type 2 AGN at $0.3 < z < 0.6$. I. Ionized gas nebulae. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015, 454, 4452-4466.	1.6	6
71	The stellar spectral features of nearby galaxies in the near infrared: tracers of thermally pulsing asymptotic giant branch stars?. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015, 450, 3069-3079.	1.6	24
72	Near-infrared polarimetric adaptive optics observations of NGC 1068: a torus created by a hydromagnetic outflow wind. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015, 452, 1902-1913.	1.6	23

#	ARTICLE	IF	CITATIONS
73	Deconstructing the narrow-line region of the nearest obscured quasar. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015, 454, 439-456.	1.6	20
74	Differences between CO- and calcium triplet-derived velocity dispersions in spiral galaxies: evidence for central star formation?. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015, 446, 2823-2836.	1.6	20
75	Sub-arcsec mid-IR observations of NGC 1614: Nuclear star formation or an intrinsically X-ray weak AGN?. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015, 454, 3679-3687.	1.6	12
76	Mass constraints to Sco X-1 from Bowen fluorescence and deep near-infrared spectroscopy. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2015, 449, L1-L5.	1.2	23
77	RESOLVING THE ACTIVE GALACTIC NUCLEUS AND HOST EMISSION IN THE MID-INFRARED USING A MODEL-INDEPENDENT SPECTRAL DECOMPOSITION. <i>Astrophysical Journal</i> , 2015, 803, 109.	1.6	54
78	THE NUCLEAR NEAR-INFRARED SPECTRAL PROPERTIES OF NEARBY GALAXIES. <i>Astrophysical Journal, Supplement Series</i> , 2015, 217, 13.	3.0	49
79	THE DIFFERENCES IN THE TORUS GEOMETRY BETWEEN HIDDEN AND NON-HIDDEN BROAD LINE ACTIVE GALACTIC NUCLEI. <i>Astrophysical Journal</i> , 2015, 803, 57.	1.6	79
80	Extended warm gas in the ULIRG Mrk273: Galactic outflows and tidal debris. <i>Astronomy and Astrophysics</i> , 2014, 571, A57.	2.1	12
81	<i><i>SPITZER</i> MID-IR SPECTROSCOPY OF POWERFUL 2Jy AND 3CRR RADIO GALAXIES. II. AGN POWER INDICATORS AND UNIFICATION. <i>Astrophysical Journal</i>, 2014, 788, 98.</i>	1.6	40
82	Near- to mid-infrared imaging and spectroscopy of two buried AGNs of the nearby merging galaxy NGC 6240 with Subaru/IRCS+AO and GTC/CanariCam. <i>Publication of the Astronomical Society of Japan</i> , 2014, 66, .	1.0	9
83	Nuclear 11.3 μ m PAH emission in local active galactic nuclei. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014, 443, 2766-2782.	1.6	71
84	The circumnuclear environment of NGC 613: a nuclear starburst caught in the act?. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014, 438, 329-340.	1.6	32
85	A mid-infrared view of the inner parsecs of the Seyfert galaxy Mrk 1066 using CanariCam/GTC. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014, 445, 1130-1143.	1.6	26
86	Investigating the sensitivity of observed spectral energy distributions to clumpy torus properties in Seyfert galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014, 439, 3847-3859.	1.6	33
87	NUCLEAR STAR FORMATION ACTIVITY AND BLACK HOLE ACCRETION IN NEARBY SEYFERT GALAXIES. <i>Astrophysical Journal</i> , 2014, 780, 86.	1.6	141
88	POLARIZED MID-INFRARED SYNCHROTRON EMISSION IN THE CORE OF CYGNUS A. <i>Astrophysical Journal</i> , 2014, 793, 81.	1.6	13
89	Clear evidence for the early triggering of a luminous quasar-like active galactic nuclei in a major, gas-rich merger. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014, 438, 1839-1847.	1.6	10
90	The dust masses of powerful radio galaxies: clues to the triggering of their activity. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2014, 445, L51-L55.	1.2	32

#	ARTICLE	IF	CITATIONS
91	Molecular line emission in NGC 1068 imaged with ALMA. <i>Astronomy and Astrophysics</i> , 2014, 567, A125.	2.1	330
92	Dust in active galactic nuclei. <i>Astronomy and Astrophysics</i> , 2013, 553, A35.	2.1	71
93	Estimations of the magnetic field strength in the torus of IC 5063 using near-infrared polarimetry. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013, 431, 2723-2736.	1.6	18
94	The environments of luminous radio galaxies and type-2 quasars. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013, 436, 997-1016.	1.6	50
95	Probing nuclear activity versus star formation at $z \approx 0.8$ using near-infrared multi-object spectroscopy. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013, 429, 3449-3471.	1.6	11
96	UNCOVERING THE DEEPLY EMBEDDED ACTIVE GALACTIC NUCLEUS ACTIVITY IN THE NUCLEAR REGIONS OF THE INTERACTING GALAXY Arp 299. <i>Astrophysical Journal Letters</i> , 2013, 779, L14.	3.0	24
97	Kinematics of Arp 270: gas flows, nuclear activity and two regimes of star formation. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013, 432, 998-1009.	1.6	14
98	THE ROLE OF THE ACCRETION DISK, DUST, AND JETS IN THE IR EMISSION OF LOW-LUMINOSITY ACTIVE GALACTIC NUCLEI. <i>Astrophysical Journal</i> , 2013, 777, 164.	1.6	22
99	Constraining clumpy dusty torus models using optimized filter sets. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013, 428, 195-204.	1.6	11
100	New insights into the study of magnetic field in the clumpy torus of AGN using near-infrared polarimetry. <i>Earth, Planets and Space</i> , 2013, 65, 1117-1122.	0.9	0
101	The origin of the IR emission of low-luminosity AGN. <i>Proceedings of the International Astronomical Union</i> , 2013, 9, 278-279.	0.0	0
102	THE NUCLEAR INFRARED EMISSION OF LOW-LUMINOSITY ACTIVE GALACTIC NUCLEI. <i>Astronomical Journal</i> , 2012, 144, 11.	1.9	59
103	PKS 0347+05: a radio-loud/radio-quiet double active galactic nucleus system triggered in a major galaxy merger. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012, 427, 1603-1613.	1.6	20
104	Testing the AGN Unification Model in the Infrared. <i>Journal of Physics: Conference Series</i> , 2012, 372, 012004.	0.3	0
105	The importance of galaxy interactions in triggering type II quasar activity. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012, 426, 276-295.	1.6	64
106	Probing the nuclear and circumnuclear activity of NGC 1365 in the infrared. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012, 425, 311-324.	1.6	35
107	The Nuclear Infrared Emission of Low-Luminosity AGN. <i>Journal of Physics: Conference Series</i> , 2012, 372, 012036.	0.3	0
108	<i>SPITZER</i> MID-IR SPECTROSCOPY OF POWERFUL 2 JY AND 3CRR RADIO GALAXIES. I. EVIDENCE AGAINST A STRONG STARBURST-AGN CONNECTION IN RADIO-LOUD AGN. <i>Astrophysical Journal</i> , 2012, 745, 172.	1.6	68

#	ARTICLE	IF	CITATIONS
109	Are luminous radio-loud active galactic nuclei triggered by galaxy interactions?. Monthly Notices of the Royal Astronomical Society, 2012, 419, 687-705.	1.6	94
110	The starburst-active galactic nucleus connection in the merger galaxy Mrk 938: an infrared and X-ray view... Monthly Notices of the Royal Astronomical Society, 2012, 423, 185-196.	1.6	16
111	PKS 1814-637: a powerful radio-loud AGN in a disk galaxy. Astronomy and Astrophysics, 2011, 535, A97.	2.1	53
112	TESTING THE UNIFICATION MODEL FOR ACTIVE GALACTIC NUCLEI IN THE INFRARED: ARE THE OBSCURING TORI OF TYPE 1 AND 2 SEYFERTS DIFFERENT?. Astrophysical Journal, 2011, 731, 92.	1.6	162
113	Starburst radio galaxies: general properties, evolutionary histories and triggering. Monthly Notices of the Royal Astronomical Society, 2011, , no-no.	1.6	38
114	Clear detection of dusty torus signatures in a weak-line radio galaxy: the case of PKS 0043+42. Monthly Notices of the Royal Astronomical Society, 2011, 413, 2358-2364.	1.6	10
115	Resolving the nuclear dust distribution of the Seyfert 2 galaxy NGC 3081. Monthly Notices of the Royal Astronomical Society: Letters, 2011, 417, L46-L50.	1.2	22
116	The forbidden high-ionization-line region of the type 2 quasar SDSS J11311.05+162739.5: a clear view of the inner face of the torus?. Monthly Notices of the Royal Astronomical Society, 2011, 414, 3360-3380.	1.6	17
117	TORUS AND ACTIVE GALACTIC NUCLEUS PROPERTIES OF NEARBY SEYFERT GALAXIES: RESULTS FROM FITTING INFRARED SPECTRAL ENERGY DISTRIBUTIONS AND SPECTROSCOPY. Astrophysical Journal, 2011, 736, 82.	1.6	184
118	The redshift and broad-band spectral energy distribution of NRAO 150. Astronomy and Astrophysics, 2010, 519, A5.	2.1	10
119	THE SOFT X-RAY AND NARROW-LINE EMISSION OF Mrk 573 ON KILOPARSEC SCALES. Astrophysical Journal, 2010, 723, 1748-1761.	1.6	19
120	The optical morphologies of the 2 Jy sample of radio galaxies: evidence for galaxy interactions. Monthly Notices of the Royal Astronomical Society, 2010, , no-no.	1.6	52
121	A near-IR study of the host galaxies of 2 Jy radio sources at $0.03 < z < 0.5$. I. The data... Monthly Notices of the Royal Astronomical Society, 2010, 407, 1739-1766.	1.6	35
122	THE INFRARED NUCLEAR EMISSION OF SEYFERT GALAXIES ON PARSEC SCALES: TESTING THE CLUMPY TORUS MODELS. Astrophysical Journal, 2009, 702, 1127-1149.	1.6	147
123	BayesCLUMPY: BAYESIAN INFERENCE WITH CLUMPY DUSTY TORUS MODELS. Astrophysical Journal, 2009, 696, 2075-2085.	1.6	60
124	NEAR-INFRARED SPECTROSCOPY OF SEYFERT GALAXIES. NUCLEAR ACTIVITY AND STELLAR POPULATION. Astrophysical Journal, 2009, 694, 1379-1394.	1.6	47
125	CHARACTERIZATION OF ACTIVE GALACTIC NUCLEI AND THEIR HOSTS IN THE EXTENDED GROTH STRIP: A MULTI-WAVELENGTH ANALYSIS. Astronomical Journal, 2009, 137, 179-196.	1.9	9
126	The Infrared Nuclear Emission of Seyfert Galaxies on Parsec Scales: Testing the Clumpy Torus Models. Proceedings of the International Astronomical Union, 2009, 5, 132-132.	0.0	0

#	ARTICLE	IF	CITATIONS
127	Unveiling the Narrow-Line Seyfert 1 Nature of Markarian 573 Using Near-Infrared Spectroscopy. <i>Astrophysical Journal</i> , 2008, 680, L17-L20.	1.6	21
128	The 2004-2006 Outburst and Environment of V1647 Ori. <i>Astronomical Journal</i> , 2007, 133, 2020-2036.	1.9	52
129	The Mid-Infrared Emission of Seyfert Galaxies: A New Analysis of ISOCAM Data. <i>Astronomical Journal</i> , 2007, 134, 2006-2019.	1.9	33
130	The Narrow-Line Region of the Seyfert 2 Galaxy Mrk 78: An Infrared View. <i>Astrophysical Journal</i> , 2006, 645, 148-159.	1.6	21
131	Testing the role of AGN on the star formation and metal enrichment of "twin galaxies". <i>Monthly Notices of the Royal Astronomical Society</i> , 0, , .	1.6	0