
## Atalay Alem

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1606707/publications.pdf Version: 2024-02-01



Δταιαν Διεμ

#	Article	IF	CITATIONS
1	Assessing cognition in people with severe mental disorders in low- and middle-income countries: a systematic review of assessment measures. Social Psychiatry and Psychiatric Epidemiology, 2022, 57, 435-460.	1.6	5
2	HeAlth System StrEngThening in four sub-Saharan African countries (ASSET) to achieve high-quality, evidence-informed surgical, maternal and newborn, and primary care: protocol for pre-implementation phase studies. Global Health Action, 2022, 15, 1987044.	0.7	11
3	Efficacy and cost-effectiveness of task-shared care for people with severe mental disorders in Ethiopia (TaSCS): a single-blind, randomised, controlled, phase 3 non-inferiority trial. Lancet Psychiatry,the, 2022, 9, 59-71.	3.7	11
4	Common perinatal mental disorders and postâ€infancy child development in rural Ethiopia: A populationâ€based cohort study. Tropical Medicine and International Health, 2022, 27, 251-261.	1.0	4
5	Under detection of depression in primary care settings in low and middle-income countries: a systematic review and meta-analysis. Systematic Reviews, 2022, 11, 21.	2.5	32
6	Cognitive impairment in people with schizophrenia: an umbrella review. European Archives of Psychiatry and Clinical Neuroscience, 2022, 272, 1139-1155.	1.8	47
7	Towards racial equity in global mental health research. Lancet Psychiatry,the, 2021, 8, 553-555.	3.7	11
8	Task-sharing of psychological treatment for antenatal depression in Khayelitsha, South Africa: Effects on antenatal and postnatal outcomes in an individual randomised controlled trial. Behaviour Research and Therapy, 2020, 130, 103466.	1.6	43
9	Developing a Theory of Change model of service user and caregiver involvement in mental health system strengthening in primary health care in rural Ethiopia. International Journal of Mental Health Systems, 2020, 14, 51.	1.1	46
10	A leap of faith for more effective mental health care. Lancet, The, 2020, 396, 584-585.	6.3	1
11	"We need more big trees as well as the grass roots― going beyond research capacity building to develop sustainable careers in mental health research in African countries. International Journal of Mental Health Systems, 2020, 14, 66.	1.1	13
12	Perinatal mental distress in a rural Ethiopian community: a critical examination of psychiatric labels. BMC Psychiatry, 2020, 20, 223.	1.1	6
13	Incidence of depression in people with newly diagnosed tuberculosis in Ethiopia: a cohort study. Global Mental Health (Cambridge, England), 2020, 7, e1.	1.0	3
14	Alcohol use disorder among prisoners in Debre Berhan prison, Ethiopia: a cross-sectional study. Substance Abuse Treatment, Prevention, and Policy, 2020, 15, 26.	1.0	3
15	The effect of gender on the long-term course and outcome of schizophrenia in rural Ethiopia: a population-based cohort. Social Psychiatry and Psychiatric Epidemiology, 2020, 55, 1581-1591.	1.6	8
16	Impact of child emotional and behavioural difficulties on educational outcomes of primary school children in Ethiopia: a population-based cohort study. Child and Adolescent Psychiatry and Mental Health, 2020, 14, 22.	1.2	7
17	Mental health problems and socioeconomic disadvantage: a controlled household study in rural Ethiopia. International Journal for Equity in Health, 2019, 18, 121.	1.5	18
18	Catastrophic health expenditure and impoverishment in households of persons with depression: a cross-sectional, comparative study in rural Ethiopia. BMC Public Health, 2019, 19, 930.	1.2	44

ATALAY ALEM

#	Article	IF	CITATIONS
19	Impact of perinatal and repeated maternal common mental disorders on educational outcomes of primary school children in rural Ethiopia: population-based cohort study. BJPsych Open, 2019, 5, e87.	0.3	2
20	The psychosis treatment gap and its consequences in rural Ethiopia. BMC Psychiatry, 2019, 19, 325.	1.1	23
21	Evaluation of capacity-building strategies for mental health system strengthening in low- and middle-income countries for service users and caregivers, policymakers and planners, and researchers. BJPsych Open, 2019, 5, e67.	0.3	17
22	Household economic costs associated with mental, neurological and substance use disorders: a cross-sectional survey in six low- and middle-income countries. BJPsych Open, 2019, 5, e34.	0.3	21
23	Systematic review of burnout among healthcare providers in sub-Saharan Africa. BMC Public Health, 2019, 19, 1247.	1.2	124
24	Effective methods for knowledge transfer to strengthen mental health systems in low- and middle-income countries. BJPsych Open, 2019, 5, e72.	0.3	10
25	Symptoms of post-traumatic stress disorder and depression among Eritrean refugees in Ethiopia: identifying direct, meditating and moderating predictors from path analysis. BMJ Open, 2019, 9, e021142.	0.8	19
26	Catastrophic out-of-pocket payments for households of people with severe mental disorder: a comparative study in rural Ethiopia. International Journal of Mental Health Systems, 2019, 13, 39.	1.1	23
27	Validity of the Center for Epidemiologic Studies Depression Scale (CES-D) in Eritrean refugees living in Ethiopia. BMJ Open, 2019, 9, e026129.	0.8	7
28	The 10-year functional outcome of schizophrenia in Butajira, Ethiopia. Heliyon, 2019, 5, e01272.	1.4	3
29	Moving towards universal health coverage for mental disorders in Ethiopia. International Journal of Mental Health Systems, 2019, 13, 11.	1.1	24
30	Construct validity and factor structure of sense of coherence (SoC-13) scale as a measure of resilience in Eritrean refugees living in Ethiopia. Conflict and Health, 2019, 13, 3.	1.0	18
31	Stuck in the middle: a systematic review of authorship in collaborative health research in Africa, 2014–2016. BMJ Clobal Health, 2019, 4, e001853.	2.0	163
32	Mental health financing challenges, opportunities and strategies in low- and middle-income countries: findings from the Emerald project. BJPsych Open, 2019, 5, e68.	0.3	41
33	Strengthening mental health systems in low- and middle-income countries: recommendations from the Emerald programme. BJPsych Open, 2019, 5, e73.	0.3	25
34	Impact of maternal common mental disorders on child educational outcomes at 7 and 9 years: a population-based cohort study in Ethiopia. BMJ Open, 2018, 8, e018916.	0.8	15
35	Untreated depression and tuberculosis treatment outcomes, quality of life and disability, Ethiopia. Bulletin of the World Health Organization, 2018, 96, 243-255.	1.5	53
36	Functional impairment among people with severe and enduring mental disorder in rural Ethiopia: a cross-sectional study. Social Psychiatry and Psychiatric Epidemiology, 2018, 53, 803-814.	1.6	18

ATALAY ALEM

#	Article	IF	CITATIONS
37	Use of the WHO's Perceived Well-Being Index (WHO-5) as an efficient and potentially valid screen for depression in a low income country Families, Systems and Health, 2018, 36, 148-158.	0.4	23
38	Health systems context(s) for integrating mental health into primary health care in six Emerald countries: a situation analysis. International Journal of Mental Health Systems, 2017, 11, 7.	1.1	55
39	Developing a measure of mental health service satisfaction for use in low income countries: a mixed methods study. BMC Health Services Research, 2017, 17, 183.	0.9	20
40	Empowering Preschool Teachers to Identify Mental Health Problems: A Taskâ€ <del>S</del> haring Intervention in Ethiopia. Mind, Brain, and Education, 2017, 11, 32-42.	0.9	14
41	Strengthening mental health system governance in six low- and middle-income countries in Africa and South Asia: challenges, needs and potential strategies. Health Policy and Planning, 2017, 32, 699-709.	1.0	127
42	Recognition of depression by primary care clinicians in rural Ethiopia. BMC Family Practice, 2017, 18, 56.	2.9	36
43	Burden and presentation of depression among newly diagnosed individuals with TB in primary care settings in Ethiopia. BMC Psychiatry, 2017, 17, 57.	1.1	42
44	Service user involvement in mental health system strengthening in a rural African setting: qualitative study. BMC Psychiatry, 2017, 17, 187.	1.1	83
45	Validation of the World Health Organization Disability Assessment Schedule in people with severe mental disorders in rural Ethiopia. Health and Quality of Life Outcomes, 2017, 15, 64.	1.0	64
46	Health system governance to support scale up of mental health care in Ethiopia: a qualitative study. International Journal of Mental Health Systems, 2017, 11, 38.	1.1	34
47	Development and validation of a contextual measure of functioning for people living with severe mental disorders in rural Africa. BMC Psychiatry, 2016, 16, 311.	1.1	20
48	Indicators for routine monitoring of effective mental healthcare coverage in low- and middle-income settings: a Delphi study. Health Policy and Planning, 2016, 31, 1100-1106.	1.0	36
49	Development of a scalable mental healthcare plan for a rural district in Ethiopia. British Journal of Psychiatry, 2016, 208, s4-s12.	1.7	93
50	Information systems for mental health in six low and middle income countries: cross country situation analysis. International Journal of Mental Health Systems, 2016, 10, 60.	1.1	37
51	Building the capacity of policy-makers and planners to strengthen mental health systems in low- and middle-income countries: a systematic review. BMC Health Services Research, 2016, 16, 601.	0.9	22
52	Task sharing for the care of severe mental disorders in a low-income country (TaSCS): study protocol for a randomised, controlled, non-inferiority trial. Trials, 2016, 17, 76.	0.7	39
53	Non-fatal suicidal behaviour in rural Ethiopia: a cross-sectional facility- and population-based study. BMC Psychiatry, 2016, 16, 75.	1.1	31
54	Service user and caregiver involvement in mental health system strengthening in low- and middle-income countries: systematic review. BMC Health Services Research, 2016, 16, 79.	0.9	175

ATALAY ALEM

#	Article	IF	CITATIONS
55	Fatigue as a manifestation of psychosocial distress in a lowâ€income country: a populationâ€based panel study. Tropical Medicine and International Health, 2016, 21, 365-372.	1.0	11
56	Participatory planning of a primary care service for people with severe mental disorders in rural Ethiopia. Health Policy and Planning, 2016, 31, 367-376.	1.0	55
57	Care for bipolar disorder in LMICs needs evidence from local settings. Lancet Psychiatry,the, 2015, 2, 772-773.	3.7	12
58	Developing a mental health care plan in a low resource setting: the theory of change approach. BMC Health Services Research, 2015, 15, 429.	0.9	33
59	Excess mortality in severe mental illness: 10-year population-based cohort study in rural Ethiopia. British Journal of Psychiatry, 2015, 206, 289-296.	1.7	130
60	Conceptualizing and contextualizing functioning in people with severe mental disorders in rural Ethiopia: a qualitative study. BMC Psychiatry, 2015, 15, 34.	1.1	26
61	Strengthening mental health systems in low- and middle-income countries: the Emerald programme. BMC Medicine, 2015, 13, 79.	2.3	190
62	Depression among patients with tuberculosis: determinants, course and impact on pathways to care and treatment outcomes in a primary care setting in southern Ethiopia—a study protocol. BMJ Open, 2015, 5, e007653.	0.8	46
63	Partnering with local scientists should be mandatory. Nature Medicine, 2014, 20, 12-12.	15.2	10
64	Common Mental Disorder Symptoms among Patients with Malaria Attending Primary Care in Ethiopia: A Cross-Sectional Survey. PLoS ONE, 2014, 9, e108923.	1.1	9
65	Clinical Course and Outcome of Schizophrenia in a Predominantly Treatment-Naive Cohort in Rural Ethiopia. Schizophrenia Bulletin, 2009, 35, 646-654.	2.3	103
66	Communityâ€based mental health care in Africa: mental health workers' views. World Psychiatry, 2008, 7, 54-57.	4.8	63
67	Teaching psychiatry in Ethiopia. International Psychiatry: Bulletin of the Board of International Affairs of the Royal College of Psychiatrists, 2006, 3, 43-46.	0.2	4
68	Teaching psychiatry in Ethiopia. International Psychiatry: Bulletin of the Board of International Affairs of the Royal College of Psychiatrists, 2006, 3, 43-46.	0.2	0
69	Psychiatry in Ethiopia. International Psychiatry: Bulletin of the Board of International Affairs of the Royal College of Psychiatrists, 2004, 1, 8-10.	0.2	0
70	Community-based vs. hospital-based mental health care: the case of Africa. World Psychiatry, 2002, 1, 98-9.	4.8	3
71	Policies, Plans, and Programs. , 0, , 90-96.		0