

# Joanna Baran

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1606909/publications.pdf>

Version: 2024-02-01

43  
papers

649  
citations

858243

12  
h-index

721071

23  
g-index

45  
all docs

45  
docs citations

45  
times ranked

1126  
citing authors

#	ARTICLE	IF	CITATIONS
1	The association between steps per day and blood pressure in children. <i>Scientific Reports</i> , 2022, 12, 1422.	1.6	5
2	Consumption of selected food products by adults representing various body mass categories, during Covid-19 lockdown in Poland. <i>European Journal of Clinical Nutrition</i> , 2022, , .	1.3	1
3	Does Prenatal Physical Activity Affect the Occurrence of Postnatal Anxiety and Depression? Longitudinal Study. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 2284.	1.2	5
4	Effect of physical activity on low back pain in pregnant women. <i>Journal of Kinesiology and Exercise Sciences</i> , 2022, 32, 35-44.	0.1	0
5	Heterogeneous contributions of change in population distribution of body mass index to change in obesity and underweight. <i>ELife</i> , 2021, 10, .	2.8	41
6	Changes in Children's Body Composition and Posture during Puberty Growth. <i>Children</i> , 2021, 8, 288.	0.6	13
7	Health behaviours of young adults during the outbreak of the Covid-19 pandemic – a longitudinal study. <i>BMC Public Health</i> , 2021, 21, 1038.	1.2	36
8	Prenatal and Postnatal Anxiety and Depression in Mothers during the COVID-19 Pandemic. <i>Journal of Clinical Medicine</i> , 2021, 10, 3193.	1.0	19
9	High-intensity activity is more strongly associated with metabolic health in children compared to sedentary time: a cross-sectional study of the I.Family cohort. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2021, 18, 90.	2.0	12
10	Is There a Link between Balance and Body Mass Composition in Children and Adolescents?. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 10449.	1.2	8
11	Comparison of the Level of Physical Activity in Young Adults before and during the COVID-19 Pandemic – A Longitudinal Study. <i>Medical Sciences Forum</i> , 2021, 6, .	0.5	0
12	Excessive Gestational Weight Gain: Long-Term Consequences for the Child. <i>Journal of Clinical Medicine</i> , 2020, 9, 3795.	1.0	16
13	60 Minutes Per Day in Moderate to Vigorous Physical Activity as a Natural Health Protector in Young Population. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 8918.	1.2	13
14	Effect of Post-Stroke Rehabilitation on Body Mass Composition in Relation to Socio-Demographic and Clinical Factors. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 5134.	1.2	4
15	Height and body-mass index trajectories of school-aged children and adolescents from 1985 to 2019 in 200 countries and territories: a pooled analysis of 2181 population-based studies with 65 million participants. <i>Lancet, The</i> , 2020, 396, 1511-1524.	6.3	219
16	Objectively Assessed Physical Activity of Preschool-Aged Children from Urban Areas. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 1375.	1.2	8
17	Preferences for Sweet and Fatty Taste in Children and Their Mothers in Association with Weight Status. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 538.	1.2	19
18	Body Fat and Muscle Mass in Association with Foot Structure in Adolescents: A Cross-Sectional Study. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 811.	1.2	4

#	ARTICLE	IF	CITATIONS
19	Associations between adiposity indicators and hypertension among children and adolescents with intellectual disabilityâ€”A caseâ€”control study. <i>Journal of Applied Research in Intellectual Disabilities</i> , 2020, 33, 1133-1140.	1.3	2
20	Analysis of Fruit and Vegetable Consumption by Children in School Canteens Depending on Selected Sociodemographic Factors. <i>Medicina (Lithuania)</i> , 2019, 55, 397.	0.8	10
21	Early Eating Patterns and Overweight and Obesity in a Sample of Preschool Children in South-East Poland. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 3064.	1.2	9
22	Relationship between Childrenâ€™s Birth Weight and Birth Length and a Risk of Overweight and Obesity in 4â€”15-Year-Old Children. <i>Medicina (Lithuania)</i> , 2019, 55, 487.	0.8	7
23	Levels of Physical Activity in Children and Adolescents with Type 1 Diabetes in Relation to the Healthy Comparators and to the Method of Insulin Therapy Used. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 3498.	1.2	32
24	Diet after Stroke and Its Impact on the Components of Body Mass and Functional Fitnessâ€”A 4-Month Observation. <i>Nutrients</i> , 2019, 11, 1227.	1.7	6
25	Role of body mass category in the development of faulty postures in school-age children from a rural area in south-eastern Poland: a cross-sectional study. <i>BMJ Open</i> , 2019, 9, e030610.	0.8	7
26	Impact of Birth Weight and Length on Primary Hypertension in Children. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 4649.	1.2	8
27	Sedentary behaviors in children and adolescents with type 1 diabetes, depending on the insulin therapy used. <i>Medicine (United States)</i> , 2019, 98, e15625.	0.4	8
28	Adaptation and validation of the Physical Activity Questionnaire for Adolescents (PAQ-A) among Polish adolescents: cross-sectional study. <i>BMJ Open</i> , 2019, 9, e030567.	0.8	12
29	Association Between Body Mass Index and Results of Rehabilitation in Patients After Stroke: A 3-Month Observational Follow-Up Study. <i>Medical Science Monitor</i> , 2019, 25, 4869-4876.	0.5	7
30	The Influence of Body Mass Composition on the Postural Characterization of School-Age Children and Adolescents. <i>BioMed Research International</i> , 2018, 2018, 1-7.	0.9	14
31	The Assessment of Static Balance in Patients after Total Hip Replacement in the Period of 2-3 Years after Surgery. <i>BioMed Research International</i> , 2018, 2018, 1-8.	0.9	14
32	Neuromotor Development of Children Aged 6 and 7 Years Born before the 30th Week Gestation. <i>BioMed Research International</i> , 2018, 2018, 1-12.	0.9	7
33	Blood lipid profile and body composition in a pediatric population with different levels of physical activity. <i>Lipids in Health and Disease</i> , 2018, 17, 171.	1.2	14
34	Selected Factors Against Functional Performance in Patients in the Early Period After Stroke. <i>Topics in Geriatric Rehabilitation</i> , 2017, 33, 238-243.	0.2	2
35	Analysis of body composition and selected lipid parameters in healthy childrenâ€”a preliminary report. <i>Pediatrica I Medycyna Rodzinna</i> , 2017, 13, 390-397.	2.3	3
36	Analysis of Relationship between the Body Mass Composition and Physical Activity with Body Posture in Children. <i>BioMed Research International</i> , 2016, 2016, 1-10.	0.9	35

#	ARTICLE	IF	CITATIONS
37	Physical activity of physiotherapy students of the University of Rzeszów and its impact on the subjects' body composition. <i>Physiotherapy</i> , 2016, 102, e272-e273.	0.2	2
38	Occupational Activity in Patients 10 Years after Hip Replacement Surgery. <i>Ortopedia Traumatologia Rehabilitacja</i> , 2016, 18, 327-336.	0.1	3
39	The prevalence and risk factors of overweight and obesity in preschool children in the Subcarpatian region – a pilot study. <i>Medical Review</i> , 2016, 14, 148-161.	0.0	2
40	The secular trend of overweight and obesity in preschool children from Rzeszow region. <i>Pediatric Endocrinology</i> , 2015, 14, 29-34.	0.0	1
41	Change in Anthropometric Parameters of the Posture of Students of Physiotherapy after Three Years of Professional Training. <i>BioMed Research International</i> , 2014, 2014, 1-9.	0.9	16
42	Clinical factors affecting balance and symmetry of the lower extremity weight bearing in post stroke patients. <i>Fizjoterapia Polska</i> , 2012, 12, 251-262.	0.0	0
43	Impact of a Rehabilitation Program on the Change in Components of Body Mass of the Upper and Lower Limbs in People After Ischemic Stroke. <i>Medical Science Monitor</i> , 0, 28, .	0.5	2