
Joanna Baran

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1606909/publications.pdf Version: 2024-02-01



ΙΟΛΝΝΛ ΒΛΡΛΝ

#	Article	IF	CITATIONS
1	The association between steps per day and blood pressure in children. Scientific Reports, 2022, 12, 1422.	3.3	5
2	Consumption of selected food products by adults representing various body mass categories, during Covid-19 lockdown in Poland. European Journal of Clinical Nutrition, 2022, , .	2.9	1
3	Does Prenatal Physical Activity Affect the Occurrence of Postnatal Anxiety and Depression? Longitudinal Study. International Journal of Environmental Research and Public Health, 2022, 19, 2284.	2.6	5
4	Effect of physical activity on low back pain in pregnant women. Journal of Kinesiology and Exercise Sciences, 2022, 32, 35-44.	0.3	0
5	Heterogeneous contributions of change in population distribution of body mass index to change in obesity and underweight. ELife, 2021, 10, .	6.0	41
6	Changes in Children's Body Composition and Posture during Puberty Growth. Children, 2021, 8, 288.	1.5	13
7	Health behaviours of young adults during the outbreak of the Covid-19 pandemic – a longitudinal study. BMC Public Health, 2021, 21, 1038.	2.9	36
8	Prenatal and Postnatal Anxiety and Depression in Mothers during the COVID-19 Pandemic. Journal of Clinical Medicine, 2021, 10, 3193.	2.4	19
9	High-intensity activity is more strongly associated with metabolic health in children compared to sedentary time: a cross-sectional study of the I.Family cohort. International Journal of Behavioral Nutrition and Physical Activity, 2021, 18, 90.	4.6	12
10	Is There a Link between Balance and Body Mass Composition in Children and Adolescents?. International Journal of Environmental Research and Public Health, 2021, 18, 10449.	2.6	8
11	Comparison of the Level of Physical Activity in Young Adults before and during the COVID-19 Pandemicâ \in "A Longitudinal Study. Medical Sciences Forum, 2021, 6, .	0.5	0
12	Excessive Gestational Weight Gain: Long-Term Consequences for the Child. Journal of Clinical Medicine, 2020, 9, 3795.	2.4	16
13	60 Minutes Per Day in Moderate to Vigorous Physical Activity as a Natural Health Protector in Young Population. International Journal of Environmental Research and Public Health, 2020, 17, 8918.	2.6	13
14	Effect of Post-Stroke Rehabilitation on Body Mass Composition in Relation to Socio-Demographic and Clinical Factors. International Journal of Environmental Research and Public Health, 2020, 17, 5134.	2.6	4
15	Height and body-mass index trajectories of school-aged children and adolescents from 1985 to 2019 in 200 countries and territories: a pooled analysis of 2181 population-based studies with 65 million participants. Lancet, The, 2020, 396, 1511-1524.	13.7	219
16	Objectively Assessed Physical Activity of Preschool-Aged Children from Urban Areas. International Journal of Environmental Research and Public Health, 2020, 17, 1375.	2.6	8
17	Preferences for Sweet and Fatty Taste in Children and Their Mothers in Association with Weight Status. International Journal of Environmental Research and Public Health, 2020, 17, 538.	2.6	19
18	Body Fat and Muscle Mass in Association with Foot Structure in Adolescents: A Cross-Sectional Study. International Journal of Environmental Research and Public Health, 2020, 17, 811.	2.6	4

Joanna Baran

#	Article	IF	CITATIONS
19	Associations between adiposity indicators and hypertension among children and adolescents with intellectual disability—A case–control study. Journal of Applied Research in Intellectual Disabilities, 2020, 33, 1133-1140.	2.0	2
20	Analysis of Fruit and Vegetable Consumption by Children in School Canteens Depending on Selected Sociodemographic Factors. Medicina (Lithuania), 2019, 55, 397.	2.0	10
21	Early Eating Patterns and Overweight and Obesity in a Sample of Preschool Children in South-East Poland. International Journal of Environmental Research and Public Health, 2019, 16, 3064.	2.6	9
22	Relationship between Children's Birth Weight and Birth Length and a Risk of Overweight and Obesity in 4–15-Year-Old Children. Medicina (Lithuania), 2019, 55, 487.	2.0	7
23	Levels of Physical Activity in Children and Adolescents with Type 1 Diabetes in Relation to the Healthy Comparators and to the Method of Insulin Therapy Used. International Journal of Environmental Research and Public Health, 2019, 16, 3498.	2.6	32
24	Diet after Stroke and Its Impact on the Components of Body Mass and Functional Fitness—A 4-Month Observation. Nutrients, 2019, 11, 1227.	4.1	6
25	Role of body mass category in the development of faulty postures in school-age children from a rural area in south-eastern Poland: a cross-sectional study. BMJ Open, 2019, 9, e030610.	1.9	7
26	Impact of Birth Weight and Length on Primary Hypertension in Children. International Journal of Environmental Research and Public Health, 2019, 16, 4649.	2.6	8
27	Sedentary behaviors in children and adolescents with type 1 diabetes, depending on the insulin therapy used. Medicine (United States), 2019, 98, e15625.	1.0	8
28	Adaptation and validation of the Physical Activity Questionnaire for Adolescents (PAQ-A) among Polish adolescents: cross-sectional study. BMJ Open, 2019, 9, e030567.	1.9	12
29	Association Between Body Mass Index and Results of Rehabilitation in Patients After Stroke: A 3-Month Observational Follow-Up Study. Medical Science Monitor, 2019, 25, 4869-4876.	1.1	7
30	The Influence of Body Mass Composition on the Postural Characterization of School-Age Children and Adolescents. BioMed Research International, 2018, 2018, 1-7.	1.9	14
31	The Assessment of Static Balance in Patients after Total Hip Replacement in the Period of 2-3 Years after Surgery. BioMed Research International, 2018, 2018, 1-8.	1.9	14
32	Neuromotor Development of Children Aged 6 and 7 Years Born before the 30th Week Gestation. BioMed Research International, 2018, 2018, 1-12.	1.9	7
33	Blood lipid profile and body composition in a pediatric population with different levels of physical activity. Lipids in Health and Disease, 2018, 17, 171.	3.0	14
34	Selected Factors Against Functional Performance in Patients in the Early Period After Stroke. Topics in Geriatric Rehabilitation, 2017, 33, 238-243.	0.4	2
35	Analysis ofÂbody composition andÂselected lipid parameters inÂhealthy children– a preliminary report. Pediatria I Medycyna Rodzinna, 2017, 13, 390-397.	0.1	3
36	Analysis of Relationship between the Body Mass Composition and Physical Activity with Body Posture in Children. BioMed Research International, 2016, 2016, 1-10.	1.9	35

Joanna Baran

#	Article	IF	CITATIONS
37	Physical activity of physiotherapy students of the University of Rzeszów and its impact on the subjects' body composition. Physiotherapy, 2016, 102, e272-e273.	0.4	2
38	Occupational Activity in Patients 10 Years after Hip Replacement Surgery. Ortopedia Traumatologia Rehabilitacja, 2016, 18, 327-336.	0.3	3
39	The prevalence and risk factors of overweight and obesity in preschool children in the Subcarpatian region – a pilot study. Medical Review, 2016, 14, 148-161.	0.0	2
40	The secular trend of overweight and obesity in preschool children from Rzeszow region. Pediatric Endocrinology, 2015, 14, 29-34.	0.0	1
41	Change in Anthropometric Parameters of the Posture of Students of Physiotherapy after Three Years of Professional Training. BioMed Research International, 2014, 2014, 1-9.	1.9	16
42	Clinical factors affecting balance and symmetry of the lower extremity weight bearing in post stroke patients. Fizjoterapia Polska, 2012, 12, 251-262.	0.0	0
43	Impact of a Rehabilitation Program on the Change in Components of Body Mass of the Upper and Lower Limbs in People After Ischemic Stroke. Medical Science Monitor, 0, 28, .	1.1	2