

# Marit E Jrgensen

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/1608041/marit-e-jorgensen-publications-by-year.pdf>

**Version:** 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

245  
papers

10,649  
citations

48  
h-index

98  
g-index

268  
ext. papers

13,747  
ext. citations

8.3  
avg, IF

5.8  
L-index

#	Paper	IF	Citations
245	Health-related quality of life for normal glycaemia, prediabetes and type 2 diabetes mellitus: Cross-sectional analysis of the ADDITION-PRO study.. <i>Diabetic Medicine</i> , <b>2022</b> , e14825	3.5	0
244	Multi-ancestry genetic study of type 2 diabetes highlights the power of diverse populations for discovery and translation.. <i>Nature Genetics</i> , <b>2022</b> ,	36.3	7
243	Discordance Between Glucose Levels Measured in Interstitial Fluid in Venous Plasma After Oral Glucose Administration: A Analysis From the Randomised Controlled PRE-D Trial. <i>Frontiers in Endocrinology</i> , <b>2021</b> , 12, 753810	5.7	0
242	Lifetime risk and years lost to type 1 and type 2 diabetes in Denmark, 1996-2016. <i>BMJ Open Diabetes Research and Care</i> , <b>2021</b> , 9,	4.5	1
241	The role of a traditional and western diet on glucose homeostasis in Greenlandic Inuit carriers and non-carriers of type 2 diabetes variant in the TBC1D4 gene: A protocol for a randomized clinical trial. <i>Contemporary Clinical Trials Communications</i> , <b>2021</b> , 21, 100734	1.8	0
240	Towards precision medicine in diabetes? A critical review of glucotypes. <i>PLoS Biology</i> , <b>2021</b> , 19, e3000890.	9.7	0
239	Physical activity attenuates postprandial hyperglycaemia in homozygous TBC1D4 loss-of-function mutation carriers. <i>Diabetologia</i> , <b>2021</b> , 64, 1795-1804	10.3	3
238	The genetic history of Greenlandic-European contact. <i>Current Biology</i> , <b>2021</b> , 31, 2214-2219.e4	6.3	1
237	Diabetic Polyneuropathy Early in Type 2 Diabetes Is Associated With Higher Incidence Rate of Cardiovascular Disease: Results From Two Danish Cohort Studies. <i>Diabetes Care</i> , <b>2021</b> , 44, 1714-1721	14.6	0
236	Incidence of HPV-related Anogenital Intraepithelial Neoplasia and Cancer in Men With Diabetes Compared With the General Population. <i>Epidemiology</i> , <b>2021</b> , 32, 705-711	3.1	2
235	Plasma lipid metabolites associate with diabetic polyneuropathy in a cohort with type 2 diabetes. <i>Annals of Clinical and Translational Neurology</i> , <b>2021</b> , 8, 1292-1307	5.3	6
234	Response to Comment on Vistisen et al. A Validated Prediction Model for End-Stage Kidney Disease in Type 1 Diabetes. <i>Diabetes Care</i> 2021;44:901-907. <i>Diabetes Care</i> , <b>2021</b> , 44, e140-e141	14.6	1
233	The trans-ancestral genomic architecture of glycemic traits. <i>Nature Genetics</i> , <b>2021</b> , 53, 840-860	36.3	44
232	Cardiovascular outcomes with sodium-glucose cotransporter-2 inhibitors vs other glucose-lowering drugs in 13 countries across three continents: analysis of CVD-REAL data. <i>Cardiovascular Diabetology</i> , <b>2021</b> , 20, 159	8.7	3
231	A large remaining potential in lipid-lowering drug treatment in the type 2 diabetes population: A Danish nationwide cohort study. <i>Diabetes, Obesity and Metabolism</i> , <b>2021</b> , 23, 2354-2363	6.7	0
230	No effects of dapagliflozin, metformin or exercise on plasma glucagon concentrations in individuals with prediabetes: A post hoc analysis from the randomized controlled PRE-D trial. <i>Diabetes, Obesity and Metabolism</i> , <b>2021</b> , 23, 530-539	6.7	4
229	The effects of dapagliflozin, metformin or exercise on glycaemic variability in overweight or obese individuals with prediabetes (the PRE-D Trial): a multi-arm, randomised, controlled trial. <i>Diabetologia</i> , <b>2021</b> , 64, 42-55	10.3	11

228	Risk factor management of type 2 diabetic patients in primary care in the Scandinavian countries between 2003 and 2015. <i>Primary Care Diabetes</i> , <b>2021</b> , 15, 262-268	2.4	2
227	Incidence of human papillomavirus-related anogenital precancer and cancer in women with diabetes: A nationwide registry-based cohort study. <i>International Journal of Cancer</i> , <b>2021</b> , 148, 2090-2101	7.5	2
226	Duration of diabetes-related complications and mortality in type 1 diabetes: a national cohort study. <i>International Journal of Epidemiology</i> , <b>2021</b> , 50, 1250-1259	7.8	0
225	Low prevalence of retinopathy among Greenland Inuit. <i>International Journal of Circumpolar Health</i> , <b>2021</b> , 80, 1938420	1.7	2
224	Genome-wide association study of circulating levels of glucagon during an oral glucose tolerance test. <i>BMC Medical Genomics</i> , <b>2021</b> , 14, 3	3.7	0
223	Heart Rate and Heart Rate Variability Changes Are Not Related to Future Cardiovascular Disease and Death in People With and Without Dysglycemia: A Downfall of Risk Markers? The Whitehall II Cohort Study. <i>Diabetes Care</i> , <b>2021</b> , 44, 1012-1019	14.6	1
222	Diet and physical activity in Greenland: genetic interactions and associations with obesity and diabetes. <i>Applied Physiology, Nutrition and Metabolism</i> , <b>2021</b> , 46, 849-855	3	1
221	Discontinuation of diabetes medication in the 10 years before death in Denmark: a register-based study. <i>The Lancet Healthy Longevity</i> , <b>2021</b> , 2, e561-e570	9.5	2
220	Role of fasting duration and weekday in incretin and glucose regulation. <i>Endocrine Connections</i> , <b>2021</b> , 10, X2-X3	3.5	78
219	Increased incidence of genital warts among women and men with type 1 diabetes compared with the general population-results from a nationwide registry-based, cohort study. <i>Acta Diabetologica</i> , <b>2021</b> , 1	3.9	0
218	Investigation of eye tracking, electrodermal activity and facial expressions as biometric signatures of food reward and intake in normal weight adults. <i>Food Quality and Preference</i> , <b>2021</b> , 93, 104248	5.8	3
217	Trajectories of Childhood Adversity and Type 1 Diabetes: A Nationwide Study of One Million Children. <i>Diabetes Care</i> , <b>2021</b> , 44, 740-747	14.6	2
216	Hand grip strength and chair stand test amongst Greenlandic Inuit: reference values and international comparisons. <i>International Journal of Circumpolar Health</i> , <b>2021</b> , 80, 1966-186	1.7	3
215	A Validated Prediction Model for End-Stage Kidney Disease in Type 1 Diabetes. <i>Diabetes Care</i> , <b>2021</b> , 44, 901-907	14.6	5
214	Genetic study of the Arctic CPT1A variant suggests that its effect on fatty acid levels is modulated by traditional Inuit diet. <i>European Journal of Human Genetics</i> , <b>2020</b> , 28, 1592-1601	5.3	6
213	Risk of cardiovascular events and death associated with initiation of SGLT2 inhibitors compared with DPP-4 inhibitors: an analysis from the CVD-REAL 2 multinational cohort study. <i>Lancet Diabetes and Endocrinology</i> , <b>2020</b> , 8, 606-615	18.1	37
212	The derived allele of a novel intergenic variant at chromosome 11 associates with lower body mass index and a favorable metabolic phenotype in Greenlanders. <i>PLoS Genetics</i> , <b>2020</b> , 16, e1008544	6	1
211	Estimating narrow-sense heritability using family data from admixed populations. <i>Heredity</i> , <b>2020</b> , 124, 751-762	3.6	1

210	Role of fasting duration and weekday in incretin and glucose regulation. <i>Endocrine Connections</i> , <b>2020</b> , 9, 279-288	3.5	2
209	The effect of diabetes and the common diabetogenic TBC1D4 p.Arg684Ter variant on cardiovascular risk in Inuit in Greenland. <i>Scientific Reports</i> , <b>2020</b> , 10, 22081	4.9	3
208	Factors associated with attendance at clinical follow-up of a cohort with screen-detected type 2 diabetes: ADDITION-Denmark. <i>Primary Care Diabetes</i> , <b>2020</b> , 14, 239-245	2.4	1
207	Abdominal visceral and subcutaneous adipose tissue and associations with cardiometabolic risk in Inuit, Africans and Europeans: a cross-sectional study. <i>BMJ Open</i> , <b>2020</b> , 10, e038071	3	8
206	Omega-3 fatty acids and risk of cardiovascular disease in Inuit: First prospective cohort study. <i>Atherosclerosis</i> , <b>2020</b> , 312, 28-34	3.1	2
205	Glycemic Variability and Diabetic Neuropathy in Young Adults With Type 1 Diabetes. <i>Frontiers in Endocrinology</i> , <b>2020</b> , 11, 644	5.7	6
204	Metformin may adversely affect orthostatic blood pressure recovery in patients with type 2 diabetes: substudy from the placebo-controlled Copenhagen Insulin and Metformin Therapy (CIMT) trial. <i>Cardiovascular Diabetology</i> , <b>2020</b> , 19, 150	8.7	4
203	Prevalence, incidence and mortality of type 1 and type 2 diabetes in Denmark 1996-2016. <i>BMJ Open Diabetes Research and Care</i> , <b>2020</b> , 8,	4.5	31
202	Accumulation of childhood adversities and type 1 diabetes risk: a register-based cohort study of all children born in Denmark between 1980 and 2015. <i>International Journal of Epidemiology</i> , <b>2020</b> , 49, 1604-1613	7.8	4
201	Discovery of rare variants associated with blood pressure regulation through meta-analysis of 1.3 million individuals. <i>Nature Genetics</i> , <b>2020</b> , 52, 1314-1332	36.3	26
200	Components of diabetes prevalence in Denmark 1996-2016 and future trends until 2030. <i>BMJ Open Diabetes Research and Care</i> , <b>2020</b> , 8,	4.5	9
199	Associations between body mass index trajectories in childhood and cardiovascular risk factors in adulthood. <i>Atherosclerosis</i> , <b>2020</b> , 314, 10-17	3.1	1
198	Protocol for a single-centre, parallel-group, randomised, controlled, superiority trial on the effects of time-restricted eating on body weight, behaviour and metabolism in individuals at high risk of type 2 diabetes: the REstricted Eating Time (RESET) study. <i>BMJ Open</i> , <b>2020</b> , 10, e037166	3	3
197	Estimates of prediabetes and undiagnosed type 2 diabetes in Denmark: The end of an epidemic or a diagnostic artefact?. <i>Scandinavian Journal of Public Health</i> , <b>2020</b> , 48, 106-112	3	15
196	Body mass index trajectories in early childhood in relation to cardiometabolic risk profile and body composition at 5 years of age. <i>American Journal of Clinical Nutrition</i> , <b>2019</b> , 110, 1175-1185	7	16
195	Prospective Study of Neuropathic Symptoms Preceding Clinically Diagnosed Diabetic Polyneuropathy: ADDITION-Denmark. <i>Diabetes Care</i> , <b>2019</b> , 42, 2282-2289	14.6	7
194	Greater glucagon-like peptide-1 responses to oral glucose are associated with lower central and peripheral blood pressures. <i>Cardiovascular Diabetology</i> , <b>2019</b> , 18, 130	8.7	0
193	Reversion from prediabetes to normoglycaemia and risk of cardiovascular disease and mortality: the Whitehall II cohort study. <i>Diabetologia</i> , <b>2019</b> , 62, 1385-1390	10.3	26

192	Efficacy of Long-Term Remote Ischemic Conditioning on Vascular and Neuronal Function in Type 2 Diabetes Patients With Peripheral Arterial Disease. <i>Journal of the American Heart Association</i> , <b>2019</b> , 8, e011779	6	9
191	Higher Weight and Weight Gain after 4 Years of Age Rather than Weight at Birth Are Associated with Adiposity, Markers of Glucose Metabolism, and Blood Pressure in 5-Year-Old Ethiopian Children. <i>Journal of Nutrition</i> , <b>2019</b> , 149, 1785-1796	4.1	1
190	Exome sequencing of 20,791 cases of type 2 diabetes and 24,440 controls. <i>Nature</i> , <b>2019</b> , 570, 71-76	50.4	129
189	Associations between birth weight and glucose intolerance in adulthood among Greenlandic Inuit. <i>Diabetes Research and Clinical Practice</i> , <b>2019</b> , 150, 129-137	7.4	3
188	Heart Rate, Autonomic Function, and Future Changes in Glucose Metabolism in Individuals Without Diabetes: The Whitehall II Cohort Study. <i>Diabetes Care</i> , <b>2019</b> , 42, 867-874	14.6	8
187	Associations of fat mass and fat-free mass accretion in infancy with body composition and cardiometabolic risk markers at 5 years: The Ethiopian iABC birth cohort study. <i>PLoS Medicine</i> , <b>2019</b> , 16, e1002888	11.6	8
186	Progressive Decline in Estimated Glomerular Filtration Rate in Patients With Diabetes After Moderate Loss in Kidney Function-Even Without Albuminuria. <i>Diabetes Care</i> , <b>2019</b> , 42, 1886-1894	14.6	51
185	Habitual physical activity is associated with lower fasting and greater glucose-induced GLP-1 response in men. <i>Endocrine Connections</i> , <b>2019</b> , 8, 1607-1617	3.5	1
184	Hyperglycemia and insulin function in antiretroviral treatment-naive HIV patients in Ethiopia: a potential new entity of diabetes in HIV?. <i>Aids</i> , <b>2019</b> , 33, 1595-1602	3.5	6
183	A novel rare CUBN variant and three additional genes identified in Europeans with and without diabetes: results from an exome-wide association study of albuminuria. <i>Diabetologia</i> , <b>2019</b> , 62, 292-305	10.3	17
182	Associations of Mitochondrial and Nuclear Mitochondrial Variants and Genes with Seven Metabolic Traits. <i>American Journal of Human Genetics</i> , <b>2019</b> , 104, 112-138	11	54
181	Effect of duration and burden of microvascular complications on mortality rate in type 1 diabetes: an observational clinical cohort study. <i>Diabetologia</i> , <b>2019</b> , 62, 633-643	10.3	17
180	Response by Kosiborod et al to Letters Regarding Article, "Lower Risk of Heart Failure and Death in Patients Initiated on Sodium-Glucose Cotransporter-2 Inhibitors Versus Other Glucose-Lowering Drugs: The CVD-REAL Study (Comparative Effectiveness of Cardiovascular Outcomes in New Users of Sodium-Glucose Cotransporter-2 Inhibitors)". <i>Circulation</i> , <b>2018</b> , 137, 989-991	16.7	6
179	Genetic determinants of glycosylated hemoglobin levels in the Greenlandic Inuit population. <i>European Journal of Human Genetics</i> , <b>2018</b> , 26, 868-875	5.3	3
178	Clustering of microvascular complications in Type 1 diabetes mellitus. <i>Journal of Diabetes and Its Complications</i> , <b>2018</b> , 32, 393-399	3.2	14
177	Serum 25-hydroxyvitamin D, calcium and parathyroid hormone levels in Native and European populations in Greenland. <i>British Journal of Nutrition</i> , <b>2018</b> , 119, 391-397	3.6	6
176	Refining the accuracy of validated target identification through coding variant fine-mapping in type 2 diabetes. <i>Nature Genetics</i> , <b>2018</b> , 50, 559-571	36.3	221
175	Treatment Modality-Dependent Risk of Diabetic Ketoacidosis in Patients with Type 1 Diabetes: Danish Adult Diabetes Database Study. <i>Diabetes Technology and Therapeutics</i> , <b>2018</b> , 20, 229-234	8.1	11

174	Risk of Cardiovascular Disease and Death in Individuals With Prediabetes Defined by Different Criteria: The Whitehall II Study. <i>Diabetes Care</i> , <b>2018</b> , 41, 899-906	14.6	67
173	Prospective Studies Exploring the Possible Impact of an ID3 Polymorphism on Changes in Obesity Measures. <i>Obesity</i> , <b>2018</b> , 26, 747-754	8	1
172	Re-analysis of public genetic data reveals a rare X-chromosomal variant associated with type 2 diabetes. <i>Nature Communications</i> , <b>2018</b> , 9, 321	17.4	50
171	Evidence of a liver-alpha cell axis in humans: hepatic insulin resistance attenuates relationship between fasting plasma glucagon and glucagonotropic amino acids. <i>Diabetologia</i> , <b>2018</b> , 61, 671-680	10.3	41
170	Loss-of-function variants in ADCY3 increase risk of obesity and type 2 diabetes. <i>Nature Genetics</i> , <b>2018</b> , 50, 172-174	36.3	97
169	Validation of cardiovascular diagnoses in the Greenlandic Hospital Discharge Register for epidemiological use. <i>International Journal of Circumpolar Health</i> , <b>2018</b> , 77, 1422668	1.7	7
168	Cardiovascular Events Associated With SGLT-2 Inhibitors Versus Other Glucose-Lowering Drugs: The CVD-REAL 2 Study. <i>Journal of the American College of Cardiology</i> , <b>2018</b> , 71, 2628-2639	15.1	263
167	Rates of myocardial infarction and stroke in patients initiating treatment with SGLT2-inhibitors versus other glucose-lowering agents in real-world clinical practice: Results from the CVD-REAL study. <i>Diabetes, Obesity and Metabolism</i> , <b>2018</b> , 20, 1983-1987	6.7	55
166	Whole blood mercury and the risk of cardiovascular disease among the Greenlandic population. <i>Environmental Research</i> , <b>2018</b> , 164, 310-315	7.9	15
165	Identification of novel high-impact recessively inherited type 2 diabetes risk variants in the Greenlandic population. <i>Diabetologia</i> , <b>2018</b> , 61, 2005-2015	10.3	11
164	Risk-Factor Trajectories Preceding Diabetic Polyneuropathy: ADDITION-Denmark. <i>Diabetes Care</i> , <b>2018</b> , 41, 1955-1962	14.6	20
163	Common variants in the hERG (KCNH2) voltage-gated potassium channel are associated with altered fasting and glucose-stimulated plasma incretin and glucagon responses. <i>BMC Genetics</i> , <b>2018</b> , 19, 15	2.6	8
162	Development of Microvascular Complications and Effect of Concurrent Risk Factors in Type 1 Diabetes: A Multistate Model From an Observational Clinical Cohort Study. <i>Diabetes Care</i> , <b>2018</b> , 41, 2297-2305	14.6	10
161	Protein-altering variants associated with body mass index implicate pathways that control energy intake and expenditure in obesity. <i>Nature Genetics</i> , <b>2018</b> , 50, 26-41	36.3	186
160	Associations between vitamin D status and atherosclerosis among Inuit in Greenland. <i>Atherosclerosis</i> , <b>2018</b> , 268, 145-151	3.1	4
159	Dapagliflozin is associated with lower risk of cardiovascular events and all-cause mortality in people with type 2 diabetes (CVD-REAL Nordic) when compared with dipeptidyl peptidase-4 inhibitor therapy: A multinational observational study. <i>Diabetes, Obesity and Metabolism</i> , <b>2018</b> , 20, 344-351	6.7	124
158	Is the Rule of Halves framework relevant for diabetes care in Copenhagen today? A register-based cross-sectional study. <i>BMJ Open</i> , <b>2018</b> , 8, e023211	3	8
157	Prevalence of Diabetic Neuropathy in Young Adults with Type 1 Diabetes and the Association with Insulin Pump Therapy. <i>Diabetes Technology and Therapeutics</i> , <b>2018</b> ,	8.1	10

156	Fine-mapping type 2 diabetes loci to single-variant resolution using high-density imputation and islet-specific epigenome maps. <i>Nature Genetics</i> , <b>2018</b> , 50, 1505-1513	36.3	675
155	Risk Factors for the Presence and Progression of Cardiovascular Autonomic Neuropathy in Type 2 Diabetes: ADDITION-Denmark. <i>Diabetes Care</i> , <b>2018</b> , 41, 2586-2594	14.6	40
154	Gestational diabetes and macrosomia among Greenlanders. Time to change diagnostic strategy?. <i>International Journal of Circumpolar Health</i> , <b>2018</b> , 77, 1528126	1.7	2
153	Response to Comment on Andersen et al. Risk-Factor Trajectories Preceding Diabetic Polyneuropathy: ADDITION-Denmark. <i>Diabetes Care</i> 2018;41:1955-1962. <i>Diabetes Care</i> , <b>2018</b> , 41, e148-e149	14.6	146
152	Different patterns of second-line treatment in type 2 diabetes after metformin monotherapy in Denmark, Finland, Norway and Sweden (D360 Nordic): A multinational observational study. <i>Endocrinology, Diabetes and Metabolism</i> , <b>2018</b> , 1, e00036	2.7	18
151	The role of physical activity in the development of first cardiovascular disease event: a tree-structured survival analysis of the Danish ADDITION-PRO cohort. <i>Cardiovascular Diabetology</i> , <b>2018</b> , 17, 126	8.7	12
150	Incidence of diabetic eye disease among migrants: A cohort study of 100,000 adults with diabetes in Denmark. <i>Diabetes Research and Clinical Practice</i> , <b>2018</b> , 144, 224-230	7.4	2
149	SGLT-2 Inhibitors and Cardiovascular Risk: An Analysis of CVD-REAL. <i>Journal of the American College of Cardiology</i> , <b>2018</b> , 71, 2497-2506	15.1	68
148	Comment on Suissa. Lower Risk of Death With SGLT2 Inhibitors in Observational Studies: Real or Bias? <i>Diabetes Care</i> 2018;41:6-10. <i>Diabetes Care</i> , <b>2018</b> , 41, e106-e108	14.6	8
147	Body Composition Growth Patterns in Early Infancy: A Latent Class Trajectory Analysis of the Ethiopian iABC Birth Cohort. <i>Obesity</i> , <b>2018</b> , 26, 1225-1233	8	6
146	Cardiolipin Synthesis in Brown and Beige Fat Mitochondria Is Essential for Systemic Energy Homeostasis. <i>Cell Metabolism</i> , <b>2018</b> , 28, 159-174.e11	24.6	67
145	An adult-based insulin resistance genetic risk score associates with insulin resistance, metabolic traits and altered fat distribution in Danish children and adolescents who are overweight or obese. <i>Diabetologia</i> , <b>2018</b> , 61, 1769-1779	10.3	8
144	Rare and low-frequency coding variants alter human adult height. <i>Nature</i> , <b>2017</b> , 542, 186-190	50.4	412
143	Is diabetes preventable in the general population?. <i>Preventive Medicine</i> , <b>2017</b> , 96, 156-157	4.3	
142	Incidence of Ketoacidosis in the Danish Type 2 Diabetes Population Before and After Introduction of Sodium-Glucose Cotransporter 2 Inhibitors-A Nationwide, Retrospective Cohort Study, 1995-2014. <i>Diabetes Care</i> , <b>2017</b> , 40, e57-e58	14.6	24
141	Ethnic differences in anthropometric measures and abdominal fat distribution: a cross-sectional pooled study in Inuit, Africans and Europeans. <i>Journal of Epidemiology and Community Health</i> , <b>2017</b> , 71, 536-543	5.1	17
140	Genetic evidence of a causal effect of insulin resistance on branched-chain amino acid levels. <i>Diabetologia</i> , <b>2017</b> , 60, 873-878	10.3	79
139	Selection in Europeans on Fatty Acid Desaturases Associated with Dietary Changes. <i>Molecular Biology and Evolution</i> , <b>2017</b> , 34, 1307-1318	8.3	50

138	Does training of general practitioners for intensive treatment of people with screen-detected diabetes have a spillover effect on mortality and cardiovascular morbidity in <del>at risk</del> individuals with normoglycaemia? Results from the ADDITION-Denmark cluster-randomised controlled trial. <i>Diabetologia</i> , <b>2017</b> , 60, 1016-1021	10.3	5
137	Metabolically Healthy Obesity and Ischemic Heart Disease: A 10-Year Follow-Up of the Inter99 Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2017</b> , 102, 1934-1942	5.6	38
136	Genome-wide meta-analysis of 241,258 adults accounting for smoking behaviour identifies novel loci for obesity traits. <i>Nature Communications</i> , <b>2017</b> , 8, 14977	17.4	105
135	Lower Risk of Heart Failure and Death in Patients Initiated on Sodium-Glucose Cotransporter-2 Inhibitors Versus Other Glucose-Lowering Drugs: The CVD-REAL Study (Comparative Effectiveness of Cardiovascular Outcomes in New Users of Sodium-Glucose Cotransporter-2 Inhibitors). <i>Circulation</i> , <b>2017</b> , 136, 249-259	16.7	519
134	Associations between glycaemic deterioration and aortic stiffness and central blood pressure: the ADDITION-PRO Study. <i>Journal of Hypertension</i> , <b>2017</b> , 35, 1832-1840	1.9	2
133	Protocol for a randomised controlled trial of the effect of dapagliflozin, metformin and exercise on glycaemic variability, body composition and cardiovascular risk in prediabetes (the PRE-D Trial). <i>BMJ Open</i> , <b>2017</b> , 7, e013802	3	11
132	An Expanded Genome-Wide Association Study of Type 2 Diabetes in Europeans. <i>Diabetes</i> , <b>2017</b> , 66, 2888-2902	29.0	414
131	A Low-Frequency Inactivating Variant Enriched in the Finnish Population Is Associated With Fasting Insulin Levels and Type 2 Diabetes Risk. <i>Diabetes</i> , <b>2017</b> , 66, 2019-2032	0.9	29
130	and Loci Identified through Large-Scale Exome Chip Analysis Regulate Kidney Development and Function. <i>Journal of the American Society of Nephrology: JASN</i> , <b>2017</b> , 28, 981-994	12.7	30
129	Incidence Trends and Predictors of Hospitalization for Hypoglycemia in 17,230 Adult Patients With Type 1 Diabetes: A Danish Register Linkage Cohort Study. <i>Diabetes Care</i> , <b>2017</b> , 40, 226-232	14.6	19
128	Reply to Kurtoglu: Association of heart rate variability with diabetes and vitamin D levels. <i>Diabetic Medicine</i> , <b>2017</b> , 34, 590-591	3.5	1
127	Exome-wide association study of plasma lipids in >300,000 individuals. <i>Nature Genetics</i> , <b>2017</b> , 49, 1758-1766	17.6	310
126	Long-term patterns of adherence to medication therapy among patients with type 2 diabetes mellitus in Denmark: The importance of initiation. <i>PLoS ONE</i> , <b>2017</b> , 12, e0179546	3.7	16
125	The obesity-associated risk of cardiovascular disease and all-cause mortality is not lower in Inuit compared to Europeans: A cohort study of Greenlandic Inuit, Nunavik Inuit and Danes. <i>Atherosclerosis</i> , <b>2017</b> , 265, 207-214	3.1	10
124	Maternal fertility problems and risk for transient neonatal diabetes mellitus. <i>Scandinavian Journal of Public Health</i> , <b>2017</b> , 45, 839-845	3	1
123	Alcohol drinking patterns and risk of diabetes: a cohort study of 70,551 men and women from the general Danish population. <i>Diabetologia</i> , <b>2017</b> , 60, 1941-1950	10.3	49
122	Physical Activity and Improvement of Glycemia in Prediabetes by Different Diagnostic Criteria. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2017</b> , 102, 3712-3721	5.6	10
121	Cardiovascular mortality and morbidity in patients with type 2 diabetes following initiation of sodium-glucose co-transporter-2 inhibitors versus other glucose-lowering drugs (CVD-REAL Nordic): a multinational observational analysis. <i>Lancet Diabetes and Endocrinology</i> , <b>2017</b> , 5, 709-717	18.1	208



120	Physical Activity Dimensions Associated with Impaired Glucose Metabolism. <i>Medicine and Science in Sports and Exercise</i> , <b>2017</b> , 49, 2176-2184	1.2	6
119	Epicardial, pericardial and total cardiac fat and cardiovascular disease in type 2 diabetic patients with elevated urinary albumin excretion rate. <i>European Journal of Preventive Cardiology</i> , <b>2017</b> , 24, 1517-1524	3.9	24
118	Decreasing incidence of foot ulcer among patients with type 1 and type 2 diabetes in the period 2001-2014. <i>Diabetes Research and Clinical Practice</i> , <b>2017</b> , 130, 221-228	7.4	16
117	Vitamin B12 deficiency is associated with cardiovascular autonomic neuropathy in patients with type 2 diabetes. <i>Journal of Diabetes and Its Complications</i> , <b>2017</b> , 31, 202-208	3.2	10
116	High and low vitamin D level is associated with cardiovascular autonomic neuropathy in people with Type 1 and Type 2 diabetes. <i>Diabetic Medicine</i> , <b>2017</b> , 34, 364-371	3.5	13
115	Sequence data and association statistics from 12,940 type 2 diabetes cases and controls. <i>Scientific Data</i> , <b>2017</b> , 4, 170179	8.2	22
114	Physical Activity and Abdominal Fat Distribution in Greenland. <i>Medicine and Science in Sports and Exercise</i> , <b>2017</b> , 49, 2064-2070	1.2	13
113	Soluble CD163, adiponectin, C-reactive protein and progression of dysglycaemia in individuals at high risk of type 2 diabetes mellitus: the ADDITION-PRO cohort. <i>Diabetologia</i> , <b>2016</b> , 59, 2467-2476	10.3	14
112	Methylglyoxal is associated with changes in kidney function among individuals with screen-detected Type 2 diabetes mellitus. <i>Diabetic Medicine</i> , <b>2016</b> , 33, 1625-1631	3.5	29
111	A genomic approach to therapeutic target validation identifies a glucose-lowering GLP1R variant protective for coronary heart disease. <i>Science Translational Medicine</i> , <b>2016</b> , 8, 341ra76	17.5	77
110	Increasing insulin resistance accentuates the effect of triglyceride-associated loci on serum triglycerides during 5 years. <i>Journal of Lipid Research</i> , <b>2016</b> , 57, 2193-2199	6.3	2
109	Genome-wide association studies in the Japanese population identify seven novel loci for type 2 diabetes. <i>Nature Communications</i> , <b>2016</b> , 7, 10531	17.4	99
108	Prediction of First Cardiovascular Disease Event in Type 1 Diabetes Mellitus: The Steno Type 1 Risk Engine. <i>Circulation</i> , <b>2016</b> , 133, 1058-66	16.7	79
107	Genome-wide meta-analysis uncovers novel loci influencing circulating leptin levels. <i>Nature Communications</i> , <b>2016</b> , 7, 10494	17.4	107
106	Glucose-Dependent Insulinotropic Polypeptide Is Associated With Lower Low-Density Lipoprotein But Unhealthy Fat Distribution, Independent of Insulin: The ADDITION-PRO Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2016</b> , 101, 485-93	5.6	34
105	Identification of Novel Genetic Determinants of Erythrocyte Membrane Fatty Acid Composition among Greenlanders. <i>PLoS Genetics</i> , <b>2016</b> , 12, e1006119	6	16
104	Genetic Correlation between Body Fat Percentage and Cardiorespiratory Fitness Suggests Common Genetic Etiology. <i>PLoS ONE</i> , <b>2016</b> , 11, e0166738	3.7	8
103	Response to the Letter: Comment on "Abdominal Fat Distribution and Cardiovascular Risk in Men and Women With Different Levels of Glucose Tolerance" by Scheuer S.H., et al. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2016</b> , 101, L13-4	5.6	

102	The Danish Adult Diabetes Registry. <i>Clinical Epidemiology</i> , <b>2016</b> , 8, 429-434	5.9	46
101	Associations between Vitamin D Status and Type 2 Diabetes Measures among Inuit in Greenland May Be Affected by Other Factors. <i>PLoS ONE</i> , <b>2016</b> , 11, e0152763	3.7	19
100	The genetic architecture of type 2 diabetes. <i>Nature</i> , <b>2016</b> , 536, 41-47	50.4	704
99	Functional and genetic epidemiological characterisation of the FFAR4 (GPR120) p.R270H variant in the Danish population. <i>Journal of Medical Genetics</i> , <b>2016</b> , 53, 616-23	5.8	14
98	Gestational diabetes mellitus in Greenland: a national study of prevalence and testing efficacy. <i>International Journal of Circumpolar Health</i> , <b>2016</b> , 75, 32167	1.7	8
97	Fertility problems and risk of gestational diabetes mellitus: a nationwide cohort study. <i>Fertility and Sterility</i> , <b>2016</b> , 106, 427-434.e1	4.8	14
96	Incidence of register-based diabetes 10 years after a stepwise diabetes screening programme: the ADDITION-Denmark study. <i>Diabetologia</i> , <b>2016</b> , 59, 989-97	10.3	10
95	Diabetes among migrants in Denmark: Incidence, mortality, and prevalence based on a longitudinal register study of the entire Danish population. <i>Diabetes Research and Clinical Practice</i> , <b>2016</b> , 122, 9-16	7.4	20
94	Type 1 diabetes risk in children born to women with fertility problems: a cohort study in 1.5 million Danish children. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , <b>2016</b> , 95, 1441-1446	3.8	7
93	Insulin Resistance Is Accompanied by Increased Fasting Glucagon and Delayed Glucagon Suppression in Individuals With Normal and Impaired Glucose Regulation. <i>Diabetes</i> , <b>2016</b> , 65, 3473-3481	0.9	93
92	GLP-1 Response to Oral Glucose Is Reduced in Prediabetes, Screen-Detected Type 2 Diabetes, and Obesity and Influenced by Sex: The ADDITION-PRO Study. <i>Diabetes</i> , <b>2015</b> , 64, 2513-25	0.9	171
91	Fasting serum levels of ferritin are associated with impaired pancreatic beta cell function and decreased insulin sensitivity: a population-based study. <i>Diabetologia</i> , <b>2015</b> , 58, 523-33	10.3	23
90	Discovery of coding genetic variants influencing diabetes-related serum biomarkers and their impact on risk of type 2 diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2015</b> , 100, E664-71	5.6	17
89	Associations of objectively measured physical activity and abdominal fat distribution. <i>Medicine and Science in Sports and Exercise</i> , <b>2015</b> , 47, 983-9	1.2	11
88	Cardiovascular Disease Susceptibility and Resistance in Circumpolar Inuit Populations. <i>Canadian Journal of Cardiology</i> , <b>2015</b> , 31, 1116-23	3.8	19
87	Identification and functional characterization of G6PC2 coding variants influencing glycemc traits define an effector transcript at the G6PC2-ABCB11 locus. <i>PLoS Genetics</i> , <b>2015</b> , 11, e1004876	6	76
86	Association of self-perceived body image with body mass index and type 2 diabetes-The ADDITION-PRO study. <i>Preventive Medicine</i> , <b>2015</b> , 75, 64-9	4.3	8
85	Impact of intensive treatment on serum methylglyoxal levels among individuals with screen-detected type 2 diabetes: the ADDITION-Denmark study. <i>Acta Diabetologica</i> , <b>2015</b> , 52, 929-36	3.9	8

84	Higher physical activity is associated with lower aortic stiffness but not with central blood pressure: the ADDITION-Pro Study. <i>Medicine (United States)</i> , <b>2015</b> , 94, e485	1.8	11
83	Association between whole blood mercury and glucose intolerance among adult Inuit in Greenland. <i>Environmental Research</i> , <b>2015</b> , 143, 192-7	7.9	17
82	The role of serum methylglyoxal on diabetic peripheral and cardiovascular autonomic neuropathy: the ADDITION Denmark study. <i>Diabetic Medicine</i> , <b>2015</b> , 32, 778-85	3.5	30
81	Diabetes-related tuberculosis in Denmark: effect of ethnicity, diabetes duration and year of diagnosis. <i>International Journal of Tuberculosis and Lung Disease</i> , <b>2015</b> , 19, 1169-75	2.1	13
80	Response to Comment on Ffrench et al. GLP-1 Response to Oral Glucose Is Reduced in Prediabetes, Screen-Detected Type 2 Diabetes, and Obesity and Influenced by Sex: The ADDITION-PRO Study. <i>Diabetes</i> 2015;64:2513-25. <i>Diabetes</i> , <b>2015</b> , 64, e30-e31	0.9	1
79	Physical activity energy expenditure vs cardiorespiratory fitness level in impaired glucose metabolism. <i>Diabetologia</i> , <b>2015</b> , 58, 2709-17	10.3	10
78	Abdominal Fat Distribution and Cardiovascular Risk in Men and Women With Different Levels of Glucose Tolerance. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2015</b> , 100, 3340-7	5.6	24
77	Greenlandic Inuit show genetic signatures of diet and climate adaptation. <i>Science</i> , <b>2015</b> , 349, 1343-7	33.3	298
76	Genetic fine mapping and genomic annotation defines causal mechanisms at type 2 diabetes susceptibility loci. <i>Nature Genetics</i> , <b>2015</b> , 47, 1415-25	36.3	292
75	Geographic differences in the associations between impaired glucose regulation and cardiovascular risk factors among young adults. <i>Diabetic Medicine</i> , <b>2015</b> , 32, 497-504	3.5	3
74	Relationship between insulin resistance and $\beta$ cell dysfunction in subphenotypes of prediabetes and type 2 diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2015</b> , 100, 707-16	5.6	32
73	Making sense of a new technology in clinical practice: a qualitative study of patient and physician perspectives. <i>BMC Health Services Research</i> , <b>2015</b> , 15, 402	2.9	12
72	Intensive multifactorial treatment modifies the effect of family history of diabetes on glycaemic control in people with Type 2 diabetes: a post hoc analysis of the ADDITION-Denmark randomized controlled trial. <i>Diabetic Medicine</i> , <b>2015</b> , 32, 1085-9	3.5	3
71	Impact of PTBP1 rs11085226 on glucose-stimulated insulin release in adult Danes. <i>BMC Medical Genetics</i> , <b>2015</b> , 16, 17	2.1	4
70	Increased healing in diabetic toe ulcers in a multidisciplinary foot clinic-An observational cohort study. <i>Diabetes Research and Clinical Practice</i> , <b>2015</b> , 110, 315-21	7.4	10
69	Uncovering the genetic history of the present-day Greenlandic population. <i>American Journal of Human Genetics</i> , <b>2015</b> , 96, 54-69	11	61
68	Low-frequency and rare exome chip variants associate with fasting glucose and type 2 diabetes susceptibility. <i>Nature Communications</i> , <b>2015</b> , 6, 5897	17.4	147
67	Associations between ultrasound measures of abdominal fat distribution and indices of glucose metabolism in a population at high risk of type 2 diabetes: the ADDITION-PRO study. <i>PLoS ONE</i> , <b>2015</b> , 10, e0123062	3.7	22

66	Identification of low-frequency and rare sequence variants associated with elevated or reduced risk of type 2 diabetes. <i>Nature Genetics</i> , <b>2014</b> , 46, 294-8	36.3	241
65	GAD65 antibodies among Greenland Inuit and its relation to glucose intolerance. <i>Acta Diabetologica</i> , <b>2014</b> , 51, 641-6	3.9	5
64	A multistate model and an algorithm for measuring long-term adherence to medication: a case of diabetes mellitus type 2. <i>Value in Health</i> , <b>2014</b> , 17, 266-74	3.3	11
63	Reduced incidence of lower-extremity amputations in a Danish diabetes population from 2000 to 2011. <i>Diabetic Medicine</i> , <b>2014</b> , 31, 443-7	3.5	36
62	Improved survival among patients with complicated type 2 diabetes in Denmark: a prospective study (2002-2010). <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2014</b> , 99, E642-6	5.6	29
61	The epidemiology of diabetes and cancer. <i>Current Diabetes Reports</i> , <b>2014</b> , 14, 535	5.6	34
60	Mortality after cancer among patients with diabetes mellitus: effect of diabetes duration and treatment: (questionable) classification of diabetic patients based on combination of specific glucose-lowering drugs. Reply to Holden SE, Bannister CA, Currie CJ [letter]. <i>Diabetologia</i> , <b>2014</b> , 57, 2003-4	10.3	2
59	Mortality after cancer among patients with diabetes mellitus: effect of diabetes duration and treatment. <i>Diabetologia</i> , <b>2014</b> , 57, 927-34	10.3	55
58	Cardiovascular risk stratification and management in pre-diabetes. <i>Current Diabetes Reports</i> , <b>2014</b> , 14, 493	5.6	36
57	A common Greenlandic TBC1D4 variant confers muscle insulin resistance and type 2 diabetes. <i>Nature</i> , <b>2014</b> , 512, 190-3	50.4	258
56	Loss-of-function mutations in SLC30A8 protect against type 2 diabetes. <i>Nature Genetics</i> , <b>2014</b> , 46, 357-63	36.3	351
55	Is there an effect of glucose lowering treatment on incidence and prognosis of tuberculosis? A systematic review. <i>Current Diabetes Reports</i> , <b>2014</b> , 14, 505	5.6	10
54	Periodontal status among patients with diabetes in Nuuk, Greenland. <i>International Journal of Circumpolar Health</i> , <b>2014</b> , 73, 26093	1.7	4
53	A combined analysis of 48 type 2 diabetes genetic risk variants shows no discriminative value to predict time to first prescription of a glucose lowering drug in Danish patients with screen detected type 2 diabetes. <i>PLoS ONE</i> , <b>2014</b> , 9, e104837	3.7	9
52	Decrease in vitamin D status in the Greenlandic adult population from 1987-2010. <i>PLoS ONE</i> , <b>2014</b> , 9, e112949	3.7	20
51	Birth weight and risk of adiposity among adult Inuit in Greenland. <i>PLoS ONE</i> , <b>2014</b> , 9, e115976	3.7	6
50	The association between conventional risk factors and diabetes is weak among urban Tanzanians. <i>Diabetes Care</i> , <b>2014</b> , 37, e5-6	14.6	9
49	Dietary patterns in Greenland and their relationship with type 2 diabetes mellitus and glucose intolerance. <i>Public Health Nutrition</i> , <b>2014</b> , 17, 462-70	3.3	29

48	Pleiotropic genes for metabolic syndrome and inflammation. <i>Molecular Genetics and Metabolism</i> , <b>2014</b> , 112, 317-38	3.7	81
47	Prevalence of obesity among Inuit in Greenland and temporal trend by social position. <i>American Journal of Human Biology</i> , <b>2013</b> , 25, 335-40	2.7	20
46	Physical activity energy expenditure is associated with 2-h insulin independently of obesity among Inuit in Greenland. <i>Diabetes Research and Clinical Practice</i> , <b>2013</b> , 102, 242-9	7.4	12
45	Exposure to persistent organic pollutants and risk of hypertension among Inuit from Greenland. <i>Environmental Research</i> , <b>2013</b> , 122, 65-73	7.9	42
44	Importance of questionnaire context for a physical activity question. <i>Scandinavian Journal of Medicine and Science in Sports</i> , <b>2013</b> , 23, 651-6	4.6	3
43	Combined heart rate- and accelerometer-assessed physical activity energy expenditure and associations with glucose homeostasis markers in a population at high risk of developing diabetes: the ADDITION-PRO study. <i>Diabetes Care</i> , <b>2013</b> , 36, 3062-9	14.6	30
42	Fat distribution and glucose intolerance among Greenland Inuit. <i>Diabetes Care</i> , <b>2013</b> , 36, 2988-94	14.6	38
41	Time trends in mortality rates in type 1 diabetes from 2002 to 2011. <i>Diabetologia</i> , <b>2013</b> , 56, 2401-4	10.3	52
40	Genetic risk score of 46 type 2 diabetes risk variants associates with changes in plasma glucose and estimates of pancreatic $\beta$ cell function over 5 years of follow-up. <i>Diabetes</i> , <b>2013</b> , 62, 3610-7	0.9	36
39	Reproducibility of ultrasonography for assessing abdominal fat distribution in a population at high risk of diabetes. <i>Nutrition and Diabetes</i> , <b>2013</b> , 3, e82	4.7	15
38	Validity of the international physical activity questionnaire in the arctic. <i>Medicine and Science in Sports and Exercise</i> , <b>2013</b> , 45, 728-36	1.2	21
37	Diabetes in Greenland and its relationship with urbanization. <i>Diabetic Medicine</i> , <b>2012</b> , 29, 755-60	3.5	40
36	Glycemic index and glycemic load in relation to glucose intolerance among Greenlandic Inuit population. <i>Diabetes Research and Clinical Practice</i> , <b>2012</b> , 97, 298-305	7.4	5
35	Protocol for ADDITION-PRO: a longitudinal cohort study of the cardiovascular experience of individuals at high risk for diabetes recruited from Danish primary care. <i>BMC Public Health</i> , <b>2012</b> , 12, 1078	4.1	38
34	Diabetes is a risk factor for tuberculosis in the Inuit population of Greenland. <i>European Respiratory Journal</i> , <b>2012</b> , 40, 1289-91	13.6	2
33	Assessment of consumption of marine food in Greenland by a food frequency questionnaire and biomarkers. <i>International Journal of Circumpolar Health</i> , <b>2012</b> , 71, 18361	1.7	29
32	Frequent left ventricular hypertrophy independent of blood pressure in 1851 pre-western Inuit. <i>Atherosclerosis</i> , <b>2011</b> , 216, 484-8	3.1	4
31	Physical activity patterns in Greenland: a country in transition. <i>Scandinavian Journal of Public Health</i> , <b>2011</b> , 39, 678-86	3	22

30	Prevalence of gestational diabetes mellitus among women born in Greenland: measuring the effectiveness of the current screening procedure. <i>International Journal of Circumpolar Health</i> , <b>2010</b> , 69, 352-60	1.7	5
29	Moving to an A1C-based diagnosis of diabetes has a different impact on prevalence in different ethnic groups. <i>Diabetes Care</i> , <b>2010</b> , 33, 580-2	14.6	129
28	New diagnostic criteria for diabetes: is the change from glucose to HbA1c possible in all populations?. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2010</b> , 95, E333-6	5.6	37
27	The association between n-3 fatty acids in erythrocyte membranes and insulin resistance: the Inuit Health in Transition Study. <i>International Journal of Circumpolar Health</i> , <b>2009</b> , 68, 327-36	1.7	33
26	High prevalence of markers of coronary heart disease among Greenland Inuit. <i>Atherosclerosis</i> , <b>2008</b> , 196, 772-8	3.1	45
25	A cross-sectional study of the association between persistent organic pollutants and glucose intolerance among Greenland Inuit. <i>Diabetologia</i> , <b>2008</b> , 51, 1416-22	10.3	81
24	Cardiovascular risk amongst migrant and non-migrant Greenland Inuit in a gender perspective. <i>Scandinavian Journal of Public Health</i> , <b>2007</b> , 35, 380-6	3	13
23	Prevalence of obesity and its metabolic correlates among the circumpolar inuit in 3 countries. <i>American Journal of Public Health</i> , <b>2007</b> , 97, 691-5	5.1	71
22	Plasma amino acids in Greenlanders and Danes: influence of seasons, residence, ethnicity, and diet. <i>American Journal of Human Biology</i> , <b>2006</b> , 18, 99-111	2.7	9
21	Lifestyle modifies obesity-associated risk of cardiovascular disease in a genetically homogeneous population. <i>American Journal of Clinical Nutrition</i> , <b>2006</b> , 84, 29-36	7	23
20	Predictions of type 2 diabetes and complications in Greenland in 2014. <i>International Journal of Circumpolar Health</i> , <b>2006</b> , 65, 243-52	1.7	10
19	Gender differences in the association between westernization and metabolic risk among Greenland Inuit. <i>European Journal of Epidemiology</i> , <b>2006</b> , 21, 741-8	12.1	16
18	Relationship between mercury in blood and 24-h ambulatory blood pressure in Greenlanders and Danes. <i>American Journal of Hypertension</i> , <b>2005</b> , 18, 612-8	2.3	43
17	Diabetes among Inuit migrants in Denmark. <i>International Journal of Circumpolar Health</i> , <b>2005</b> , 64, 354-64	1.7	13
16	Glucose intolerance and its relation to cardiovascular risk factors among Greenland Inuit. The Greenland Population Study. <i>International Journal of Circumpolar Health</i> , <b>2004</b> , 63, 286-8	1.7	1
15	Prevalence of the metabolic syndrome among the Inuit in Greenland. A comparison between two proposed definitions. <i>Diabetic Medicine</i> , <b>2004</b> , 21, 1237-42	3.5	40
14	Vitamin D insufficiency in Greenlanders on a westernized fare: ethnic differences in calcitropic hormones between Greenlanders and Danes. <i>Calcified Tissue International</i> , <b>2004</b> , 74, 255-63	3.9	73
13	Serum lipids of Greenland Inuit in relation to Inuit genetic heritage, westernisation and migration. <i>Atherosclerosis</i> , <b>2004</b> , 174, 391-8	3.1	25

12	Ethnic, geographic and dietary influences upon vasoactive hormones and blood pressure among Greenland Inuit and Danes. <i>Blood Pressure</i> , <b>2003</b> , 12, 298-306	1.7	8
11	Obesity and central fat pattern among Greenland Inuit and a general population of Denmark (Inter99): relationship to metabolic risk factors. <i>International Journal of Obesity</i> , <b>2003</b> , 27, 1507-15	5.5	56
10	Decreasing overweight and central fat patterning with Westernization among the Inuit in Greenland and Inuit migrants. <i>International Journal of Obesity</i> , <b>2002</b> , 26, 1503-10	5.5	34
9	Twenty-four-hour blood pressure among Greenlanders and Danes: relationship to diet and lifestyle. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , <b>2002</b> , 62, 413-22	2	12
8	Higher blood pressure among Inuit migrants in Denmark than among the Inuit in Greenland. <i>Journal of Epidemiology and Community Health</i> , <b>2002</b> , 56, 279-84	5.1	29
7	Diabetes and impaired glucose tolerance among the inuit population of Greenland. <i>Diabetes Care</i> , <b>2002</b> , 25, 1766-71	14.6	114
6	The Trans-Ancestral Genomic Architecture of Glycaemic Traits		1
5	Refining the accuracy of validated target identification through coding variant fine-mapping in type 2 diabetes		4
4	Fine-mapping of an expanded set of type 2 diabetes loci to single-variant resolution using high-density imputation and islet-specific epigenome maps		18
3	Genetic discovery and translational decision support from exome sequencing of 20,791 type 2 diabetes cases and 24,440 controls from five ancestries		2
2	Tissue-Specific Alteration of Metabolic Pathways Influences Glycemic Regulation		4
1	Selection on the FADS region in Europeans		2