

Verity J Cleland

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1608908/verity-j-cleland-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

87
papers

2,739
citations

29
h-index

51
g-index

93
ext. papers

3,087
ext. citations

4.5
avg, IF

4.87
L-index

#	Paper	IF	Citations
87	Feasibility of Parkrun for people with knee osteoarthritis: A mixed methods pilot study. <i>Osteoarthritis and Cartilage Open</i> , 2022 , 100269	1.5	0
86	Body-mass index trajectories from childhood to mid-adulthood and their sociodemographic predictors: Evidence from the International Childhood Cardiovascular Cohort (i3C) Consortium. <i>EClinicalMedicine</i> , 2022 , 48, 101440	11.3	0
85	Physical Activity and Food Environments in and around Schools: A Case Study in Regional North-West Tasmania. <i>International Journal of Environmental Research and Public Health</i> , 2022 , 19, 6238	4.6	0
84	Socio-demographic, behavioural and health-related characteristics associated with active commuting in a regional Australian state: Evidence from the 2016 Tasmanian Population Health Survey. <i>Health Promotion Journal of Australia</i> , 2021 , 32 Suppl 2, 320-331	1.7	0
83	Patterns and Predictors of Television Viewing and Computer Use Among Women Living in Socioeconomically Disadvantaged Neighborhoods: A Prospective Cohort Study. <i>Journal of Physical Activity and Health</i> , 2021 , 1-14	2.5	0
82	Childhood factors related to diverging body mass index trajectories from childhood into mid-adulthood: A mixed methods study. <i>Social Science and Medicine</i> , 2021 , 270, 113460	5.1	2
81	What factors are associated with physical activity promotion in the podiatry setting? A cross-sectional study. <i>Journal of Science and Medicine in Sport</i> , 2021 , 24, 60-66	4.4	1
80	Factors associated with change and stability in adherence to muscle-strengthening guidelines among young Australian adults: A longitudinal study. <i>Journal of Science and Medicine in Sport</i> , 2021 , 24, 1261-1266	4.4	0
79	Characteristics associated with willingness to walk further than necessary to the bus stop: Insights for public transport-related physical activity. <i>Journal of Transport and Health</i> , 2021 , 22, 101139	3	2
78	Is greater public transport use associated with higher levels of physical activity in a regional setting? Findings from a pilot study. <i>Pilot and Feasibility Studies</i> , 2021 , 7, 217	1.9	0
77	Test-retest reliability of a self-reported physical activity environment instrument for use in rural settings. <i>Australian Journal of Rural Health</i> , 2020 , 28, 168-179	1.3	0
76	Partnering and parenting transitions in Australian men and women: associations with changes in weight, domain-specific physical activity and sedentary behaviours. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2020 , 17, 87	8.4	2
75	Social-ecological predictors of physical activity patterns: A longitudinal study of women from socioeconomically disadvantaged areas. <i>Preventive Medicine</i> , 2020 , 132, 105995	4.3	1
74	Acceptability and perceived feasibility of strategies to increase public transport use for physical activity gain - A mixed methods study. <i>Health Promotion Journal of Australia</i> , 2020 , 31, 504-517	1.7	3
73	Cluster patterns of behavioural risk factors among children: Longitudinal associations with adult cardio-metabolic risk factors. <i>Preventive Medicine</i> , 2020 , 130, 105861	4.3	3
72	Factors Associated with Persistently High Muscular Power from Childhood to Adulthood. <i>Medicine and Science in Sports and Exercise</i> , 2020 , 52, 49-55	1.2	3
71	A mixed-methods study of the demographic and behavioural correlates of walking to a more distant bus stop. <i>Transportation Research Interdisciplinary Perspectives</i> , 2020 , 6, 100164	7.3	3

70	: Protocol of a single-blinded randomised controlled trial incentivising adults to use public transport for physical activity gain. <i>Contemporary Clinical Trials Communications</i> , 2020 , 19, 100619	1.8	1
69	Social ecological factors associated with physical activity and screen time amongst mothers from disadvantaged neighbourhoods over three years. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2020 , 17, 110	8.4	3
68	Factors associated with muscular fitness phenotypes in Australian children: A cross-sectional study. <i>Journal of Sports Sciences</i> , 2020 , 38, 38-45	3.6	7
67	Authors' Response to the Letter to the Editor: Parkrun and the Claim of "Elitism" in Paid-Entry Run/Walk Events. <i>American Journal of Health Promotion</i> , 2020 , 34, 808	2.5	
66	Abstract MP66: Body Mass Index Trajectories From Childhood to Adulthood: Evidence From the International Childhood Cardiovascular Cohort (i3C) Consortium. <i>Circulation</i> , 2019 , 139,	16.7	1
65	Health and broader community benefit of parkrun-An exploratory qualitative study. <i>Health Promotion Journal of Australia</i> , 2019 , 30, 163-171	1.7	14
64	Exploring the Health-Promoting Potential of the "parkrun" Phenomenon: What Factors are Associated With Higher Levels of Participation?. <i>American Journal of Health Promotion</i> , 2019 , 33, 13-23	2.5	15
63	Associations between sedentary behaviours and dietary intakes among adolescents. <i>Public Health Nutrition</i> , 2018 , 21, 1115-1122	3.3	22
62	Longitudinal associations between TV viewing and BMI not explained by the 'mindless eating' or 'physical activity displacement' hypotheses among adults. <i>BMC Public Health</i> , 2018 , 18, 797	4.1	11
61	Factors associated with physical activity promotion by allied and other non-medical health professionals: A systematic review. <i>Patient Education and Counseling</i> , 2018 , 101, 1775-1785	3.1	16
60	What predicts children's active transport and independent mobility in disadvantaged neighborhoods?. <i>Health and Place</i> , 2017 , 44, 103-109	4.6	42
59	Effectiveness of interventions to promote physical activity and/or decrease sedentary behaviour among rural adults: a systematic review and meta-analysis. <i>Obesity Reviews</i> , 2017 , 18, 727-741	10.6	19
58	Accumulated exposure to rural areas of residence over the life course is associated with overweight and obesity in adulthood: a 25-year prospective cohort study. <i>Annals of Epidemiology</i> , 2017 , 27, 169-175.e2	6.4	15
57	Lifestyle behaviours associated with 5-year weight gain in a prospective cohort of Australian adults aged 26-36 years at baseline. <i>BMC Public Health</i> , 2017 , 17, 54	4.1	13
56	Associations between the perceived environment and physical activity among adults aged 55-65 years: does urban-rural area of residence matter?. <i>Journal of Aging and Physical Activity</i> , 2015 , 23, 55-63	1.6	23
55	Environmental barriers and enablers to physical activity participation among rural adults: a qualitative study. <i>Health Promotion Journal of Australia</i> , 2015 , 26, 99-104	1.7	23
54	Maternal efficacy and sedentary behavior rules predict child obesity resilience. <i>BMC Obesity</i> , 2015 , 2, 26	3.6	3
53	Associations between the Perceived Environment and Physical Activity among Adults Aged 55-65 Years: Does Urban-Rural Area of Residence Matter?. <i>Journal of Aging and Physical Activity</i> , 2015 , 23, 55-63	1.6	2

52	A Qualitative Study of Environmental Factors Important for Physical Activity in Rural Adults. <i>PLoS ONE</i> , 2015 , 10, e0140659	3.7	21
51	Combined associations of sitting time and physical activity with obesity in young adults. <i>Journal of Physical Activity and Health</i> , 2014 , 11, 136-44	2.5	6
50	A cross-sectional study of geographic differences in health risk factors among young Australian adults: the role of socioeconomic position. <i>BMC Public Health</i> , 2014 , 14, 1278	4.1	18
49	Three-year change in diet quality and associated changes in BMI among schoolchildren living in socio-economically disadvantaged neighbourhoods. <i>British Journal of Nutrition</i> , 2014 , 112, 260-8	3.6	15
48	Is a perceived supportive physical environment important for self-reported leisure time physical activity among socioeconomically disadvantaged women with poor psychosocial characteristics? An observational study. <i>BMC Public Health</i> , 2013 , 13, 280	4.1	7
47	Understanding the physical activity promotion behaviours of podiatrists: a qualitative study. <i>Journal of Foot and Ankle Research</i> , 2013 , 6, 37	3.2	2
46	Are associations between the perceived home and neighbourhood environment and children's physical activity and sedentary behaviour moderated by urban/rural location?. <i>Health and Place</i> , 2013 , 24, 44-53	4.6	34
45	What might work? Exploring the perceived feasibility of strategies to promote physical activity among women living in socioeconomically disadvantaged neighbourhoods. <i>Health Education Research</i> , 2013 , 28, 205-19	1.8	8
44	Associations between education and personal income with body mass index among Australian women residing in disadvantaged neighborhoods. <i>American Journal of Health Promotion</i> , 2013 , 28, 59-65	2.5	6
43	Cohort profile: the resilience for eating and activity despite inequality (READI) study. <i>International Journal of Epidemiology</i> , 2013 , 42, 1629-39	7.8	36
42	Effectiveness of interventions to promote physical activity among socioeconomically disadvantaged women: a systematic review and meta-analysis. <i>Obesity Reviews</i> , 2013 , 14, 197-212	10.6	38
41	Health, behavioral, cognitive, and social correlates of breakfast skipping among women living in socioeconomically disadvantaged neighborhoods. <i>Journal of Nutrition</i> , 2013 , 143, 1774-84	4.1	22
40	Obesity prevention programs and policies: practitioner and policy-maker perceptions of feasibility and effectiveness. <i>Obesity</i> , 2013 , 21, E448-55	8	10
39	Effects of school-based interventions for direct delivery of physical activity on fitness and cardiometabolic markers in children and adolescents: a systematic review of randomized controlled trials. <i>Obesity Reviews</i> , 2013 , 14, 818-38	10.6	48
38	Exercise-induced hypertension, cardiovascular events, and mortality in patients undergoing exercise stress testing: a systematic review and meta-analysis. <i>American Journal of Hypertension</i> , 2013 , 26, 357-66	2.3	146
37	Young adult perceptions of Australia's physical activity recommendations for adults. <i>Health Promotion Journal of Australia</i> , 2013 , 24, 199-205	1.7	0
36	Socioeconomic position and physical activity among women in Melbourne, Australia: does the use of different socioeconomic indicators matter?. <i>Social Science and Medicine</i> , 2012 , 74, 1578-83	5.1	16
35	Do food and physical activity environments vary between disadvantaged urban and rural areas? Findings from the READI Study. <i>Health Promotion Journal of Australia</i> , 2012 , 23, 153-6	1.7	20

34	Resilience to obesity among socioeconomically disadvantaged women: the READI study. <i>International Journal of Obesity</i> , 2012 , 36, 855-65	5.5	40
33	Do the Individual, Social, and Environmental Correlates of Physical Activity Differ Between Urban and Rural Women?. <i>Environment and Behavior</i> , 2012 , 44, 350-373	5.6	19
32	Home and neighbourhood correlates of BMI among children living in socioeconomically disadvantaged neighbourhoods. <i>British Journal of Nutrition</i> , 2012 , 107, 1028-36	3.6	27
31	Which domains of childhood physical activity predict physical activity in adulthood? A 20-year prospective tracking study. <i>British Journal of Sports Medicine</i> , 2012 , 46, 595-602	10.3	63
30	Individual, social, and physical environmental correlates of physical activity among young women at risk of depression. <i>Journal of Physical Activity and Health</i> , 2011 , 8, 133-40	2.5	3
29	Factors affecting the stability of blood lipid and lipoprotein levels from youth to adulthood: evidence from the Childhood Determinants of Adult Health Study. <i>JAMA Pediatrics</i> , 2011 , 165, 68-76		33
28	Correlates of pedometer-measured and self-reported physical activity among young Australian adults. <i>Journal of Science and Medicine in Sport</i> , 2011 , 14, 496-503	4.4	24
27	A longitudinal study of the family physical activity environment and physical activity among youth. <i>American Journal of Health Promotion</i> , 2011 , 25, 159-67	2.5	98
26	The longitudinal influence of home and neighbourhood environments on children's body mass index and physical activity over 5 years: the CLAN study. <i>International Journal of Obesity</i> , 2010 , 34, 1177-87	5.5	115
25	Urban-rural comparison of weight status among women and children living in socioeconomically disadvantaged neighbourhoods. <i>Medical Journal of Australia</i> , 2010 , 192, 137-40	4	38
24	Personal, social and environmental correlates of resilience to physical inactivity among women from socio-economically disadvantaged backgrounds. <i>Health Education Research</i> , 2010 , 25, 268-81	1.8	31
23	Social and Environmental Determinants of Health Behaviors 2010 , 3-17		2
22	Predictors of time spent outdoors among children: 5-year longitudinal findings. <i>Journal of Epidemiology and Community Health</i> , 2010 , 64, 400-6	5.1	70
21	Physical activity correlates in young women with depressive symptoms: a qualitative study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2010 , 7, 3	8.4	19
20	Recruiting hard-to-reach populations: lessons from a study of women living in socioeconomically disadvantaged areas of Victoria, Australia. <i>Health Promotion Journal of Australia</i> , 2010 , 21, 243-4	1.7	9
19	Individual, social and environmental correlates of physical activity among women living in socioeconomically disadvantaged neighbourhoods. <i>Social Science and Medicine</i> , 2010 , 70, 2011-2018	5.1	94
18	Love thy neighbour? Associations of social capital and crime with physical activity amongst women. <i>Social Science and Medicine</i> , 2010 , 71, 807-14	5.1	86
17	Decline in physical fitness from childhood to adulthood associated with increased obesity and insulin resistance in adults. <i>Diabetes Care</i> , 2009 , 32, 683-7	14.6	93

16	Socioeconomic position and the tracking of physical activity and cardiorespiratory fitness from childhood to adulthood. <i>American Journal of Epidemiology</i> , 2009 , 170, 1069-77	3.8	89
15	Longitudinal examination of the family food environment and weight status among children. <i>Pediatric Obesity</i> , 2009 , 4, 343-52		57
14	Cardiometabolic risk in younger and older adults across an index of ambulatory activity. <i>American Journal of Preventive Medicine</i> , 2009 , 37, 278-84	6.1	67
13	Women's work. Maintaining a healthy body weight. <i>Appetite</i> , 2009 , 53, 9-15	4.5	13
12	Socioeconomic position and children's physical activity and sedentary behaviors: longitudinal findings from the CLAN study. <i>Journal of Physical Activity and Health</i> , 2009 , 6, 289-98	2.5	47
11	A prospective examination of children's time spent outdoors, objectively measured physical activity and overweight. <i>International Journal of Obesity</i> , 2008 , 32, 1685-93	5.5	198
10	Physical activity and healthy weight maintenance from childhood to adulthood. <i>Obesity</i> , 2008 , 16, 1427-33		13
9	The association between physical activity and depressive symptoms in young women: A review. <i>Mental Health and Physical Activity</i> , 2008 , 1, 82-88	5	31
8	The provision of compulsory school physical activity: associations with physical activity, fitness and overweight in childhood and twenty years later. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2008 , 5, 14	8.4	25
7	A comparison of subjective and objective measures of physical activity and fitness in identifying associations with cardiometabolic risk factors. <i>Annals of Epidemiology</i> , 2008 , 18, 378-86	6.4	72
6	Are perceptions of the physical and social environment associated with mothers' walking for leisure and for transport? A longitudinal study. <i>Preventive Medicine</i> , 2008 , 47, 188-93	4.3	62
5	Television viewing and abdominal obesity in young adults: is the association mediated by food and beverage consumption during viewing time or reduced leisure-time physical activity?. <i>American Journal of Clinical Nutrition</i> , 2008 , 87, 1148-55	7	128
4	Overweight and obesity from childhood to adulthood: a follow-up of participants in the 1985 Australian Schools Health and Fitness Survey. <i>Medical Journal of Australia</i> , 2007 , 186, 458-60	4	181
3	Overweight and obesity from childhood to adulthood: a follow-up of participants in the 1985 Australian Schools Health and Fitness Survey. <i>Medical Journal of Australia</i> , 2007 , 187, 314-315	4	1
2	Parental exercise is associated with Australian children's extracurricular sports participation and cardiorespiratory fitness: A cross-sectional study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2005 , 2, 3	8.4	55
1	Trends in children's physical activity and weight status in high and low socio-economic status areas of Melbourne, Victoria, 1985-2001. <i>Australian and New Zealand Journal of Public Health</i> , 2005 , 29, 337-42	2.3	124