

David E Stec

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1609437/david-e-stec-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

96
papers

2,745
citations

32
h-index

49
g-index

104
ext. papers

3,296
ext. citations

4.4
avg, IF

5.34
L-index

#	Paper	IF	Citations
96	Adipose-Specific PPAR α Knockout Mice Have Increased Lipogenesis by PASK-SREBP1 Signaling and a Polarity Shift to Inflammatory Macrophages in White Adipose Tissue.. <i>Cells</i> , 2021 , 11,	7.9	4
95	Increased Sirt1 secreted from visceral white adipose tissue is associated with improved glucose tolerance in obese Nrf2-deficient mice. <i>Redox Biology</i> , 2021 , 38, 101805	11.3	4
94	Bilirubin as a metabolic hormone: the physiological relevance of low levels. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2021 , 320, E191-E207	6	20
93	Bilirubin: A Ligand of the PPAR α Nuclear Receptor 2021 , 463-482		1
92	Heme-oxygenase and lipid mediators in obesity and associated cardiometabolic diseases: Therapeutic implications. <i>Pharmacology & Therapeutics</i> , 2021 , 107975	13.9	4
91	Bilirubin remodels murine white adipose tissue by reshaping mitochondrial activity and the coregulator profile of peroxisome proliferator-activated receptor α <i>Journal of Biological Chemistry</i> , 2020 , 295, 9804-9822	5.4	35
90	Cold-Pressed Oil Standardized to 3% Thymoquinone Potentiates Omega-3 Protection against Obesity-Induced Oxidative Stress, Inflammation, and Markers of Insulin Resistance Accompanied with Conversion of White to Beige Fat in Mice. <i>Antioxidants</i> , 2020 , 9,	7.1	14
89	Biliverdin Reductase A (BVRA) Knockout in Adipocytes Induces Hypertrophy and Reduces Mitochondria in White Fat of Obese Mice. <i>Biomolecules</i> , 2020 , 10,	5.9	26
88	Rats Genetically Selected for High Aerobic Exercise Capacity Have Elevated Plasma Bilirubin by Upregulation of Hepatic Biliverdin Reductase-A (BVRA) and Suppression of UGT1A1. <i>Antioxidants</i> , 2020 , 9,	7.1	13
87	Milk thistle seed cold press oil attenuates markers of the metabolic syndrome in a mouse model of dietary-induced obesity. <i>Journal of Food Biochemistry</i> , 2020 , 44, e13522	3.3	7
86	Cold Press Pomegranate Seed Oil Attenuates Dietary-Obesity Induced Hepatic Steatosis and Fibrosis through Antioxidant and Mitochondrial Pathways in Obese Mice. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	19
85	Natural Product Heme Oxygenase Inducers as Treatment for Nonalcoholic Fatty Liver Disease. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	11
84	Bilirubin Nanoparticles Reduce Diet-Induced Hepatic Steatosis, Improve Fat Utilization, and Increase Plasma β -Hydroxybutyrate. <i>Frontiers in Pharmacology</i> , 2020 , 11, 594574	5.6	21
83	Loss of hepatic PPAR α promotes inflammation and serum hyperlipidemia in diet-induced obesity. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2019 , 317, R733-R745	13.2	39
82	Positive Effects of Heme Oxygenase Upregulation on Adiposity and Vascular Dysfunction: Gene Targeting vs. Pharmacologic Therapy. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	19
81	Targeting Heme Oxygenase-1 in Cardiovascular and Kidney Disease. <i>Antioxidants</i> , 2019 , 8,	7.1	14
80	RNA sequencing in human HepG2 hepatocytes reveals PPAR α -mediates transcriptome responsiveness of bilirubin. <i>Physiological Genomics</i> , 2019 , 51, 234-240	3.6	32

79	Changes in urinary metabolome related to body fat involve intermediates of choline processing by gut microbiota. <i>Heliyon</i> , 2019 , 5, e01497	3.6	4
78	Deletion of Biliverdin Reductase A in Myeloid Cells Promotes Chemokine Expression and Chemotaxis in Part via a Complement C5a--C5aR1 Pathway. <i>Journal of Immunology</i> , 2019 , 202, 2982-2990	5.3	11
77	CRISPR Cas9-mediated deletion of biliverdin reductase A (BVRA) in mouse liver cells induces oxidative stress and lipid accumulation. <i>Archives of Biochemistry and Biophysics</i> , 2019 , 672, 108072	4.1	20
76	Bilirubin Safeguards Cardiorenal and Metabolic Diseases: a Protective Role in Health. <i>Current Hypertension Reports</i> , 2019 , 21, 87	4.7	23
75	Sex-dependent protection from high fat diet-induced metabolic disease in mice lacking Degenerin proteins. <i>FASEB Journal</i> , 2019 , 33, 592.3	0.9	
74	Bilirubin in the Liver-Gut Signaling Axis. <i>Trends in Endocrinology and Metabolism</i> , 2018 , 29, 140-150	8.8	80
73	Loss of biliverdin reductase-A promotes lipid accumulation and lipotoxicity in mouse proximal tubule cells. <i>American Journal of Physiology - Renal Physiology</i> , 2018 , 315, F323-F331	4.3	32
72	Biliverdin reductase and bilirubin in hepatic disease. <i>American Journal of Physiology - Renal Physiology</i> , 2018 , 314, G668-G676	5.1	38
71	Heme oxygenase-1 is a potent inhibitor of placental ischemia-mediated endothelin-1 production in cultured human glomerular endothelial cells. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2018 , 314, R427-R432	3.2	11
70	A Novel Fluorescence-Based Assay for the Measurement of Biliverdin Reductase Activity. <i>Reactive Oxygen Species (Apex, N C)</i> , 2018 , 5, 35-45	4.7	16
69	Bilirubin Induces the Burning of Fat via the Nuclear Receptor PPAR α . <i>FASEB Journal</i> , 2018 , 32, 603.5	0.9	
68	Loss of biliverdin reductase-A (BVRA) promotes lipid accumulation and lipotoxicity in mouse proximal tubule cells. <i>FASEB Journal</i> , 2018 , 32, 849.1	0.9	
67	The Effect of Gut Bacterial β -Glucuronidase on Serum Bilirubin Levels. <i>FASEB Journal</i> , 2018 , 32, 875.1	0.9	1
66	Bilirubin, a Cardiometabolic Signaling Molecule. <i>Hypertension</i> , 2018 , 72, 788-795	8.5	37
65	Bilirubin, a new therapeutic for kidney transplant?. <i>Transplantation Reviews</i> , 2018 , 32, 234-240	3.3	23
64	Mice with hyperbilirubinemia due to Gilbert's syndrome polymorphism are resistant to hepatic steatosis by decreased serine 73 phosphorylation of PPAR α . <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2017 , 312, E244-E252	6	46
63	Carbon Monoxide Releasing Molecules Blunt Placental Ischemia-Induced Hypertension. <i>American Journal of Hypertension</i> , 2017 , 30, 931-937	2.3	14
62	Sex-Dependent Effects of HO-1 Deletion from Adipocytes in Mice. <i>International Journal of Molecular Sciences</i> , 2017 , 18,	6.3	9

61	Does bilirubin prevent hepatic steatosis through activation of the PPAR γ nuclear receptor?. <i>Medical Hypotheses</i> , 2016 , 95, 54-57	3.8	28
60	Biliverdin Reductase A Attenuates Hepatic Steatosis by Inhibition of Glycogen Synthase Kinase (GSK) 3 β Phosphorylation of Serine 73 of Peroxisome Proliferator-activated Receptor (PPAR) α <i>Journal of Biological Chemistry</i> , 2016 , 291, 25179-25191	5.4	77
59	Glucocorticoid Receptor α Induces Hepatic Steatosis by Augmenting Inflammation and Inhibition of the Peroxisome Proliferator-activated Receptor (PPAR) α <i>Journal of Biological Chemistry</i> , 2016 , 291, 25776-25788	5.4	50
58	Renal intramedullary infusion of tempol normalizes the blood pressureresponse to intrarenal blockade of heme oxygenase-1 in α ngiotensin II-dependent hypertension. <i>Journal of the American Society of Hypertension</i> , 2016 , 10, 346-51		4
57	Chronic treatment with a carbon monoxide releasing molecule reverses dietary induced obesity in mice. <i>Adipocyte</i> , 2016 , 5, 1-10	3.2	22
56	Bilirubin Binding to PPAR γ Inhibits Lipid Accumulation. <i>PLoS ONE</i> , 2016 , 11, e0153427	3.7	101
55	Vascular smooth muscle-specific deletion of the leptin receptor attenuates leptin-induced alterations in vascular relaxation. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2016 , 310, R960-7	3.2	6
54	Biliverdin reductase isozymes in metabolism. <i>Trends in Endocrinology and Metabolism</i> , 2015 , 26, 212-20	8.8	81
53	Heme oxygenase induction attenuates TNF- α induced hypertension in pregnant rodents. <i>Frontiers in Pharmacology</i> , 2015 , 6, 165	5.6	10
52	Altered myogenic vasoconstriction and regulation of whole kidney blood flow in the ASIC2 knockout mouse. <i>American Journal of Physiology - Renal Physiology</i> , 2015 , 308, F339-48	4.3	21
51	ENaC acts as a mechanosensor in renal vascular smooth muscle cells that contributes to renal myogenic blood flow regulation, protection from renal injury and hypertension 2015 , 1, 1-9		9
50	Lean heart: Role of leptin in cardiac hypertrophy and metabolism. <i>World Journal of Cardiology</i> , 2015 , 7, 511-24	2.1	54
49	Liver specific knockout of biliverdin reductase-A (BVRA) enhances high fat diet induced hepatic steatosis and type II diabetes in mice. <i>FASEB Journal</i> , 2015 , 29, 1004.6	0.9	
48	Rescue of cardiac leptin receptors in db/db mice prevents myocardial triglyceride accumulation. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2014 , 307, E316-25	6	32
47	Inhalation of carbon monoxide is ineffective as a long-term therapy to reduce obesity in mice fed a high fat diet. <i>BMC Obesity</i> , 2014 , 1, 6	3.6	4
46	Sex-specific effects of heme oxygenase-2 deficiency on renovascular hypertension. <i>Journal of the American Society of Hypertension</i> , 2013 , 7, 328-35		10
45	Antihypertensive actions of moderate hyperbilirubinemia: role of superoxide inhibition. <i>American Journal of Hypertension</i> , 2013 , 26, 918-23	2.3	18
44	Heme oxygenase inhibition increases blood pressure in pregnant rats. <i>American Journal of Hypertension</i> , 2013 , 26, 924-30	2.3	24

43	Chronic Carbon Monoxide Treatment Attenuates the Development of Obesity and Remodels Adipocytes in Mice Fed a High Fat Diet. <i>FASEB Journal</i> , 2013 , 27, 1154.4	0.9	
42	Renal Intramedullary Infusion of Tempol Normalizes the Blood Pressure Response to Intrarenal Blockade of Heme Oxygenase-1 in Angiotensin II-Dependent Hypertension. <i>FASEB Journal</i> , 2013 , 27, 1115.1	0.9	
41	Vascular smooth muscle specific deletion of the leptin receptor attenuates leptin-induced vascular dysfunction. <i>FASEB Journal</i> , 2013 , 27, 1114.9	0.9	
40	Bilirubin, renal hemodynamics, and blood pressure. <i>Frontiers in Pharmacology</i> , 2012 , 3, 18	5.6	14
39	Heme oxygenase, a novel target for the treatment of hypertension and obesity?. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2012 , 302, R207-14	3.2	38
38	Expression of heme oxygenase-1 in thick ascending loop of henle attenuates angiotensin II-dependent hypertension. <i>Journal of the American Society of Nephrology: JASN</i> , 2012 , 23, 834-41	12.7	20
37	Cardiomyocyte-specific deletion of leptin receptors causes lethal heart failure in Cre-recombinase-mediated cardiotoxicity. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2012 , 303, R1241-50	3.2	27
36	Renal Inhibition of Heme Oxygenase-1 Increases Blood Pressure in Angiotensin II-Dependent Hypertension. <i>International Journal of Hypertension</i> , 2012 , 2012, 497213	2.4	10
35	Antihypertensive Actions of Moderate Hyperbilirubinemia: Role of Superoxide Inhibition. <i>FASEB Journal</i> , 2012 , 26, 878.6	0.9	0
34	Heme Oxygenase and the Kidney. <i>Colloquium Series on Integrated Systems Physiology From Molecule To Function</i> , 2011 , 3, 1-80		
33	Induction of heme oxygenase 1 attenuates placental ischemia-induced hypertension. <i>Hypertension</i> , 2011 , 57, 941-8	8.5	92
32	Lentiviral-human heme oxygenase targeting endothelium improved vascular function in angiotensin II animal model of hypertension. <i>Human Gene Therapy</i> , 2011 , 22, 271-82	4.8	44
31	Induction of heme oxygenase-1 attenuates sFlt-1-induced hypertension in pregnant rats. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2011 , 301, R1495-500	3.2	43
30	Renal inflammation and elevated blood pressure in a mouse model of reduced {beta}-ENaC. <i>American Journal of Physiology - Renal Physiology</i> , 2011 , 301, F443-9	4.3	17
29	Systolic dysfunction in cardiac-specific ligand-inducible MerCreMer transgenic mice. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2011 , 301, H253-60	5.2	49
28	Moderate hyperbilirubinemia improves renal hemodynamics in ANG II-dependent hypertension. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2010 , 299, R1044-9	3.2	33
27	In vivo inhibition of renal heme oxygenase with an imidazole-dioxolane inhibitor. <i>Pharmacological Research</i> , 2010 , 61, 525-30	10.2	9
26	Obesity-induced hypertension: role of sympathetic nervous system, leptin, and melanocortins. <i>Journal of Biological Chemistry</i> , 2010 , 285, 17271-6	5.4	325

25	Two common variants in the human CYP4F2 gene result in substantial alterations in vitamin E-Hydroxylase specific activity. <i>FASEB Journal</i> , 2010 , 24, 552.2	0.9	
24	Moderate Hyperbilirubinemia Improves Renal Hemodynamics in Angiotensin II-Dependent Hypertension. <i>FASEB Journal</i> , 2010 , 24, 1025.11	0.9	
23	In vivo Inhibition of Renal Heme Oxygenase-1 with an Imidazole-Dioxolane Inhibitor, QC-13.. <i>FASEB Journal</i> , 2010 , 24, 1025.4	0.9	
22	Inhibition of bilirubin metabolism induces moderate hyperbilirubinemia and attenuates ANG II-dependent hypertension in mice. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2009 , 297, R738-43	3.2	42
21	Inhibition of biliverdin reductase increases ANG II-dependent superoxide levels in cultured renal tubular epithelial cells. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2009 , 297, R1546-53	3.2	15
20	Blood pressure and renal flow responses in heme oxygenase-2 knockout mice. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2009 , 297, R1822-8	3.2	15
19	Rescue of cardiac leptin receptor improves diastolic function and prevents cardiac lipid accumulation in db/db mice. <i>FASEB Journal</i> , 2009 , 23, 953.7	0.9	
18	Kidney-specific induction of heme oxygenase-1 prevents angiotensin II hypertension. <i>Hypertension</i> , 2008 , 52, 660-5	8.5	41
17	Heme oxygenase-1 induction does not improve vascular relaxation in angiotensin II hypertensive mice. <i>American Journal of Hypertension</i> , 2008 , 21, 189-93	2.3	25
16	Heme oxygenase attenuates angiotensin II-mediated superoxide production in cultured mouse thick ascending loop of Henle cells. <i>American Journal of Physiology - Renal Physiology</i> , 2008 , 295, F1158-65	4.3	24
15	Role of carbon monoxide in blood pressure regulation. <i>Hypertension</i> , 2008 , 51, 597-604	8.5	37
14	Rapid cardiac dysfunction caused by inducible cardiac specific leptin receptor deletion. <i>FASEB Journal</i> , 2008 , 22, 743.3	0.9	
13	Inhibition of bilirubin metabolism attenuates angiotensin-II dependent hypertension in mice. <i>FASEB Journal</i> , 2008 , 22, 183-183	0.9	
12	Carbon monoxide (CO) protects renal tubular epithelial cells against cold-rewarm apoptosis. <i>Renal Failure</i> , 2007 , 29, 543-8	2.9	15
11	Functional polymorphism in human CYP4F2 decreases 20-HETE production. <i>Physiological Genomics</i> , 2007 , 30, 74-81	3.6	107
10	Genetic suppression of HO-1 exacerbates renal damage: reversed by an increase in the antiapoptotic signaling pathway. <i>American Journal of Physiology - Renal Physiology</i> , 2007 , 292, F148-57	4.3	31
9	HO-1 induction lowers blood pressure and superoxide production in the renal medulla of angiotensin II hypertensive mice. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2007 , 292, R1472-8	3.2	58
8	Renal Medullary Infusion of CoPP Prevents Angiotensin-II Dependent Hypertension in Mice. <i>FASEB Journal</i> , 2007 , 21, A895	0.9	

7	ENaC proteins are required for NGF-induced neurite growth. <i>American Journal of Physiology - Cell Physiology</i> , 2006 , 290, C404-10	5.4	27
6	ENaC proteins contribute to VSMC migration. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2006 , 291, H3076-86	5.2	52
5	Renal vascular responses to CORM-A1 in the mouse. <i>Pharmacological Research</i> , 2006 , 54, 24-9	10.2	62
4	Protective effect of carbon monoxide-releasing compounds in ischemia-induced acute renal failure. <i>Journal of the American Society of Nephrology: JASN</i> , 2005 , 16, 950-8	12.7	116
3	Fenofibrate prevents the development of angiotensin II-dependent hypertension in mice. <i>Hypertension</i> , 2005 , 45, 730-5	8.5	45
2	Distribution of cytochrome P-450 4A and 4F isoforms along the nephron in mice. <i>American Journal of Physiology - Renal Physiology</i> , 2003 , 284, F95-102	4.3	37
1	Efficient liver-specific deletion of a floxed human angiotensinogen transgene by adenoviral delivery of Cre recombinase in vivo. <i>Journal of Biological Chemistry</i> , 1999 , 274, 21285-90	5.4	68