
Mark Hyman Rapaport

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1609733/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Mapping genomic loci implicates genes and synaptic biology in schizophrenia. Nature, 2022, 604, 502-508.	13.7	929
2	Genome-wide association study of more than 40,000 bipolar disorder cases provides new insights into the underlying biology. Nature Genetics, 2021, 53, 817-829.	9.4	629
3	Vagus Nerve Stimulation for Treatment-Resistant Depression: A Randomized, Controlled Acute Phase Trial. Biological Psychiatry, 2005, 58, 347-354.	0.7	542
4	Rare coding variants in ten genes confer substantial risk for schizophrenia. Nature, 2022, 604, 509-516.	13.7	326
5	C-Reactive Protein Levels in Schizophrenia. Clinical Schizophrenia and Related Psychoses, 2014, 7, 223-230.	1.4	202
6	A Descriptive Analysis of Minor Depression. American Journal of Psychiatry, 2002, 159, 637-643.	4.0	154
7	Diet, Stress and Mental Health. Nutrients, 2020, 12, 2428.	1.7	151
8	Contributions of common genetic variants to risk of schizophrenia among individuals of African and Latino ancestry. Molecular Psychiatry, 2020, 25, 2455-2467.	4.1	82
9	A Preliminary Study of the Effects of Repeated Massage on Hypothalamic–Pituitary–Adrenal and Immune Function in Healthy Individuals: A Study of Mechanisms of Action and Dosage. Journal of Alternative and Complementary Medicine, 2012, 18, 789-797.	2.1	65
10	Massage therapy decreases cancerâ€related fatigue: Results from a randomized early phase trial. Cancer, 2018, 124, 546-554.	2.0	58
11	Inflammation and Negative Symptoms of Schizophrenia: Implications for Reward Processing and Motivational Deficits. Frontiers in Psychiatry, 2020, 11, 46.	1.3	52
12	Genome-Wide Association Studies of Schizophrenia and Bipolar Disorder in a Diverse Cohort of US Veterans. Schizophrenia Bulletin, 2021, 47, 517-529.	2.3	48
13	Contribution of Rare Copy Number Variants toÂBipolar Disorder Risk Is Limited to Schizoaffective Cases. Biological Psychiatry, 2019, 86, 110-119.	0.7	45
14	Transdiagnostic Clinical Global Impression Scoring for Routine Clinical Settings. Behavioral Sciences (Basel, Switzerland), 2017, 7, 40.	1.0	42
15	Dose- and time-dependent increase in circulating anti-inflammatory and pro-resolving lipid mediators following eicosapentaenoic acid supplementation in patients with major depressive disorder and chronic inflammation. Prostaglandins Leukotrienes and Essential Fatty Acids, 2021, 164, 102219.	1.0	37
16	Application of Noninvasive Vagal Nerve Stimulation to Stress-Related Psychiatric Disorders. Journal of Personalized Medicine, 2020, 10, 119.	1.1	36
17	Disentangling Stigma from Functional Neurological Disorders: Conference Report and Roadmap for the Future. Frontiers in Neurology, 2017, 8, 106.	1.1	35
18	Insomnia and suicidal ideation in nonaffective psychosis. Sleep, 2019, 42, .	0.6	32

#	Article	IF	CITATIONS
19	Prognostic value of polygenic risk scores for adults with psychosis. Nature Medicine, 2021, 27, 1576-1581.	15.2	31
20	Acute Swedish Massage Monotherapy Successfully Remediates Symptoms of Generalized Anxiety Disorder. Journal of Clinical Psychiatry, 2016, 77, e883-e891.	1.1	31
21	Total and differential white blood cell counts, high-sensitivity C-reactive protein, and cardiovascular risk in non-affective psychoses. Brain, Behavior, and Immunity, 2015, 45, 28-35.	2.0	30
22	Non-invasive vagal nerve stimulation decreases brain activity during trauma scripts. Brain Stimulation, 2020, 13, 1333-1348.	0.7	26
23	Treatment of functional neurological disorder: current state, future directions, and a research agenda. CNS Spectrums, 2021, 26, 607-613.	0.7	21
24	Massage Therapy for Psychiatric Disorders. Focus (American Psychiatric Publishing), 2018, 16, 24-31.	0.4	20
25	Characterisation of age and polarity at onset in bipolar disorder. British Journal of Psychiatry, 2021, 219, 659-669.	1.7	20
26	Vagus Nerve Stimulation: Back to the Future. American Journal of Psychiatry, 2017, 174, 609-610.	4.0	17
27	Transcutaneous vagal nerve stimulation blocks stress-induced activation of Interleukin-6 and interferon-l ³ in posttraumatic stress disorder: A double-blind, randomized, sham-controlled trial. Brain, Behavior, & Immunity - Health, 2020, 9, 100138.	1.3	17
28	Parental type 2 diabetes in patients with non-affective psychosis. Schizophrenia Research, 2016, 175, 223-225.	1.1	12
29	Psychiatry's modern role in functional neurological disorder: join the renaissance. Psychological Medicine, 2021, 51, 1961-1963.	2.7	8
30	Current Role of Herbal and Natural Preparations. Handbook of Experimental Pharmacology, 2018, 250, 225-252.	0.9	6
31	Transcutaneous Cervical Vagal Nerve Stimulation in Patients with Posttraumatic Stress Disorder (PTSD): A Pilot Study of Effects on PTSD Symptoms and Interleukin-6 Response to Stress. Journal of Affective Disorders Reports, 2021, 6, 100190.	0.9	6
32	The prevalence and impact of psychiatric symptoms in an undiagnosed diseases clinical program. PLoS ONE, 2019, 14, e0216937.	1.1	5
33	Beyond the Psychiatric Horizon: Preparing Residents for the Twenty-First Century. Academic Psychiatry, 2017, 41, 125-131.	0.4	4
34	Longitudinal impact of bladder cancer diagnosis on common psychiatric disorders. Cancer Medicine, 2021, 10, 8412-8420.	1.3	4
35	Psychiatry Departments Under Constrained Funding Mechanisms or What Is a Chairperson to Do?. Academic Psychiatry, 2016, 40, 869-873.	0.4	3
36	Model structure for protocol adherence utilizing a manualized therapeutic massage intervention. Journal of Complementary and Integrative Medicine, 2019, 16, .	0.4	3

#	Article	IF	CITATIONS
37	Patients' Preference for Complementary and Alternative Medicine Presents Challenges for Research. Journal of Clinical Psychiatry, 2015, 76, e886-e887.	1.1	2
38	Locus Coeruleus Noradrenergic Modulation of Diurnal Corticosterone, Stress Reactivity, and Cardiovascular Homeostasis in Male Rats. Neuroendocrinology, 2022, 112, 763-776.	1.2	2
39	An agenda for functional neurological disorders: care and research. CNS Spectrums, 2020, , 1-2.	0.7	1
40	Provide optimized antidepressant monotherapy with multiple drugs before considering antidepressant polypharmacy. Shanghai Archives of Psychiatry, 2014, 26, 360-2.	0.7	0