

Bengt Gerdin

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1610003/publications.pdf>

Version: 2024-02-01

132
papers

3,669
citations

109137

35
h-index

149479

56
g-index

136
all docs

136
docs citations

136
times ranked

3415
citing authors

#	ARTICLE	IF	CITATIONS
1	Trajectories of labour market marginalisation among young adults with newly diagnosed attention-deficit/hyperactivity disorder (ADHD). <i>Epidemiology and Psychiatric Sciences</i> , 2021, 30, e67.	1.8	3
2	Childbearing and mortality among women with personality disorders: nationwide registered-based cohort study. <i>BJPsych Open</i> , 2020, 6, e95.	0.3	2
3	Validity of the personality disorder diagnosis in the Swedish National Patient Register. <i>Acta Psychiatrica Scandinavica</i> , 2020, 141, 432-438.	2.2	10
4	Elevated total plasma-adiponectin is stable over time in young women with bulimia nervosa. <i>European Psychiatry</i> , 2017, 41, 30-36.	0.1	3
5	Anorexia nervosa in males: excess mortality and psychiatric co-morbidity in 609 Swedish in-patients. <i>Psychological Medicine</i> , 2017, 47, 1489-1499.	2.7	29
6	Striatal phosphodiesterase 10A and medial prefrontal cortical thickness in patients with schizophrenia: a PET and MRI study. <i>Translational Psychiatry</i> , 2017, 7, e1050-e1050.	2.4	24
7	Suicide risk and suicide method in patients with personality disorders. <i>Journal of Psychiatric Research</i> , 2016, 83, 29-36.	1.5	28
8	Cdc42 and p190RhoGAP activation by CCN2 regulates cell spreading and polarity and induces actin disassembly in migrating keratinocytes. <i>International Wound Journal</i> , 2016, 13, 372-381.	1.3	10
9	Health-related quality of life (EQ-5D) early after injury predicts long-term pain after burn. <i>Burns</i> , 2016, 42, 1781-1788.	1.1	33
10	Prevalence and Prediction of Prolonged Pruritus After Severe Burns. <i>Journal of Burn Care and Research</i> , 2015, 36, 405-413.	0.2	39
11	Excess cause-specific mortality in out-patients with personality disorder. <i>BJPsych Open</i> , 2015, 1, 54-55.	0.3	18
12	Cognition and autonomic function in schizophrenia: Inferior cognitive test performance in electrodermal and niacin skin flush non-responders. <i>European Psychiatry</i> , 2015, 30, 8-13.	0.1	15
13	Impact of personality disorders on health-related quality of life one year after burn injury. <i>Disability and Rehabilitation</i> , 2015, 37, 534-540.	0.9	8
14	Excess cause-specific mortality in in-patient-treated individuals with personality disorder: 25-year nationwide population-based study. <i>British Journal of Psychiatry</i> , 2015, 207, 339-345.	1.7	40
15	Health-Related Quality of Life in Family Members of Patients With Burns. <i>Journal of Burn Care and Research</i> , 2014, 35, 243-250.	0.2	12
16	Prediction of psychological symptoms in family members of patients with burns 1 year after injury. <i>Journal of Advanced Nursing</i> , 2013, 69, 384-393.	1.5	13
17	Plasma chromogranin A after severe burn trauma. <i>Neuropeptides</i> , 2013, 47, 207-212.	0.9	9
18	CCN2 promotes keratinocyte adhesion and migration via integrin $\alpha 5 \beta 1$. <i>Experimental Cell Research</i> , 2013, 319, 2938-2946.	1.2	38

#	ARTICLE	IF	CITATIONS
19	Regulation of connective tissue growth factor 2 expression in human keratinocytes by transforming growth factor-beta1 induced SMAD and MAPK signaling. <i>Journal of the American College of Surgeons</i> , 2013, 217, S93-S94.	0.2	0
20	CCN2 is transiently expressed by keratinocytes during re-epithelialization and regulates keratinocyte migration in vitro by the ras-MEK-ERK signaling pathway. <i>Journal of Surgical Research</i> , 2013, 185, e109-e119.	0.8	16
21	Long term health-related quality of life after burns is strongly dependent on pre-existing disease and psychosocial issues and less due to the burn itself. <i>Burns</i> , 2013, 39, 229-235.	1.1	31
22	Professor Gösta Arturson (1927-2013). <i>Burns</i> , 2013, 39, 1654-1655.	1.1	0
23	Natriuretic peptide type B in burn intensive care. <i>Journal of Trauma and Acute Care Surgery</i> , 2013, 74, 855-861.	1.1	10
24	The Burn Specific Health Scale-Brief. <i>Journal of Trauma and Acute Care Surgery</i> , 2013, 74, 1321-1326.	1.1	11
25	Connective tissue growth factor enhances keratinocyte adhesion to fibronectin and promotes migration through integrin alpha5/beta1. <i>Journal of the American College of Surgeons</i> , 2012, 215, S81-S82.	0.2	0
26	Interleukin-1-mediated effects of normal oral keratinocytes and head and neck squamous carcinoma cells on extracellular matrix related gene expression in fibroblasts. <i>Oral Oncology</i> , 2012, 48, 1236-1241.	0.8	2
27	Psychiatric morbidity predicts perceived burn-specific health 1 year after a burn. <i>General Hospital Psychiatry</i> , 2012, 34, 146-152.	1.2	22
28	A Prospective Longitudinal Study of Posttraumatic Stress Disorder Symptom Trajectories After Burn Injury. <i>Journal of Trauma</i> , 2011, 71, 1808-1815.	2.3	24
29	Connective tissue growth factor is expressed by hyperproliferative keratinocytes during reepithelialization of full thickness wounds. <i>Journal of the American College of Surgeons</i> , 2011, 213, S90.	0.2	0
30	Association Between Cleft Size and Crossbite in Children With Cleft Palate and Unilateral Cleft Lip and Palate. <i>Cleft Palate-Craniofacial Journal</i> , 2010, 47, 175-181.	0.5	18
31	Psychometric Properties of the Impact of Event Scale-Revised in Patients One Year After Burn Injury. <i>Journal of Burn Care and Research</i> , 2010, 31, 310-318.	0.2	28
32	Validation of a Swedish version of the Impact of Event Scale-Revised (IES-R) in patients with burns. <i>Journal of Anxiety Disorders</i> , 2010, 24, 618-622.	1.5	67
33	Integrin $\alpha 1 \beta 1$ is involved in the differentiation into myofibroblasts in adult reactive tissues <i>in vivo</i> . <i>Journal of Cellular and Molecular Medicine</i> , 2009, 13, 3449-3462.	1.6	17
34	Prediction of patient satisfaction with care one year after burn. <i>Burns</i> , 2009, 35, 194-200.	1.1	15
35	Hand injury from powered wood splitters. <i>Scandinavian Journal of Plastic and Reconstructive Surgery and Hand Surgery</i> , 2008, 42, 246-252.	0.6	12
36	Nonoperative Compared with Operative Treatment of Acute Scaphoid Fractures. <i>Journal of Bone and Joint Surgery - Series A</i> , 2008, 90, 1176-1185.	1.4	140

#	ARTICLE	IF	CITATIONS
37	Major Depression and Posttraumatic Stress Disorder Symptoms Following Severe Burn Injury in Relation to Lifetime Psychiatric Morbidity. <i>Journal of Trauma</i> , 2008, 64, 1349-1356.	2.3	119
38	Comparison of direct and indirect costs of internal fixation and cast treatment in acute scaphoid fractures: A randomized trial involving 52 patients. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2007, 78, 672-679.	1.2	52
39	Nonexpandable Mesh Grafts Combine the Advantages of Mesh Grafts and Sheet Grafts. <i>Dermatologic Surgery</i> , 2007, 33, 831-834.	0.4	4
40	Platelet-Derived Growth Factor- β Receptor Activation Is Essential for Fibroblast and Pericyte Recruitment during Cutaneous Wound Healing. <i>American Journal of Pathology</i> , 2006, 169, 2254-2265.	1.9	168
41	Injury-related fear-avoidance, neuroticism and burn-specific health. <i>Burns</i> , 2006, 32, 408-415.	1.1	39
42	Structure and locomotion of adult in vitro regenerated spiral ganglion growth cones – A study using video microscopy and SEM. <i>Hearing Research</i> , 2006, 215, 97-107.	0.9	18
43	The Presence of Nightmares as a Screening Tool for Symptoms of Posttraumatic Stress Disorder in Burn Survivors. <i>Journal of Burn Care and Research</i> , 2006, 27, 727-733.	0.2	13
44	Coping strategies, injury characteristics and long-term outcome after burn injury. <i>Injury</i> , 2005, 36, 511-518.	0.7	59
45	Fear-avoidance in Recovered Burn Patients: Association with Psychological and Somatic Symptoms. <i>Journal of Health Psychology</i> , 2005, 10, 491-502.	1.3	32
46	Use of healthcare a long time after severe burn injury; relation to perceived health and personality characteristics. <i>Disability and Rehabilitation</i> , 2005, 27, 863-870.	0.9	27
47	A cohort study linked increased mortality in patients treated surgically for Dupuytren's contracture. <i>Journal of Clinical Epidemiology</i> , 2005, 58, 68-74.	2.4	13
48	Regeneration of human auditory nerve. In vitro/in video demonstration of neural progenitor cells in adult human and guinea pig spiral ganglion. <i>Hearing Research</i> , 2005, 203, 180-191.	0.9	154
49	Pruritus, Personality Traits and Coping in Long-term Follow-up of Burn-injured Patients. <i>Acta Dermato-Venereologica</i> , 2004, 84, 375-380.	0.6	74
50	Analysis of Gene Expression in Fibroblasts in Response to Keratinocyte-Derived Factors In Vitro: Potential Implications for the Wound Healing Process11Table 1, Table 2 and Table 5 can be found online at http://www.blackwellpublishing.com/products/journals/suppmat/jid/jid22112/jid22112sm.htm . <i>Journal of Investigative Dermatology</i> , 2004, 122, 216-221.	0.3	42
51	Work status and burn specific health after work-related burn injury. <i>Burns</i> , 2004, 30, 839-842.	1.1	65
52	Social competence and behaviour problems in burned children. <i>Burns</i> , 2003, 29, 25-30.	1.1	14
53	Mucosal secretion and expression of basic fibroblast growth factor in patients with collagenous colitis. <i>American Journal of Gastroenterology</i> , 2003, 98, 2011-2017.	0.2	22
54	Activation markers of connective tissue in Dupuytren's contracture: relation to postoperative outcome. <i>Scandinavian Journal of Plastic and Reconstructive Surgery and Hand Surgery</i> , 2003, 37, 283-292.	0.6	13

#	ARTICLE	IF	CITATIONS
55	Hyaluronan in the Human Neonatal Lung: Association with Gestational Age and Other Perinatal Factors. <i>Neonatology</i> , 2003, 84, 194-201.	0.9	10
56	Patient-rating of long term results of silicone implant arthroplasty of the scaphoid. <i>Scandinavian Journal of Plastic and Reconstructive Surgery and Hand Surgery</i> , 2002, 36, 39-45.	0.6	9
57	Cognitive distortions in recovered burn patients: the emotional Stroop task and autobiographical memory test. <i>Burns</i> , 2002, 28, 465-471.	1.1	30
58	Health status in Swedish burn patients. <i>Burns</i> , 2002, 28, 639-645.	1.1	77
59	Keratinocytes Inhibit Expression of Connective Tissue Growth Factor in Fibroblasts In Vitro by an Interleukin-1 \pm -Dependent Mechanism. <i>Journal of Investigative Dermatology</i> , 2002, 119, 449-455.	0.3	37
60	Effect on Sexual Function of Long-Term Treatment With Selective Serotonin Reuptake Inhibitors in Depressed Patients Treated in Primary Care. <i>Journal of Clinical Psychopharmacology</i> , 2001, 21, 154-160.	0.7	59
61	Development of the coping with burns questionnaire. <i>Personality and Individual Differences</i> , 2001, 30, 1059-1072.	1.6	38
62	Non-compliance with pharmacotherapy of depression is associated with a sensation seeking personality. <i>International Clinical Psychopharmacology</i> , 2000, 15, 273-278.	0.9	17
63	Hyaluronan content in the kidney in different states of body hydration. <i>Kidney International</i> , 2000, 58, 2061-2068.	2.6	74
64	P02.228 Sexual dysfunction burden in a 24-week study of SSRIS in depressed patients. <i>European Psychiatry</i> , 2000, 15, 383s-383s.	0.1	0
65	P02.348 Psychopathology in patients with treated Wilson's disease. <i>European Psychiatry</i> , 2000, 15, 416s-416s.	0.1	0
66	Changes in personality traits during treatment with sertraline or Citalopram. <i>British Journal of Psychiatry</i> , 1999, 174, 444-448.	1.7	62
67	Hyaluronidase ameliorates rejection-induced edema. <i>Transplant International</i> , 1999, 12, 235-243.	0.8	20
68	PREVENTION AND TREATMENT OF REJECTION-INDUCED EDEMA. <i>Transplantation</i> , 1999, 67, S77.	0.5	0
69	Eosinophil activation in ulcerative colitis: studies on mucosal release and localization of eosinophil granule constituents. <i>Digestive Diseases and Sciences</i> , 1998, 43, 1061-1070.	1.1	76
70	Reduced Mucosal Perianastomotic Capillary Density in Rat Small Intestine with Chronic Radiation Damage. <i>Radiation Research</i> , 1998, 150, 542.	0.7	4
71	Personality disorder comorbidity with major depression and response to treatment with sertraline or citalopram. <i>International Clinical Psychopharmacology</i> , 1998, 13, 205-212.	0.9	47
72	A double-blind multicenter trial comparing sertraline and citalopram in patients with major depression treated in general practice. <i>International Clinical Psychopharmacology</i> , 1997, 12, 323-332.	0.9	77

#	ARTICLE	IF	CITATIONS
73	Recruitment of Type I Collagen Producing Cells from the Microvasculature in Vitro. <i>Experimental Cell Research</i> , 1996, 229, 336-349.	1.2	30
74	Regional rectal perfusion: a new in vivo approach to study rectal drug absorption in man. <i>Pharmaceutical Research</i> , 1995, 12, 426-432.	1.7	97
75	Stimulation of wound healing by the immunomodulator LS-2616 (Linomide). <i>World Journal of Surgery</i> , 1994, 18, 818-820.	0.8	4
76	Prognostic predictors in colorectal cancer. <i>Diseases of the Colon and Rectum</i> , 1994, 37, 1219-1227.	0.7	96
77	SCID II interviews and the SCID Screen questionnaire as diagnostic tools for personality disorders in DSM-III-R. <i>Acta Psychiatrica Scandinavica</i> , 1994, 90, 120-123.	2.2	213
78	The Influence of Early Postoperative Intraoperative Chemotherapy on Human Wound Healing. <i>Journal of Surgical Research</i> , 1994, 57, 394-400.	0.8	20
79	INTESTINAL MUCOSAL INJURY DURING PORCINE FECAL PERITONITIS. <i>Shock</i> , 1994, 2, 32.	1.0	0
80	Enhanced Intestinal Synthesis of Interleukin-6 Is Related to the Disease Severity and Activity in Ulcerative Colitis. <i>Digestion</i> , 1994, 55, 44-49.	1.2	18
81	Vasomotion in the Totally Denervated Transplanted Rabbit Ear Chamber. <i>Microvascular Research</i> , 1993, 46, 103-105.	1.1	2
82	Luminal Release of Hyaluronan (Hyaluronic Acid) in Intestinal Ischemia in the Rat. <i>Digestion</i> , 1993, 54, 168-172.	1.2	3
83	Immunohistochemical Identification of Receptors for Epidermal Growth Factor in Tumor Endothelium May Be Affected by Cross-Reactivity to Blood Group A Antigen. <i>American Journal of Clinical Pathology</i> , 1993, 99, 28-31.	0.4	8
84	Personality disorders in DSM-III-R as categorical or dimensional. <i>Acta Psychiatrica Scandinavica</i> , 1993, 88, 183-187.	2.2	39
85	Dependence of Traumatic Vasospasm on Blood Flow in the Central Artery of the Ear in Rabbits. <i>Scandinavian Journal of Plastic and Reconstructive Surgery and Hand Surgery</i> , 1992, 26, 247-252.	0.6	0
86	Effects of Prostaglandin E2 (PGE2) and Drugs Affecting PGE2 Degradation on Acute Rejection of Rat Cardiac Allografts. <i>Scandinavian Journal of Thoracic and Cardiovascular Surgery</i> , 1992, 26, 33-37.	0.2	6
87	Sodium hyaluronate as an adjunct in adhesion prevention after flexor tendon surgery in rabbits. <i>Journal of Hand Surgery</i> , 1992, 17, 935-941.	0.7	100
88	Effects of homodimeric isoforms of platelet-derived growth factor (PDGF-AA and PDGF-BB) on wound healing in rat. <i>Journal of Surgical Research</i> , 1992, 53, 596-601.	0.8	61
89	Efficacy of the 21-aminosteroid U74006F in improving neurological recovery after spinal cord injury in rats. <i>Neurological Research</i> , 1992, 14, 49-52.	0.6	21
90	Enhancement of the effect of low-dose cyclosporin A by sulphasalazine in prevention of cardiac allograft rejection in the rat. <i>Transplant International</i> , 1992, 5, 155-158.	0.8	4

#	ARTICLE	IF	CITATIONS
91	Hyaluronic Acid in Flexor Tendon Sheath Fluid After Sheath Reconstructions in Rabbits: A Comparison between Tendon Sheath Transplantation and Conventional Two Stage Procedures. Scandinavian Journal of Plastic and Reconstructive Surgery and Hand Surgery, 1991, 25, 103-107.	0.6	12
92	Determination of biomechanical characteristics of restrictive adhesions and of functional impairment after flexor tendon surgery: A methodological study of rabbits. Journal of Biomechanics, 1991, 24, 935-942.	0.9	13
93	Nervous influence on traumatic vasospasm in the rabbit ear artery. Microsurgery, 1991, 12, 89-95.	0.6	4
94	Elimination of exogenously injected sodium-hyaluronate from rabbit flexor tendon sheaths. Journal of Orthopaedic Research, 1991, 9, 792-797.	1.2	20
95	Effect of Bleeding and Hypervolaemic Haemodilution on Traumatic Vasospasm in Rabbits. Scandinavian Journal of Plastic and Reconstructive Surgery and Hand Surgery, 1990, 24, 107-111.	0.6	3
96	An in vivo method for studies of traumatic vasospasm. Microsurgery, 1990, 11, 197-203.	0.6	4
97	The Influence of Body Temperature on Traumatic Vasospasm. Upsala Journal of Medical Sciences, 1990, 95, 63-74.	0.4	2
98	The Effect of Staphylococcus aureus Bacteria and its Products on Wound Healing. , 1990, , 25-34.		3
99	An Alternative Placement of Implantable Central Venous Access Systems. Journal of Parenteral and Enteral Nutrition, 1989, 13, 666-667.	1.3	6
100	A pharmacokinetic model of intravenously administered hyaluronan in sheep. Pharmaceutical Research, 1989, 06, 677-682.	1.7	30
101	Spinal cord blood flow measured by ¹⁴ C-iodoantipyrine autoradiography during and after graded spinal cord compression in rats. World Neurosurgery, 1989, 31, 350-360.	1.3	55
102	Epidermal growth factor (EGF) prevents methylprednisolone-induced inhibition of wound healing. Journal of Surgical Research, 1989, 47, 354-359.	0.8	28
103	The enhancing effect of cyclosporine A and sulfasalazine on the prevention of rejection in rat cardiac allografts. Transplant International, 1988, 1, 113-115.	0.8	1
104	Small-bowel transplantation in the rat with a nonsuture cuff technique: Technical and immunological considerations. Transplant International, 1988, 1, 135-139.	0.8	0
105	Small-bowel transplantation in the rat with a nonsuture cuff technique. Transplant International, 1988, 1, 135-139.	0.8	42
106	The enhancing effect of cyclosporine A and sulfasalazine on the prevention of rejection in rat cardiac allografts. Transplant International, 1988, 1, 113-115.	0.8	4
107	The Role of Polymorphonuclear Leukocytes in Postischemic Delayed Hypoperfusion. , 1986, , 74-78.		2
108	Studies on the role of thromboxane in thrombin-induced pulmonary insufficiency in the rat. Thrombosis Research, 1986, 42, 165-175.	0.8	4

#	ARTICLE	IF	CITATIONS
109	Augmenting Effects of Cerebral Ischaemia on the Systemic Response to Haemorrhagic Hypotension in the Rat. , 1986, , 220-223.		0
110	Permeability-increasing ability of PAF-acether in rat skin. <i>Inflammation</i> , 1985, 9, 107-112.	1.7	10
111	Suppression of Cell-mediated Immune Reactivity by Peptides Cleaved from Human Fibrinogen. <i>Upsala Journal of Medical Sciences</i> , 1985, 90, 279-291.	0.4	0
112	Spontaneous Scrotal Emphysema—a Cause of Scrotal Swelling. <i>Scandinavian Journal of Urology and Nephrology</i> , 1985, 19, 77-79.	1.4	4
113	Effect of Methysergide Pretreatment on Thrombin-induced Pulmonary Oedema in the Rat. <i>Upsala Journal of Medical Sciences</i> , 1984, 89, 221-226.	0.4	0
114	The Role of Histamine and Serotonin in the Inflammatory Reaction in an Experimental Model of Open Wounds in the Rat. <i>Scandinavian Journal of Plastic and Reconstructive Surgery</i> , 1984, 18, 175-180.	0.3	6
115	The inflammatory reaction in an experimental model of open wounds in the rat. The effect of arachidonic acid metabolites. <i>European Journal of Pharmacology</i> , 1984, 97, 229-238.	1.7	23
116	Assessment of lung water content by roentgen videodensitometry. <i>Critical Care Medicine</i> , 1984, 12, 457-460.	0.4	4
117	Pafâ€œcether (plateletâ€œactivating factor) increases microvascular permeability and affects endotheliumâ€œgranulocyte interaction in microvascular beds. <i>Acta Physiologica Scandinavica</i> , 1983, 119, 305-308.	2.3	85
118	Angiotensin Converting Enzyme Dependent and Non-dependent Effects of a Fibrinogen-derived Pentapeptide on Microvascular Permeability in Rat Skin. <i>Upsala Journal of Medical Sciences</i> , 1983, 88, 95-101.	0.4	2
119	Effect of low molecular weight fibrin degradation products on endothelial cells in culture. <i>Thrombosis Research</i> , 1981, 22, 33-39.	0.8	44
120	Use of 125I-labeled human serum albumin for quantitation of microvascular permeability in rat skin: Reevaluation of an old method for studies on substances with an enhancing effect on microvascular permeability. <i>Journal of Pharmacological Methods</i> , 1981, 6, 167-175.	0.7	9
121	Peptides cleaved from fibrinogen by plasmin enhance the progression of L-1 sarcoma in BALB/c mice. <i>European Journal of Cancer & Clinical Oncology</i> , 1981, 17, 889-892.	0.9	5
122	Pulmonary Insufficiency in the Rat after Intravascular Coagulation and Inhibition of Fibrinolysis. <i>European Surgical Research</i> , 1981, 13, 402-413.	0.6	12
123	A case of disguised suicide. <i>Forensic Science International</i> , 1980, 16, 29-34.	1.3	8
124	Structure-activity relationships of vasoactive peptides derived from fibrin or fibrinogen degraded by plasmin. <i>Biochimica Et Biophysica Acta (BBA) - Protein Structure</i> , 1980, 621, 169-178.	1.7	47
125	Structure-activity studies on synthetic analogs to vasoactive peptides derived from human fibrinogen. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 1980, 632, 87-94.	1.1	13
126	Effect of fibrin degradation products on microvascular permeability. <i>Thrombosis Research</i> , 1978, 13, 995-1006.	0.8	96

#	ARTICLE	IF	CITATIONS
127	The delayed microembolism syndrome: A review of 84 deaths. Forensic Science, 1976, 7, 79-80.	0.2	1
128	Dilution of blood in fresh water drowning. Post-mortem determination of osmolarity and electrolytes in blood, cerebrospinal fluid and vitreous humor. Forensic Science, 1976, 8, 229-234.	0.2	19
129	Effect of pulmonary blood flow on the elimination of fibrin from the lungs. Forensic Science, 1976, 7, 86.	0.2	4
130	Protection against the Impairment of Renal Function after Intravascular Coagulation in the Rat Kidney by Increased Ingestion of Sodium Chloride. Nephron, 1975, 14, 433-441.	0.6	8
131	Investigations of osmolarity and electrolyte content in the diagnosis of drowning. Forensic Science, 1975, 6, 258-259.	0.2	0
132	Effect of α_1 -receptor blockade on the elimination of fibrin from the lungs. Forensic Science, 1975, 6, 261.	0.2	1