

Marianna Virtanen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1610387/publications.pdf>

Version: 2024-02-01

210
papers

13,997
citations

20036

63
h-index

26792

111
g-index

212
all docs

212
docs citations

212
times ranked

14058
citing authors

#	ARTICLE	IF	CITATIONS
1	Trajectories of Worktime Control From Midlife to Retirement and Working Beyond Retirement Age. <i>Work, Aging and Retirement</i> , 2022, 8, 273-281.	1.4	4
2	Sickness absence due to common mental disorders in young employees in Sweden: are there differences in occupational class and employment sector?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2022, 57, 1097-1106.	1.6	10
3	Psychological Distress During the Retirement Transition and the Role of Psychosocial Working Conditions and Social Living Environment. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2022, 77, 135-148.	2.4	11
4	Long-term cumulative light exposure from the natural environment and sleep: A cohort study. <i>Journal of Sleep Research</i> , 2022, 31, e13511.	1.7	5
5	Components of Stress and Their Associations With Sleep Problems. <i>Journal of Occupational and Environmental Medicine</i> , 2022, 64, 390-396.	0.9	0
6	Work-related stress and well-being in association with epigenetic age acceleration: A Northern Finland Birth Cohort 1966 Study. <i>Aging</i> , 2022, 14, 1128-1156.	1.4	11
7	Association of social isolation, loneliness and genetic risk with incidence of dementia: UK Biobank Cohort Study. <i>BMJ Open</i> , 2022, 12, e053936.	0.8	16
8	Do good psychosocial working conditions prolong working lives? Findings from a prospective study in Sweden. <i>European Journal of Ageing</i> , 2022, 19, 677-688.	1.2	6
9	Why do men extend their employment beyond pensionable age more often than women? a cohort study. <i>European Journal of Ageing</i> , 2022, 19, 599-608.	1.2	3
10	Association between alexithymia and substance use: A systematic review and meta-analysis. <i>Scandinavian Journal of Psychology</i> , 2022, 63, 427-438.	0.8	16
11	Clustering of social disadvantage with attention-deficit/hyperactivity disorder in young adults: A register-based study in Sweden. <i>Scandinavian Journal of Psychology</i> , 2022, , .	0.8	1
12	Associations of long-term solar insolation with specific depressive symptoms: Evidence from a prospective cohort study. <i>Journal of Psychiatric Research</i> , 2022, 151, 606-610.	1.5	4
13	Association of alcohol use with years lived without major chronic diseases: A multicohort study from the IPD-Work consortium and UK Biobank. <i>Lancet Regional Health - Europe, The</i> , 2022, 19, 100417.	3.0	4
14	The Implication of Physically Demanding and Hazardous Work on Retirement Timing. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 8123.	1.2	1
15	Employment and earnings trajectories before and after sickness absence due to major depressive disorder: a nationwide case-control study. <i>Occupational and Environmental Medicine</i> , 2021, 78, 173-178.	1.3	7
16	Home and Workplace Neighborhood Socioeconomic Status and Behavior-related Health: A Within-individual Analysis. <i>Annals of Behavioral Medicine</i> , 2021, 55, 779-790.	1.7	5
17	Patterns of working hour characteristics and risk of sickness absence among shift-working hospital employees: a data-mining cohort study. <i>Scandinavian Journal of Work, Environment and Health</i> , 2021, 47, 395-403.	1.7	7
18	Social network ties before and after retirement: a cohort study. <i>European Journal of Ageing</i> , 2021, 18, 503-512.	1.2	14

#	ARTICLE	IF	CITATIONS
19	Sickness absence and disability pension after carpal tunnel syndrome diagnosis: A register-based study of patients and matched references in Sweden. <i>Scandinavian Journal of Public Health</i> , 2021, , 140349482110027.	1.2	2
20	Comparison of the level of allostatic load between patients with major depression and the general population. <i>Journal of Psychosomatic Research</i> , 2021, 143, 110389.	1.2	10
21	Work Participation among Women and Men in Sweden: A Register Study of 8.5 Million Individuals. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 4642.	1.2	2
22	Multiple adverse childhood experiences and asthma onset in adulthood: Role of adulthood risk factors as mediators. <i>Journal of Psychosomatic Research</i> , 2021, 143, 110388.	1.2	11
23	Trajectories of work ability from mid-life to pensionable age and their association with retirement timing. <i>Journal of Epidemiology and Community Health</i> , 2021, 75, 1098-1103.	2.0	5
24	Work-related violence and depressive disorder among 955,573 employees followed for 6.99 million person-years. The Danish Work Life Course Cohort study. <i>Journal of Affective Disorders</i> , 2021, 288, 136-144.	2.0	13
25	Occupational class and employment sector differences in common mental disorders: a longitudinal Swedish cohort study. <i>European Journal of Public Health</i> , 2021, 31, 809-815.	0.1	4
26	Long working hours and risk of 50 health conditions and mortality outcomes: a multicohort study in four European countries. <i>Lancet Regional Health - Europe</i> , The, 2021, 11, 100212.	3.0	21
27	Heavy alcohol consumption before and after negative life events in late mid-life: longitudinal latent trajectory analyses. <i>Journal of Epidemiology and Community Health</i> , 2021, , jech-2021-217204.	2.0	0
28	Association of job strain with accelerometer-based sleep duration and timing of sleep among older employees. <i>Journal of Sleep Research</i> , 2021, , e13498.	1.7	2
29	Social relationships as predictors of extended employment beyond the pensionable age: a cohort study. <i>European Journal of Ageing</i> , 2021, 18, 491-501.	1.2	2
30	Length of exposure to long working hours and night work and risk of sickness absence: a register-based cohort study. <i>BMC Health Services Research</i> , 2021, 21, 1199.	0.9	3
31	Shift work, work time control, and informal caregiving as risk factors for sleep disturbances in an ageing municipal workforce. <i>Scandinavian Journal of Work, Environment and Health</i> , 2021, 47, 181-190.	1.7	1
32	Shift work, work time control, and informal caregiving as risk factors for sleep disturbances in an ageing municipal workforce. <i>Scandinavian Journal of Work, Environment and Health</i> , 2021, 47, 181-190.	1.7	6
33	Psychosocial working conditions and depressive disorder: disentangling effects of job control from socioeconomic status using a life-course approach. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020, 55, 217-228.	1.6	15
34	The contribution of drinking culture at comprehensive school to heavy episodic drinking from adolescence to midlife. <i>European Journal of Public Health</i> , 2020, 30, 357-363.	0.1	1
35	Personality, disability-free life years, and life expectancy: Individual participant meta-analysis of 131,195 individuals from 10 cohort studies. <i>Journal of Personality</i> , 2020, 88, 596-605.	1.8	14
36	Psychological distress and sickness absence: Within- versus between-individual analysis. <i>Journal of Affective Disorders</i> , 2020, 264, 333-339.	2.0	6

#	ARTICLE	IF	CITATIONS
37	Long working hours and change in body weight: analysis of individual-participant data from 19 cohort studies. <i>International Journal of Obesity</i> , 2020, 44, 1368-1375.	1.6	29
38	Cumulated and most recent job control and risk of disability pension in the Danish Work Life Course Cohort (DaWCo). <i>European Journal of Public Health</i> , 2020, 30, 1212-1218.	0.1	1
39	Does working beyond the statutory retirement age have an impact on health and functional capacity? The Finnish Retirement and Aging cohort study. <i>Occupational and Environmental Medicine</i> , 2020, , oemed-2020-106964.	1.3	1
40	The WHO/ILO report on long working hours and ischaemic heart disease â€œ Conclusions are not supported by the evidence. <i>Environment International</i> , 2020, 144, 106048.	4.8	11
41	General Health Questionnaire (GHQ-12), Beck Depression Inventory (BDI-6), and Mental Health Index (MHI-5): psychometric and predictive properties in a Finnish population-based sample. <i>Psychiatry Research</i> , 2020, 289, 112973.	1.7	45
42	Trajectories of self-rated health before and after retirement: evidence from two cohort studies. <i>Occupational and Environmental Medicine</i> , 2020, 77, 70-76.	1.3	19
43	Association between socioeconomic status and the development of mental and physical health conditions in adulthood: a multi-cohort study. <i>Lancet Public Health</i> , The, 2020, 5, e140-e149.	4.7	332
44	Association of Healthy Lifestyle With Years Lived Without Major Chronic Diseases. <i>JAMA Internal Medicine</i> , 2020, 180, 760.	2.6	140
45	The Contribution of Neighborhood Socioeconomic Disadvantage to Depressive Symptoms Over the Course of Adult Life: A 32-Year Prospective Cohort Study. <i>American Journal of Epidemiology</i> , 2020, 189, 679-689.	1.6	12
46	Unemployment Trajectories and the Early Risk of Disability Pension among Young People with and without Autism Spectrum Disorder: A Nationwide Study in Sweden. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 2486.	1.2	4
47	Network structure of depression symptomology in participants with and without depressive disorder: the population-based Health 2000â€™2011 study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020, 55, 1273-1282.	1.6	16
48	Job insecurity and risk of coronary heart disease: Mediation analyses of health behaviors, sleep problems, physiological and psychological factors. <i>Psychoneuroendocrinology</i> , 2020, 118, 104706.	1.3	11
49	Neurodevelopmental disorders among young adults and the risk of sickness absence and disability pension: a nationwide register linkage study. <i>Scandinavian Journal of Work, Environment and Health</i> , 2020, 46, 410-416.	1.7	10
50	Organizational Justice and Health. , 2020, , 1-14.		1
51	Organizational Justice and Health. <i>Handbook Series in Occupational Health Sciences</i> , 2020, , 383-396.	0.1	2
52	Predictors of employment in young adults with psychiatric work disability. <i>Microbial Biotechnology</i> , 2019, 13, 1083-1089.	0.9	6
53	Co-occurrence of depressive, anxiety, and somatic symptoms: trajectories from adolescence to midlife using group-based joint trajectory analysis. <i>BMC Psychiatry</i> , 2019, 19, 236.	1.1	27
54	Work Stress and Satisfaction with Leadership Among Nurses Encountering Patient Aggression in Psychiatric Care: A Cross-Sectional Survey Study. <i>Administration and Policy in Mental Health and Mental Health Services Research</i> , 2019, 46, 368-379.	1.2	17

#	ARTICLE	IF	CITATIONS
55	Does inflammation provide a link between psychosocial work characteristics and diabetes? Analysis of the role of interleukin-6 and C-reactive protein in the Whitehall II cohort study. <i>Brain, Behavior, and Immunity</i> , 2019, 78, 153-160.	2.0	15
56	Determinants of long-term unemployment in early adulthood: A Finnish birth cohort study. <i>SSM - Population Health</i> , 2019, 8, 100410.	1.3	11
57	Physical inactivity, cardiometabolic disease, and risk of dementia: an individual-participant meta-analysis. <i>BMJ: British Medical Journal</i> , 2019, 365, l1495.	2.4	168
58	The effect of smoking cessation on work disability risk: a longitudinal study analysing observational data as non-randomized nested pseudo-trials. <i>International Journal of Epidemiology</i> , 2019, 48, 415-422.	0.9	8
59	Socioeconomic and health-related childhood and adolescence predictors of entry into paid employment. <i>European Journal of Public Health</i> , 2019, 29, 555-561.	0.1	6
60	Pathways from parental mental disorders to offspring's work disability due to depressive or anxiety disorders in early adulthoodâ€”The 1987 Finnish Birth Cohort. <i>Depression and Anxiety</i> , 2019, 36, 305-312.	2.0	7
61	Group activity participation at age 21 and depressive symptoms during boom and recession in Sweden: a 20-year follow-up. <i>European Journal of Public Health</i> , 2019, 29, 475-481.	0.1	1
62	Justice at the Workplace: A Review. <i>Cambridge Quarterly of Healthcare Ethics</i> , 2018, 27, 306-315.	0.5	31
63	Self-Rated Health of the Temporary Employees in a Nordic Welfare State. <i>Journal of Occupational and Environmental Medicine</i> , 2018, 60, e106-e111.	0.9	8
64	Social isolation and loneliness as risk factors for myocardial infarction, stroke and mortality: UK Biobank cohort study of 479 054 men and women. <i>Heart</i> , 2018, 104, 1536-1542.	1.2	194
65	Characteristics of Social Networks and Mortality Risk: Evidence From 2 Prospective Cohort Studies. <i>American Journal of Epidemiology</i> , 2018, 187, 746-753.	1.6	20
66	Is an unhealthy lifestyle more harmful for poor people?. <i>Lancet Public Health, The</i> , 2018, 3, e558-e559.	4.7	4
67	Lifestyle factors and risk of sickness absence from work: a multicohort study. <i>Lancet Public Health, The</i> , 2018, 3, e545-e554.	4.7	88
68	Long Working Hours and Risk of Cardiovascular Disease. <i>Current Cardiology Reports</i> , 2018, 20, 123.	1.3	67
69	Obesity and loss of disease-free years owing to major non-communicable diseases: a multicohort study. <i>Lancet Public Health, The</i> , 2018, 3, e490-e497.	4.7	241
70	Association of Long-Term Diet Quality with Hippocampal Volume: Longitudinal Cohort Study. <i>American Journal of Medicine</i> , 2018, 131, 1372-1381.e4.	0.6	42
71	Towards sustainable work and longer working lives. <i>Scandinavian Journal of Public Health</i> , 2018, 46, 287-289.	1.2	4
72	Unfavorable and favorable changes in modifiable risk factors and incidence of coronary heart disease: The Whitehall II cohort study. <i>International Journal of Cardiology</i> , 2018, 269, 7-12.	0.8	16

#	ARTICLE	IF	CITATIONS
73	Alcohol use and sickness absence due to all causes and mental- or musculoskeletal disorders: a nationally representative study. <i>BMC Public Health</i> , 2018, 18, 152.	1.2	14
74	Work stress and risk of death in men and women with and without cardiometabolic disease: a multicohort study. <i>Lancet Diabetes and Endocrinology</i> , 2018, 6, 705-713.	5.5	100
75	Sickness absence diagnoses among abstainers, low-risk drinkers and at-risk drinkers: consideration of the U-shaped association between alcohol use and sickness absence in four cohort studies. <i>Addiction</i> , 2018, 113, 1633-1642.	1.7	16
76	Long working hours and depressive symptoms: systematic review and meta-analysis of published studies and unpublished individual participant data. <i>Scandinavian Journal of Work, Environment and Health</i> , 2018, 44, 239-250.	1.7	135
77	The joint contribution of cardiovascular disease and socioeconomic status to disability retirement: A register linkage study. <i>International Journal of Cardiology</i> , 2017, 230, 222-227.	0.8	22
78	Job strain as a risk factor for clinical depression: systematic review and meta-analysis with additional individual participant data. <i>Psychological Medicine</i> , 2017, 47, 1342-1356.	2.7	314
79	Organizational Justice and Collaboration Among Nurses as Correlates of Violent Assaults by Patients in Psychiatric Care. <i>Psychiatric Services</i> , 2017, 68, 490-496.	1.1	21
80	Trajectories of risky drinking around the time of statutory retirement: a longitudinal latent class analysis. <i>Addiction</i> , 2017, 112, 1163-1170.	1.7	28
81	Do predictors of return to work and recurrence of work disability due to mental disorders vary by age? A cohort study. <i>Scandinavian Journal of Public Health</i> , 2017, 45, 178-184.	1.2	24
82	Overweight, obesity, and risk of cardiometabolic multimorbidity: pooled analysis of individual-level data for 120 813 adults from 16 cohort studies from the USA and Europe. <i>Lancet Public Health</i> , The, 2017, 2, e277-e285.	4.7	375
83	Social networks and patterns of health risk behaviours over two decades: A multi-cohort study. <i>Journal of Psychosomatic Research</i> , 2017, 99, 45-58.	1.2	4
84	Employment Status of Depressed Individuals in an 11-Year Follow-up. <i>Journal of Occupational and Environmental Medicine</i> , 2017, 59, 603-608.	0.9	2
85	Diabetes and risk of occupational injury: a cohort study. <i>Diabetic Medicine</i> , 2017, 34, 1629-1636.	1.2	5
86	Prognostic factors for return to work after depression-related work disability: A systematic review and meta-analysis. <i>Journal of Psychiatric Research</i> , 2017, 95, 28-36.	1.5	68
87	Work disability before and after a major cardiovascular event: a ten-year study using nationwide medical and insurance registers. <i>Scientific Reports</i> , 2017, 7, 1142.	1.6	18
88	Childhood adversity, adult socioeconomic status and risk of work disability: a prospective cohort study. <i>Occupational and Environmental Medicine</i> , 2017, 74, 659-666.	1.3	27
89	Change in Job Strain as a Predictor of Change in Insomnia Symptoms: Analyzing Observational Data as a Non-randomized Pseudo-Trial. <i>Sleep</i> , 2017, 40, .	0.6	30
90	Long working hours as a risk factor for atrial fibrillation: a multi-cohort study. <i>European Heart Journal</i> , 2017, 38, 2621-2628.	1.0	76

#	ARTICLE	IF	CITATIONS
91	Patient Aggression and the Wellbeing of Nurses: A Cross-Sectional Survey Study in Psychiatric and Non-Psychiatric Settings. <i>International Journal of Environmental Research and Public Health</i> , 2017, 14, 1245.	1.2	69
92	Contribution of risk factors to excess mortality in isolated and lonely individuals: an analysis of data from the UK Biobank cohort study. <i>Lancet Public Health</i> , The, 2017, 2, e260-e266.	4.7	256
93	The level of cognitive function and recognition of emotions in older adults. <i>PLoS ONE</i> , 2017, 12, e0185513.	1.1	27
94	Metabolic Syndrome and Symptom Resolution in Depression. <i>Journal of Clinical Psychiatry</i> , 2017, 78, e1-e7.	1.1	29
95	Occupational class and working beyond the retirement age: a cohort study. <i>Scandinavian Journal of Work, Environment and Health</i> , 2017, 43, 426-435.	1.7	43
96	Psychosocial factors associated with work disability in men and women with diabetes: a pooled analysis of three occupational cohort studies. <i>Diabetic Medicine</i> , 2016, 33, 208-217.	1.2	11
97	Socioeconomic gradient in work disability in diabetes: evidence from three occupational cohorts. <i>Journal of Epidemiology and Community Health</i> , 2016, 70, 125-131.	2.0	8
98	Antidepressant use and work-related injuries. <i>Psychological Medicine</i> , 2016, 46, 1391-1399.	2.7	2
99	Long working hours and cancer risk: a multi-cohort study. <i>British Journal of Cancer</i> , 2016, 114, 813-818.	2.9	17
100	Job insecurity and risk of diabetes: a meta-analysis of individual participant data. <i>Cmaj</i> , 2016, 188, E447-E455.	0.9	47
101	Psychotherapeutic and work-oriented interventions: employment outcomes among young adults with work disability due to a mental disorder. <i>International Journal of Mental Health Systems</i> , 2016, 10, 68.	1.1	2
102	Job Demands and Job Control as Predictors of Depressive Symptoms: Moderating Effects of Negative Childhood Socioemotional Experiences. <i>Stress and Health</i> , 2016, 32, 383-394.	1.4	8
103	Health- and work-related predictors of work disability among employees with a cardiometabolic disease – A cohort study. <i>Journal of Psychosomatic Research</i> , 2016, 82, 41-47.	1.2	19
104	Lifestyle-related risk factors and trajectories of work disability over 5 years in employees with diabetes: findings from two prospective cohort studies. <i>Diabetic Medicine</i> , 2015, 32, 1335-1341.	1.2	11
105	Work Disability among Employees with Diabetes: Latent Class Analysis of Risk Factors in Three Prospective Cohort Studies. <i>PLoS ONE</i> , 2015, 10, e0143184.	1.1	14
106	Onset of impaired sleep as a predictor of change in health-related behaviours; analysing observational data as a series of non-randomized pseudo-trials. <i>International Journal of Epidemiology</i> , 2015, 44, 1027-1037.	0.9	29
107	Job Strain and the Risk of Stroke. <i>Stroke</i> , 2015, 46, 557-559.	1.0	97
108	Long working hours and alcohol use: systematic review and meta-analysis of published studies and unpublished individual participant data. <i>BMJ</i> , The, 2015, 350, g7772-g7772.	3.0	152

#	ARTICLE	IF	CITATIONS
109	Long working hours, socioeconomic status, and the risk of incident type 2 diabetes: a meta-analysis of published and unpublished data from 222â€™120 individuals. <i>Lancet Diabetes and Endocrinology</i> , 2015, 3, 27-34.	5.5	197
110	Decreased work ability associated to indoor air problems â€™ An intervention (RCT) to promote health behavior. <i>NeuroToxicology</i> , 2015, 49, 59-67.	1.4	18
111	Interleukin-6 as a predictor of symptom resolution in psychological distress: a cohort study. <i>Psychological Medicine</i> , 2015, 45, 2137-2144.	2.7	16
112	Trends of Diagnosis-Specific Work Disability After Newly Diagnosed Diabetes: A 4-Year Nationwide Prospective Cohort Study. <i>Diabetes Care</i> , 2015, 38, 1883-1890.	4.3	14
113	Long working hours and risk of coronary heart disease and stroke: a systematic review and meta-analysis of published and unpublished data for 603â€™838 individuals. <i>Lancet, The</i> , 2015, 386, 1739-1746.	6.3	529
114	Fast-food outlets and grocery stores near school and adolescentsâ€™ eating habits and overweight in Finland. <i>European Journal of Public Health</i> , 2015, 25, 650-655.	0.1	48
115	Job strain and risk of obesity: systematic review and meta-analysis of cohort studies. <i>International Journal of Obesity</i> , 2015, 39, 1597-1600.	1.6	50
116	School neighbourhood socio-economic status and teachersâ€™ work commitment in Finland: longitudinal survey with register linkage. <i>Teachers and Teaching: Theory and Practice</i> , 2015, 21, 131-149.	0.9	7
117	Socioeconomic and Psychosocial Adversity in Midlife and Depressive Symptoms Post Retirement: A 21-year Follow-up of the Whitehall II Study. <i>American Journal of Geriatric Psychiatry</i> , 2015, 23, 99-109.e1.	0.6	26
118	Vertical and Horizontal Trust at Work as Predictors of Retirement Intentions: The Finnish Public Sector Study. <i>PLoS ONE</i> , 2014, 9, e106956.	1.1	8
119	THE ROLE OF PSYCHIATRIC, CARDIOMETABOLIC, AND MUSCULOSKELETAL COMORBIDITY IN THE RECURRENCE OF DEPRESSION-RELATED WORK DISABILITY. <i>Depression and Anxiety</i> , 2014, 31, 796-803.	2.0	21
120	Association of the Availability of Beer, Wine, and Liquor Outlets with Beverageâ€™specific Alcohol Consumption: A Cohort Study. <i>Alcoholism: Clinical and Experimental Research</i> , 2014, 38, 1086-1093.	1.4	14
121	The healthy populationâ€™high disability paradox. <i>Occupational and Environmental Medicine</i> , 2014, 71, 232-233.	1.3	4
122	Psychological Distress and Incidence of Type 2 Diabetes in High-Risk and Low-Risk Populations: The Whitehall II Cohort Study. <i>Diabetes Care</i> , 2014, 37, 2091-2097.	4.3	45
123	Components of job control and mortality: the Finnish Public Sector Study. <i>Occupational and Environmental Medicine</i> , 2014, 71, 536-542.	1.3	16
124	Extending Employment beyond the Pensionable Age: A Cohort Study of the Influence of Chronic Diseases, Health Risk Factors, and Working Conditions. <i>PLoS ONE</i> , 2014, 9, e88695.	1.1	73
125	Perceived job insecurity as a risk factor for incident coronary heart disease: systematic review and meta-analysis. <i>BMJ, The</i> , 2013, 347, f4746-f4746.	3.0	181
126	Job strain and supervisor support in primary care health centres and glycaemic control among patients with type 2 diabetes: a cross-sectional study. <i>BMJ Open</i> , 2013, 3, e002297.	0.8	8

#	ARTICLE	IF	CITATIONS
127	Trait Anxiety Levels Before and After Antidepressant Treatment. <i>Journal of Clinical Psychopharmacology</i> , 2013, 33, 371-377.	0.7	6
128	Does transfer of work from a public sector organisation to a commercial enterprise without staff reductions increase risk of long-term sickness absence among the staff? A cohort study of laboratory and radiology employees: Table A1. <i>Occupational and Environmental Medicine</i> , 2013, 70, 585-587.	1.3	6
129	The health effects of major organisational changes. <i>Occupational and Environmental Medicine</i> , 2013, 70, 677-678.	1.3	10
130	Chronic workplace stress and insufficient physical activity: a cohort study. <i>Occupational and Environmental Medicine</i> , 2013, 70, 3-8.	1.3	68
131	Obesity and Occupational Injury: A Prospective Cohort Study of 69,515 Public Sector Employees. <i>PLoS ONE</i> , 2013, 8, e77178.	1.1	50
132	Depression-Related Work Disability: Socioeconomic Inequalities in Onset, Duration and Recurrence. <i>PLoS ONE</i> , 2013, 8, e79855.	1.1	55
133	Psychosocial factors at work, long work hours, and obesity: a systematic review. <i>Scandinavian Journal of Work, Environment and Health</i> , 2013, 39, 241-258.	1.7	93
134	Organisational justice and cognitive function in middle-aged employees: the Whitehall II study. <i>Journal of Epidemiology and Community Health</i> , 2012, 66, 552-556.	2.0	21
135	Effect of a multidisciplinary rehabilitation programme on perceived health among employees at increased risk of incapacity for work: a controlled study. <i>Clinical Rehabilitation</i> , 2012, 26, 513-522.	1.0	6
136	Job strain and the risk of disability pension due to musculoskeletal disorders, depression or coronary heart disease: a prospective cohort study of 69 842 employees. <i>Occupational and Environmental Medicine</i> , 2012, 69, 574-581.	1.3	70
137	Saved by the bell: does working too much increase the likelihood of depression?. <i>Expert Review of Neurotherapeutics</i> , 2012, 12, 497-499.	1.4	21
138	Differential Associations of Job Control Components With Mortality: A Cohort Study, 1986-2005. <i>American Journal of Epidemiology</i> , 2012, 175, 609-619.	1.6	20
139	Job Strain as a Risk Factor for Leisure-Time Physical Inactivity: An Individual-Participant Meta-Analysis of Up to 170,000 Men and Women: The IPD-Work Consortium. <i>American Journal of Epidemiology</i> , 2012, 176, 1078-1089.	1.6	198
140	Joensuu et al. Respond to "Structure and Context Matters". <i>American Journal of Epidemiology</i> , 2012, 175, 625-626.	1.6	4
141	Students' school satisfaction as predictor of teachers' sickness absence: a prospective cohort study. <i>European Journal of Public Health</i> , 2012, 22, 215-219.	0.1	18
142	Socio-economic position and mental disorders in a working-age Finnish population: the health 2000 study. <i>European Journal of Public Health</i> , 2012, 22, 327-332.	0.1	38
143	Organizational Justice in Primary-Care Health Centers and Glycemic Control in Patients With Type 2 Diabetes. <i>Medical Care</i> , 2012, 50, 831-835.	1.1	16
144	Job strain as a risk factor for coronary heart disease: a collaborative meta-analysis of individual participant data. <i>Lancet</i> , The, 2012, 380, 1491-1497.	6.3	786

#	ARTICLE	IF	CITATIONS
145	Long Working Hours and Coronary Heart Disease: A Systematic Review and Meta-Analysis. <i>American Journal of Epidemiology</i> , 2012, 176, 586-596.	1.6	230
146	Association of pupil vandalism, bullying and truancy with teachers' absence due to illness: A multilevel analysis. <i>Journal of School Psychology</i> , 2012, 50, 347-361.	1.5	13
147	Living alone and antidepressant medication use: a prospective study in a working-age population. <i>BMC Public Health</i> , 2012, 12, 236.	1.2	48
148	School environment as predictor of teacher sick leave: data-linked prospective cohort study. <i>BMC Public Health</i> , 2012, 12, 770.	1.2	32
149	Overtime Work as a Predictor of Major Depressive Episode: A 5-Year Follow-Up of the Whitehall II Study. <i>PLoS ONE</i> , 2012, 7, e30719.	1.1	136
150	Quantifying Neighbourhood Socioeconomic Effects in Clustering of Behaviour-Related Risk Factors: A Multilevel Analysis. <i>PLoS ONE</i> , 2012, 7, e32937.	1.1	71
151	Job Strain and Tobacco Smoking: An Individual-Participant Data Meta-Analysis of 166 130 Adults in 15 European Studies. <i>PLoS ONE</i> , 2012, 7, e35463.	1.1	102
152	Job strain in relation to body mass index: pooled analysis of 160 000 adults from 13 cohort studies. <i>Journal of Internal Medicine</i> , 2012, 272, 65-73.	2.7	132
153	Work-Related Violence, Lifestyle, and Health Among Special Education Teachers Working in Finnish Basic Education. <i>Journal of School Health</i> , 2012, 82, 336-343.	0.8	24
154	Job Strain and Alcohol Intake: A Collaborative Meta-Analysis of Individual-Participant Data from 140 000 Men and Women. <i>PLoS ONE</i> , 2012, 7, e40101.	1.1	93
155	Health risk behaviors and morbidity among hospital staff – comparison across hospital ward medical specialties in a study of 21 Finnish hospitals. <i>Scandinavian Journal of Work, Environment and Health</i> , 2012, 38, 228-237.	1.7	17
156	Socio-economic differences in long-term psychiatric work disability: prospective cohort study of onset, recovery and recurrence. <i>Occupational and Environmental Medicine</i> , 2011, 68, 791-798.	1.3	76
157	Using Additional Information on Working Hours to Predict Coronary Heart Disease. <i>Annals of Internal Medicine</i> , 2011, 154, 457.	2.0	79
158	Overcrowding in psychiatric wards and physical assaults on staff: data-linked longitudinal study. <i>British Journal of Psychiatry</i> , 2011, 198, 149-155.	1.7	57
159	Common mental disorders and subsequent work disability: A population-based Health 2000 Study. <i>Journal of Affective Disorders</i> , 2011, 134, 365-372.	2.0	96
160	Sickness absence among Finnish special and general education teachers. <i>Occupational Medicine</i> , 2011, 61, 465-471.	0.8	14
161	Long working hours and symptoms of anxiety and depression: a 5-year follow-up of the Whitehall II study. <i>Psychological Medicine</i> , 2011, 41, 2485-2494.	2.7	205
162	Association of Contractual and Subjective Job Insecurity With Sickness Presenteeism Among Public Sector Employees. <i>Journal of Occupational and Environmental Medicine</i> , 2010, 52, 830-835.	0.9	58

#	ARTICLE	IF	CITATIONS
163	Sleep Disturbances as a Predictor of Cause-Specific Work Disability and Delayed Return to Work. <i>Sleep</i> , 2010, 33, 1323-1331.	0.6	105
164	Psychosocial work environment and hospital admissions due to mental disorders: A 15-year prospective study of industrial employees. <i>Journal of Affective Disorders</i> , 2010, 124, 118-125.	2.0	35
165	Antidepressant Medication Use, Weight Gain, and Risk of Type 2 Diabetes. <i>Diabetes Care</i> , 2010, 33, 2611-2616.	4.3	165
166	School Neighborhood Disadvantage as a Predictor of Long-Term Sick Leave Among Teachers: Prospective Cohort Study. <i>American Journal of Epidemiology</i> , 2010, 171, 785-792.	1.6	23
167	Employee control over working times and risk of cause-specific disability pension: the Finnish Public Sector Study. <i>Occupational and Environmental Medicine</i> , 2010, 67, 479-485.	1.3	67
168	Prospective study of workplace social capital and depression: are vertical and horizontal components equally important?. <i>Journal of Epidemiology and Community Health</i> , 2010, 64, 684-689.	2.0	104
169	Psychosocial Work Environment as a Risk Factor for Absence With a Psychiatric Diagnosis: An Instrumental-Variables Analysis. <i>American Journal of Epidemiology</i> , 2010, 172, 167-172.	1.6	54
170	Work disability following major organisational change: the Whitehall II study. <i>Journal of Epidemiology and Community Health</i> , 2010, 64, 461-464.	2.0	25
171	Overtime work and incident coronary heart disease: the Whitehall II prospective cohort study. <i>European Heart Journal</i> , 2010, 31, 1737-1744.	1.0	136
172	Self-Report as an Indicator of Incident Disease. <i>Annals of Epidemiology</i> , 2010, 20, 547-554.	0.9	130
173	Patient Overcrowding in Hospital Wards as a Predictor of Diagnosis-Specific Mental Disorders Among Staff. <i>Journal of Clinical Psychiatry</i> , 2010, 71, 1308-1312.	1.1	21
174	Socioeconomic position, psychosocial work environment and cerebrovascular disease among women: the Finnish public sector study. <i>International Journal of Epidemiology</i> , 2009, 38, 1265-1271.	0.9	48
175	Staff reports of psychosocial climate at school and adolescents' health, truancy and health education in Finland. <i>European Journal of Public Health</i> , 2009, 19, 554-560.	0.1	47
176	Job strain as a predictor of disability pension: the Finnish Public Sector Study. <i>Journal of Epidemiology and Community Health</i> , 2009, 63, 24-30.	2.0	96
177	Contribution of parental and school personnel smoking to health risk behaviours among Finnish adolescents. <i>BMC Public Health</i> , 2009, 9, 382.	1.2	19
178	Long Working Hours and Sleep Disturbances: The Whitehall II Prospective Cohort Study. <i>Sleep</i> , 2009, 32, 737-745.	0.6	238
179	Work Hours, Work Stress, and Collaboration Among Ward Staff in Relation to Risk of Hospital-Associated Infection Among Patients. <i>Medical Care</i> , 2009, 47, 310-318.	1.1	78
180	Temporary employment and antidepressant medication: A register linkage study. <i>Journal of Psychiatric Research</i> , 2008, 42, 221-229.	1.5	52

#	ARTICLE	IF	CITATIONS
181	Social capital at work as a predictor of employee health: Multilevel evidence from work units in Finland. <i>Social Science and Medicine</i> , 2008, 66, 637-649.	1.8	141
182	Occupational burnout and medically certified sickness absence: A population-based study of Finnish employees. <i>Journal of Psychosomatic Research</i> , 2008, 64, 185-193.	1.2	130
183	Work characteristics, anxiety and depression. <i>Occupational and Environmental Medicine</i> , 2008, 65, 71-71.	1.3	3
184	Long Working Hours and Cognitive Function: The Whitehall II Study. <i>American Journal of Epidemiology</i> , 2008, 169, 596-605.	1.6	109
185	Contribution of non-work and work-related risk factors to the association between income and mental disorders in a working population: the Health 2000 Study. <i>Occupational and Environmental Medicine</i> , 2008, 65, 171-178.	1.3	49
186	Overcrowding in Hospital Wards as a Predictor of Antidepressant Treatment Among Hospital Staff. <i>American Journal of Psychiatry</i> , 2008, 165, 1482-1486.	4.0	77
187	Effort-reward imbalance, procedural injustice and relational injustice as psychosocial predictors of health: complementary or redundant models?. <i>Occupational and Environmental Medicine</i> , 2007, 64, 659-665.	1.3	184
188	Outcome of stable angina in a working population: the burden of sickness absence. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2007, 14, 373-379.	3.1	24
189	Neighbourhood socioeconomic status, health and working conditions of school teachers. <i>Journal of Epidemiology and Community Health</i> , 2007, 61, 326-330.	2.0	26
190	Interventions in Relation to Occupational Burnout: The Population-Based Health 2000 Study. <i>Journal of Occupational and Environmental Medicine</i> , 2007, 49, 943-952.	0.9	29
191	Socioeconomic Position, Co-Occurrence of Behavior-Related Risk Factors, and Coronary Heart Disease: the Finnish Public Sector Study. <i>American Journal of Public Health</i> , 2007, 97, 874-879.	1.5	153
192	Job Strain and Psychologic Distress. <i>American Journal of Preventive Medicine</i> , 2007, 33, 182-187.	1.6	109
193	Increased sickness absence in diabetic employees: what is the role of co-morbid conditions?. <i>Diabetic Medicine</i> , 2007, 24, 1043-1048.	1.2	44
194	Work stress, mental health and antidepressant medication findings from the Health 2000 Study. <i>Journal of Affective Disorders</i> , 2007, 98, 189-197.	2.0	120
195	Average household income, crime, and smoking behaviour in a local area: The Finnish 10-Town study. <i>Social Science and Medicine</i> , 2007, 64, 1904-1913.	1.8	41
196	Employment status, mental disorders and service use in the working age population. <i>Scandinavian Journal of Work, Environment and Health</i> , 2007, 33, 29-36.	1.7	64
197	Sickness absence as a risk factor for job termination, unemployment, and disability pension among temporary and permanent employees. <i>Occupational and Environmental Medicine</i> , 2006, 63, 212-217.	1.3	116
198	Work stress in the etiology of coronary heart disease—a meta-analysis. <i>Scandinavian Journal of Work, Environment and Health</i> , 2006, 32, 431-442.	1.7	698

#	ARTICLE	IF	CITATIONS
199	Psychosocial work characteristics and incidence of newly diagnosed depression: a prospective cohort study of three different models. <i>Social Science and Medicine</i> , 2005, 61, 111-122.	1.8	192
200	Mental health and hostility as predictors of temporary employment: Evidence from two prospective studies. <i>Social Science and Medicine</i> , 2005, 61, 2084-2095.	1.8	43
201	Local economy and sickness absence: prospective cohort study. <i>Journal of Epidemiology and Community Health</i> , 2005, 59, 973-978.	2.0	35
202	Temporary employment and health: a review. <i>International Journal of Epidemiology</i> , 2005, 34, 610-622.	0.9	620
203	Organisational downsizing, sickness absence, and mortality: 10-town prospective cohort study. <i>BMJ: British Medical Journal</i> , 2004, 328, 555.	2.4	251
204	Temporary Employment and Risk of Overall and Cause-specific Mortality. <i>American Journal of Epidemiology</i> , 2003, 158, 663-668.	1.6	175
205	Disparity in occupational training and career planning between contingent and permanent employees. <i>European Journal of Work and Organizational Psychology</i> , 2003, 12, 19-36.	2.2	54
206	Workplace bullying and the risk of cardiovascular disease and depression. <i>Occupational and Environmental Medicine</i> , 2003, 60, 779-783.	1.3	439
207	From insecure to secure employment: changes in work, health, health related behaviours, and sickness absence. <i>Occupational and Environmental Medicine</i> , 2003, 60, 948-953.	1.3	148
208	Association between organizational inequity and incidence of psychiatric disorders in female employees. <i>Psychological Medicine</i> , 2003, 33, 319-326.	2.7	127
209	Selection from fixed term to permanent employment: prospective study on health, job satisfaction, and behavioural risks. <i>Journal of Epidemiology and Community Health</i> , 2002, 56, 693-699.	2.0	51
210	Contingent employment, health and sickness absence. <i>Scandinavian Journal of Work, Environment and Health</i> , 2001, 27, 365-372.	1.7	79