

# Catherine Menier

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1611018/publications.pdf>

Version: 2024-02-01

27  
papers

3,078  
citations

218381

26  
h-index

500791

28  
g-index

28  
all docs

28  
docs citations

28  
times ranked

2165  
citing authors

#	ARTICLE	IF	CITATIONS
1	IL-10 selectively induces HLA-G expression in human trophoblasts and monocytes. <i>International Immunology</i> , 1999, 11, 803-811.	1.8	373
2	HLA-G2, -G3, and -G4 Isoforms Expressed as Nonmature Cell Surface Glycoproteins Inhibit NK and Antigen-Specific CTL Cytolysis. <i>Journal of Immunology</i> , 2001, 166, 5018-5026.	0.4	303
3	HLA-G-mediated inhibition of antigen-specific cytotoxic T lymphocytes. <i>International Immunology</i> , 1999, 11, 1351-1356.	1.8	290
4	HLA-G inhibits the allogeneic proliferative response. <i>Journal of Reproductive Immunology</i> , 1999, 43, 203-211.	0.8	163
5	HLA-G1 co-expression boosts the HLA class I-mediated NK lysis inhibition. <i>International Immunology</i> , 2001, 13, 193-201.	1.8	146
6	Characterization of monoclonal antibodies recognizing HLA-G or HLA-E: new tools to analyze the expression of nonclassical HLA class I molecules. <i>Human Immunology</i> , 2003, 64, 315-326.	1.2	142
7	Human leukocyte antigen-G (HLA-G) expression in biliary epithelial cells is associated with allograft acceptance in liver-kidney transplantation. <i>Journal of Hepatology</i> , 2003, 39, 587-594.	1.8	142
8	Erythroblasts secrete the nonclassical HLA-G molecule from primitive to definitive hematopoiesis. <i>Blood</i> , 2004, 104, 3153-3160.	0.6	138
9	Binding of HLA-G to ITIM-Bearing Ig-like Transcript 2 Receptor Suppresses B Cell Responses. <i>Journal of Immunology</i> , 2014, 192, 1536-1546.	0.4	137
10	Exosomes bearing HLA-G are released by melanoma cells. <i>Human Immunology</i> , 2003, 64, 1064-1072.	1.2	126
11	Alloreactive CD4+ and CD8+ T cells express the immunotolerant HLA-G molecule in mixed lymphocyte reactions: in vivo implications in transplanted patients. <i>European Journal of Immunology</i> , 2004, 34, 649-660.	1.6	109
12	HLA-G in cancer: a way to turn off the immune system. <i>Seminars in Cancer Biology</i> , 2003, 13, 325-336.	4.3	104
13	Expression of tolerogenic HLA-G molecules in cancer prevents antitumor responses. <i>Seminars in Cancer Biology</i> , 2007, 17, 413-421.	4.3	94
14	MICA triggering signal for NK cell tumor lysis is counteracted by HLA-G1-mediated inhibitory signal. <i>International Journal of Cancer</i> , 2002, 100, 63-70.	2.3	93
15	The immunotolerance role of HLA-G. <i>Seminars in Cancer Biology</i> , 1999, 9, 3-12.	4.3	78
16	HLA-G truncated isoforms can substitute for HLA-G1 in fetal survival. <i>Human Immunology</i> , 2000, 61, 1118-1125.	1.2	65
17	Role of HLA-G versus HLA-E on NK function: HLA-G is able to inhibit NK cytolysis by itself. <i>Journal of Reproductive Immunology</i> , 1999, 43, 175-182.	0.8	62
18	The role of HLA-G in immunity and hematopoiesis. <i>Cellular and Molecular Life Sciences</i> , 2011, 68, 353-368.	2.4	60

#	ARTICLE	IF	CITATIONS
19	Switch of HLA-G alternative splicing in a melanoma cell line causes loss of HLA-G1 expression and sensitivity to NK lysis. <i>International Journal of Cancer</i> , 2005, 117, 114-122.	2.3	59
20	Molecular mechanisms controlling constitutive and IFN- $\gamma$ -inducible HLA-G expression in various cell types. <i>Journal of Reproductive Immunology</i> , 1999, 43, 213-224.	0.8	56
21	Human leukocyte antigen-G is expressed in advanced-stage ovarian carcinoma of high-grade histology. <i>Human Immunology</i> , 2009, 70, 1006-1009.	1.2	46
22	Dendritic Cells Secrete the Immunosuppressive HLA-G Molecule upon CTLA4-Ig Treatment: Implication in Human Renal Transplant Acceptance. <i>Journal of Immunology</i> , 2009, 183, 7054-7062.	0.4	44
23	Immunosuppressive HLA-G molecule is upregulated in alveolar epithelial cells after influenza A virus infection. <i>Human Immunology</i> , 2009, 70, 1016-1019.	1.2	41
24	HLA-G1 and HLA-G5 active dimers are present in malignant cells and effusions: The influence of the tumor microenvironment. <i>European Journal of Immunology</i> , 2012, 42, 1599-1608.	1.6	37
25	CD4 T cells specific for factor VIII are present at high frequency in healthy donors and comprise naive and memory cells. <i>Blood Advances</i> , 2017, 1, 1842-1847.	2.5	32
26	Specificity of the T Cell Response to Protein Biopharmaceuticals. <i>Frontiers in Immunology</i> , 2020, 11, 1550.	2.2	15
27	Role of HLA-G in innate immunity through direct activation of NF- $\kappa$ B in natural killer cells. <i>Molecular Immunology</i> , 2008, 45, 419-427.	1.0	10