Catherine Menier

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1611018/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Specificity of the T Cell Response to Protein Biopharmaceuticals. Frontiers in Immunology, 2020, 11, 1550.	2.2	15
2	CD4 T cells specific for factor VIII are present at high frequency in healthy donors and comprise naÃ ⁻ ve and memory cells. Blood Advances, 2017, 1, 1842-1847.	2.5	32
3	Binding of HLA-G to ITIM-Bearing Ig-like Transcript 2 Receptor Suppresses B Cell Responses. Journal of Immunology, 2014, 192, 1536-1546.	0.4	137
4	<scp>HLAâ€G</scp> 1 and <scp>HLAâ€G</scp> 5 active dimers are present in malignant cells and effusions: The influence of the tumor microenvironment. European Journal of Immunology, 2012, 42, 1599-1608.	1.6	37
5	The role of HLA-G in immunity and hematopoiesis. Cellular and Molecular Life Sciences, 2011, 68, 353-368.	2.4	60
6	Dendritic Cells Secrete the Immunosuppressive HLA-G Molecule upon CTLA4-Ig Treatment: Implication in Human Renal Transplant Acceptance. Journal of Immunology, 2009, 183, 7054-7062.	0.4	44
7	Human leukocyte antigen–G is expressed in advanced-stage ovarian carcinoma of high-grade histology. Human Immunology, 2009, 70, 1006-1009.	1.2	46
8	Immunosuppressive HLA-G molecule is upregulated in alveolar epithelial cells after influenza A virus infection. Human Immunology, 2009, 70, 1016-1019.	1.2	41
9	Role of HLA-G in innate immunity through direct activation of NF-κB in natural killer cells. Molecular Immunology, 2008, 45, 419-427.	1.0	10
10	Expression of tolerogenic HLA-G molecules in cancer prevents antitumor responses. Seminars in Cancer Biology, 2007, 17, 413-421.	4.3	94
11	Switch ofHLA-G alternative splicing in a melanoma cell line causes loss of HLA-G1 expression and sensitivity to NK lysis. International Journal of Cancer, 2005, 117, 114-122.	2.3	59
12	Alloreactive CD4+ and CD8+ T cells express the immunotolerant HLA-G molecule in mixed lymphocyte reactions: in vivo implications in transplanted patients. European Journal of Immunology, 2004, 34, 649-660.	1.6	109
13	Erythroblasts secrete the nonclassical HLA-G molecule from primitive to definitive hematopoiesis. Blood, 2004, 104, 3153-3160.	0.6	138
14	HLA-G in cancer: a way to turn off the immune system. Seminars in Cancer Biology, 2003, 13, 325-336.	4.3	104
15	Exosomes bearing HLA-G are released by melanoma cells. Human Immunology, 2003, 64, 1064-1072.	1.2	126
16	Characterization of monoclonal antibodies recognizing HLA-G or HLA-E: new tools to analyze the expression of nonclassical HLA class I molecules. Human Immunology, 2003, 64, 315-326.	1.2	142
17	Human leukocyte antigen-G (HLA-G) expression in biliary epithelial cells is associated with allograft acceptance in liver-kidney transplantation. Journal of Hepatology, 2003, 39, 587-594.	1.8	142
18	MICA triggering signal for NK cell tumor lysis is counteracted by HLA-G1-mediated inhibitory signal. International Journal of Cancer, 2002, 100, 63-70.	2.3	93

CATHERINE MENIER

#	Article	IF	CITATIONS
19	HLA-G2, -G3, and -G4 Isoforms Expressed as Nonmature Cell Surface Glycoproteins Inhibit NK and Antigen-Specific CTL Cytolysis. Journal of Immunology, 2001, 166, 5018-5026.	0.4	303
20	HLA-G1 co-expression boosts the HLA class I-mediated NK lysis inhibition. International Immunology, 2001, 13, 193-201.	1.8	146
21	HLA-G truncated isoforms can substitute for HLA-G1 in fetal survival. Human Immunology, 2000, 61, 1118-1125.	1.2	65
22	HLA-G-mediated inhibition of antigen-specific cytotoxic T lymphocytes. International Immunology, 1999, 11, 1351-1356.	1.8	290
23	The immunotolerance role of HLA-G. Seminars in Cancer Biology, 1999, 9, 3-12.	4.3	78
24	Role of HLA-G versus HLA-E on NK function: HLA-G is able to inhibit NK cytolysis by itself. Journal of Reproductive Immunology, 1999, 43, 175-182.	0.8	62
25	HLA-G inhibits the allogeneic proliferative response. Journal of Reproductive Immunology, 1999, 43, 203-211.	0.8	163
26	Molecular mechanisms controlling constitutive and IFN-γ-inducible HLA-G expression in various cell types. Journal of Reproductive Immunology, 1999, 43, 213-224.	0.8	56
27	IL-10 selectively induces HLA-G expression in human trophoblasts and monocytes. International Immunology, 1999, 11, 803-811.	1.8	373