

Agnieszka Beata Serwin

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1611270/publications.pdf>

Version: 2024-02-01

33

papers

295

citations

1040018

9

h-index

888047

17

g-index

33

all docs

33

docs citations

33

times ranked

328

citing authors

#	ARTICLE	IF	CITATIONS
1	Selenium status in psoriasis and its relations to the duration and severity of the disease. Nutrition, 2003, 19, 301-304.	2.4	42
2	Selenium supplementation, soluble tumor necrosis factor- \pm receptor type 1, and C-reactive protein during psoriasis therapy with narrowband ultraviolet B. Nutrition, 2006, 22, 860-864.	2.4	42
3	Incidence and mortality of bullous pemphigoid in north-east Poland (Podlaskie Province), 1999-2012: a retrospective bicentric cohort study. International Journal of Dermatology, 2014, 53, e432-7.	1.0	23
4	Soluble tumor necrosis factor- \pm receptor type 1 during selenium supplementation in psoriasis patients. Nutrition, 2003, 19, 847-850.	2.4	22
5	Tumour necrosis factor ? (TNF-?) converting enzyme (TACE) and soluble TNF-? receptor type 1 in psoriasis patients treated with narrowband ultraviolet B. Photodermatology Photoimmunology and Photomedicine, 2007, 23, 130-134.	1.5	19
6	Antimicrobial susceptibility/resistance and genetic characteristics of Neisseria gonorrhoeae isolates from Poland, 2010-2012. BMC Infectious Diseases, 2014, 14, 65.	2.9	18
7	Epidemiological and clinical analysis of pemphigoid patients in northeastern Poland in 2000-2005. Medical Science Monitor, 2007, 13, CR360-4.	1.1	18
8	Selenium Status in Psoriasis and Its Relationship with Alcohol Consumption. Biological Trace Element Research, 2002, 89, 127-138.	3.5	16
9	Tumour necrosis factor (TNF- \pm) alpha converting enzyme and soluble TNF- \pm receptor type 1 in psoriasis patients in relation to the chronic alcohol consumption. Journal of the European Academy of Dermatology and Venereology, 2008, 22, 712-717.	2.4	14
10	Incidence of pemphigus vulgaris and pemphigus foliaceus in North-East Poland (Podlaskie Province) - a 15-year (2001-2015) bicentric retrospective study. International Journal of Dermatology, 2018, 57, 933-937.	1.0	10
11	Soluble tumor necrosis factor alpha receptor type 1 in psoriasis patients treated with narrowband ultraviolet B. Photodermatology Photoimmunology and Photomedicine, 2005, 21, 210-211.	1.5	9
12	Soluble tumour necrosis factor- \pm receptor type 1 as a biomarker of response to phototherapy in patients with psoriasis. Biomarkers, 2007, 12, 599-607.	1.9	9
13	Three cases of classic Kaposi's sarcoma with different subtypes of Kaposi's sarcoma-associated herpesvirus. International Journal of Dermatology, 2006, 45, 843-846.	1.0	8
14	Epidemiology of Syphilis and Gonorrhoea in Eastern Poland in the Years 1988-1997. International Journal of STD and AIDS, 1999, 10, 680-684.	1.1	7
15	Linear IgA bullous dermatosis in a diabetic patient with chronic renal failure. International Journal of Dermatology, 2002, 41, 778-780.	1.0	6
16	Nutritive value of daily food rations of patients with psoriasis vulgaris: a preliminary report. Advances in Dermatology and Allergology, 2012, 5, 348-355.	1.0	6
17	$\langle i \rangle$Trichomonas vaginalis$\langle /i \rangle$ is very rare among women with vaginal discharge in Podlaskie province, Poland. Apmis, 2017, 125, 840-843.	2.0	6
18	The impact of the COVID-19 pandemic on sexually transmitted infections services - experience from Bialystok, Poland. Przeglad Epidemiologiczny, 2021, 75, 151-158.	0.2	6

#	ARTICLE	IF	CITATIONS
19	Tumor necrosis factor- α -converting enzyme as a potential mediator of the influence of smoking on the response to treatment with narrowband ultraviolet B in psoriasis patients. Photodermatology Photoimmunology and Photomedicine, 2010, 26, 36-40.	1.5	5
20	Reiter's syndrome and pelvic inflammatory disease in a couple. Journal of the European Academy of Dermatology and Venereology, 2006, 20, 735-736.	2.4	3
21	Cutaneous Rosai "Dorfman disease in a patient with late syphilis and cervical cancer " case report and a review of literature. BMC Dermatology, 2020, 20, 19.	2.1	2
22	Clinical and epidemiological characteristics of males with syphilis in Białystok, Poland in 2008-2013. Przeglad Epidemiologiczny, 2015, 69, 41-5, 143-6.	0.2	2
23	Pemphigus vegetans in a patient with lung cancer. Dermatology Online Journal, 2005, 11, 13.	0.5	1
24	Trichomoniasis--an important cofactor of human immunodeficiency virus infection. Przeglad Epidemiologiczny, 2013, 67, 47-50, 131-4.	0.2	1
25	P3.075...Trends in Epidemiology and Management of Reportable Sexually Transmitted Infections (STIs) in Poland. Sexually Transmitted Infections, 2013, 89, A171.2-A171.	1.9	0
26	Ze zjazdów Sprawozdanie z XXVIII Kongresu International Union Against Sexually Transmitted Infections Europe St. Julian's, Malta, 18-20 września 2014 roku. Przeglad Dermatologiczny, 2014, 6, 508-509.	0.1	0
27	Diagnosis and therapy of gonorrhoea: commentary of Polish Dermatological Society Experts. Przeglad Dermatologiczny, 2014, 2, 179-180.	0.1	0
28	Stewart-Treves syndrome " and review of the literature. Przeglad Dermatologiczny, 2014, 4, 304-308.	0.1	0
29	Positive results of serological tests for syphilis in pregnancy " diagnostic and therapeutic problems, report of two cases. Przeglad Dermatologiczny, 2015, 3, 248-252.	0.1	0
30	Diagnostyka i leczenie kiły w Europie " stanowisko Grupy Ekspertów Polskiego Towarzystwa Dermatologicznego. Przeglad Dermatologiczny, 2015, 5, 476-478.	0.1	0
31	Polish Dermatological Society Expert Group commentary on the management of Chlamydia trachomatis infections. Przeglad Dermatologiczny, 2017, 3, 344-347.	0.1	0
32	Men treated for syphilis in Białystok, Poland, 2014-2018. Przeglad Epidemiologiczny, 2019, 73, 329-335.	0.2	0
33	Lymphogranuloma venereum genovar L2b concomitantly with syphilis and hepatitis C in a male patient in Poland " case report. Przeglad Epidemiologiczny, 2018, 72, 45-51.	0.2	0