

Veronica M Negrón Pérez

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1611419/publications.pdf>

Version: 2024-02-01

13
papers

235
citations

1039880

9
h-index

1125617

13
g-index

14
all docs

14
docs citations

14
times ranked

296
citing authors

#	ARTICLE	IF	CITATIONS
1	Regulation of gene expression in the bovine blastocyst by colony-stimulating factor 2 is disrupted by CRISPR/Cas9-mediated deletion of <i>CSF2RA</i> . <i>Biology of Reproduction</i> , 2021, 104, 995-1007.	1.2	7
2	Inheritance of the SLICK1 allele of <i>PRLR</i> in cattle. <i>Animal Genetics</i> , 2021, 52, 887-890.	0.6	3
3	Effects of choline on the phenotype of the cultured bovine preimplantation embryo. <i>Journal of Dairy Science</i> , 2020, 103, 10784-10796.	1.4	12
4	Importance of prostate androgen-regulated mucin-like protein 1 in development of the bovine blastocyst. <i>BMC Developmental Biology</i> , 2019, 19, 15.	2.1	3
5	Invited review: Management strategies capable of improving the reproductive performance of heat-stressed dairy cattle. <i>Journal of Dairy Science</i> , 2019, 102, 10695-10710.	1.4	37
6	Role of yes-associated protein 1, angiomin, and mitogen-activated kinase kinase 1/2 in development of the bovine blastocyst. <i>Biology of Reproduction</i> , 2018, 98, 170-183.	1.2	33
7	Role of ROCK signaling in formation of the trophectoderm of the bovine preimplantation embryo. <i>Molecular Reproduction and Development</i> , 2018, 85, 374-375.	1.0	17
8	Effects of sex on response of the bovine preimplantation embryo to insulin-like growth factor 1, activin A, and WNT7A. <i>BMC Developmental Biology</i> , 2018, 18, 16.	2.1	17
9	The bovine embryo hatches from the zona pellucida through either the embryonic or abembryonic pole. <i>Journal of Assisted Reproduction and Genetics</i> , 2017, 34, 725-731.	1.2	10
10	Role of chemokine (C-C motif) ligand 24 in spatial arrangement of the inner cell mass of the bovine embryo. <i>Biology of Reproduction</i> , 2017, 96, 948-959.	1.2	10
11	Colony-stimulating factor 2 acts from days 5 to 7 of development to modify programming of the bovine conceptus at day 86 of gestation. <i>Biology of Reproduction</i> , 2017, 96, 743-757.	1.2	30
12	Single-cell gene expression of the bovine blastocyst. <i>Reproduction</i> , 2017, 154, 627-644.	1.1	49
13	Determination of Allelic Expression of H19 in Pre- and Peri-Implantation Mouse Embryos. <i>Biology of Reproduction</i> , 2013, 88, 97.	1.2	7