

Wei Yang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1611594/publications.pdf>

Version: 2024-02-01

258
papers

9,209
citations

50276

46
h-index

58581

82
g-index

260
all docs

260
docs citations

260
times ranked

8941
citing authors

#	ARTICLE	IF	CITATIONS
1	Review on auxetic materials. Journal of Materials Science, 2004, 39, 3269-3279.	3.7	448
2	Smart $\text{Ti}_3\text{C}_2\text{T}_x$ MXene Fabric with Fast Humidity Response and Joule Heating for Healthcare and Medical Therapy Applications. ACS Nano, 2020, 14, 8793-8805.	14.6	288
3	Stereocomplex Crystallite Network in Asymmetric PLLA/PDLA Blends: Formation, Structure, and Confining Effect on the Crystallization Rate of Homocrystallites. Macromolecules, 2014, 47, 1439-1448.	4.8	267
4	An ice-templated assembly strategy to construct graphene oxide/boron nitride hybrid porous scaffolds in phase change materials with enhanced thermal conductivity and shape stability for light-thermal-electric energy conversion. Journal of Materials Chemistry A, 2016, 4, 18841-18851.	10.3	216
5	Flexible Anti-Biofouling MXene/Cellulose Fibrous Membrane for Sustainable Solar-Driven Water Purification. ACS Applied Materials & Interfaces, 2019, 11, 36589-36597.	8.0	216
6	Macroporous three-dimensional MXene architectures for highly efficient solar steam generation. Journal of Materials Chemistry A, 2019, 7, 10446-10455.	10.3	208
7	Hierarchical graphene foam-based phase change materials with enhanced thermal conductivity and shape stability for efficient solar-to-thermal energy conversion and storage. Nano Research, 2017, 10, 802-813.	10.4	206
8	Self-assembled high-strength hydroxyapatite/graphene oxide/chitosan composite hydrogel for bone tissue engineering. Carbohydrate Polymers, 2017, 155, 507-515.	10.2	205
9	High-performance composite phase change materials for energy conversion based on macroscopically three-dimensional structural materials. Materials Horizons, 2019, 6, 250-273.	12.2	187
10	Multilayer structured AgNW/WPU-MXene fiber strain sensors with ultrahigh sensitivity and a wide operating range for wearable monitoring and healthcare. Journal of Materials Chemistry A, 2019, 7, 15913-15923.	10.3	184
11	Hierarchically Porous Hydroxyapatite Hybrid Scaffold Incorporated with Reduced Graphene Oxide for Rapid Bone Ingrowth and Repair. ACS Nano, 2019, 13, 9595-9606.	14.6	177
12	Self-assembled core-shell polydopamine@MXene with synergistic solar absorption capability for highly efficient solar-to-vapor generation. Nano Research, 2020, 13, 255-264.	10.4	174
13	Novel photodriven composite phase change materials with bioinspired modification of BN for solar-thermal energy conversion and storage. Journal of Materials Chemistry A, 2016, 4, 9625-9634.	10.3	163
14	All-weather-available, continuous steam generation based on the synergistic photo-thermal and electro-thermal conversion by MXene-based aerogels. Materials Horizons, 2020, 7, 855-865.	12.2	153
15	Recent progress in electrode fabrication for electrocatalytic hydrogen evolution reaction: A mini review. Chemical Engineering Journal, 2020, 393, 124726.	12.7	150
16	Transcrystalline Morphology of an in situ Microfibrillar Poly(ethylene) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 147 Td (terephthalate)/Poly(Process. Macromolecular Rapid Communications, 2004, 25, 553-558.	3.9	121
17	A bridge-arched and layer-structured hollow melamine foam/reduced graphene oxide composite with an enlarged evaporation area and superior thermal insulation for high-performance solar steam generation. Journal of Materials Chemistry A, 2020, 8, 2701-2711.	10.3	103
18	Temperature induced gelation transition of a fumed silica/PEG shear thickening fluid. RSC Advances, 2015, 5, 18367-18374.	3.6	94

#	ARTICLE	IF	CITATIONS
19	Graphene oxide-supported zinc cobalt oxides as effective cathode catalysts for microbial fuel cell: High catalytic activity and inhibition of biofilm formation. Nano Energy, 2019, 57, 811-819.	16.0	94
20	Bamboo charcoal as a cost-effective catalyst for an air-cathode of microbial fuel cells. Electrochimica Acta, 2017, 224, 585-592.	5.2	92
21	High efficiency electrochemical reduction of CO ₂ beyond the two-electron transfer pathway on grain boundary rich ultra-small SnO ₂ nanoparticles. Journal of Materials Chemistry A, 2018, 6, 10313-10319.	10.3	92
22	A new approach to construct segregated structures in thermoplastic polyolefin elastomers towards improved conductive and mechanical properties. Journal of Materials Chemistry A, 2015, 3, 5482-5490.	10.3	91
23	Cryo-mediated exfoliation and fracturing of layered materials into 2D quantum dots. Science Advances, 2017, 3, e1701500.	10.3	91
24	Reversible Formation of g-C ₃ N ₄ 3D Hydrogels through Ionic Liquid Activation: Gelation Behavior and Room-Temperature Gas Sensing Properties. Advanced Functional Materials, 2017, 27, 1700653.	14.9	90
25	Photodriven Shape-Stabilized Phase Change Materials with Optimized Thermal Conductivity by Tailoring the Microstructure of Hierarchically Ordered Hybrid Porous Scaffolds. ACS Sustainable Chemistry and Engineering, 2018, 6, 6761-6770.	6.7	88
26	2D TiS ₂ Layers: A Superior Nonlinear Optical Limiting Material. Advanced Optical Materials, 2017, 5, 1700713.	7.3	84
27	Electrically insulating POE/BN elastomeric composites with high through-plane thermal conductivity fabricated by two-roll milling and hot compression. Advanced Composites and Hybrid Materials, 2018, 1, 160-167.	21.1	81
28	Effect of temperature, crystallinity and molecular chain orientation on the thermal conductivity of polymers: a case study of PLLA. Journal of Materials Science, 2018, 53, 10543-10553.	3.7	79
29	Human Skin-Inspired Electronic Sensor Skin with Electromagnetic Interference Shielding for the Sensation and Protection of Wearable Electronics. ACS Applied Materials & Interfaces, 2018, 10, 40880-40889.	8.0	78
30	Recent Advances in Multiresponsive Flexible Sensors towards E-skin: A Delicate Design for Versatile Sensing. Small, 2022, 18, e2103734.	10.0	76
31	Morphology and nonisothermal crystallization of in situ microfibrillar poly(ethylene) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 267 of Polymer Science, Part B: Polymer Physics, 2004, 42, 374-385.	2.1	70
32	Towards balanced strength and toughness improvement of isotactic polypropylene nanocomposites by surface functionalized graphene oxide. Journal of Materials Chemistry A, 2014, 2, 3190-3199.	10.3	70
33	Enhancing Thermomechanical Properties and Heat Distortion Resistance of Poly(L-lactide) with High Crystallinity under High Cooling Rate. ACS Sustainable Chemistry and Engineering, 2015, 3, 654-661.	6.7	67
34	Metal-Organic Framework-Derived Nanostructures as Multifaceted Electrodes in Metal-Sulfur Batteries. Advanced Materials, 2021, 33, e2008784.	21.0	67
35	Tannic acid functionalized graphene hydrogel for organic dye adsorption. Ecotoxicology and Environmental Safety, 2018, 165, 299-306.	6.0	66
36	Electro and Light-Active Actuators Based on Reversible Shape-Memory Polymer Composites with Segregated Conductive Networks. ACS Applied Materials & Interfaces, 2019, 11, 30332-30340.	8.0	66

#	ARTICLE	IF	CITATIONS
37	Nanofibrillar Poly(vinyl alcohol) Ionic Organohydrogels for Smart Contact Lens and Human-Interactive Sensing. ACS Applied Materials & Interfaces, 2020, 12, 23514-23522.	8.0	59
38	A Facile Route to Fabricate Highly Anisotropic Thermally Conductive Elastomeric POE/NG Composites for Thermal Management. Advanced Materials Interfaces, 2018, 5, 1700946.	3.7	56
39	Polysulfide Catalytic Materials for Fast Kinetic Metal-Sulfur Batteries: Principles and Active Centers. Advanced Science, 2022, 9, e2102217.	11.2	56
40	The enhanced nucleating ability of carbon nanotube-supported β -nucleating agent in isotactic polypropylene. Colloid and Polymer Science, 2010, 288, 681-688.	2.1	54
41	Redox-Mediated Artificial Non-Enzymatic Antioxidant MXene Nanoplatfoms for Acute Kidney Injury Alleviation. Advanced Science, 2021, 8, e2101498.	11.2	54
42	Deformation-induced morphology evolution during uniaxial stretching of isotactic polypropylene: effect of temperature. Colloid and Polymer Science, 2012, 290, 261-274.	2.1	50
43	Biomass-Derived Carbon for Electrode Fabrication in Microbial Fuel Cells: A Review. Industrial & Engineering Chemistry Research, 2020, 59, 6391-6404.	3.7	50
44	Tuning the structure of graphene oxide and the properties of poly(vinyl alcohol)/graphene oxide nanocomposites by ultrasonication. Journal of Materials Chemistry A, 2013, 1, 3163.	10.3	49
45	Hierarchically Porous PVA Aerogel for Leakage-Proof Phase Change Materials with Superior Energy Storage Capacity. Energy & Fuels, 2020, 34, 2471-2479.	5.1	49
46	A hybrid microbial fuel cell stack based on single and double chamber microbial fuel cells for self-sustaining pH control. Journal of Power Sources, 2016, 306, 685-691.	7.8	48
47	Surface structure engineering for a bionic fiber-based sensor toward linear, tunable, and multifunctional sensing. Materials Horizons, 2020, 7, 2450-2459.	12.2	47
48	High-performance porous polylactide stereocomplex crystallite scaffolds prepared by solution blending and salt leaching. Materials Science and Engineering C, 2018, 90, 602-609.	7.3	46
49	Interfacial Radiation-Absorbing Hydrogel Film for Efficient Thermal Utilization on Solar Evaporator Surfaces. Nano Letters, 2021, 21, 10516-10524.	9.1	46
50	Morphology-tensile behavior relationship in injection molded poly(ethylene) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 227 Td (terephthalate) Journal of Materials Science, 2004, 39, 413-431.	3.7	45
51	A green, cheap, high-performance carbonaceous catalyst derived from Chlorella pyrenoidosa for oxygen reduction reaction in microbial fuel cells. International Journal of Hydrogen Energy, 2017, 42, 27657-27665.	7.1	45
52	Dopamine-induced functionalization of cellulose nanocrystals with polyethylene glycol towards poly(L-lactic acid) bionanocomposites for green packaging. Carbohydrate Polymers, 2019, 203, 275-284.	10.2	45
53	Morphology and Tensile Strength Prediction of in situ Microfibrillar Poly(ethylene) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 107 Td Macromolecular Materials and Engineering, 2004, 289, 349-354.	3.6	44
54	Electrical properties and morphology of carbon black filled PP/EPDM blends: effect of selective distribution of fillers induced by dynamic vulcanization. Journal of Materials Science, 2013, 48, 4942-4951.	3.7	42

#	ARTICLE	IF	CITATIONS
55	A high-performance temperature sensitive TPV/CB elastomeric composite with balanced electrical and mechanical properties via PF-induced dynamic vulcanization. <i>Journal of Materials Chemistry A</i> , 2014, 2, 16989-16996.	10.3	42
56	Exploring Next-Generation Functional Organic Phase Change Composites. <i>Advanced Functional Materials</i> , 2022, 32, .	14.9	42
57	Decoupling the Polymer Dynamics and the Nanoparticle Network Dynamics of Polymer Nanocomposites through Dielectric Spectroscopy and Rheology. <i>Macromolecules</i> , 2020, 53, 302-311.	4.8	41
58	Crystallization behavior of poly (vinylidene fluoride)/multi-walled carbon nanotubes nanocomposites. <i>Journal of Materials Science</i> , 2011, 46, 1542-1550.	3.7	40
59	Greatly accelerated crystallization of poly(lactic acid): cooperative effect of stereocomplex crystallites and polyethylene glycol. <i>Colloid and Polymer Science</i> , 2014, 292, 163-172.	2.1	40
60	Flexible and Tough Cellulose Nanocrystal/Polycaprolactone Hybrid Aerogel Based on the Strategy of Macromolecule Cross-Linking via Click Chemistry. <i>ACS Sustainable Chemistry and Engineering</i> , 2019, 7, 15617-15627.	6.7	40
61	A unimorph nanocomposite dielectric elastomer for large out-of-plane actuation. <i>Science Advances</i> , 2022, 8, eabm6200.	10.3	40
62	Thermal properties and flame retardancy of polycarbonate/hydroxyapatite nanocomposite. <i>Journal of Applied Polymer Science</i> , 2008, 109, 659-663.	2.6	39
63	High-melting-point crystals of poly(l-lactic acid) (PLLA): the most efficient nucleating agent to enhance the crystallization of PLLA. <i>CrystEngComm</i> , 2015, 17, 2310-2320.	2.6	39
64	Grafting polymerization of polylactic acid on the surface of nano-SiO ₂ and properties of PLA/PLA-g-SiO ₂ nanocomposites. <i>Journal of Applied Polymer Science</i> , 2013, 129, 3019-3027.	2.6	38
65	An extremely uniform dispersion of MWCNTs in olefin block copolymers significantly enhances electrical and mechanical performances. <i>Polymer Chemistry</i> , 2015, 6, 7160-7170.	3.9	38
66	Air Cathode Catalysts of Microbial Fuel Cell by Nitrogen-Doped Carbon Aerogels. <i>ACS Sustainable Chemistry and Engineering</i> , 2019, 7, 3917-3924.	6.7	38
67	The effects of dioctyl phthalate plasticization on the morphology and thermal, mechanical, and rheological properties of chemical crosslinked polylactide. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2009, 47, 1136-1145.	2.1	37
68	Melt viscoelasticity, electrical conductivity, and crystallization of PVDF/MWCNT composites: Effect of the dispersion of MWCNTs. <i>Journal of Applied Polymer Science</i> , 2012, 125, E49.	2.6	37
69	Template-Free Self-Caging Nanochemistry for Large-Scale Synthesis of Sulfonated-Graphene@Sulfur Nanocage for Long-Life Lithium-Sulfur Batteries. <i>Advanced Functional Materials</i> , 2021, 31, 2008652.	14.9	37
70	Effect of temperature and time on the exfoliation and de-oxygenation of graphite oxide by thermal reduction. <i>Journal of Materials Science</i> , 2012, 47, 5097-5105.	3.7	36
71	Tailoring Crystalline Morphology by High-Efficiency Nucleating Fiber: Toward High-Performance Poly(l-lactide) Biocomposites. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 20044-20054.	8.0	36
72	Scalable Flexible Phase Change Materials with a Swollen Polymer Network Structure for Thermal Energy Storage. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 59364-59372.	8.0	36

#	ARTICLE	IF	CITATIONS
73	Essential Work of Fracture Parameters of in-situ Microfibrillar Poly(ethylene) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 747 Td (telep Engineering, 2004, 289, 426-433.	3.6	35
74	Effect of Melt and Mold Temperatures on the Solidification Behavior of HDPE during Gas-Assisted Injection Molding: An Enthalpy Transformation Approach. Macromolecular Materials and Engineering, 2009, 294, 336-344.	3.6	35
75	Preparation of cellulose-graft-poly(lactic acid) via melt copolycondensation for use in poly(lactic acid) based composites: synthesis, characterization and properties. RSC Advances, 2016, 6, 1973-1983.	3.6	35
76	Rheological behavior comparison between PET/HDPE and PC/HDPE microfibrillar blends. Polymer Engineering and Science, 2005, 45, 1231-1238.	3.1	34
77	A rheological study on temperature dependent microstructural changes of fumed silica gels in dodecane. Soft Matter, 2012, 8, 10457.	2.7	34
78	Control of morphology and properties by the selective distribution of nano-silica particles with different surface characteristics in PA6/ABS blends. Journal of Materials Science, 2012, 47, 4620-4631.	3.7	34
79	Simulation of phase-change heat transfer during cooling stage of gas-assisted injection molding of high-density polyethylene via enthalpy transformation approach. Polymer Engineering and Science, 2009, 49, 1234-1242.	3.1	33
80	Enhanced Thermal Conductivity and Balanced Mechanical Performance of PP/BN Composites with 1 vol% Finely Dispersed MWCNTs Assisted by OBC. Advanced Materials Interfaces, 2019, 6, 1900081.	3.7	33
81	A simple method for preparing a binder-free paper-based air cathode for microbial fuel cells. Bioresource Technology, 2017, 241, 325-331.	9.6	32
82	Scalable fabrication of flexible piezoresistive pressure sensors based on occluded microstructures for subtle pressure and force waveform detection. Journal of Materials Chemistry C, 2020, 8, 16774-16783.	5.5	32
83	A Wave-Driven Piezoelectric Solar Evaporator for Water Purification. Advanced Energy Materials, 2022, 12, .	19.5	32
84	Morphology Dependent Double Yielding in Injection Molded Polycarbonate/Polyethylene Blend. Macromolecular Materials and Engineering, 2004, 289, 1004-1011.	3.6	31
85	Polymorphism of a high-molecular-weight racemic poly(l-lactide)/poly(d-lactide) blend: effect of melt blending with poly(methyl) Tj ETQq1 1 0.784314 rgBT /Ow	3.6	31
86	Suppressing phase coarsening in immiscible polymer blends using nano-silica particles located at the interface. RSC Advances, 2015, 5, 74295-74303.	3.6	30
87	Atomic Layered Titanium Sulfide Quantum Dots as Electrocatalysts for Enhanced Hydrogen Evolution Reaction. Advanced Materials Interfaces, 2018, 5, 1700895.	3.7	30
88	Morphology of gas-assisted and conventional injection molded polycarbonate/polyethylene blend. Journal of Applied Polymer Science, 2006, 102, 3069-3077.	2.6	29
89	Numerical prediction of phase-change heat conduction of injection-molded high density polyethylene thick-walled parts via the enthalpy transforming model with mushy zone. Polymer Engineering and Science, 2008, 48, 1707-1717.	3.1	29
90	Induced formation of polar phases in poly(vinylidene fluoride) by cetyl trimethyl ammonium bromide. Journal of Materials Science, 2014, 49, 4171-4179.	3.7	29

#	ARTICLE	IF	CITATIONS
91	Cobalt oxides nanoparticles supported on nitrogen-doped carbon nanotubes as high-efficiency cathode catalysts for microbial fuel cells. <i>Inorganic Chemistry Communication</i> , 2019, 105, 69-75.	3.9	29
92	Regulating Polysulfide Diffusion and Deposition via Rational Design of Core-Shell Active Materials in Li-S Batteries. <i>ACS Nano</i> , 2022, 16, 7982-7992.	14.6	29
93	The role of gas penetration on morphological formation of polycarbonate/polyethylene blend molded by gas-assisted injection molding. <i>Journal of Materials Science</i> , 2007, 42, 7275-7285.	3.7	28
94	The effect of the grafted chains on the crystallization of PLLA/PLLA-grafted SiO ₂ nanocomposites. <i>Colloid and Polymer Science</i> , 2016, 294, 801-813.	2.1	28
95	Compatibilization of the poly(lactic acid)/poly(propylene carbonate) blends through <i>in situ</i> formation of poly(lactic acid)- <i>b</i> -poly(propylene carbonate) copolymer. <i>Journal of Applied Polymer Science</i> , 2018, 135, 46009.	2.6	28
96	Minimizing mass transfer losses in microbial fuel cells: Theories, progresses and perspectives. <i>Renewable and Sustainable Energy Reviews</i> , 2021, 136, 110460.	16.4	28
97	Gas-assisted injection molded polypropylene: The skin-core structure. <i>Polymer Engineering and Science</i> , 2008, 48, 976-986.	3.1	27
98	Dynamic Rheological Behavior of HDPE/UHMWPE Blends. <i>Journal of Macromolecular Science - Physics</i> , 2011, 50, 1249-1259.	1.0	26
99	Formation and evolution of the carbon black network in polyethylene/carbon black composites: Rheology and conductivity properties. <i>Journal of Applied Polymer Science</i> , 2014, 131, .	2.6	26
100	Progress in polyketone materials: blends and composites. <i>Polymer International</i> , 2018, 67, 1478-1487.	3.1	26
101	An experimental investigation on the performance of TEGs with a compact heat exchanger design towards low-grade thermal energy recovery. <i>Applied Thermal Engineering</i> , 2021, 194, 117119.	6.0	26
102	Mechanochemical preparation of thermoplastic cellulose oleate by ball milling. <i>Green Chemistry</i> , 2021, 23, 2069-2078.	9.0	26
103	Crystallization and morphology of iPP/MWCNT prepared by compounding iPP melt with MWCNT aqueous suspension. <i>Colloid and Polymer Science</i> , 2009, 287, 615-620.	2.1	25
104	Morphology and mechanical property of high-density polyethylene parts prepared by gas-assisted injection molding. <i>Colloid and Polymer Science</i> , 2011, 289, 1661-1671.	2.1	25
105	Role of poly(lactic acid) in the phase transition of poly(vinylidene fluoride) under uniaxial stretching. <i>Journal of Applied Polymer Science</i> , 2013, 129, 1686-1696.	2.6	24
106	Effective dissolution of UHMWPE in HDPE improved by high temperature melting and subsequent shear. <i>Polymer Engineering and Science</i> , 2015, 55, 270-276.	3.1	24
107	Supercooling-dependent morphology evolution of an organic nucleating agent in poly(<i>l</i> -lactide)/poly(<i>d</i> -lactide) blends. <i>CrystEngComm</i> , 2017, 19, 1648-1657.	2.6	24
108	Green supercapacitor assisted photocatalytic fuel cell system for sustainable hydrogen production. <i>Chemical Engineering Journal</i> , 2021, 403, 126368.	12.7	24

#	ARTICLE	IF	CITATIONS
109	Effect of cross-linking degree of EPDM phase on the electrical properties and formation of dual networks of thermoplastic vulcanizate composites based on isotactic polypropylene (iPP)/ethylene- α -propylene- α -diene rubber (EPDM) blends. RSC Advances, 2016, 6, 74567-74574.	3.6	23
110	Formation of various crystalline structures in a polypropylene/polycarbonate in situ microfibrillar blend during the melt second flow. Physical Chemistry Chemical Physics, 2016, 18, 14030-14039.	2.8	22
111	A monolithic air cathode derived from bamboo for microbial fuel cells. RSC Advances, 2017, 7, 28469-28475.	3.6	22
112	Templating synthesis of hierarchically meso/macroporous N-doped microalgae derived biocarbon as oxygen reduction reaction catalyst for microbial fuel cells. International Journal of Hydrogen Energy, 2021, 46, 2530-2542.	7.1	22
113	Essential work of fracture evaluation of fracture behavior of glass bead filled linear low-density polyethylene. Journal of Applied Polymer Science, 2006, 99, 1781-1787.	2.6	21
114	Extraction of native collagen from limed bovine split wastes through improved pretreatment methods. Journal of Chemical Technology and Biotechnology, 2008, 83, 1041-1048.	3.2	21
115	Balanced strength and ductility improvement of in situ crosslinked polylactide/poly(ethylene) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf	3.8	21
116	Distinct positive temperature coefficient effect of polymer- α -carbon fiber composites evaluated in terms of polymer absorption on fiber surface. Physical Chemistry Chemical Physics, 2016, 18, 8081-8087.	2.8	21
117	Poison tolerance of non-precious catalyst towards oxygen reduction reaction. International Journal of Hydrogen Energy, 2018, 43, 8474-8479.	7.1	21
118	Chemically bonding BaTiO ₃ nanoparticles in highly filled polymer nanocomposites for greatly enhanced dielectric properties. Journal of Materials Chemistry C, 2020, 8, 8786-8795.	5.5	21
119	Covalent organic polymers derived carbon incorporated with cobalt oxides as a robust oxygen reduction reaction catalyst for fuel cells. Chemical Engineering Journal, 2020, 390, 124581.	12.7	21
120	Synergistic effect of stereocomplex crystals and shear flow on the crystallization rate of poly(l-lactic acid): A rheological study. RSC Advances, 2014, 4, 2733-2742.	3.6	20
121	Suppressing phase retraction and coalescence of co-continuous polymer blends: effect of nanoparticles and particle network. RSC Advances, 2014, 4, 49429-49441.	3.6	20
122	Effect of graphene oxides on thermal degradation and crystallization behavior of poly(α -lactide). RSC Advances, 2014, 4, 3443-3456.	3.6	20
123	Effect of graphite oxide structure on the formation of stable self-assembled conductive reduced graphite oxide hydrogel. Journal of Materials Chemistry C, 2014, 2, 3846.	5.5	20
124	Direct modification of polyketone resin for anion exchange membrane of alkaline fuel cells. Journal of Colloid and Interface Science, 2019, 556, 420-431.	9.4	20
125	Potential field- α -based hierarchical adaptive cruise control for semi-autonomous electric vehicle. Proceedings of the Institution of Mechanical Engineers, Part D: Journal of Automobile Engineering, 2019, 233, 2479-2491.	1.9	20
126	Investigation on Tensile Deformation Behavior of Semi-Crystalline Polymers. Journal of Macromolecular Science - Physics, 2009, 48, 799-811.	1.0	19

#	ARTICLE	IF	CITATIONS
127	The preparation, structures, and properties of poly(vinylidene fluoride)/multiwall carbon nanotubes nanocomposites. <i>Journal of Applied Polymer Science</i> , 2012, 125, E592.	2.6	19
128	Crystallization and fracture behaviors of high-density polyethylene/linear low-density polyethylene blends: The influence of short-chain branching. <i>Journal of Applied Polymer Science</i> , 2013, 129, 2103-2111.	2.6	19
129	Enantiomeric poly(<i>d</i> -lactide) with a higher melting point served as a significant nucleating agent for poly(<i>l</i> -lactide). <i>CrystEngComm</i> , 2015, 17, 4334-4342.	2.6	19
130	Effect of chain entanglement on the melt-crystallization behavior of poly(<i>l</i> -lactide) acid. <i>Journal of Polymer Research</i> , 2016, 23, 1.	2.4	19
131	Effect of aspect ratio of multi-wall carbon nanotubes on the dispersion in ethylene- α -octene block copolymer and the properties of the Nanocomposites. <i>Journal of Polymer Research</i> , 2019, 26, 1.	2.4	19
132	Leakage-Proof and Malleable Polyethylene Wax Vitrimer Phase Change Materials for Thermal Interface Management. <i>ACS Applied Energy Materials</i> , 2021, 4, 11173-11182.	5.1	19
133	Self-Sensing Actuators Based on a Stiffness Variable Reversible Shape Memory Polymer Enabled by a Phase Change Material. <i>ACS Applied Materials & Interfaces</i> , 2022, 14, 22521-22530.	8.0	19
134	Mechanical Properties and Morphology of LDPE/PP Blends. <i>Journal of Macromolecular Science - Physics</i> , 2007, 46, 963-974.	1.0	18
135	Rheological behaviors and molecular weight distribution characteristics of bimodal high-density polyethylene. <i>Journal of Applied Polymer Science</i> , 2011, 121, 1543-1549.	2.6	18
136	Thermal and rheological properties of polyethylene blends with bimodal molecular weight distribution. <i>Journal of Applied Polymer Science</i> , 2013, 129, 2145-2151.	2.6	18
137	Electrospun Modified Polyketone-Based Anion Exchange Membranes with High Ionic Conductivity and Robust Mechanical Properties. <i>ACS Applied Energy Materials</i> , 2021, 4, 5187-5200.	5.1	18
138	Effect of Dispersion Condition of Calcium Carbonate on the Crystallization and Melting Behavior of Polypropylene/CaCO ₃ Nanocomposites. <i>Polymer-Plastics Technology and Engineering</i> , 2008, 47, 490-495.	1.9	17
139	Interfacial interaction of polyvinylidene fluoride/multiwalled carbon nanotubes nanocomposites: A rheological study. <i>Journal of Applied Polymer Science</i> , 2011, 121, 3041-3046.	2.6	17
140	MWCNTs Supported N,N'-Dicyclohexyl-1,5-diamino-2,6-naphthalenedicarboxamide: A Novel β -Nucleating Agent for Polypropylene. <i>Journal of Macromolecular Science - Physics</i> , 2012, 51, 2412-2427.	1.0	17
141	Nanoscale Morphology, Interfacial Hydrogen Bonding, Confined Crystallization and Greatly Improved Toughness of Polyamide 12/Polyketone Blends. <i>Nanomaterials</i> , 2018, 8, 932.	4.1	17
142	Vitrimers of polyolefin elastomer with physically cross-linked network. <i>Journal of Polymer Research</i> , 2021, 28, 1.	2.4	17
143	Effect of annealing on fracture behavior of poly(propylene-block-ethylene) using essential work of fracture analysis. <i>Journal of Applied Polymer Science</i> , 2007, 103, 3438-3446.	2.6	16
144	Effect of repetitive processing on the mechanical properties and fracture toughness of dynamically vulcanized iPP/EPDM blends. <i>Journal of Applied Polymer Science</i> , 2011, 120, 86-94.	2.6	16

#	ARTICLE	IF	CITATIONS
145	Structure of fumed silica gels in dodecane: enhanced network by oscillatory shear. Colloid and Polymer Science, 2012, 290, 151-161.	2.1	16
146	Composition, Morphology and Properties of Poly(lactic acid) and Poly(butylene succinate) Copolymer System via Coupling Reaction. Journal of Macromolecular Science - Pure and Applied Chemistry, 2013, 50, 861-870.	2.2	16
147	Study on Amino-functionalized Graphene Oxide/Poly(methyl methacrylate) Nanocomposites. Chemistry Letters, 2012, 41, 683-685.	1.3	15
148	Nanoparticle retarded shape relaxation of dispersed droplets in polymer blends: an understanding from the viewpoint of molecular movement. RSC Advances, 2014, 4, 41059-41068.	3.6	15
149	Enhancing crystallization rate and melt strength of <scp>PLLA</scp> with fourâ€arm <scp>PLLA</scp> grafted silica: The effect of molecular weight of the grafting <scp>PLLA</scp> chains. Journal of Applied Polymer Science, 2018, 135, 45675.	2.6	15
150	Ruthenium Nanoparticles Confined in Covalent Organic Framework/Reduced Graphene Oxide As Electrocatalyst toward Hydrogen Evolution Reaction in Alkaline Media. Industrial & Engineering Chemistry Research, 2021, 60, 11070-11078.	3.7	15
151	A machine-learning based phase change model for simulation of bubble condensation. International Journal of Heat and Mass Transfer, 2021, 178, 121620.	4.8	15
152	Deformation and morphology development of poly(ethylene terephthalate)/polyethylene and polycarbonate/polyethylene blends with high interfacial contact during elongation. Polymer Engineering and Science, 2004, 44, 1561-1570.	3.1	14
153	Structure and Properties of Radiation Cross-Linked Polypropylene Foam. Polymer-Plastics Technology and Engineering, 2011, 50, 1027-1034.	1.9	14
154	Co-crystallization of Blends of High-density Polyethylene with Linear Low-density Polyethylene: An Investigation with Successive Self-nucleation and Annealing (SSA) Technique. Journal of Macromolecular Science - Physics, 2013, 52, 1372-1387.	1.0	14
155	Synthesis of an Efficient Processing Modifier Silica- <i>g</i> -poly(lactic acid)/poly(propylene) Tj ETQq1 1 0.784314 rgBT /Overlock 10 10 Engineering Chemistry Research, 2017, 56, 14704-14715.	3.7	14
156	Stress-induced crystallization of biaxially oriented polypropylene. Journal of Applied Polymer Science, 2003, 89, 686-690.	2.6	13
157	Influence of molecular weight on impact fracture behavior of injection molded high density polyethylene: Scanning electron micrograph observations. Journal of Applied Polymer Science, 2008, 109, 1161-1167.	2.6	13
158	Rheological behavior and mechanical properties of high-density polyethylene blends with different molecular weights. Journal of Applied Polymer Science, 2010, 118, 1356-1363.	2.6	13
159	A highly-deformable piezoresistive film composed of a network of carbon blacks and highly oriented lamellae of high-density polyethylene. RSC Advances, 2015, 5, 31074-31080.	3.6	13
160	Temperature: a nonnegligible factor for the formation of a structurally stable, self-assembled reduced graphite oxide hydrogel. RSC Advances, 2015, 5, 10-15.	3.6	13
161	Effects of modified nano-silica on the microstructure of PVDF and its microporous membranes. Journal of Polymer Research, 2019, 26, 1.	2.4	13
162	Membrane-less Direct Formate Fuel Cell Using an Feâ€N-Doped Bamboo Internode as the Binder-Free and Monolithic Air-Breathing Cathode. ACS Applied Materials & Interfaces, 2020, 12, 27095-27103.	8.0	13

#	ARTICLE	IF	CITATIONS
163	Essential work of fracture of glass bead filled low density polyethylene. Journal of Materials Science, 2005, 40, 5323-5326.	3.7	12
164	A simple method for forecast of cooling time of high-density polyethylene during gas-assisted injection molding. Journal of Applied Polymer Science, 2010, 117, 729-735.	2.6	12
165	Hierarchically oriented crystalline structures of HDPE induced by strong second melt penetration. RSC Advances, 2014, 4, 31960.	3.6	12
166	Strong shear-driven large scale formation of hybrid shish-kebab in carbon nanofiber reinforced polyethylene composites during the melt second flow. Physical Chemistry Chemical Physics, 2016, 18, 30452-30461.	2.8	12
167	Metallic 1T-TiS ₂ nanodots anchored on a 2D graphitic C ₃ N ₄ nanosheet nanostructure with high electron transfer capability for enhanced photocatalytic performance. RSC Advances, 2017, 7, 55269-55275.	3.6	12
168	Crystallization and phase morphology of injection-molded isotactic polypropylene (iPP)/syndiotactic polypropylene (sPP) blends. Journal of Polymer Science, Part B: Polymer Physics, 2007, 45, 2948-2955.	2.1	11
169	A novel approach in preparing polymer/nano-CaCO ₃ composites. Frontiers of Chemical Engineering in China, 2008, 2, 115-122.	0.6	11
170	Effect of temperature gradient on the development of β phase polypropylene in dynamically vulcanized PP/EPDM blends. Colloid and Polymer Science, 2009, 287, 1237-1242.	2.1	11
171	Shear field in the mold cavity of multimelt multi-injection molding revealed by the morphology distribution of a model polymer blend. Polymer Engineering and Science, 2014, 54, 2345-2353.	3.1	11
172	Facile Synthesis of Fe/N/S-Doped Carbon Tubes as High-Performance Cathode and Anode for Microbial Fuel Cells. ChemCatChem, 2019, 11, 6070-6077.	3.7	11
173	Nitrogen-doped carbon-coated Fe ₃ O ₄ /rGO nanocomposite anode material for enhanced initial coulombic efficiency of lithium-ion batteries. Ionics, 2019, 25, 1513-1521.	2.4	11
174	Constructing Sandwich-Architected Poly(l-lactide)/High-Melting-Point Poly(l-lactide) Nonwoven Fabrics: Toward Heat-Resistant Poly(l-lactide) Barrier Biocomposites with Full Biodegradability. ACS Applied Bio Materials, 2019, 2, 1357-1367.	4.6	11
175	Waterproof Phase Change Material with a Facilely Incorporated Cellulose Nanocrystal/Poly(N-isopropylacrylamide) Network for All-Weather Outdoor Thermal Energy Storage. ACS Applied Materials & Interfaces, 2020, 12, 53365-53375.	8.0	11
176	Biobinder Nanocoating for Upgrading the Assembling Structures of High-Capacity Composite Electrodes with a Robust Polymeric Artificial Solid Electrolyte Interphase. ACS Applied Materials & Interfaces, 2020, 12, 58201-58211.	8.0	11
177	Imidazole-functionalized polyketone-based polyelectrolytes with efficient ionic channels and superwettability for alkaline polyelectrolyte fuel cells and multiple liquid purification. Journal of Materials Chemistry A, 2021, 9, 14827-14840.	10.3	11
178	Dynamic Rheological Behavior of Copolymerized Linear Low-Density Polyethylenes: Effect of Molecular Weight and Its Distribution. Journal of Macromolecular Science - Physics, 2009, 48, 844-855.	1.0	10
179	Simulation of Gas-Assisted Injection Molding of High-Density Polyethylene: The Role of Rheological Properties and Physical Fields on the Crystalline Morphology. Journal of Macromolecular Science - Physics, 2009, 48, 1201-1211.	1.0	10
180	Effect of Processing Method on Morphological and Rheological Properties of PC/CaCO ₃ Nanocomposites. Polymer-Plastics Technology and Engineering, 2009, 48, 788-793.	1.9	10

#	ARTICLE	IF	CITATIONS
181	Prediction of Heat Conduction with Phase-change Effects during Cooling Stage of Injection Molding of High-density Polyethylene: Approximate Integral Approach. Journal of Macromolecular Science - Physics, 2010, 49, 734-749.	1.0	10
182	Insight into the nucleating and reinforcing efficiencies of carbon nanofillers in poly(vinylidene) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 707 2013, 48, 8509-8519.	3.7	10
183	An unusual transition from point-like to fibrillar crystals in injection-molded polyethylene articles induced by lightly cross-linking and melt penetration. RSC Advances, 2015, 5, 21640-21650.	3.6	10
184	Feâ€N-doped carbon nanoparticles from coal tar soot and its novel application as a high performance air-cathode catalyst for microbial fuel cells. Electrochimica Acta, 2020, 363, 137177.	5.2	10
185	Co-degradation of ammonia nitrogen and 4-chlorophenol in a photoelectrochemical system by a tandem reaction of chlorine and hydroxyl radicals. Chemical Engineering Science, 2020, 226, 115813.	3.8	10
186	Nitrogen removal enhanced by benthic bioturbation coupled with biofilm formation: A new strategy to alleviate freshwater eutrophication. Journal of Environmental Management, 2021, 292, 112814.	7.8	10
187	Influences of Tensile Deformation Rate on Deformation and Morphology of Injection Molded 15/85 (by) Tj ETQq1 1 0.784314 rgBT /Ove Physics, 2004, 43, 519-542.	1.0	9
188	Effect of EPDM Content on Melt Flow, Microstructures and Fracture Behavior of Dynamically Vulcanized PP/EPDM Blends. Journal of Macromolecular Science - Physics, 2007, 46, 1127-1138.	1.0	9
189	An unexpected plasticization phenomenon and a constant of the change rate of viscoelastic properties for polymers during nanoindentation test. Journal of Applied Polymer Science, 2011, 122, 885-890.	2.6	9
190	Effect of Viscosity Ratio on the Crystalline Morphologies and Mechanical Property of Multi-Melt Multi-Injection Molded Parts. Polymer-Plastics Technology and Engineering, 2014, 53, 1272-1282.	1.9	9
191	Performance optimization of microbial fuel cells using carbonaceous monolithic air-cathodes. International Journal of Hydrogen Energy, 2019, 44, 3425-3431.	7.1	9
192	Effect of Cross-Linking Degree of EPDM Phase on the Morphology Evolution and Crystallization Behavior of Thermoplastic Vulcanizates Based on Polyamide 6 (PA6)/Ethylene-Propylene-Diene Rubber (EPDM) Blends. Polymers, 2019, 11, 1375.	4.5	9
193	Photo-Driven Self-Healing of Arbitrary Nondestructive Damage in Polyethylene-Based Nanocomposites. ACS Applied Materials & Interfaces, 2020, 12, 1650-1657.	8.0	9
194	Synthesis of thermoplastic cellulose grafted polyurethane from regenerated cellulose. Cellulose, 2020, 27, 8667-8679.	4.9	9
195	Three-dimensional, biomimetic electrospun scaffolds reinforced with carbon nanotubes for temporomandibular joint disc regeneration. Acta Biomaterialia, 2022, 147, 221-234.	8.3	9
196	Double yielding in PA6: Effect of mold temperature and moisture content. Journal of Polymer Science, Part B: Polymer Physics, 2007, 45, 1217-1225.	2.1	8
197	Effect of Injection Parameters and Addition of Nanoscale Materials on the Shrinkage of Polypropylene Copolymer. Journal of Macromolecular Science - Physics, 2009, 48, 573-586.	1.0	8
198	Mechanical and thermal characteristics and morphology of polyamide 6/isotactic polypropylene blends in the presence of a l ² â€nucleating agent. Journal of Applied Polymer Science, 2011, 121, 554-562.	2.6	8

#	ARTICLE	IF	CITATIONS
199	Effect of carbon nanotubeâ€supported TiO_2 nucleating agent on the thermal properties, morphology, and mechanical properties of polyamide 6/isotactic polypropylene blends. <i>Journal of Applied Polymer Science</i> , 2012, 124, 993-999.	2.6	8
200	Crystallization kinetics of TiO_2 phase poly(vinylidene fluoride)(PVDF) induced by tetrabutylammonium bisulfate. <i>Journal of Polymer Research</i> , 2014, 21, 1.	2.4	8
201	Morphological Evolution of Polystyrene/Polyethylene Blend Induced by Strong Second Melt Penetration. <i>Macromolecular Materials and Engineering</i> , 2016, 301, 714-724.	3.6	8
202	High Efficiency Conversion of Regenerated Cellulose Hydrogel Directly to Functionalized Cellulose Nanoparticles. <i>Macromolecular Rapid Communications</i> , 2017, 38, 1700409.	3.9	8
203	Enhanced performance of porous silicone-based dielectric elastomeric composites by low filler content of Ag@SiO_2 Core-Shell nanoparticles. <i>Nanocomposites</i> , 2018, 4, 238-243.	4.2	8
204	A facile strategy towards heterogeneous preparation of thermoplastic cellulose grafted polyurethane from amorphous regenerated cellulose paste. <i>International Journal of Biological Macromolecules</i> , 2020, 161, 177-186.	7.5	8
205	Degradable ultrathin high-performance photocatalytic hydrogen generator from porous electrospun composite fiber membrane with enhanced light absorption ability. <i>Journal of Materials Chemistry A</i> , 2021, 9, 10277-10288.	10.3	8
206	Transcrystallinity in a Polycarbonate(PC)/Polyethylene(PE) Blend Prepared by Gas-Assisted Injection Molding: A New Understanding of Its Formation Mechanism. <i>Journal of Macromolecular Science - Physics</i> , 2008, 47, 829-836.	1.0	7
207	Essential Work of Fracture Parameters of Injection-Molded Polypropylene/Polyolefin Elastomer Blends. <i>Journal of Macromolecular Science - Physics</i> , 2010, 49, 231-241.	1.0	7
208	Injection Molding Shrinkage and Mechanical Properties of Polypropylene Blends. <i>Journal of Macromolecular Science - Physics</i> , 2011, 50, 1747-1760.	1.0	7
209	Thermal Oxidation and Structural Changes of Degraded Polyethylene in an Oxygen Atmosphere. <i>Journal of Macromolecular Science - Physics</i> , 2011, 50, 1376-1387.	1.0	7
210	Morphological Study of Linear Low-Density Polyethylene Molded by Gas-Assisted Injection Molding. <i>Polymer-Plastics Technology and Engineering</i> , 2011, 50, 804-809.	1.9	7
211	A thermal method for quantitatively determining the content of short chain branching in ethylene/1-octene copolymers. <i>Journal of Thermal Analysis and Calorimetry</i> , 2012, 110, 1389-1394.	3.6	7
212	Largely enhanced molecular orientation and mechanical property of injection-molded high-density polyethylene parts via the synergistic effect of polyamide 6 in situ microfibrillar and intense shear flow. <i>Colloid and Polymer Science</i> , 2014, 292, 3033-3044.	2.1	7
213	New insights into the elasticity and multi-level relaxation of filler network with studies on the rheology of isotactic polypropylene/carbon black nanocomposite. <i>RSC Advances</i> , 2015, 5, 65874-65883.	3.6	7
214	Motion mode of poly(lactic acid) chains in film during strainâ€induced crystallization. <i>Journal of Applied Polymer Science</i> , 2016, 133, .	2.6	7
215	Hierarchical crystalline structures induced by temperature profile in HDPE bars during melt penetration process. <i>Chinese Journal of Polymer Science (English Edition)</i> , 2017, 35, 108-122.	3.8	7
216	Synthesis of Inorganic Silica Grafted Three-arm PLLA and Their Behaviors for PLA Matrix. <i>Chinese Journal of Polymer Science (English Edition)</i> , 2019, 37, 216-226.	3.8	7

#	ARTICLE	IF	CITATIONS
217	Dominant Contribution of a Lake's Internal Pollution to Eutrophication During Rapid Urbanization. Bulletin of Environmental Contamination and Toxicology, 2021, 107, 904-910.	2.7	7
218	Double yielding in PA6/TPV/MAH blends: Effect of crosslinking degree of the dispersed phase. Journal of Polymer Science, Part B: Polymer Physics, 2009, 47, 912-922.	2.1	6
219	Grafted Polyolefin-Coated Synthetic Mica-Filled Polypropylene-co-ethylene Composites: A Study on the Interfacial Morphology and Properties. Journal of Macromolecular Science - Physics, 2010, 49, 1-17.	1.0	6
220	Hierarchical crystalline morphologies induced by a distinctly different melt penetrating process. RSC Advances, 2015, 5, 98299-98308.	3.6	6
221	Improved performance of microbial fuel cells using a gradient porous air cathode: An experiment and simulation study. Bioelectrochemistry, 2019, 130, 107335.	4.6	6
222	A Facile and Rapid Approach to Lotus Seedpod-Structured Electronic Skin for Monitoring Diverse Physical Stimuli. Advanced Materials Technologies, 2021, 6, 2001084.	5.8	6
223	Fracture behaviour of polypropylene sheets filled with epoxidized natural rubber (ENR)-treated coal gangue powder. Journal of Materials Science, 2007, 42, 3856-3864.	3.7	5
224	Structure and Properties of Reactive Extruded Ethylene-block-co-Polypropylene: Influence of Dicumyl Peroxide and Divinylbenzene. Journal of Macromolecular Science - Physics, 2008, 47, 1236-1250.	1.0	5
225	Heterogeneous dispersion of the compatibilizer in the injection molding of polyamide 6/polypropylene blends. Journal of Applied Polymer Science, 2009, 113, 299-305.	2.6	5
226	Studies on the Blends of Polyamide66 and Thermoplastic Polyimide. Journal of Macromolecular Science - Physics, 2010, 49, 629-639.	1.0	5
227	Phase morphology control and the selective localization of MWCNT for suppressing dielectric loss and enhancing the dielectric constant of HDPE/PA11/MWCNT composites. RSC Advances, 2016, 6, 73056-73062.	3.6	5
228	Full cell mathematical models of air cathode microbial fuel cells. Experimental and Computational Multiphase Flow, 2023, 5, 111-121.	3.9	5
229	Mechanistically Scoping Cell-Free and Cell-Dependent Artificial Scaffolds in Rebuilding Skeletal and Dental Hard Tissues. Advanced Materials, 2022, 34, e2107922.	21.0	5
230	Multiphase Fluid Dynamics and Mass Transport Modeling in a Porous Electrode toward Hydrogen Evolution Reaction. Industrial & Engineering Chemistry Research, 2022, 61, 8323-8332.	3.7	5
231	Rheological Properties, Morphology, and Thermal Performance of E/MA/CGMA/PC Blend. Journal of Macromolecular Science - Physics, 2007, 46, 1267-1278.	1.0	4
232	Micro-Structure and Fracture Behavior of High-Melt-Strength PPs Prepared by Reactive Extrusion. Journal of Macromolecular Science - Physics, 2012, 51, 48-59.	1.0	4
233	Flow-induced morphology of cast polypropylene. Polymer Engineering and Science, 2004, 44, 1656-1661.	3.1	3
234	Effect of Spherical Nanoparticles on the Motion of Macromolecular Chains and Segments of Isotactic Polypropylene. I. Dynamic Mechanical and Thermal Properties. Journal of Macromolecular Science - Physics, 2010, 49, 870-885.	1.0	3

#	ARTICLE	IF	CITATIONS
235	Thermal Degradation of HDPE in a Batch Pressure Reactor: Reaction Time and Mechanical Stirring Effect. Journal of Macromolecular Science - Pure and Applied Chemistry, 2010, 47, 1123-1129.	2.2	3
236	Rheological Behaviors of Poly(Vinylidene Fluoride)/Buck-Branched Nanotubes Nanocomposites. Journal of Macromolecular Science - Physics, 2012, 51, 1498-1508.	1.0	3
237	Preparation and characterization of isotactic polypropylene/high-density polyethylene/carbon black conductive films with strain-sensing behavior. Journal of Applied Polymer Science, 2014, 131, .	2.6	3
238	The molecular weight dependence of the crystallization behavior of four-arm poly(L-lactide). Colloid and Polymer Science, 2016, 294, 1865-1870.	2.1	3
239	Role of Controlled Diameter of Polyamide 6 (PA6) Fibers on the Formation of Interfacial Hybrid Crystal Morphology in HDPE/PA6 Microfibril Blend. Industrial & Engineering Chemistry Research, 2019, 58, 9056-9064.	3.7	3
240	Formation of oriented β -transcrystals induced by self-assembly of nucleating agent and its micropores formation during uniaxial stretching. Polymer Crystallization, 2020, 3, e10129.	0.8	3
241	Electrochemical Activated Nitrogen-doped Carbon as Highly Efficient Electrocatalysts for Hydrogen Evolution Reactions. ChemNanoMat, 2022, 8, .	2.8	3
242	Hierarchical Distribution of β -Phase in Compression- and Injection-Molded, Polypropylene-Based TPV. Journal of Macromolecular Science - Physics, 2010, 50, 62-74.	1.0	2
243	Solvent-controlled formation of a reduced graphite oxide gel via hydrogen bonding. RSC Advances, 2016, 6, 27267-27271.	3.6	2
244	Excellent mechanical performance and enhanced dielectric properties of OBC/SiO ₂ elastomeric nanocomposites: effect of dispersion of the SiO ₂ nanoparticles. RSC Advances, 2017, 7, 46297-46305.	3.6	2
245	Electricity from Microbial Fuel Cells. Green Energy and Technology, 2018, , 391-433.	0.6	2
246	Modulation of Cation Diffusion by Reversible Supramolecular Assemblies in Ionic Liquid-Based Nanocomposites. ACS Applied Materials & Interfaces, 2020, 12, 31842-31851.	8.0	2
247	New understanding for the formation of conductive network in the nanocomposites during the crystallization of matrix. Journal of Polymer Research, 2016, 23, 1.	2.4	1
248	Hydrogels: Reversible Formation of γ -N ₃ 3D Hydrogels through Ionic Liquid Activation: Gelation Behavior and Room-Temperature Gas-Sensing Properties (Adv. Funct. Mater.) Tj ETQq0 0 0 1gBT /Overlock 10 Tf	0.0	0
249	Scalable and Heavy Foam Functionalization by Electrode-Inspired Sticky Jammed Fluids for Efficient Indoor Air Quality Management. Energy and Environmental Materials, 0, , .	12.8	1
250	The composition, morphology, and mechanical properties of ethylene propylene diene monomer-encapsulated coal gangue powder/polypropylene composites. Polymer Composites, 2010, 31, 10-17.	4.6	0
251	Anomalous Melt Rheological Properties of Unimodal-MWD HDPE Blends. Polymer-Plastics Technology and Engineering, 2010, 49, 487-494.	1.9	0
252	Viscoelasticity Analysis of Spherical Nano-CaCO ₃ -Filled Isotactic Polypropylene During a Uniaxial Tensile Test. Polymer-Plastics Technology and Engineering, 2010, 49, 1275-1283.	1.9	0

#	ARTICLE	IF	CITATIONS
253	Characteristic Shear Rate for Nonlinear Viscoelastic Behavior in a Polydisperse Polymer Solution. Journal of Macromolecular Science - Physics, 2010, 50, 123-131.	1.0	0
254	Effects of nano TiO ₂ on the light reflectivity, morphology, and rheological behavior of LLDPE/glass bead composites. Journal of Applied Polymer Science, 2012, 125, E644.	2.6	0
255	Hierarchical crystalline structures induced by temperature profile in HDPE bars during melt penetration process. Chinese Journal of Polymer Science (English Edition), 2016, , 1.	3.8	0
256	Construction of “core-shell” structure for improved thermal conductivity and mechanical properties of polyamide 6 composites. Polymer Bulletin, 2021, 78, 2791-2803.	3.3	0
257	Predicting Vehicle States of Naturalistic Driving Data Based on Adaptive Optimization Gaussian Process Regression*. , 2021, , .		0
258	A Wave-Driven Piezoelectric Solar Evaporator for Water Purification (Adv. Energy Mater. 21/2022). Advanced Energy Materials, 2022, 12, .	19.5	0