

Wenqiang Zhang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1612161/publications.pdf>

Version: 2024-02-01

89
papers

2,125
citations

257357

24
h-index

265120

42
g-index

90
all docs

90
docs citations

90
times ranked

2311
citing authors

#	ARTICLE	IF	CITATIONS
1	Dissolved oxygen variation in the North China Plain river network region over 2011–2020 and the influencing factors. <i>Chemosphere</i> , 2022, 287, 132354.	4.2	13
2	Effects of organic matter on polycyclic aromatic hydrocarbons in riverine sediments affected by human activities. <i>Science of the Total Environment</i> , 2022, 815, 152570.	3.9	16
3	Risk assessment of heavy metals in suspended particulate matter in a typical urban river. <i>Environmental Science and Pollution Research</i> , 2022, 29, 46649-46664.	2.7	10
4	Evidence of improvements in the water quality of coastal areas around China. <i>Science of the Total Environment</i> , 2022, 832, 155147.	3.9	4
5	Evaluating the biotoxicity of surface water in a grassy lake in North China. <i>Journal of Environmental Sciences</i> , 2021, 102, 316-325.	3.2	5
6	A new solution 31P NMR sample extraction scheme for freshwater ecosystem sediments. <i>Environmental Science and Pollution Research</i> , 2021, , 1.	2.7	0
7	Distribution of nitrogen and phosphorus and estimation of nutrient fluxes in the water and sediments of Liangzi Lake, China. <i>Environmental Science and Pollution Research</i> , 2020, 27, 7096-7104.	2.7	8
8	Mercury pollution of riverine sediments in a typical irrigation area in the Beijing–Tianjin–Hebei region. <i>Environmental Science and Pollution Research</i> , 2020, 27, 8732-8739.	2.7	3
9	In situ high-resolution measurement of phosphorus, iron and sulfur by diffusive gradients in thin films in sediments of black-odorous rivers in the Pearl River Delta region, South China. <i>Environmental Research</i> , 2020, 189, 109918.	3.7	20
10	Determining cadmium bioavailability in sediment profiles using diffusive gradients in thin films. <i>Journal of Environmental Sciences</i> , 2020, 91, 160-167.	3.2	11
11	Complex responses of suspended particulate matter in eutrophic river and its indicative function in river recovery process. <i>Ecological Indicators</i> , 2020, 115, 106397.	2.6	4
12	Using biochar capping to reduce nitrogen release from sediments in eutrophic lakes. <i>Science of the Total Environment</i> , 2019, 646, 93-104.	3.9	60
13	Comprehensive analysis of nitrogen distributions and ammonia nitrogen release fluxes in the sediments of Baiyangdian Lake, China. <i>Journal of Environmental Sciences</i> , 2019, 76, 319-328.	3.2	52
14	Effects of the pyrolysis temperature on the biotoxicity of <i>Phyllostachys pubescens</i> biochar in the aquatic environment. <i>Journal of Hazardous Materials</i> , 2019, 376, 48-57.	6.5	30
15	The effects of urbanization and rainfall on the distribution of, and risks from, phenolic environmental estrogens in river sediment. <i>Environmental Pollution</i> , 2019, 250, 1010-1018.	3.7	33
16	High salinisation risks in a typical semi-arid river network in northern China. <i>Chemistry and Ecology</i> , 2019, 35, 256-269.	0.6	0
17	Identifying sediment-associated toxicity in rivers affected by multiple pollutants from the contaminant bioavailability. <i>Ecotoxicology and Environmental Safety</i> , 2019, 171, 84-91.	2.9	25
18	Relationship of bioaccessibility and fractionation of cadmium in long-term spiked soils for health risk assessment based on four in vitro gastrointestinal simulation models. <i>Science of the Total Environment</i> , 2018, 631-632, 1582-1589.	3.9	31

#	ARTICLE	IF	CITATIONS
19	Spatial distribution, fractionation, toxicity and risk assessment of surface sediments from the Baiyangdian Lake in northern China. <i>Ecological Indicators</i> , 2018, 90, 633-642.	2.6	47
20	Phosphorus transformations at the sediment-water interface in shallow freshwater ecosystems caused by decomposition of plant debris. <i>Chemosphere</i> , 2018, 201, 328-334.	4.2	29
21	Characteristics of suspended particulate matter in a typical slow-moving river of northern China: Insight into its structure and motion behavior. <i>Chemosphere</i> , 2018, 202, 521-529.	4.2	15
22	Evaluating the diffusive gradients in thin films technique for the prediction of metal bioaccumulation in plants grown in river sediments. <i>Journal of Hazardous Materials</i> , 2018, 344, 360-368.	6.5	18
23	Assessment of potential bioavailability of heavy metals in the sediments of land-freshwater interfaces by diffusive gradients in thin films. <i>Chemosphere</i> , 2018, 191, 218-225.	4.2	25
24	Spatial and temporal variations of nutrition in representative river networks in Southwest China. <i>Environmental Monitoring and Assessment</i> , 2018, 190, 707.	1.3	3
25	Analysis of Bacterial Communities in Partial Nitrification and Conventional Nitrification Systems for Nitrogen Removal. <i>Scientific Reports</i> , 2018, 8, 12930.	1.6	8
26	The effect of anthropogenic activities on the phosphorus-buffering intensity of the two contrasting rivers in northern China. <i>Environmental Science and Pollution Research</i> , 2018, 25, 23195-23204.	2.7	4
27	Remediation effectiveness of <i>Phyllostachys pubescens</i> biochar in reducing the bioavailability and bioaccumulation of metals in sediments. <i>Environmental Pollution</i> , 2018, 242, 1768-1776.	3.7	49
28	Water Quality in Representative Tuojiang River Network in Southwest China. <i>Water (Switzerland)</i> , 2018, 10, 864.	1.2	10
29	Contribution of particulate matter in storm runoff to organic phosphorus loads in urban rivers. <i>Environmental Science and Pollution Research</i> , 2018, 25, 23342-23348.	2.7	4
30	Evidence for organic phosphorus activation and transformation at the sediment-water interface during plant debris decomposition. <i>Science of the Total Environment</i> , 2017, 583, 458-465.	3.9	48
31	Do NH ₃ and chemical oxygen demand induce continuous release of phosphorus from sediment in heavily polluted rivers?. <i>Ecological Engineering</i> , 2017, 102, 24-30.	1.6	13
32	Heavy metal concentrations and speciation in riverine sediments and the risks posed in three urban belts in the Haihe Basin. <i>Ecotoxicology and Environmental Safety</i> , 2017, 139, 263-271.	2.9	82
33	Comparison of cadmium and lead sorption by <i>Phyllostachys pubescens</i> biochar produced under a low-oxygen pyrolysis atmosphere. <i>Bioresource Technology</i> , 2017, 238, 352-360.	4.8	117
34	Phosphorus distribution and sorption-release characteristics of the soil from newly submerged areas in the Danjiangkou reservoir, China. <i>Ecological Engineering</i> , 2017, 99, 374-380.	1.6	11
35	A scheme to scientifically and accurately assess cadmium pollution of river sediments, through consideration of bioavailability when assessing ecological risk. <i>Chemosphere</i> , 2017, 185, 602-609.	4.2	12
36	Assessment of the sediment quality of freshwater ecosystems in eastern China based on spatial and temporal variation of nutrients. <i>Environmental Science and Pollution Research</i> , 2017, 24, 19412-19421.	2.7	12

#	ARTICLE	IF	CITATIONS
37	Comprehensive analysis of mercury pollution in the surface riverine sediments in the Haihe Basin, China. <i>Environmental Science and Pollution Research</i> , 2017, 24, 20794-20802.	2.7	8
38	Overestimation of orthophosphate monoesters in lake sediment by solution ³¹ P-NMR analysis. <i>Environmental Science and Pollution Research</i> , 2017, 24, 25469-25474.	2.7	7
39	Using <i>Chironomus dilutus</i> to identify toxicants and evaluate the ecotoxicity of sediments in the Haihe River Basin. <i>Scientific Reports</i> , 2017, 7, 1438.	1.6	10
40	Will heavy metals in the soils of newly submerged areas threaten the water quality of Danjiangkou Reservoir, China?. <i>Ecotoxicology and Environmental Safety</i> , 2017, 144, 380-386.	2.9	13
41	Temporal and spatial variation of nitrogen and phosphorus and eutrophication assessment for a typical arid river – Fuyang River in northern China. <i>Journal of Environmental Sciences</i> , 2017, 55, 41-48.	3.2	95
42	Pollution, toxicity, and ecological risk of heavy metals in surface river sediments of a large basin undergoing rapid economic development. <i>Environmental Toxicology and Chemistry</i> , 2017, 36, 1149-1155.	2.2	16
43	Determination of Sediment Oxygen Demand in the Ziya River Watershed, China: Based on Laboratory Core Incubation and Microelectrode Measurements. <i>International Journal of Environmental Research and Public Health</i> , 2016, 13, 232.	1.2	20
44	Distributions, Early Diagenesis, and Spatial Characteristics of Amino Acids in Sediments of Multi-Polluted Rivers: A Case Study in the Haihe River Basin, China. <i>International Journal of Environmental Research and Public Health</i> , 2016, 13, 234.	1.2	1
45	Phosphorus characteristics, distribution, and relationship with environmental factors in surface sediments of river systems in Eastern China. <i>Environmental Science and Pollution Research</i> , 2016, 23, 19440-19449.	2.7	13
46	Phosphorus speciation of sediments from lakes of different trophic status in Eastern China. <i>Environmental Science and Pollution Research</i> , 2016, 23, 6767-6773.	2.7	1
47	Composition of phosphorus in wetland soils determined by SMT and solution ³¹ P-NMR analyses. <i>Environmental Science and Pollution Research</i> , 2016, 23, 9046-9053.	2.7	7
48	Total, chemical, and biological oxygen consumption of the sediments in the Ziya River watershed, China. <i>Environmental Science and Pollution Research</i> , 2016, 23, 13438-13447.	2.7	18
49	Heavy metal in sediments of Ziya River in northern China: distribution, potential risks, and source apportionment. <i>Environmental Science and Pollution Research</i> , 2016, 23, 23511-23521.	2.7	8
50	Heavy metal speciation, risk, and bioavailability in the sediments of rivers with different pollution sources and intensity. <i>Environmental Science and Pollution Research</i> , 2016, 23, 23630-23637.	2.7	11
51	Heavy metals in surface sediments of the shallow lakes in eastern China: their relations with environmental factors and anthropogenic activities. <i>Environmental Science and Pollution Research</i> , 2016, 23, 25364-25373.	2.7	26
52	Aeolian input of phosphorus to a remote lake induced increase of primary production at the Tibetan Plateau. <i>RSC Advances</i> , 2016, 6, 96853-96860.	1.7	3
53	Distribution, diffusive fluxes, and toxicity of heavy metals and PAHs in pore water profiles from the northern bays of Taihu Lake. <i>Environmental Science and Pollution Research</i> , 2016, 23, 22072-22083.	2.7	19
54	Vertical records of sedimentary PAHs and their freely dissolved fractions in porewater profiles from the northern bays of Taihu Lake, Eastern China. <i>RSC Advances</i> , 2016, 6, 98835-98844.	1.7	21

#	ARTICLE	IF	CITATIONS
55	Oxygen microprofile in the prepared sediments and its implication for the sediment oxygen consuming process in a heavily polluted river of China. <i>Environmental Science and Pollution Research</i> , 2016, 23, 8634-8643.	2.7	4
56	Organic matter and pH affect the analysis efficiency of ³¹ P-NMR. <i>Journal of Environmental Sciences</i> , 2016, 43, 244-249.	3.2	3
57	Impact of extreme oxygen consumption by pollutants on macroinvertebrate assemblages in plain rivers of the Ziya River Basin, north China. <i>Environmental Science and Pollution Research</i> , 2016, 23, 14147-14156.	2.7	23
58	Concentrations, diffusive fluxes and toxicity of heavy metals in pore water of the Fuyang River, Haihe Basin. <i>Ecotoxicology and Environmental Safety</i> , 2016, 127, 80-86.	2.9	56
59	Development and preliminary application of a method to assess river ecological status in the Hai River Basin, north China. <i>Journal of Environmental Sciences</i> , 2016, 39, 144-154.	3.2	13
60	Heavy metals in estuarine surface sediments of the Hai River Basin, variation characteristics, chemical speciation and ecological risk. <i>Environmental Science and Pollution Research</i> , 2016, 23, 7869-7879.	2.7	28
61	Distributions, fluxes, and toxicities of heavy metals in sediment pore water from tributaries of the Ziya River system, northern China. <i>Environmental Science and Pollution Research</i> , 2016, 23, 5516-5526.	2.7	19
62	Characteristics and Distribution of Phosphorus in Surface Sediments of Limnetic Ecosystem in Eastern China. <i>PLoS ONE</i> , 2016, 11, e0156488.	1.1	8
63	Effects of Nitrogen Pollution on Periphyton Distribution, Elemental Composition and Assemblage Shifts in River Ecosystems. <i>Clean - Soil, Air, Water</i> , 2015, 43, 1375-1380.	0.7	3
64	Budget and Fate of Phosphorus and Trace Metals in a Heavily Loaded Shallow Reservoir (<sc>S</sc>hahe, Beijing City). <i>Clean - Soil, Air, Water</i> , 2015, 43, 210-216.	0.7	4
65	Assessment of River Habitat Quality in the Hai River Basin, Northern China. <i>International Journal of Environmental Research and Public Health</i> , 2015, 12, 11699-11717.	1.2	30
66	Accumulation and risk assessment of sedimentary trace metals in response to industrialization from the tributaries of Fuyang River System. <i>Environmental Earth Sciences</i> , 2015, 73, 1975-1982.	1.3	12
67	Dynamics of heavy metals and phosphorus in the pore water of estuarine sediments following agricultural intensification in Chao Lake Valley. <i>Environmental Science and Pollution Research</i> , 2015, 22, 7948-7953.	2.7	8
68	Using sedimentary phosphorus/nitrogen as indicators of shallow lake eutrophication: concentrations or accumulation fluxes. <i>Environmental Earth Sciences</i> , 2015, 74, 3935-3944.	1.3	6
69	Nitrogen mineralization and geochemical characteristics of amino acids in surface sediments of a typical polluted area in the Haihe River Basin, China. <i>Environmental Science and Pollution Research</i> , 2015, 22, 17975-17986.	2.7	25
70	Water resources: the prerequisite for ecological restoration of rivers in the Hai River Basin, northern China. <i>Environmental Science and Pollution Research</i> , 2015, 22, 1359-1365.	2.7	12
71	Historical distribution of DDT residues in pond sediments in an intensive agricultural watershed in the Yangtze-Huaihe region, China. <i>Journal of Soils and Sediments</i> , 2014, 14, 980-990.	1.5	9
72	Past atmospheric trace metal deposition in a remote lake (Lake Ngoring) at the headwater areas of Yellow River, Tibetan Plateau. <i>Environmental Earth Sciences</i> , 2014, 72, 399-406.	1.3	11

#	ARTICLE	IF	CITATIONS
73	Phosphorus-31 nuclear magnetic resonance assignments of biogenic phosphorus compounds in sediment of an artificial Fuyangxin River, China. <i>Environmental Science and Pollution Research</i> , 2014, 21, 3803-3812.	2.7	12
74	Characterization of biogenic phosphorus in sediments from the multi-polluted Haihe River, China, using phosphorus fractionation and ³¹ P-NMR. <i>Ecological Engineering</i> , 2014, 71, 520-526.	1.6	12
75	Application of fish index of biological integrity (FIBI) in the Sanmenxia Wetland with water quality implications. <i>Journal of Environmental Sciences</i> , 2014, 26, 1597-1603.	3.2	4
76	Accumulation and risk of heavy metals in relation to agricultural intensification in the river sediments of agricultural regions. <i>Environmental Earth Sciences</i> , 2014, 71, 3945-3951.	1.3	41
77	Limitation of spatial distribution of ammonia-oxidizing microorganisms in the Haihe River, China, by heavy metals. <i>Journal of Environmental Sciences</i> , 2014, 26, 502-511.	3.2	11
78	Heavy Metal Contamination in the Surface Sediments of Representative Limnetic Ecosystems in Eastern China. <i>Scientific Reports</i> , 2014, 4, 7152.	1.6	92
79	Heavy Metal Accumulation by Periphyton Is Related to Eutrophication in the Hai River Basin, Northern China. <i>PLoS ONE</i> , 2014, 9, e86458.	1.1	18
80	Heavy Metal Pollution Characteristics of Surface Sediments in Different Aquatic Ecosystems in Eastern China: A Comprehensive Understanding. <i>PLoS ONE</i> , 2014, 9, e108996.	1.1	25
81	Heavy metal contamination of overlying waters and bed sediments of Haihe Basin in China. <i>Ecotoxicology and Environmental Safety</i> , 2013, 98, 317-323.	2.9	73
82	Assessment of Preparation Methods for Organic Phosphorus Analysis in Phosphorus-Polluted Fe/Al-Rich Haihe River Sediments Using Solution ³¹ P-NMR. <i>PLoS ONE</i> , 2013, 8, e76525.	1.1	13
83	Effectiveness of vegetation on phosphorus removal from reclaimed water by a subsurface flow wetland in a coastal area. <i>Journal of Environmental Sciences</i> , 2011, 23, 1594-1599.	3.2	16
84	Heavy metal sources and associated risk in response to agricultural intensification in the estuarine sediments of Chaohu Lake Valley, East China. <i>Journal of Hazardous Materials</i> , 2010, 176, 945-951.	6.5	182
85	Phosphorus Buildup and Release Risk Associated with Agricultural Intensification in the Estuarine Sediments of Chaohu Lake Valley, Eastern China. <i>Clean - Soil, Air, Water</i> , 2010, 38, 336-343.	0.7	12
86	Variations in Phosphorus Speciation in Pilot Scale Subsurface Flow Wetlands Constructed with Blast Furnace Slag and Gravel. <i>Clean - Soil, Air, Water</i> , 2009, 37, 818-825.	0.7	8
87	Sedimentary Phosphorus Form Distribution and Cycling in the Littoral Subzones of a Eutrophic Lake. <i>Clean - Soil, Air, Water</i> , 2008, 36, 78-83.	0.7	12
88	Historical records of heavy metal accumulation in sediments and the relationship with agricultural intensification in the Yangtze-Huaihe region, China. <i>Science of the Total Environment</i> , 2008, 399, 113-120.	3.9	185
89	Recovery in Dissolved Oxygen Levels in Chinese Freshwater Ecosystems in the Past Three Decades. <i>ACS ES&T Water</i> , 0, , .	2.3	6