José Lailson-Brito

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1612878/publications.pdf

Version: 2024-02-01

81 papers

2,703 citations

32 h-index 197818 49 g-index

83 all docs 83 docs citations

83 times ranked 2468 citing authors

#	Article	IF	CITATIONS
1	First Determination of UV Filters in Marine Mammals. Octocrylene Levels in Franciscana Dolphins. Environmental Science & Envir	10.0	195
2	Trophic relationships and mercury biomagnification in Brazilian tropical coastal food webs. Ecological Indicators, 2012, 18, 291-302.	6.3	123
3	Toxic heritage: Maternal transfer of pyrethroid insecticides and sunscreen agents in dolphins from Brazil. Environmental Pollution, 2015, 207, 391-402.	7. 5	114
4	Pyrethroids: A new threat to marine mammals?. Environment International, 2012, 47, 99-106.	10.0	109
5	Anthropogenic and naturally-produced organobrominated compounds in marine mammals from Brazil. Environment International, 2010, 36, 60-67.	10.0	98
6	Mercury-Selenium Relationships in Liver of Guiana Dolphin: The Possible Role of Kupffer Cells in the Detoxification Process by Tiemannite Formation. PLoS ONE, 2012, 7, e42162.	2.5	92
7	Riverine and marine ecotypes of Sotalia dolphins are different species. Marine Biology, 2005, 148, 449-457.	1.5	85
8	Cephalopods and cetaceans as indicators of offshore bioavailability of cadmium off Central South Brazil Bight. Environmental Pollution, 2007, 148, 352-359.	7. 5	76
9	Natural and anthropogenically-produced brominated compounds in endemic dolphins from Western South Atlantic: Another risk to a vulnerable species. Environmental Pollution, 2012, 170, 152-160.	7. 5	76
10	Anthropogenic (PBDE) and naturally-produced (MeO-PBDE) brominated compounds in cetaceans — A review. Science of the Total Environment, 2014, 481, 619-634.	8.0	76
11	Distribution and habitat characteristics of dolphins of the genus Stenella (Cetacea: Delphinidae) in the southwest Atlantic Ocean. Marine Ecology - Progress Series, 2005, 300, 229-240.	1.9	75
12	High organochlorine accumulation in blubber of Guiana dolphin, SotaliaÂguianensis, from Brazilian coast and its use to establish geographical differences among populations. Environmental Pollution, 2010, 158, 1800-1808.	7. 5	71
13	Population Structure of the Endangered Franciscana Dolphin (Pontoporia blainvillei): Reassessing Management Units. PLoS ONE, 2014, 9, e85633.	2.5	67
14	Nontargeted Screening of Halogenated Organic Compounds in Bottlenose Dolphins (<i>Tursiops) Tj ETQq0 0 0 rg</i>	gBT/Over	lock 10 Tf 50
15	High Accumulation of Perfluorooctane Sulfonate (PFOS) in Marine Tucuxi Dolphins (<i>Sotalia) Tj ETQq1 1 0.784</i>	-314 rgBT	/Oyerlock 10
16	Organochlorine compound accumulation in delphinids from Rio de Janeiro State, southeastern Brazilian coast. Science of the Total Environment, 2012, 433, 123-131.	8.0	52
17	Dechlorane-Related Compounds in Franciscana Dolphin (<i>Pontoporia blainvillei</i>) from Southeastern and Southern Coast of Brazil. Environmental Science & Environmental Scie	10.0	51
18	Underwater noise pollution in a coastal tropical environment. Marine Pollution Bulletin, 2014, 83, 331-336.	5.0	51

#	Article	IF	CITATIONS
19	Organochlorine concentrations in franciscana dolphins, Pontoporia blainvillei, from Brazilian waters. Chemosphere, 2011, 84, 882-887.	8.2	46
20	High accumulation of PCDD, PCDF, and PCB congeners in marine mammals from Brazil: A serious PCB problem. Science of the Total Environment, 2013, 463-464, 309-318.	8.0	45
21	POPs in the South Latin America: Bioaccumulation of DDT, PCB, HCB, HCH and Mirex in blubber of common dolphin (Delphinus delphis) and Fraser's dolphin (Lagenodelphis hosei) from Argentina. Science of the Total Environment, 2016, 572, 352-360.	8.0	45
22	Age and growth of some delphinids in south-eastern Brazil. Journal of the Marine Biological Association of the United Kingdom, 2007, 87, 293-303.	0.8	44
23	Trophic Relationships and Habitat Preferences of Delphinids from the Southeastern Brazilian Coast Determined by Carbon and Nitrogen Stable Isotope Composition. PLoS ONE, 2013, 8, e82205.	2.5	44
24	Guiana Dolphin Unusual Mortality Event and Link to Cetacean Morbillivirus, Brazil. Emerging Infectious Diseases, 2018, 24, 1349-1354.	4.3	42
25	Evaluation of cetacean exposure to organotin compounds in Brazilian waters through hepatic total tin concentrations. Environmental Pollution, 2008, 156, 1268-1276.	7.5	41
26	Feeding habits of delphinids (Mammalia: Cetacea) from Rio de Janeiro State, Brazil. Journal of the Marine Biological Association of the United Kingdom, 2010, 90, 1509-1515.	0.8	41
27	Organochlorine concentrations (PCBs, DDTs, HCHs, HCB and MIREX) in delphinids stranded at the northeastern Brazil. Science of the Total Environment, 2014, 472, 194-203.	8.0	40
28	The first confirmed decline of a delphinid population from Brazilian waters: 2000–2015 abundance of Sotalia guianensis in Guanabara Bay, South-eastern Brazil. Ecological Indicators, 2017, 79, 1-10.	6.3	40
29	Characteristics of whistles from resident bottlenose dolphins (Tursiops truncatus) in southern Brazil. Journal of the Acoustical Society of America, 2007, 121, 2978-2983.	1.1	38
30	Strandings and feeding records of Bryde's whales (Balaenoptera edeni) in south-eastern Brazil. Journal of the Marine Biological Association of the United Kingdom, 2004, 84, 857-859.	0.8	37
31	Biogeography of common dolphins (genus <i>Delphinus</i>) in the Southwestern Atlantic Ocean. Mammal Review, 2010, 40, 40-64.	4.8	33
32	Whistles emitted by Atlantic spotted dolphins (Stenella frontalis) in southeastern Brazil. Journal of the Acoustical Society of America, 2010, 127, 2646-2651.	1.1	33
33	Molecular and Morphological Differentiation of Common Dolphins (Delphinus sp.) in the Southwestern Atlantic: Testing the Two Species Hypothesis in Sympatry. PLoS ONE, 2015, 10, e0140251.	2.5	33
34	Levels and profiles of chlorinated and brominated contaminants in Southern Hemisphere humpback whales, Megaptera novaeangliae. Environmental Research, 2015, 138, 49-57.	7.5	31
35	Polychlorinated biphenyls and DDT in swordfish (Xiphias gladius) and blue shark (Prionace glauca) from Brazilian coast. Chemosphere, 2007, 67, S48-S53.	8.2	30
36	Phylogenetic Status and Timescale for the Diversification of Steno and Sotalia Dolphins. PLoS ONE, 2011, 6, e28297.	2.5	29

#	Article	IF	CITATIONS
37	Human-induced injuries to marine tucuxis (Sotalia guianensis) (Cetacea: Delphinidae) in Brazil. Marine Biodiversity Records, 2009, 2, .	1.2	26
38	Underwater noise in an impacted environment can affect Guiana dolphin communication. Marine Pollution Bulletin, 2017, 114, 1130-1134.	5.0	26
39	Comparative histopathologic and viral immunohistochemical studies on CeMV infection among Western Mediterranean, Northeast-Central, and Southwestern Atlantic cetaceans. PLoS ONE, 2019, 14, e0213363.	2.5	23
40	Cadmium concentrations in franciscana dolphin (Pontoporia blainvillei) from south brazilian coast. Brazilian Journal of Oceanography, 2007, 55, 179-186.	0.6	20
41	Distinct bioaccumulation profile of pesticides and dioxin-like compounds by mollusk bivalves reared in polluted and unpolluted tropical bays: Consumption risk and seasonal effect. Food Chemistry, 2012, 134, 2040-2048.	8.2	20
42	Variation in Guiana dolphin (Sotalia guianensis) whistles: using a broadband recording system to analyze acoustic parameters in three areas of southeastern Brazil. Acta Ethologica, 2015, 18, 47-57.	0.9	20
43	The Pathology of Cetacean Morbillivirus Infection and Comorbidities in Guiana Dolphins During an Unusual Mortality Event (Brazil, 2017–2018). Veterinary Pathology, 2020, 57, 845-857.	1.7	20
44	Molecular identification and microscopic characterization of poxvirus in a Guiana dolphin and a common bottlenose dolphin, Brazil. Diseases of Aquatic Organisms, 2018, 130, 177-185.	1.0	19
45	Cetacean movements in coastal waters of the southwestern Atlantic ocean. Biota Neotropica, 2019, 19,	0.5	18
46	Persistent toxic substances in the Brazilian Amazon: contamination of man and the environment. Journal of the Brazilian Chemical Society, 2009, 20, 1175-1179.	0.6	17
47	Mapping cetacean sounds using a passive acoustic monitoring system towed by an autonomous Wave Glider in the Southwestern Atlantic Ocean. Deep-Sea Research Part I: Oceanographic Research Papers, 2018, 142, 58-68.	1.4	17
48	Organochlorine compounds in sharks from the Brazilian coast. Marine Pollution Bulletin, 2009, 58, 294-298.	5.0	16
49	Molecular taxonomy and population structure of the rough-toothed dolphin <i>Steno bredanensis</i> (Cetartiodactyla: Delphinidae). Zoological Journal of the Linnean Society, 2015, 175, 949-962.	2.3	16
50	Characteristics of whistles from rough-toothed dolphins (Steno bredanensis) in Rio de Janeiro coast, southeastern Brazil. Journal of the Acoustical Society of America, 2012, 131, 4173-4181.	1.1	15
51	Trace elements in trophic webs from South Atlantic: The use of cetaceans as sentinels. Marine Pollution Bulletin, 2020, 150, 110674.	5.0	14
52	Toxoplasma gondii in cetaceans of Brazil: a histopathological and immunohistochemical survey. Brazilian Journal of Veterinary Parasitology, 2019, 28, 395-402.	0.7	14
53	Comparative Immunopathology of Cetacean morbillivirus Infection in Free-Ranging Dolphins From Western Mediterranean, Northeast-Central, and Southwestern Atlantic. Frontiers in Immunology, 2019, 10, 485.	4.8	13
54	An upwelling area as a hot spot for mercury biomonitoring in a climate change scenario: A case study with large demersal fishes from Southeast Atlantic (SE-Brazil). Chemosphere, 2021, 269, 128718.	8.2	13

#	Article	IF	CITATIONS
55	Long-Term Consequences of High Polychlorinated Biphenyl Exposure: Projected Decline of Delphinid Populations in a Hotspot for Chemical Pollution. Environmental Science & Eamp; Technology, 2021, 55, 15149-15161.	10.0	13
56	Whistle comparison of four delphinid species in Southeastern Brazil. Journal of the Acoustical Society of America, 2016, 139, EL124-EL127.	1.1	11
57	Pyrethroid insecticides along the Southwestern Atlantic coast: Guiana dolphin (Sotalia guianensis) as a bioindicator. Science of the Total Environment, 2020, 728, 138749.	8.0	11
58	Franciscana dolphins, Pontoporia blainvillei, as environmental sentinels of the world's largest mining disaster: Temporal trends for organohalogen compounds and their consequences for an endangered population. Environmental Pollution, 2022, 306, 119370.	7.5	11
59	High-frequency whistles of Guiana dolphins (<i>Sotalia guianensis</i>) in Guanabara Bay, southeastern Brazil. Journal of the Acoustical Society of America, 2015, 137, EL15-EL19.	1.1	10
60	Tracking mercury in the southwestern Atlantic Ocean: the use of tuna and tuna-like species as indicators of bioavailability. Environmental Science and Pollution Research, 2020, 27, 6813-6823.	5.3	10
61	Acoustic habitat of an oceanic archipelago in the Southwestern Atlantic. Deep-Sea Research Part I: Oceanographic Research Papers, 2016, 115, 103-111.	1.4	9
62	Novel and highly sensitive SYBRÂ $^{\odot}$ Green real-time pcr for poxvirus detection in odontocete cetaceans. Journal of Virological Methods, 2018, 259, 45-49.	2.1	8
63	Assessment of a Plantibody HB-01 Purification Strategy at Different Scales. Chromatographia, 2009, 70, 1673-1678.	1.3	7
64	Assessing mercury contamination in a tropical coastal system using the mussel Perna perna and the sea anemone Bunodosoma caissarum. Environmental Monitoring and Assessment, 2016, 188, 679.	2.7	7
65	Thoracic limb bone development in <i>Sotalia guianensis</i> (Van Beneden 1864) along the coastline of EspÃrito Santo, Brazil. Journal of Mammalogy, 2015, 96, 541-551.	1.3	6
66	Habitat use by the Guiana dolphin (Sotalia guianensis) (Cetartiodactyla: Delphinidae) in southeastern Brazil. Regional Studies in Marine Science, 2021, 44, 101778.	0.7	6
67	Guiana Dolphins (Sotalia guianensis) and DR-CALUX for Screening Coastal Brazilian Environments for Dioxins and Related Compounds. Archives of Environmental Contamination and Toxicology, 2016, 71, 336-346.	4.1	5
68	Total tin (TSn) biomagnification: Evaluating organotin trophic flow and dispersion using hepatic TSn concentrations and stable isotope (C, N) data of nektonic organisms from Brazil. Marine Environmental Research, 2020, 161, 105063.	2.5	5
69	Mercury concentration in the sentinel fish species Orthopristis ruber: Effects of environmental and biological factors and human risk assessment. Marine Pollution Bulletin, 2021, 169, 112508.	5.0	5
70	Colour pattern and external morphology of the Fraser's dolphin (<i>Lagenodelphis hosei</i>) in the Southwestern Atlantic. Aquatic Mammals, 2003, 29, 411-416.	0.7	5
71	Burst pulses of Guiana dolphin (Sotalia guianensis) in southeastern Brazil. Journal of the Acoustical Society of America, 2017, 141, 2947-2956.	1.1	4
72	COMPORTAMENTO DO BOTO-CINZA (Sotalia guianensis) (CETACEA: DELPHINIDAE): AMOSTRAGEM, TERMOS E DEFINIÇÕES. Oecologia Brasiliensis, 2009, 13, 192-200.	0.5	4

#	Article	IF	CITATIONS
73	Whistles of Atlantic spotted dolphin from a coastal area in the southwestern Atlantic Ocean. Journal of the Acoustical Society of America, 2020, 148, EL420-EL426.	1.1	3
74	High-frequency social communication in Sotalia guianensis. Journal of the Acoustical Society of America, 2019, 146, EL124-EL128.	1.1	2
7 5	EXPOSIÇÃO DE CETÃCEOS A COMPOSTOS BUTILESTÃ,NICOS: UMA REVISÃO. Oecologia Australis, 2013, 17, 411-423.	0.2	2
76	ECOLOGIA ALIMENTAR EM MAMÃFEROS MARINHOS: TÉCNICAS DE ESTUDO. Oecologia Australis, 2012, 16, 210-234.	0.2	2
77	Bioaccumulation of total mercury, copper, cadmium, silver, and selenium in green turtles (Chelonia) Tj ETQq $1\ 1\ 0$.	784314 rg	gBT /Overlo
78	Case Report of Flipper Anatomic Anomaly of <i>Sotalia guianensis</i> From Sepetiba Bay, Rio de Janeiro. Anatomical Record, 2013, 296, 1016-1018.	1.4	1
79	Characterisation and classification method of burst pulses produced by Guiana dolphins (<i>Sotalia) Tj ETQq1 1 0</i>	.784314 r _j 1.7	gBT /Overlo
80	Mapping delphinid occurrence using a passive acoustic monitoring system towed by an unmanned surface vehicle on the Southeast Coast of Brazil., 2017,,.		0
81	Persistent toxic substances in the Brazilian Amazon: contamination of man and the environment. Journal of the Brazilian Chemical Society, 2010, 21, 571-571.	0.6	O