

Josã© Lailson-Brito

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1612878/publications.pdf>

Version: 2024-02-01

81
papers

2,703
citations

136950

32
h-index

197818

49
g-index

83
all docs

83
docs citations

83
times ranked

2468
citing authors

#	ARTICLE	IF	CITATIONS
1	Characterisation and classification method of burst pulses produced by Guiana dolphins (<i>Sotalia</i>)	1.7	1
2	Bioaccumulation of total mercury, copper, cadmium, silver, and selenium in green turtles (<i>Chelonia</i>)	8.2	2
3	Franciscana dolphins, <i>Pontoporia blainvillei</i> , as environmental sentinels of the world's largest mining disaster: Temporal trends for organohalogen compounds and their consequences for an endangered population. <i>Environmental Pollution</i> , 2022, 306, 119370.	7.5	11
4	An upwelling area as a hot spot for mercury biomonitoring in a climate change scenario: A case study with large demersal fishes from Southeast Atlantic (SE-Brazil). <i>Chemosphere</i> , 2021, 269, 128718.	8.2	13
5	Habitat use by the Guiana dolphin (<i>Sotalia guianensis</i>) (Cetartiodactyla: Delphinidae) in southeastern Brazil. <i>Regional Studies in Marine Science</i> , 2021, 44, 101778.	0.7	6
6	Mercury concentration in the sentinel fish species <i>Orthopristis ruber</i> : Effects of environmental and biological factors and human risk assessment. <i>Marine Pollution Bulletin</i> , 2021, 169, 112508.	5.0	5
7	Long-Term Consequences of High Polychlorinated Biphenyl Exposure: Projected Decline of Delphinid Populations in a Hotspot for Chemical Pollution. <i>Environmental Science & Technology</i> , 2021, 55, 15149-15161.	10.0	13
8	Trace elements in trophic webs from South Atlantic: The use of cetaceans as sentinels. <i>Marine Pollution Bulletin</i> , 2020, 150, 110674.	5.0	14
9	Tracking mercury in the southwestern Atlantic Ocean: the use of tuna and tuna-like species as indicators of bioavailability. <i>Environmental Science and Pollution Research</i> , 2020, 27, 6813-6823.	5.3	10
10	The Pathology of Cetacean Morbillivirus Infection and Comorbidities in Guiana Dolphins During an Unusual Mortality Event (Brazil, 2017-2018). <i>Veterinary Pathology</i> , 2020, 57, 845-857.	1.7	20
11	Whistles of Atlantic spotted dolphin from a coastal area in the southwestern Atlantic Ocean. <i>Journal of the Acoustical Society of America</i> , 2020, 148, EL420-EL426.	1.1	3
12	Total tin (TSn) biomagnification: Evaluating organotin trophic flow and dispersion using hepatic TSn concentrations and stable isotope (C, N) data of nektonic organisms from Brazil. <i>Marine Environmental Research</i> , 2020, 161, 105063.	2.5	5
13	Pyrethroid insecticides along the Southwestern Atlantic coast: Guiana dolphin (<i>Sotalia guianensis</i>) as a bioindicator. <i>Science of the Total Environment</i> , 2020, 728, 138749.	8.0	11
14	High-frequency social communication in <i>Sotalia guianensis</i> . <i>Journal of the Acoustical Society of America</i> , 2019, 146, EL124-EL128.	1.1	2
15	Cetacean movements in coastal waters of the southwestern Atlantic ocean. <i>Biota Neotropica</i> , 2019, 19, .	0.5	18
16	Comparative histopathologic and viral immunohistochemical studies on CeMV infection among Western Mediterranean, Northeast-Central, and Southwestern Atlantic cetaceans. <i>PLoS ONE</i> , 2019, 14, e0213363.	2.5	23
17	Comparative Immunopathology of Cetacean morbillivirus Infection in Free-Ranging Dolphins From Western Mediterranean, Northeast-Central, and Southwestern Atlantic. <i>Frontiers in Immunology</i> , 2019, 10, 485.	4.8	13
18	<i>Toxoplasma gondii</i> in cetaceans of Brazil: a histopathological and immunohistochemical survey. <i>Brazilian Journal of Veterinary Parasitology</i> , 2019, 28, 395-402.	0.7	14

#	ARTICLE	IF	CITATIONS
19	Mapping cetacean sounds using a passive acoustic monitoring system towed by an autonomous Wave Glider in the Southwestern Atlantic Ocean. Deep-Sea Research Part I: Oceanographic Research Papers, 2018, 142, 58-68.	1.4	17
20	Guiana Dolphin Unusual Mortality Event and Link to Cetacean Morbillivirus, Brazil. Emerging Infectious Diseases, 2018, 24, 1349-1354.	4.3	42
21	Novel and highly sensitive SYBR® Green real-time pcr for poxvirus detection in odontocete cetaceans. Journal of Virological Methods, 2018, 259, 45-49.	2.1	8
22	Molecular identification and microscopic characterization of poxvirus in a Guiana dolphin and a common bottlenose dolphin, Brazil. Diseases of Aquatic Organisms, 2018, 130, 177-185.	1.0	19
23	Nontargeted Screening of Halogenated Organic Compounds in Bottlenose Dolphins (<i>Tursiops</i>) Tj ETQq1 1 0.784314 rgBT /Overload	10.0	61
24	Burst pulses of Guiana dolphin (<i>Sotalia guianensis</i>) in southeastern Brazil. Journal of the Acoustical Society of America, 2017, 141, 2947-2956.	1.1	4
25	The first confirmed decline of a delphinid population from Brazilian waters: 2000–2015 abundance of <i>Sotalia guianensis</i> in Guanabara Bay, South-eastern Brazil. Ecological Indicators, 2017, 79, 1-10.	6.3	40
26	Underwater noise in an impacted environment can affect Guiana dolphin communication. Marine Pollution Bulletin, 2017, 114, 1130-1134.	5.0	26
27	Mapping delphinid occurrence using a passive acoustic monitoring system towed by an unmanned surface vehicle on the Southeast Coast of Brazil. , 2017, , .		0
28	Acoustic habitat of an oceanic archipelago in the Southwestern Atlantic. Deep-Sea Research Part I: Oceanographic Research Papers, 2016, 115, 103-111.	1.4	9
29	Whistle comparison of four delphinid species in Southeastern Brazil. Journal of the Acoustical Society of America, 2016, 139, EL124-EL127.	1.1	11
30	Guiana Dolphins (<i>Sotalia guianensis</i>) and DR-CALUX for Screening Coastal Brazilian Environments for Dioxins and Related Compounds. Archives of Environmental Contamination and Toxicology, 2016, 71, 336-346.	4.1	5
31	POPs in the South Latin America: Bioaccumulation of DDT, PCB, HCB, HCH and Mirex in blubber of common dolphin (<i>Delphinus delphis</i>) and Fraser's dolphin (<i>Lagenodelphis hosei</i>) from Argentina. Science of the Total Environment, 2016, 572, 352-360.	8.0	45
32	Assessing mercury contamination in a tropical coastal system using the mussel <i>Perna perna</i> and the sea anemone <i>Bunodosoma caissarum</i> . Environmental Monitoring and Assessment, 2016, 188, 679.	2.7	7
33	Molecular taxonomy and population structure of the rough-toothed dolphin <i>S. teno</i> <i>breidanensis</i> (Cetartiodactyla: Delphinidae). Zoological Journal of the Linnean Society, 2015, 175, 949-962.	2.3	16
34	Molecular and Morphological Differentiation of Common Dolphins (<i>Delphinus</i> sp.) in the Southwestern Atlantic: Testing the Two Species Hypothesis in Sympatry. PLoS ONE, 2015, 10, e0140251.	2.5	33
35	Levels and profiles of chlorinated and brominated contaminants in Southern Hemisphere humpback whales, <i>Megaptera novaeangliae</i> . Environmental Research, 2015, 138, 49-57.	7.5	31
36	High-frequency whistles of Guiana dolphins (<i>Sotalia guianensis</i>) in Guanabara Bay, southeastern Brazil. Journal of the Acoustical Society of America, 2015, 137, EL15-EL19.	1.1	10

#	ARTICLE	IF	CITATIONS
37	Thoracic limb bone development in <i>Sotalia guianensis</i> (Van Beneden 1864) along the coastline of Espírito Santo, Brazil. <i>Journal of Mammalogy</i> , 2015, 96, 541-551.	1.3	6
38	Toxic heritage: Maternal transfer of pyrethroid insecticides and sunscreen agents in dolphins from Brazil. <i>Environmental Pollution</i> , 2015, 207, 391-402.	7.5	114
39	Variation in Guiana dolphin (<i>Sotalia guianensis</i>) whistles: using a broadband recording system to analyze acoustic parameters in three areas of southeastern Brazil. <i>Acta Ethologica</i> , 2015, 18, 47-57.	0.9	20
40	Population Structure of the Endangered Franciscana Dolphin (<i>Pontoporia blainvillei</i>): Reassessing Management Units. <i>PLoS ONE</i> , 2014, 9, e85633.	2.5	67
41	Anthropogenic (PBDE) and naturally-produced (MeO-PBDE) brominated compounds in cetaceans – A review. <i>Science of the Total Environment</i> , 2014, 481, 619-634.	8.0	76
42	Underwater noise pollution in a coastal tropical environment. <i>Marine Pollution Bulletin</i> , 2014, 83, 331-336.	5.0	51
43	Organochlorine concentrations (PCBs, DDTs, HCHs, HCB and MIREX) in delphinids stranded at the northeastern Brazil. <i>Science of the Total Environment</i> , 2014, 472, 194-203.	8.0	40
44	Case Report of Flipper Anatomic Anomaly of <i>Sotalia guianensis</i> From Sepetiba Bay, Rio de Janeiro. <i>Anatomical Record</i> , 2013, 296, 1016-1018.	1.4	1
45	High accumulation of PCDD, PCDF, and PCB congeners in marine mammals from Brazil: A serious PCB problem. <i>Science of the Total Environment</i> , 2013, 463-464, 309-318.	8.0	45
46	First Determination of UV Filters in Marine Mammals. Octocrylene Levels in Franciscana Dolphins. <i>Environmental Science & Technology</i> , 2013, 47, 5619-5625.	10.0	195
47	Trophic Relationships and Habitat Preferences of Delphinids from the Southeastern Brazilian Coast Determined by Carbon and Nitrogen Stable Isotope Composition. <i>PLoS ONE</i> , 2013, 8, e82205.	2.5	44
48	EXPOSIÇÃO DE CETÁCEOS A COMPOSTOS BUTILESTÁNICOS: UMA REVISÃO. <i>Oecologia Australis</i> , 2013, 17, 411-423.	0.2	2
49	Characteristics of whistles from rough-toothed dolphins (<i>Steno bredanensis</i>) in Rio de Janeiro coast, southeastern Brazil. <i>Journal of the Acoustical Society of America</i> , 2012, 131, 4173-4181.	1.1	15
50	Dechlorane-Related Compounds in Franciscana Dolphin (<i>Pontoporia blainvillei</i>) from Southeastern and Southern Coast of Brazil. <i>Environmental Science & Technology</i> , 2012, 46, 12364-12372.	10.0	51
51	Natural and anthropogenically-produced brominated compounds in endemic dolphins from Western South Atlantic: Another risk to a vulnerable species. <i>Environmental Pollution</i> , 2012, 170, 152-160.	7.5	76
52	Trophic relationships and mercury biomagnification in Brazilian tropical coastal food webs. <i>Ecological Indicators</i> , 2012, 18, 291-302.	6.3	123
53	Pyrethroids: A new threat to marine mammals?. <i>Environment International</i> , 2012, 47, 99-106.	10.0	109
54	Distinct bioaccumulation profile of pesticides and dioxin-like compounds by mollusk bivalves reared in polluted and unpolluted tropical bays: Consumption risk and seasonal effect. <i>Food Chemistry</i> , 2012, 134, 2040-2048.	8.2	20

#	ARTICLE	IF	CITATIONS
55	Organochlorine compound accumulation in delphinids from Rio de Janeiro State, southeastern Brazilian coast. <i>Science of the Total Environment</i> , 2012, 433, 123-131.	8.0	52
56	Mercury-Selenium Relationships in Liver of Guiana Dolphin: The Possible Role of Kupffer Cells in the Detoxification Process by Tiemannite Formation. <i>PLoS ONE</i> , 2012, 7, e42162.	2.5	92
57	ECOLOGIA ALIMENTAR EM MAMÍFEROS MARINHOS: TÉCNICAS DE ESTUDO. <i>Oecologia Australis</i> , 2012, 16, 210-234.	0.2	2
58	Organochlorine concentrations in franciscana dolphins, <i>Pontoporia blainvillei</i> , from Brazilian waters. <i>Chemosphere</i> , 2011, 84, 882-887.	8.2	46
59	Phylogenetic Status and Timescale for the Diversification of <i>Steno</i> and <i>Sotalia</i> Dolphins. <i>PLoS ONE</i> , 2011, 6, e28297.	2.5	29
60	High organochlorine accumulation in blubber of Guiana dolphin, <i>Sotalia guianensis</i> , from Brazilian coast and its use to establish geographical differences among populations. <i>Environmental Pollution</i> , 2010, 158, 1800-1808.	7.5	71
61	Biogeography of common dolphins (genus <i>Delphinus</i>) in the Southwestern Atlantic Ocean. <i>Mammal Review</i> , 2010, 40, 40-64.	4.8	33
62	Whistles emitted by Atlantic spotted dolphins (<i>Stenella frontalis</i>) in southeastern Brazil. <i>Journal of the Acoustical Society of America</i> , 2010, 127, 2646-2651.	1.1	33
63	Feeding habits of delphinids (Mammalia: Cetacea) from Rio de Janeiro State, Brazil. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2010, 90, 1509-1515.	0.8	41
64	Anthropogenic and naturally-produced organobrominated compounds in marine mammals from Brazil. <i>Environment International</i> , 2010, 36, 60-67.	10.0	98
65	Persistent toxic substances in the Brazilian Amazon: contamination of man and the environment. <i>Journal of the Brazilian Chemical Society</i> , 2010, 21, 571-571.	0.6	0
66	Persistent toxic substances in the Brazilian Amazon: contamination of man and the environment. <i>Journal of the Brazilian Chemical Society</i> , 2009, 20, 1175-1179.	0.6	17
67	Organochlorine compounds in sharks from the Brazilian coast. <i>Marine Pollution Bulletin</i> , 2009, 58, 294-298.	5.0	16
68	Assessment of a Plantibody HB-01 Purification Strategy at Different Scales. <i>Chromatographia</i> , 2009, 70, 1673-1678.	1.3	7
69	Human-induced injuries to marine tucuxis (<i>Sotalia guianensis</i>) (Cetacea: Delphinidae) in Brazil. <i>Marine Biodiversity Records</i> , 2009, 2, .	1.2	26
70	COMPORTAMENTO DO BOTO-CINZA (<i>Sotalia guianensis</i>) (CETACEA: DELPHINIDAE): AMOSTRAGEM, TERMOS E DEFINIÇÕES. <i>Oecologia Brasiliensis</i> , 2009, 13, 192-200.	0.5	4
71	Evaluation of cetacean exposure to organotin compounds in Brazilian waters through hepatic total tin concentrations. <i>Environmental Pollution</i> , 2008, 156, 1268-1276.	7.5	41
72	High Accumulation of Perfluorooctane Sulfonate (PFOS) in Marine Tucuxi Dolphins (<i>Sotalia</i>)	10.0	54

#	ARTICLE	IF	CITATIONS
73	Age and growth of some delphinids in south-eastern Brazil. Journal of the Marine Biological Association of the United Kingdom, 2007, 87, 293-303.	0.8	44
74	Characteristics of whistles from resident bottlenose dolphins (<i>Tursiops truncatus</i>) in southern Brazil. Journal of the Acoustical Society of America, 2007, 121, 2978-2983.	1.1	38
75	Cephalopods and cetaceans as indicators of offshore bioavailability of cadmium off Central South Brazil Bight. Environmental Pollution, 2007, 148, 352-359.	7.5	76
76	Polychlorinated biphenyls and DDT in swordfish (<i>Xiphias gladius</i>) and blue shark (<i>Prionace glauca</i>) from Brazilian coast. Chemosphere, 2007, 67, S48-S53.	8.2	30
77	Cadmium concentrations in franciscana dolphin (<i>Pontoporia blainvillei</i>) from south brazilian coast. Brazilian Journal of Oceanography, 2007, 55, 179-186.	0.6	20
78	Riverine and marine ecotypes of <i>Sotalia</i> dolphins are different species. Marine Biology, 2005, 148, 449-457.	1.5	85
79	Distribution and habitat characteristics of dolphins of the genus <i>Stenella</i> (Cetacea: Delphinidae) in the southwest Atlantic Ocean. Marine Ecology - Progress Series, 2005, 300, 229-240.	1.9	75
80	Strandings and feeding records of Bryde's whales (<i>Balaenoptera edeni</i>) in south-eastern Brazil. Journal of the Marine Biological Association of the United Kingdom, 2004, 84, 857-859.	0.8	37
81	Colour pattern and external morphology of the Fraser's dolphin (<i>Lagenodelphis hosei</i>) in the Southwestern Atlantic. Aquatic Mammals, 2003, 29, 411-416.	0.7	5