

Liam Barry

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1612887/publications.pdf>

Version: 2024-02-01

438
papers

4,704
citations

117453

34
h-index

205818

48
g-index

440
all docs

440
docs citations

440
times ranked

2591
citing authors

#	ARTICLE	IF	CITATIONS
1	Generation of Coherent Multicarrier Signals by Gain Switching of Discrete Mode Lasers. IEEE Photonics Journal, 2011, 3, 112-122.	1.0	143
2	High performance mode locking characteristics of single section quantum dash lasers. Optics Express, 2012, 20, 8649.	1.7	120
3	40nm wavelength tunable gain-switched optical comb source. Optics Express, 2011, 19, B415.	1.7	94
4	100 Gb/s Multicarrier THz Wireless Transmission System With High Frequency Stability Based on A Gain-Switched Laser Comb Source. IEEE Photonics Journal, 2015, 7, 1-11.	1.0	85
5	Phase Noise Characterization of SGDBR Lasers Using Phase Modulation Detection Method With Delayed Self-Heterodyne Measurements. Journal of Lightwave Technology, 2013, 31, 1300-1308.	2.7	69
6	Improved reduced models for single-pass and reflective semiconductor optical amplifiers. Optics Communications, 2015, 334, 170-173.	1.0	66
7	Remote downconversion with wavelength reuse for the radio/fiber uplink connection. IEEE Photonics Technology Letters, 2006, 18, 562-564.	1.3	65
8	Flexible terabit/s Nyquist-WDM super-channels using a gain-switched comb source. Optics Express, 2015, 23, 724.	1.7	64
9	Gain-Switched Optical Frequency Combs for Future Mobile Radio-Over-Fiber Millimeter-Wave Systems. Journal of Lightwave Technology, 2018, 36, 4602-4610.	2.7	62
10	Tunable transform-limited pulse generation using self-injection locking of an FP laser. IEEE Photonics Technology Letters, 1993, 5, 1132-1134.	1.3	60
11	Discrete mode lasers for communication applications. IET Optoelectronics, 2009, 3, 1-17.	1.8	60
12	Quantum Dash Mode-Locked Lasers for Data Centre Applications. IEEE Journal of Selected Topics in Quantum Electronics, 2015, 21, 53-60.	1.9	58
13	Blind Nonlinearity Equalization by Machine-Learning-Based Clustering for Single- and Multichannel Coherent Optical OFDM. Journal of Lightwave Technology, 2018, 36, 721-727.	2.7	55
14	Complete characterization of ultrashort pulse sources at 1550 nm. IEEE Journal of Quantum Electronics, 1999, 35, 441-450.	1.0	51
15	Delayed Self-Heterodyne Phase Noise Measurements With Coherent Phase Modulation Detection. IEEE Photonics Technology Letters, 2012, 24, 249-251.	1.3	49
16	Improved performance of a hybrid radio/fiber system using a directly modulated laser transmitter with external injection. IEEE Photonics Technology Letters, 2002, 14, 233-235.	1.3	47
17	Tunable terahertz wave generation through a bimodal laser diode and plasmonic photomixer. Optics Express, 2015, 23, 31206.	1.7	44
18	Performance Analysis of Analog IF Over Fiber Fronthaul Link With 4G and 5G Coexistence. Journal of Optical Communications and Networking, 2018, 10, 174.	3.3	44

#	ARTICLE	IF	CITATIONS
19	A Novel Two-Section Tunable Discrete Mode Fabry-Pérot Laser Exhibiting Nanosecond Wavelength Switching. IEEE Journal of Quantum Electronics, 2008, 44, 331-337.	1.0	43
20	Quantum-Dot Mode-Locked Lasers With Dual-Mode Optical Injection. IEEE Photonics Technology Letters, 2010, 22, 359-361.	1.3	43
21	Two-photon-induced photoconductivity enhancement in semiconductor microcavities: a theoretical investigation. Journal of the Optical Society of America B: Optical Physics, 2002, 19, 2396.	0.9	42
22	Multifunctional Operation of a Fiber Bragg Grating in a WDM/SCM Radio Over Fiber Distribution System. IEEE Photonics Technology Letters, 2004, 16, 605-607.	1.3	42
23	Complete pulse characterization at 15 Åµm by cross-phase modulation in optical fibers. Optics Letters, 1998, 23, 1582.	1.7	41
24	Enhanced Optical Comb Generation by Gain-Switching a Single-Mode Semiconductor Laser Close to Its Relaxation Oscillation Frequency. IEEE Journal of Selected Topics in Quantum Electronics, 2015, 21, 592-600.	1.9	41
25	Optimized pulse source employing an externally injected gain-switched laser diode in conjunction with a nonlinearly chirped grating. IEEE Journal of Selected Topics in Quantum Electronics, 2006, 12, 255-264.	1.9	40
26	Stepped-heterodyne optical complex spectrum analyzer. Optics Express, 2010, 18, 19724.	1.7	38
27	Optical Heterodyne Analog Radio-Over-Fiber Link for Millimeter-Wave Wireless Systems. Journal of Lightwave Technology, 2021, 39, 465-474.	2.7	38
28	Two-photon absorption photocurrent enhancement in bulk AlGaAs semiconductor microcavities. Applied Physics Letters, 2002, 80, 1328-1330.	1.5	37
29	Autocorrelation of ultrashort pulses at 1.5 [micro sign]m based on nonlinear response of silicon photodiodes. Electronics Letters, 1996, 32, 1922.	0.5	36
30	Autocorrelation and ultrafast optical thresholding at 1.5 [micro sign]m using a commercial InGaAsP 1.3 [micro sign]m laser diode. Electronics Letters, 1998, 34, 358.	0.5	36
31	Wide temperature range 0 < T < 85 Å°C narrow linewidth discrete mode laser diodes for coherent communications applications. Optics Express, 2011, 19, B90.	1.7	36
32	Flexible Optical Comb Source for Super Channel Systems. , 2013, , .		36
33	Direct measurement of pulse distortion near the zero-dispersion wavelength in an optical fiber by frequency-resolved optical gating. Optics Letters, 1997, 22, 457.	1.7	35
34	Dual correlated pumping scheme for phase noise preservation in all-optical wavelength conversion. Optics Express, 2013, 21, 15568.	1.7	35
35	Phase noise analysis of injected gain switched comb source for coherent communications. Optics Express, 2014, 22, 8120.	1.7	35
36	Phase Noise Investigation of Multicarrier Sub-THz Wireless Transmission System Based on an Injection-Locked Gain-Switched Laser. IEEE Transactions on Terahertz Science and Technology, 2015, 5, 590-597.	2.0	35

#	ARTICLE	IF	CITATIONS
37	Harnessing machine learning for fiber-induced nonlinearity mitigation in long-haul coherent optical OFDM. <i>Future Internet</i> , 2019, 11, 2.	2.4	35
38	Single-section quantum well mode-locked laser for 400 Gb/s SSB-OFDM transmission. <i>Optics Express</i> , 2015, 23, 26442.	1.7	34
39	In-band OSNR monitoring using a pair of Michelson fiber interferometers. <i>Optics Express</i> , 2010, 18, 3618.	1.7	33
40	Effects of phase noise of monolithic tunable laser on coherent communication systems. <i>Optics Express</i> , 2012, 20, B244.	1.7	31
41	Mitigation of relative intensity noise of quantum dash mode-locked lasers for PAM4 based optical interconnects using encoding techniques. <i>Optics Express</i> , 2017, 25, 20.	1.7	31
42	Chromatic Dispersion-Induced Optical Phase Decorrelation in a 60 GHz OFDM-RoF System. <i>IEEE Photonics Technology Letters</i> , 2014, 26, 2016-2019.	1.3	30
43	25-Gb/s OFDM 60-GHz Radio Over Fiber System Based on a Gain Switched Laser. <i>Journal of Lightwave Technology</i> , 2015, 33, 1635-1643.	2.7	30
44	Amplitude and Phase Noise of Frequency Combs Generated by Single-Section InAs/InP Quantum-Dash-Based Passively and Actively Mode-Locked Lasers. <i>IEEE Journal of Quantum Electronics</i> , 2016, 52, 1-7.	1.0	30
45	Experimental Demonstration of a WDM-RoF Based Mobile Fronthaul With f-OFDM Signals by Using Directly Modulated 3s-DBR Laser. <i>Journal of Lightwave Technology</i> , 2019, 37, 3875-3881.	2.7	29
46	A Silicon Photonic Switching Platform for Flexible Converged Centralized-Radio Access Networking. <i>Journal of Lightwave Technology</i> , 2020, 38, 5386-5392.	2.7	29
47	Characterization of 1.55- μ m pulses from a self-seeded gain-switched Fabry-Perot laser diode using frequency-resolved optical gating. <i>IEEE Photonics Technology Letters</i> , 1998, 10, 935-937.	1.3	28
48	60 GHz Radio Over Fiber System Based on Gain-Switched Laser. <i>Journal of Lightwave Technology</i> , 2014, 32, 3695-3703.	2.7	28
49	Experimental Comparison of FBMC and OFDM for Multiple Access Uplink PON. <i>Journal of Lightwave Technology</i> , 2017, 35, 1595-1604.	2.7	28
50	Optical pulse generation at frequencies up to 20 GHz using external-injection seeding of a gain-switched commercial Fabry-Perot laser. <i>IEEE Photonics Technology Letters</i> , 2001, 13, 1014-1016.	1.3	27
51	Integrated Two-Section Discrete Mode Laser. <i>IEEE Photonics Journal</i> , 2012, 4, 2085-2094.	1.0	27
52	60 GHz 5G Radio-Over-Fiber Using UF-OFDM With Optical Heterodyning. <i>IEEE Photonics Technology Letters</i> , 2017, 29, 2059-2062.	1.3	27
53	Ultra-sensitive all-optical sampling at 1.5 [μ m] using waveguide two-photon absorption. <i>Electronics Letters</i> , 1999, 35, 1483.	0.5	26
54	Software reconfigurable highly flexible gain switched optical frequency comb source. <i>Optics Express</i> , 2015, 23, 23225.	1.7	26

#	ARTICLE	IF	CITATIONS
55	Software-defined control-plane for wavelength selective unicast and multicast of optical data in a silicon photonic platform. Optics Express, 2017, 25, 232.	1.7	26
56	InP photonic integrated externally injected gain switched optical frequency comb. Optics Letters, 2017, 42, 555.	1.7	26
57	Numerical investigation into the injection-locking phenomena of gain switched lasers for optical frequency comb generation. Applied Physics Letters, 2015, 106, .	1.5	25
58	All Optical Wavelength Conversion of Nyquist-WDM Superchannels Using FWM in SOAs. Journal of Lightwave Technology, 2015, 33, 3959-3967.	2.7	25
59	Photonic Integrated Gain Switched Optical Frequency Comb for Spectrally Efficient Optical Transmission Systems. IEEE Photonics Journal, 2017, 9, 1-8.	1.0	25
60	5G wireless and wired convergence in a passive optical network using UF-OFDM and GFDM. , 2017, , .		25
61	Phase shift keyed systems based on a gain switched laser transmitter. Optics Express, 2009, 17, 12668.	1.7	24
62	Characterization of a tunable three-section slotted Fabry-Pérot laser for advanced modulation format optical transmission. Optics Communications, 2011, 284, 1616-1621.	1.0	24
63	Ultrahigh speed all-optical demultiplexing based on two-photon absorption in a laser diode. Electronics Letters, 1998, 34, 1871.	0.5	22
64	Effect of side-mode suppression ratio on the performance of self-seeded gain-switched optical pulses in lightwave communications systems. IEEE Photonics Technology Letters, 1999, 11, 1360-1362.	1.3	22
65	WDM-OFDM-PON Based on Compatible SSB Technique Using a Mode Locked Comb Source. IEEE Photonics Technology Letters, 2013, 25, 2058-2061.	1.3	22
66	High-Sensitivity Two-Photon Absorption Microcavity Autocorrelator. IEEE Photonics Technology Letters, 2004, 16, 1543-1545.	1.3	21
67	Fast Wavelength Switching Lasers Using Two-Section Slotted Fabry-Pérot Structures. IEEE Photonics Technology Letters, 2006, 18, 2105-2107.	1.3	21
68	Lyot filter based multiwavelength fiber ring laser actively mode-locked at 10GHz using an electroabsorption modulator. Optics Communications, 2008, 281, 3538-3541.	1.0	21
69	BER Performance of Coherent Optical Communications Systems Employing Monolithic Tunable Lasers With Excess Phase Noise. Journal of Lightwave Technology, 2014, 32, 1973-1980.	2.7	21
70	Characterization of Hybrid InP-TriPLeX Photonic Integrated Tunable Lasers Based on Silicon Nitride (Si) Tj ETQq0 0 0 rgBT /Overlock 10 Tf IEEE Photonics Journal, 2018, 10, 1-8.	1.0	21
71	Dual-mode microresonators as straightforward access to octave-spanning dissipative Kerr solitons. APL Photonics, 2022, 7, .	3.0	21
72	Simple technique to improve the spectral quality of gain-switched pulses from a DFB laser. Electronics Letters, 1994, 30, 2143-2145.	0.5	20

#	ARTICLE	IF	CITATIONS
73	Simultaneous measurement of optical fibre nonlinearity and dispersion using frequency resolved optical gating. Electronics Letters, 1997, 33, 707.	0.5	20
74	Injection Locked Wavelength De-Multiplexer for Optical Comb-Based Nyquist WDM System. IEEE Photonics Technology Letters, 2015, 27, 2595-2598.	1.3	20
75	Polarization insensitive all-optical wavelength conversion of polarization multiplexed signals using co-polarized pumps. Optics Express, 2016, 24, 11749.	1.7	19
76	28 GHz 5G radio over fibre using UF-OFDM with optical heterodyning. , 2017, , .		19
77	Real-time machine learning based fiber-induced nonlinearity compensation in energy-efficient coherent optical networks. APL Photonics, 2020, 5, .	3.0	19
78	Power efficient optical frequency comb generation using laser gain switching and dual-drive Mach-Zehnder modulator. Optics Express, 2019, 27, 24135.	1.7	19
79	Characterizing Pulse Propagation in Optical Fibers around 1550 nm Using Frequency-Resolved Optical Gating. Optical Fiber Technology, 1998, 4, 237-265.	1.4	18
80	Design, Characterization, and Applications of Index-Patterned Fabry-Pérot Lasers. IEEE Journal of Selected Topics in Quantum Electronics, 2011, 17, 1621-1631.	1.9	18
81	All-Analogue Real-Time Broadband Filter Bank Multicarrier Optical Communications System. Journal of Lightwave Technology, 2015, 33, 5073-5083.	2.7	18
82	Analytical Approach to Assess the Impact of Pulse-to-Pulse Phase Coherence of Optical Frequency Combs. IEEE Journal of Quantum Electronics, 2015, 51, 1-8.	1.0	18
83	Inverse scattering approach to multiwavelength Fabry-Pérot laser design. Physical Review A, 2006, 74, .	1.0	17
84	Chromatic Dispersion Monitoring of 80-Gb/s OTDM Data Signal via Two-Photon Absorption in a Semiconductor Microcavity. IEEE Photonics Technology Letters, 2007, 19, 21-23.	1.3	17
85	Electro-Optical Generation and Distribution of Ultrawideband Signals Based on the Gain Switching Technique. Journal of Optical Communications and Networking, 2010, 2, 122.	3.3	17
86	Optical Generation of Modulated Millimeter Waves Based on a Gain-Switched Laser. IEEE Transactions on Microwave Theory and Techniques, 2010, 58, 3372-3380.	2.9	17
87	On Bit and Power Loading for OFDM Over SI-POF. Journal of Lightwave Technology, 2011, 29, 1547-1554.	2.7	17
88	Spectral amplitude and phase measurement of a 40 GHz free-running quantum-dash modelocked laser diode. Optics Express, 2011, 19, 13628.	1.7	17
89	Mode coherence measurements across a 15ÅTHz spectral bandwidth of a passively mode-locked quantum dash laser. Optics Letters, 2012, 37, 1499.	1.7	17
90	A Blind Nonlinearity Compensator Using DBSCAN Clustering for Coherent Optical Transmission Systems. Applied Sciences (Switzerland), 2019, 9, 4398.	1.3	17

#	ARTICLE	IF	CITATIONS
91	Optimization of optical data transmitters for 40-Gb/s lightwave systems using frequency resolved optical gating. IEEE Photonics Technology Letters, 2002, 14, 971-973.	1.3	16
92	Simulations of an OSNR-Limited All-Optical Wavelength Conversion Scheme. IEEE Photonics Technology Letters, 2013, 25, 2311-2314.	1.3	16
93	Performance Investigation of IM/DD Compatible SSB-OFDM Systems Based on Optical Multicarrier Sources. IEEE Photonics Journal, 2014, 6, 1-10.	1.0	16
94	Monolithically Integrated 2-Section Lasers for Injection Locked Gain Switched Comb Generation. , 2014, , .		16
95	Excursion-Free Dynamic Wavelength Switching in Amplified Optical Networks. Journal of Optical Communications and Networking, 2015, 7, 898.	3.3	16
96	Optical packet switch with energy-efficient hybrid optical/electronic buffering for data center and HPC networks. Photonic Network Communications, 2016, 32, 89-103.	1.4	16
97	Coupled Transceiver-Fiber Nonlinearity Compensation Based on Machine Learning for Probabilistic Shaping System. Journal of Lightwave Technology, 2021, 39, 388-399.	2.7	16
98	Multiple RF carrier distribution in a hybrid radio/fiber system employing a self-pulsating laser diode transmitter. IEEE Photonics Technology Letters, 2002, 14, 1599-1601.	1.3	15
99	Effects of intermodulation distortion on the performance of a hybrid radio/fiber system employing a self-pulsating laser diode transmitter. IEEE Photonics Technology Letters, 2003, 15, 852-854.	1.3	15
100	Self-Seeding of a Gain-Switched Integrated Dual-Laser Source for the Generation of Highly Wavelength-Tunable Picosecond Optical Pulses. IEEE Photonics Technology Letters, 2004, 16, 629-631.	1.3	15
101	Optical signal processing via two-photon absorption in a semiconductor microcavity for the next generation of high-speed optical communications network. Journal of Lightwave Technology, 2006, 24, 2683-2692.	2.7	15
102	Performance improvement of 10Gb/s direct modulation OFDM by optical injection using monolithically integrated discrete mode lasers. Optics Express, 2011, 19, B289.	1.7	15
103	Simple analytical model for low-frequency frequency-modulation noise of monolithic tunable lasers. Applied Optics, 2014, 53, 830.	0.9	15
104	Mode Locked Laser Phase Noise Reduction Under Optical Feedback for Coherent DWDM Communication. Journal of Lightwave Technology, 2020, 38, 5708-5715.	2.7	15
105	Dynamic Linewidth Measurement Method via an Optical Quadrature Front End. IEEE Photonics Technology Letters, 2011, 23, 1591-1593.	1.3	14
106	Optical Burst-Switched SSB-OFDM Using a Fast Switching SG-DBR Laser. Journal of Optical Communications and Networking, 2013, 5, 994.	3.3	14
107	Detailed Investigation of the Pump Phase Noise Tolerance for Wavelength Conversion of 16-QAM Signals Using FWM. Journal of Optical Communications and Networking, 2014, 6, 793.	3.3	14
108	Phase Noise Reduction of an Optical Frequency Comb Using a Feed-Forward Heterodyne Detection Scheme. IEEE Photonics Journal, 2016, 8, 1-7.	1.0	14

#	ARTICLE	IF	CITATIONS
109	A high-speed optical star network using TDMA and all-optical demultiplexing techniques. IEEE Journal on Selected Areas in Communications, 1996, 14, 1030-1038.	9.7	13
110	Generation of Widely Tunable Picosecond Pulses With Large SMSR by Externally Injecting a Gain-Switched Dual Laser Source. IEEE Photonics Technology Letters, 2004, 16, 2344-2346.	1.3	13
111	All-optical sampling utilising two-photon absorption in semiconductor microcavity. Electronics Letters, 2005, 41, 489.	0.5	13
112	Characterization of a Turbo-Switch SOA Wavelength Converter Using Spectrographic Pulse Measurement. IEEE Journal of Selected Topics in Quantum Electronics, 2008, 14, 841-848.	1.9	13
113	Applied Constant Gain Amplification in Circulating Loop Experiments. Journal of Lightwave Technology, 2009, 27, 4686-4696.	2.7	13
114	Fabrication and measurement of a photonic crystal waveguide integrated with a semiconductor optical amplifier. Journal of the Optical Society of America B: Optical Physics, 2009, 26, 768.	0.9	13
115	Implementation of a cost-effective optical comb source in a WDM-PON with 107Gb/s data to each ONU and 50km reach. Optics Express, 2010, 18, 15672.	1.7	13
116	Impact of Laser Mode Partition Noise on Optical Heterodyning at Millimeter-Wave Frequencies. Journal of Lightwave Technology, 2016, 34, 4278-4284.	2.7	13
117	OFDM Baud Rate Limitations in an Optical Heterodyne Analog Fronthaul Link using Unlocked Fibre Lasers. , 2019, , .		13
118	28 GBd PAM-8 transmission over a 100 nm range using an InP-Si ₃ N ₄ based integrated dual tunable laser module. Optics Express, 2021, 29, 16563.	1.7	13
119	Wavelength tunable pulse generation at 10 GHz by strong filtered feedback using a gain-switched Fabry-Perot laser. Electronics Letters, 1994, 30, 74-75.	0.5	12
120	Performance issues associated with WDM optical systems using self-seeded gain switched pulse sources due to mode partition noise effects. IEEE Photonics Technology Letters, 2002, 14, 1202-1204.	1.3	12
121	Characterization of 40-Gbit/s Pulses Generated Using a Lithium Niobate Modulator at 1550 nm Using Frequency Resolved Optical Gating. IEEE Transactions on Instrumentation and Measurement, 2004, 53, 186-191.	2.4	12
122	Cross-Channel Interference Due to Wavelength Drift of Tunable Lasers in DWDM Networks. IEEE Photonics Technology Letters, 2007, 19, 616-618.	1.3	12
123	Two-section singlemode lasers based on slots suitable for photonic integration. Electronics Letters, 2012, 48, 945.	0.5	12
124	80-km Coherent DWDM-PON on 20-GHz Grid With Injected Gain Switched Comb Source. IEEE Photonics Technology Letters, 2014, 26, 364-367.	1.3	12
125	Simulations of the OSNR and laser linewidth limits for reliable wavelength conversion of DQPSK signals using four-wave mixing. Optics Communications, 2014, 310, 150-155.	1.0	12
126	60-GHz Direct Modulation-Direct Detection OFDM-RoF System Using Gain-Switched Laser. IEEE Photonics Technology Letters, 2015, 27, 193-196.	1.3	12

#	ARTICLE	IF	CITATIONS
127	WDM Orthogonal Subcarrier Multiplexing. Journal of Lightwave Technology, 2016, 34, 1815-1823.	2.7	12
128	Tapless and topology agnostic calibration solution for silicon photonic switches. Optics Express, 2018, 26, 32662.	1.7	12
129	Investigation of stimulated Brillouin scattering effects in radio-over-fiber distribution systems. Optics Communications, 2005, 255, 253-260.	1.0	11
130	Cross-channel interference due to wavelength switching events in wavelength packed switched WDM networks. Optics Communications, 2006, 267, 88-91.	1.0	11
131	Static and dynamic analysis of side-mode suppression of widely tunable sampled grating DBR (SG-DBR) lasers. Optics Communications, 2009, 282, 81-87.	1.0	11
132	Novel Frequency Chirp Compensation Scheme for Directly Modulated SG DBR Tunable Lasers. IEEE Photonics Technology Letters, 2009, 21, 340-342.	1.3	11
133	Low cost comb source in a coherent wavelength division multiplexed system. , 2010, , .		11
134	Gain-switched multicarrier transmitter in a long-reach UDWDM PON with a digital coherent receiver. Optics Letters, 2013, 38, 4797.	1.7	11
135	Optimum Bias Point in Broadband Subcarrier Multiplexing With Optical IQ Modulators. Journal of Lightwave Technology, 2015, 33, 258-266.	2.7	11
136	Chirp-Compensated DBR Lasers for TWDM-PON Applications. IEEE Photonics Journal, 2015, 7, 1-9.	1.0	11
137	Compensation of nonlinear distortion in coherent optical OFDM systems using a MIMO deep neural network-based equalizer. Optics Letters, 2020, 45, 5820.	1.7	11
138	Active demultiplexer enabled mmW ARoF transmission of directly modulated 64-QAM UF-OFDM signals. Optics Letters, 2020, 45, 5246.	1.7	11
139	Investigation of pulse pedestal and dynamic chirp formation on picosecond pulses after propagation through an SOA. IEEE Photonics Technology Letters, 2005, 17, 1800-1802.	1.3	10
140	Resonance tuning of two-photon absorption microcavities for wavelength-selective pulse monitoring. IEEE Photonics Technology Letters, 2006, 18, 433-435.	1.3	10
141	An IR-UWB Photonic Distribution System. IEEE Photonics Technology Letters, 2008, 20, 1884-1886.	1.3	10
142	Distributed management of energy-efficient lightpaths for computational grids. , 2012, , .		10
143	200-Gb/s Baudrate-Pilot-Aided QPSK/Direct Detection With Single-Section Quantum-Well Mode-Locked Laser. IEEE Photonics Journal, 2016, 8, 1-7.	1.0	10
144	100-km Coherent Nyquist Ultradense Wavelength Division Multiplexed Passive Optical Network Using a Tunable Gain-Switched Comb Source. Journal of Optical Communications and Networking, 2016, 8, 112.	3.3	10

#	ARTICLE	IF	CITATIONS
145	Histogram Based Clustering for Nonlinear Compensation in Long Reach Coherent Passive Optical Networks. Applied Sciences (Switzerland), 2020, 10, 152.	1.3	10
146	Quantum Dash Passively Mode Locked Laser for Optical Heterodyne Millimeter-Wave Analog Radio-over-Fiber Fronthaul Systems. , 2020, , .		10
147	Complete characterisation of pulse propagation in optical fibres using frequency-resolved optical gating. Electronics Letters, 1996, 32, 2339.	0.5	9
148	Characterization of nonlinear switching in a figure-of-eight fiber laser using frequency-resolved optical gating. IEEE Photonics Technology Letters, 1998, 10, 343-345.	1.3	9
149	System-Performance Analysis of Optimized Gain-Switched Pulse Source Employed in 40- and 80-Gb/s OTDM Systems. Journal of Lightwave Technology, 2007, 25, 1495-1502.	2.7	9
150	Demonstration and optimization of an optical impulse radio ultrawideband distribution system using a gain-switched laser transmitter. Journal of Optical Networking, 2009, 8, 179.	2.5	9
151	Linewidth of SG-DBR laser and its effect on DPSK transmission. Optics Communications, 2010, 283, 5040-5045.	1.0	9
152	Two-Photon-Absorption-Based OSNR Monitor for NRZ-PSK Transmission Systems. IEEE Photonics Technology Letters, 2010, 22, 275-277.	1.3	9
153	Renewal Model of a Buffered Optical Burst Switch. IEEE Communications Letters, 2011, 15, 91-93.	2.5	9
154	Narrow-Linewidth Discrete-Mode Laser Diodes for Coherent Communication Applications. Journal of Optical Communications and Networking, 2012, 4, A90.	3.3	9
155	Theoretical Analysis of Tunable Three-Section Slotted Fabry-Pérot Lasers Based on Time-Domain Traveling-Wave Model. IEEE Journal of Selected Topics in Quantum Electronics, 2013, 19, 1-8.	1.9	9
156	Penalty-free wavelength conversion with variable channel separation using gain-switched comb source. Optics Communications, 2014, 324, 69-72.	1.0	9
157	Programmable Wavelength Locking and Routing in a Silicon-Photonic Interconnection Network Implementation. , 2015, , .		9
158	Simple dispersion estimate for single-section quantum-dash and quantum-dot mode-locked laser diodes. Optics Letters, 2016, 41, 5676.	1.7	9
159	Filter Bank Multicarrier (FBMC) for long-reach intensity modulated optical access networks. Optics Communications, 2017, 389, 110-117.	1.0	9
160	AgileDCN: An Agile Reconfigurable Optical Data Center Network Architecture. Journal of Lightwave Technology, 2020, 38, 4922-4934.	2.7	9
161	Experimental investigation of the impact of optical injection on vital parameters of a gain-switched pulse source. Optics Communications, 2007, 277, 150-155.	1.0	8
162	Investigation of noise suppression, pulse intensity and chirp of an actively mode-locked semiconductor fiber ring laser. Optics Communications, 2007, 280, 142-146.	1.0	8

#	ARTICLE	IF	CITATIONS
163	Polarization dependence of a GaAs-based two-photon absorption microcavity photodetector. Optics Express, 2008, 16, 17682.	1.7	8
164	Optical millimeter-wave generation and transmission system for 1.25Gbit/s downstream link using a gain switched laser. Optics Communications, 2009, 282, 4789-4792.	1.0	8
165	Modulated Millimeter-Wave Generation by External Injection of a Gain Switched Laser. IEEE Photonics Technology Letters, 2011, 23, 447-449.	1.3	8
166	Terahertz-bandwidth coherence measurements of a quantum dash laser in passive and active mode-locking operation. Optics Letters, 2012, 37, 4967.	1.7	8
167	Dynamic characteristics of InGaAs/InP multiple quantum well discrete mode laser diodes emitting at 2 μ m. Electronics Letters, 2014, 50, 948-950.	0.5	8
168	DM-DD OFDM-RoF System With Adaptive Modulation Using a Gain-Switched Laser. IEEE Photonics Technology Letters, 2015, 27, 856-859.	1.3	8
169	Impact of Band Rejection in Multichannel Broadband Subcarrier Multiplexing. Journal of Optical Communications and Networking, 2015, 7, 248.	3.3	8
170	Integrated Gain Switched Comb Source for 100 Gb/s WDM-SSB-DD-OFDM System. Journal of Lightwave Technology, 2015, 33, 3525-3532.	2.7	8
171	Converged wired and wireless services in next generation optical access networks. , 2017, , .		8
172	Simplified Overflow Analysis of an Optical Burst Switch with Fibre Delay Lines. , 2009, , .		8
173	Overcoming laser diode nonlinearity issues in multi-channel radio-over-fiber systems. Optics Communications, 2004, 231, 217-225.	1.0	7
174	Characterization of Frequency Drift of Sampled-Grating DBR Laser Module Under Direct Modulation. IEEE Photonics Technology Letters, 2008, 20, 72-74.	1.3	7
175	Chromatic Dispersion Monitoring for High-Speed WDM Systems Using Two-Photon Absorption in a Semiconductor Microcavity. IEEE Journal of Quantum Electronics, 2009, 45, 223-232.	1.0	7
176	Demonstrating Doubly-Differential Quadrature Phase Shift Keying in the Optical Domain. IEEE Photonics Technology Letters, 2013, 25, 1054-1057.	1.3	7
177	Investigation Into the Phase Noise of Modulated Grating Y-Branch Lasers. IEEE Journal of Selected Topics in Quantum Electronics, 2017, 23, 1-9.	1.9	7
178	SDN control of optical nodes in metro networks for high capacity inter-datacentre links. Optics Communications, 2017, 402, 173-180.	1.0	7
179	Comparison of OFDMA and GFDMA for Next-Generation PONs. Journal of Optical Communications and Networking, 2017, 9, 1064.	3.3	7
180	DBSCAN-Based Clustering for Nonlinearity Induced Penalty Reduction in Wavelength Conversion Systems. IEEE Photonics Technology Letters, 2019, 31, 1709-1712.	1.3	7

#	ARTICLE	IF	CITATIONS
181	Frequency noise reduction performance of a feed-forward heterodyne technique: application to an actively mode-locked laser diode. <i>Optics Letters</i> , 2017, 42, 4000.	1.7	7
182	Characterization of wavelength interleaving in radio-over-fiber systems employing WDM/SCM. <i>Optics Communications</i> , 2006, 260, 144-149.	1.0	6
183	Analysis of bit rate dependence up to 80Gbit/s of a simple wavelength converter based on XPM in a SOA and a shifted filtering. <i>Optics Communications</i> , 2008, 281, 5731-5738.	1.0	6
184	Photonic generation of ultra-wideband signals by direct current modulation on SOA section of an SOA-integrated SGDBR laser. <i>Optics Express</i> , 2010, 18, 7219.	1.7	6
185	Energy-efficient lightpaths for computational grids. , 2012, , .		6
186	A two-moment performance analysis of optical burst switched networks with shared fibre delay lines in a feedback configuration. <i>Optical Switching and Networking</i> , 2012, 9, 323-335.	1.2	6
187	Time-resolved chirp measurement for 100GBaud test systems using an ideal frequency discriminator. <i>Optics Communications</i> , 2012, 285, 2039-2043.	1.0	6
188	Highly Robust Dual-Polarization Doubly Differential PSK Coherent Optical Packet Receiver for Energy Efficient Reconfigurable Networks. <i>Journal of Lightwave Technology</i> , 2015, 33, 5218-5226.	2.7	6
189	Impact of Nonlinear Phase Noise on All-Optical Wavelength Conversion of 10.7-GBaud QPSK Data Using Dual Correlated Pumps. <i>IEEE Journal of Quantum Electronics</i> , 2015, 51, 1-5.	1.0	6
190	Flexible wavelength de-multiplexer for elastic optical networking. <i>Optics Letters</i> , 2016, 41, 2241.	1.7	6
191	Scalable OCS-based intra/inter data center network with optical ToR switches. , 2016, , .		6
192	Estimation of the Performance Improvement of Pre-Amplified PAM4 Systems When Using Multi-Section Semiconductor Optical Amplifiers. <i>Applied Sciences (Switzerland)</i> , 2017, 7, 908.	1.3	6
193	Unsupervised Support Vector Machines for Nonlinear Blind Equalization in CO-OFDM. <i>IEEE Photonics Technology Letters</i> , 2018, 30, 1091-1094.	1.3	6
194	Detailed experimental phase noise characterization of Y-branch lasers for use in coherent communication systems. , 2013, , .		6
195	Narrow linewidth hybrid InP-TriPleX photonic integrated tunable laser based on silicon nitride micro-ring resonators. , 2018, , .		6
196	CO-OFDM for bandwidth-reconfigurable optical interconnects using gain-switched comb. <i>OSA Continuum</i> , 2020, 3, 2925.	1.8	6
197	Optical Heterodyne Millimeter-Wave Analog Radio-over-Fiber with Photonic Integrated Tunable Lasers. , 2019, , .		6
198	Cross Channel Interference due to Wavelength Drift of Tuneable Lasers in DWDM Networks. , 2006, , .		5

#	ARTICLE	IF	CITATIONS
199	Demonstration of Wavelength Packet Switched Radio-Over-Fiber System. IEEE Photonics Technology Letters, 2007, 19, 200-202.	1.3	5
200	Influence of Cavity Lifetime on High-Finesse Microcavity Two-Photon Absorption Photodetectors. IEEE Photonics Technology Letters, 2007, 19, 432-434.	1.3	5
201	Numerical analysis of four-wave mixing between picosecond mode-locked laser pulses in a tensile-strained bulk SOA. Optical and Quantum Electronics, 2008, 40, 411-418.	1.5	5
202	All-optical sampling and spectrographic pulse measurement using cross-absorption modulation in multiple-quantum-well devices. Journal of the Optical Society of America B: Optical Physics, 2008, 25, A133.	0.9	5
203	Characterization of time-resolved laser differential phase using 3D complementary cumulative distribution functions. Optics Letters, 2012, 37, 1769.	1.7	5
204	Time Resolved Bit Error Rate Analysis of a Fast Switching Tunable Laser for Use in Optically Switched Networks. Journal of Optical Communications and Networking, 2012, 4, A77.	3.3	5
205	Increased Bit Rate Direct Modulation AMO-OFDM Transmission by Optical Injection Using Monolithically Integrated Lasers. IEEE Photonics Technology Letters, 2012, 24, 879-881.	1.3	5
206	Long Reach UDWDM PON with SCM-QPSK Modulation and Direct Detection. , 2014, , .		5
207	Pilot-Tone-Aided Transmission of High-Order QAM for Optical Packet Switched Networks. Journal of Optical Communications and Networking, 2014, 6, 152.	3.3	5
208	Reduced OSNR Penalty for Frequency Drift Tolerant Coherent Packet Switched Systems Using Doubly Differential Decoding. , 2014, , .		5
209	Energy-efficient optical HPC and datacenter networks using optimized wavelength channel allocation. , 2015, , .		5
210	Large-scale hybrid electronic/optical switching networks for datacenters and HPC systems. , 2015, , .		5
211	Numerical generation of laser-resonance phase noise for optical communication simulators. Applied Optics, 2015, 54, 3398.	2.1	5
212	Correlation coefficient measurement of the mode-locked laser tones using four-wave mixing. Applied Optics, 2016, 55, 4441.	2.1	5
213	Doubly differential star-16-QAM for fast wavelength switching coherent optical packet transceiver. Optics Express, 2018, 26, 8201.	1.7	5
214	Comparison of Analogue and Digital Fronthaul for 5G MIMO Signals. , 2020, , .		5
215	Analysis of a Buffered Optical Switch with General Interarrival Times. Journal of Networks, 2011, 6, .	0.4	5
216	Cross-channel interference due to mode partition noise in WDM optical systems using self-seeded gain-switched pulse sources. IEEE Photonics Technology Letters, 2001, 13, 242-244.	1.3	4

#	ARTICLE	IF	CITATIONS
217	BER performance in wavelength packet-switched WDM systems during nano-second wavelength switching events. Optics Communications, 2004, 242, 171-177.	1.0	4
218	Spectrally compact optical subcarrier multiplexing with 42.6 Gbit/s AM-PSK payload and 2.5 Gbit/s NRZ labels. Electronics Letters, 2006, 42, 1303.	0.5	4
219	Optical IP Switching a Solution to Dynamic Lightpath Establishment in Disaggregated Network Architectures. , 2006, , .		4
220	Actively Mode-locked Multiwavelength Fibre Ring Laser Incorporating a Lyot Filter, Hybrid Gain Medium and Birefringence Compensated LiNbO ₃ Modulator. , 2007, , .		4
221	Two-photon absorption generated by optically amplified signals. Electronics Letters, 2008, 44, 1087.	0.5	4
222	Multiple access interference rejection in OCDMA using a two-photon absorption based semiconductor device. Optics Communications, 2009, 282, 1281-1286.	1.0	4
223	Chromatic Dispersion Monitoring for High-Speed WDM Systems Using Two-Photon Absorption in a Semiconductor Microcavity. IEEE Journal of Quantum Electronics, 2009, 45, 90-99.	1.0	4
224	Discrete mode lasers for communications applications. Proceedings of SPIE, 2009, , .	0.8	4
225	Characterization of a Novel Three-Section Tunable Slotted Fabry-Perot Laser. , 2010, , .		4
226	Interferometer based in-band OSNR monitoring of single and dual polarisation QPSK signals. , 2010, , .		4
227	Time-Resolved Q-factor Measurement and Its Application in Performance Analysis of 42.6 Gbit/s Packets Generated by SGDBR Lasers. Journal of Lightwave Technology, 2010, 28, 1144-1151.	2.7	4
228	Novel coherent self-heterodyne receiver based on phase modulation detection. Optics Express, 2012, 20, 6610.	1.7	4
229	Dual Polarization Interferometric In-Band OSNR Measurement. IEEE Photonics Technology Letters, 2012, 24, 873-875.	1.3	4
230	Overflow traffic moments in channel groups with Bernoulli-Poisson-Pascal (BPP) load. , 2013, , .		4
231	Transmission over 50 km using a directly modulated integrated two-section discrete mode laser at 1550 nm. , 2013, , .		4
232	Numerical investigation into the dynamics of externally-injected, gain-switched lasers for optical comb generation. , 2014, , .		4
233	100 Gbit/s real-time all-analogue filter bank OFDM based on a gain-switched optical comb. , 2015, , .		4
234	Digital coherent communications with a 1550 nm VCSEL. , 2015, , .		4

#	ARTICLE	IF	CITATIONS
235	Impact of Random Group Delay Ripple on the Cascadability of Wavelength Select Switches for Nyquist-Pulse-Shaped Signals. <i>Journal of Lightwave Technology</i> , 2016, 34, 4162-4168.	2.7	4
236	Investigation of intensity noise transfer during four-wave mixing in nonlinear optical media. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2017, 34, 389.	0.9	4
237	Fast Reconfigurable SOA-Based Wavelength Conversion of Advanced Modulation Format Data. <i>Applied Sciences (Switzerland)</i> , 2017, 7, 1033.	1.3	4
238	Compensation of fiber dispersion induced-power fading in reconfigurable millimeter-wave optical networks. <i>Optics Communications</i> , 2020, 476, 126308.	1.0	4
239	Tbit/s Optical Interconnects Based on Low Linewidth Quantum-Dash Lasers and Coherent Detection. , 2016, , .		4
240	Investigation of the Performance of GFDMA and OFDMA for Spectrally Efficient Broadband PONs. , 2017, , .		4
241	Single-Lane 54-Gbit/s PAM-4/8 Signal Transmissions Using 10G-Class Directly Modulated Lasers Enabled by Low-Complexity Nonlinear Digital Equalization. <i>IEEE Photonics Journal</i> , 2022, 14, 1-9.	1.0	4
242	Overcoming distortion limitations in hybrid radio/photonics systems for the distribution of WCDMA signals. <i>Electrical Engineering</i> , 2003, 85, 191-194.	1.2	3
243	Signal degradation due to output filtering of self-seeded gain-switched pulses exhibiting weak inherent side-mode-suppression ratios. <i>Applied Optics</i> , 2005, 44, 7867.	2.1	3
244	Generation and Characterisation of 40 GHz Picosecond Optical Pulses Generated Using an EAM. , 2006, , .		3
245	Effects of Crosstalk in WDM Optical Label Switching Networks Due to Wavelength Switching of a Tunable Laser. <i>IEEE Photonics Technology Letters</i> , 2006, 18, 2177-2179.	1.3	3
246	Fast Tunable Lasers in Radio-over-Fiber Access Networks. , 2006, , .		3
247	Optimized performance map of an EAM for pulse generation and demultiplexing via FROG characterization. <i>Optics Communications</i> , 2007, 273, 500-505.	1.0	3
248	Suppression of Residual Single-Photon Absorption Relative to Two-Photon Absorption in High Finesse Planar Microcavities. <i>IEEE Photonics Technology Letters</i> , 2008, 20, 1426-1428.	1.3	3
249	Optimization of a 427 Gb/s wavelength tunable RZ transmitter using a linear spectrogram technique. <i>Optics Express</i> , 2008, 16, 11281.	1.7	3
250	Discrete Mode Laser Diodes with Ultra Narrow Linewidth Emission ≪ 3kHz. , 2008, , .		3
251	Nonlinear Optical Thresholding in a 4-Channel OCDMA System via Two-Photon Absorption. , 2009, , .		3
252	Reduction of MAI and Beat Noise in OCDMA Systems Using an SA-SOA-TPA-Based Receiver. <i>IEEE Photonics Technology Letters</i> , 2009, 21, 1662-1664.	1.3	3

#	ARTICLE	IF	CITATIONS
253	Hybrid wired/wireless OFDM-PON with direct modulation of integrated lasers employing optical injection. , 2013, , .		3
254	A distributed framework for energy-efficient lightpaths in computational grids. Journal of High Speed Networks, 2013, 19, 1-18.	0.6	3
255	Reduced waiting times using a fast switching dual-polarization DDQPSK receiver in a packet switched network. , 2014, , .		3
256	Spectral shaping for hybrid wired/wireless PON with DC balanced encoding. , 2014, , .		3
257	Measuring the correlation of two optical frequencies using four-wave mixing. Applied Optics, 2014, 53, 7704.	2.1	3
258	All-optical wavelength conversion of spectrally-efficient modulation formats for future networks. , 2014, , .		3
259	Energy-efficient optical packet switch with recirculating fiber delay line buffers for data center interconnects. , 2014, , .		3
260	Cascaded Fabry-Pérot lasers for coherent expansion of wavelength tunable gain switched comb. , 2014, , .		3
261	Quantum Dash Passively Mode-Locked Lasers for Tbit/s Data Interconnects. , 2015, , .		3
262	Reconfigurable WDM-OFDM-PON employing wavelength selective switching with SSB and direct detection optical OFDM. Optics Communications, 2015, 334, 314-318.	1.0	3
263	In-band insertion of RoF LTE Services in OOK based PONs using line coding techniques. Optics Communications, 2015, 356, 488-494.	1.0	3
264	Injection-locking criteria for simultaneously locking single-mode lasers to optical frequency combs from gain-switched lasers. , 2017, , .		3
265	Software-Defined Silicon-Photonics-Based Metro Node for Spatial and Wavelength Superchannel Switching. Journal of Optical Communications and Networking, 2017, 9, 342.	3.3	3
266	256/64-QAM Multicarrier Analog Radio-over-Fiber Modulation using a Linear Differential Drive Silicon Mach-Zehnder Modulator. , 2018, , .		3
267	Corrections to "Characterization of Hybrid InP-TriPlex Photonic Integrated Tunable Lasers Based on Silicon Nitride (Si ₃ N ₄ /SiO ₂) Microring Resonators for Optical Coherent System". IEEE Photonics Journal, 2018, 10, 1-1.	1.0	3
268	Frequency-resolved optical gating measurement of 1.4 THz beat frequencies from dual wavelength self-seeded gain-switched laser diode. Electronics Letters, 1998, 34, 988.	0.5	3
269	Dual Laser Switching for Dynamic Wavelength Operation in Amplified Optical Transmission. , 2017, , .		3
270	40nm Wavelength Tunable Gain-Switched Optical Comb Source. , 2011, , .		3

#	ARTICLE	IF	CITATIONS
271	Wavelength conversion of Nyquist Pol-Mux QPSK superchannel using four-wave mixing in SOA. , 2016, , .		3
272	Fast reconfigurable SOA-based all-optical wavelength conversion of QPSK data employing switching tunable pump lasers. , 2017, , .		3
273	Reduction of nonlinear distortion in SOA-based wavelength conversion system by post-blind-compensation based on machine learning clustering. , 2019, , .		3
274	56 Gb/s over 1.3 THz frequency range and 400G DWDM PAM-4 transmission with a single quantum dash mode-locked laser source. Optics Express, 2020, 28, 22443.	1.7	3
275	Towards Energy Efficiency for Cloud Computing Services. Advances in Systems Analysis, Software Engineering, and High Performance Computing Book Series, 0, , 306-328.	0.5	3
276	Flexible V-band mmWave Analog-RoF Transmission of 5G and WiGig signals using an InP-SiN Integrated Laser Module. , 2021, , .		3
277	Role of Analogue Radio-over-Fibre Technology Beyond 5G. , 2022, , .		3
278	Effects of laser diode nonlinearities in hybrid fiber/radio systems. , 2003, 4876, 159.		2
279	Dispersion Monitoring for High-Speed WDM Networks via Two-Photon Absorption in a Semiconductor Microcavity. , 2006, , .		2
280	Expanding the range of chromatic dispersion monitoring with two-photon absorption in semiconductors. , 2007, , .		2
281	80-Gb/s OTDM System Analysis of a Vertical Microcavity-Based Saturable Absorber for the Enhancement of Pulse Pedestal Suppression. IEEE Photonics Technology Letters, 2007, 19, 321-323.	1.3	2
282	Cavity Length Independent Continuous Repetition Rate Tuning of a Self-Seeded Gain-Switched Fabry-Pérot Laser. IEEE Photonics Technology Letters, 2007, 19, 1625-1627.	1.3	2
283	Pump-Probe Detuning Dependence of Four-Wave Mixing Pulse in an SOA. IEEE Photonics Technology Letters, 2007, 19, 2033-2035.	1.3	2
284	Power divergence due to wavelength rerouting in long haul circulating loop experiments. , 2008, , .		2
285	SG-DBR tunable laser linewidth and its impact on advanced modulation format transmission. , 2009, , .		2
286	Optical Generation and Wireless Transmission of 60 GHz OOK Signals Using Gain Switched Laser. , 2010, , .		2
287	Linewidth Calibration of SG-DBR Lasers. IEEE Photonics Technology Letters, 2010, 22, 1729-1731.	1.3	2
288	Fast Switching Slotted Fabry-Pérot Laser for Phase Modulated Transmission Systems. Journal of Lightwave Technology, 2010, , .	2.7	2

#	ARTICLE	IF	CITATIONS
289	Analytical model of optical burst switched networks with share-per-node buffers. , 2011, , .		2
290	Direct modulation of a tuneable slotted Fabry-Pérot laser with adaptive modulation OFDM. Optics Express, 2012, 20, B399.	1.7	2
291	Cost Minimisation for Optical Burst Switched Networks with Share-per-Node Fibre Delay Lines. IEEE Communications Letters, 2012, 16, 945-948.	2.5	2
292	Influence of facet reflection of SOA on SOA-integrated SGDBR laser. Frontiers of Optoelectronics, 2012, 5, 390-394.	1.9	2
293	Quantum dot mode locked lasers for coherent frequency comb generation. Proceedings of SPIE, 2013, , .	0.8	2
294	Performance of a Semi-Nyquist NRZ-DQPSK System Employing a Flexible Gain-Switched Multicarrier Transmitter. Journal of Optical Communications and Networking, 2014, 6, 282.	3.3	2
295	Comment on: "Impact of Nonlinear Phase Noise on All-Optical Wavelength Conversion of 10.7 GBaud QPSK Data Using Dual Correlated Pumps" IEEE Journal of Quantum Electronics, 2015, 51, 1-2.	1.0	2
296	FBMC for directly modulated passive optical networks (PON). , 2015, , .		2
297	WDM Orthogonal Subcarrier Multiplexing Based on Mode-Locked Lasers. Journal of Lightwave Technology, 2017, 35, 2981-2987.	2.7	2
298	Doubly Differential Two-level 8PSK for Enabling Optical Packet Switching in Coherent Systems. , 2018, , .		2
299	Tracking Excess Noise from a Monolithic Tunable Laser in Coherent Communication Systems. , 2013, , .		2
300	Kalman Filter for Carrier Phase Recovery in Coherent Transmission Systems Employing Fast Tunable Lasers. , 2017, , .		2
301	Optical Switching in Datacenters: Architectures Based on Optical Circuit Switching. , 2018, , 23-44.		2
302	5G New Radio Compatible Multicarrier Signals Delivery over an Optical/Millimeter-Wave Analog Radio-over-Fiber Fronthaul Link. , 2020, , .		2
303	Flexible Optical and Millimeter-Wave Analog-RoF Transmission with a Silicon-based Integrated Dual Laser Module. , 2021, , .		2
304	Crosstalk and Power Fading in a WDM-RoF Based MFN Using Directly Modulation 3s-DBR Laser. , 2021, , .		2
305	High-speed PAM-4 Signal Transmissions with Directly Modulated Lasers for the Next-Generation Passive Optical Networks. , 2021, , .		2
306	54-Gbit/s PAM-8 Transmission in Next-Generation Passive Optical Networks using Directly Modulated Lasers with Machine Learning Techniques. , 2021, , .		2

#	ARTICLE	IF	CITATIONS
307	High-Resolution Simulation of Externally Injected Lasers Revealing a Large Regime of Noise-Induced Chaos. <i>Photonics</i> , 2022, 9, 83.	0.9	2
308	Injection Locking Properties of an Dual Laser Source for mm-Wave Communications. <i>Journal of Lightwave Technology</i> , 2022, 40, 6685-6692.	2.7	2
309	Wavelength & mm-Wave Flexible Converged Optical Fronthaul With a Low Noise Si-Based Integrated Dual Laser Source. <i>Journal of Lightwave Technology</i> , 2022, 40, 3307-3315.	2.7	2
310	InP-Si3N4 Hybrid Integrated Optical Source for High-purity Mm-wave Communications. , 2022, , .		2
311	Simulation of a high-speed demultiplexer based on two-photon absorption in semiconductor devices. <i>Optics Communications</i> , 2005, 249, 415-420.	1.0	1
312	Investigation of SOA-based wavelength conversion at 80 Gb/s using bandpass filtering. , 2006, , .		1
313	Ultra-narrow (sub-MHz) Linewidth Emission from Discrete Mode Laser Diodes. , 2007, , .		1
314	10Gbit/s Modulation of a Fast Switching Slotted Fabry-PÃ©rot Tunable laser. , 2007, , .		1
315	Detuning dependence of four-wave mixing between picosecond pulses in a multi-quantum well semiconductor optical amplifier. , 2007, , .		1
316	Impact of tunable laser wavelength drift in a base-band and sub-carrier multiplexed system. <i>Optics Communications</i> , 2008, 281, 4057-4060.	1.0	1
317	Experimental analysis of phase conjugation properties of four-wave mixing in an SOA after probe broadening due to fibre dispersion. <i>Optics Communications</i> , 2008, 281, 2046-2049.	1.0	1
318	Characterisation of an optical clock recovery method based on a mode-locked laser diode using spectrographic pulse measurement. <i>Optics Express</i> , 2008, 16, 10933.	1.7	1
319	Dynamic circulating-loop methods for transmission experiments in optically transparent networks. , 2008, , .		1
320	Wavelength tunable lasers in future optical communication systems. , 2008, , .		1
321	Nonlinear optical thresholding using a saturable absorber and two-photon absorption based device. , 2009, , .		1
322	Optical Generation, Fiber Distribution and air transmission for Ultra Wide Band over Fiber System. , 2009, , .		1
323	Wavelength and Bandwidth Tunable TPA Semiconductor Microcavity Detector for High-Speed Signal Processing in WDM Systems. <i>IEEE Journal of Quantum Electronics</i> , 2010, 46, 1518-1525.	1.0	1
324	10.7Gbd DQPSK packet transmission using a widely tunable slotted Fabry-Pérot laser. , 2010, , .		1

#	ARTICLE	IF	CITATIONS
325	Photonic generation and distribution of a modulated 60 GHz signal using a directly modulated gain switched laser. , 2010, , .		1
326	Improved accuracy of a Fourier-domain optical processor with feedback. , 2011, , .		1
327	Discrete mode laser diodes for FTTH/PON applications up to 10 Gbit/s. Proceedings of SPIE, 2012, , .	0.8	1
328	Low linewidth lasers for enabling high capacity optical communication systems. , 2012, , .		1
329	Effect of phase noise on all-optical wavelength conversion of DQPSK data using FWM. , 2013, , .		1
330	Optical multicarrier based IM/DD DWDM-SSB-OFDM access networks with SOAs for power budget extension. , 2014, , .		1
331	Side mode suppression and dispersion compensation analysis of a 60GHz radio-over-fibre system based on a gain switched laser. Optics Communications, 2014, 313, 36-41.	1.0	1
332	Long reach UDWDM PON with direct and coherent detection. , 2014, , .		1
333	Phase noise tolerant wavelength conversion of Tb/s Nyquist-WDM superchannels based on 64-QAM and using FWM in SOAs. , 2015, , .		1
334	Reconfigurable optical frequency comb and its applications. , 2015, , .		1
335	Dual mode injection locking of a Fabry-Pérot laser for tunable broadband gain switched comb generation. , 2015, , .		1
336	Terabit/s communications using chip-scale frequency comb sources. , 2015, , .		1
337	Investigation of the effects of laser non-linearity and RIN in direct modulation hybrid wired/wireless PON systems employing an integrated two section laser. Optics Communications, 2015, 338, 496-504.	1.0	1
338	Asymmetric corner frequency in the 1/f FM-noise PSD of optical frequency combs generated by quantum-dash mode-locked lasers. Applied Physics Letters, 2016, 109, 181102.	1.5	1
339	Retransmission Schemes for Lossless Transparent Optical Packet Switching in Large-Scale Datacentre Networks. , 2016, , .		1
340	Large-scale optical datacentre networks using hybrid Fibre Delay Line buffers and packet Retransmission. , 2016, , .		1
341	Effect of nonlinear gain on the phase noise of Y-branch lasers: Numerical study. , 2016, , .		1
342	Format-independent polarization-demultiplexing technique for dual-polarization intensity modulated signals. Applied Optics, 2016, 55, 1658.	2.1	1

#	ARTICLE	IF	CITATIONS
343	Effect of nonlinear gain on the phase noise of Y-branch lasers. <i>Optical and Quantum Electronics</i> , 2017, 49, 1.	1.5	1
344	Modelling and dimensioning of a high-radix datacentre optical packet switch with recirculating optical buffers. <i>Optical Switching and Networking</i> , 2017, 23, 67-81.	1.2	1
345	Calculation of Receiver Sensitivities in (Orthogonal) Subcarrier Multiplexing Microwave-Optical Links. <i>Applied Sciences (Switzerland)</i> , 2017, 7, 184.	1.3	1
346	Parallelized Kalman Filters for Mitigation of the Excess Phase Noise of Fast Tunable Lasers in Coherent Optical Communication Systems. <i>IEEE Photonics Journal</i> , 2018, 10, 1-11.	1.0	1
347	Quantum Dash Passively Mode-Locked Lasers for Coherent Wavelength Conversion System. <i>IEEE Photonics Technology Letters</i> , 2018, 30, 947-950.	1.3	1
348	Single Lane 168 Gb/s PAM-8 Short Reach Transmission Using an EAM with Receiver Skew Compensation. , 2018, , .		1
349	AgileDC: A Novel Optical Data Center Network Architecture. , 2018, , .		1
350	Chirp Compensation of Directly Modulated 3s-DBR Laser for WDM-RoF-Based Mobile Fronthaul. <i>IEEE Photonics Technology Letters</i> , 2019, 31, 1171-1174.	1.3	1
351	All-Optical Network Capacity for 5G Cellular Fronthaul. , 2019, , .		1
352	Power optimization for phase quantization with SOAs using the gain extinction ratio. <i>Optics Express</i> , 2021, 29, 1545.	1.7	1
353	Performance Improvement of 10Gb/s Direct Modulation OFDM by Optical Injection using Monolithically Integrated Discrete Mode Lasers. , 2011, , .		1
354	Characterization of Wavelength Tunable Lasers for Future Optical Communication Systems. <i>Journal of Networks</i> , 2010, 5, .	0.4	1
355	Overcoming the Effect of Cycle Slips Caused by Low Frequency Noise from Monolithic Tunable Lasers. , 2014, , .		1
356	100Gb/s WDM-SSB-DD-OFDM using a Gain Switched Monolithically Integrated Passive Feedback Comb Source. , 2015, , .		1
357	UDWDM PON with 6 Å— 2.5GBaud 16-QAM Multicarrier Transmitter and Phase Noise Tolerant Direct Detection. , 2015, , .		1
358	High-Performance Terahertz Source based on a bimodal laser diode and a plasmonic photomixer. , 2016, , .		1
359	Optical Circuit Switching/Multicasting of Burst Mode PAM-4 using a Programmable Silicon Photonic Chip. , 2017, , .		1
360	Affinity propagation clustering for blind nonlinearity compensation in coherent optical OFDM. , 2018, , .		1

#	ARTICLE	IF	CITATIONS
361	Demonstration of 608 Gbps CO-OFDM Transmission using Gain Switched Comb. , 2020, , .		1
362	5G Millimeter-Wave Analog RoF System employing Optical Injection Locking and Direct Modulation of DFB Laser. , 2022, , .		1
363	Performance issues associated with WDM optical systems using self-seeded gain-switched pulse sources. , 2003, , .		0
364	Hybrid radio/fiber system employing SCM for the distribution of multiple RF carriers with a directly modulated laser transmitter. , 2003, , .		0
365	Ultrafast optics for broadband photonic communication systems. , 2003, 4876, 206.		0
366	Traffic sources for optical burst switching network simulations. , 2005, , .		0
367	All-optical sampling based on two-photon absorption in a semiconductor microcavity for high-speed OTDM. , 2005, , .		0
368	Pre-filtering on signal fading effect for radio-over-fiber distribution systems. , 2005, , .		0
369	Performance issues in SCM label switched networks due to tunable laser switching events. , 2006, , .		0
370	Enhancement of System Performance in 80Gb/s OTDM systems by using a Vertical Microcavity based Saturable Absorber. , 2006, , .		0
371	Performance of Pulse Source consisting of an Externally Injected Gain-Switched Laser followed by a Non-linearly/Linearly Chirped Grating in an 80 Gb/s OTDM System. , 2006, , .		0
372	Fast Wavelength Switching Lasers Using Two-section Slotted FP Structures. , 2006, , .		0
373	Frequency Drift Characterisation of Directly Modulated SGDBR Tunable Lasers. Conference Proceedings - Lasers and Electro-Optics Society Annual Meeting-LEOS, 2007, , .	0.0	0
374	Reduction of Multiple Access Interference in OCDMA Systems Using a Semiconductor Based TPA Device. , 2007, , .		0
375	Numerical Analysis of Four-Wave Mixing between 2 ps mode-locked laser pulses in a Tensile-Strained Bulk SOA. , 2007, , .		0
376	Pulse Pedestal Suppression Using Four-Wave Mixing in an SOA. IEEE Photonics Technology Letters, 2008, 20, 327-329.	1.3	0
377	Cost efficient pulse source for return-to-zero differential phase shift keyed transmission systems. , 2009, , .		0
378	Novel optical pulse characterization technique using sinusoidal optical phase modulation with a broad usable modulation amplitude range. , 2009, , .		0

#	ARTICLE	IF	CITATIONS
379	Demonstration of slow light in semiconductor optical amplifier. , 2010, , .		0
380	High repetition rate pulse train generation at GHz repetition rates from nonlinear breather reshaping in standard single mode fibre. Proceedings of SPIE, 2010, , .	0.8	0
381	Photonic generation of tunable ultra-wideband signals using an SOA-integrated SGDBR laser. , 2010, , .		0
382	Gain switching for the optical generation of modulated millimetre waves. , 2010, , .		0
383	Improved Amplitude and Phase Accuracy of a Fourier-Domain Optical Processor With Feedback. IEEE Photonics Journal, 2011, 3, 718-726.	1.0	0
384	Measurement of the spectral amplitude and phase of a free-running 40 GHz quantum-dash modelocked laser diode. , 2011, , .		0
385	DQPSK optical packet switching using an SG-DBR laser. , 2011, , .		0
386	Coherent phase modulation detection for self-heterodyne phase noise measurement. Proceedings of SPIE, 2011, , .	0.8	0
387	Coherent delayed self-heterodyne measurement of laser phase noise. , 2011, , .		0
388	A Novel Phase Modulation Detection Technique For Coherent Self-Heterodyne Optical Receiver. , 2012, , .		0
389	Enabling Optical Devices for Scalable Networks: Introduction to the Feature Issue. Journal of Optical Communications and Networking, 2012, 4, EOD1.	3.3	0
390	Multi-carrier transmitter for future access networks. , 2012, , .		0
391	Narrow linewidth discrete mode laser diodes at 1550 nm. Proceedings of SPIE, 2012, , .	0.8	0
392	Effects of SGDBR Laser Phase Noise on Coherent Communication Systems. , 2012, , .		0
393	Self-heterodyne optical transceiver with PM detection and phase compensation for pre-coded differential QAM. , 2012, , .		0
394	Performance enhancement of 10Gb/s direct modulation optical OFDM by external optical injection. Optics Communications, 2012, 285, 136-139.	1.0	0
395	Injection locked lasers for flexible optical comb sources. , 2013, , .		0
396	Theoretical modeling of tunable three-section slotted Fabry-Perot lasers. , 2013, , .		0

#	ARTICLE	IF	CITATIONS
397	Dual-correlated pumping scheme for phase-noise retention in FWM. , 2013, , .		0
398	Wavelength conversion of ps-duration pulses induced in mode-locked semiconductor lasers via strong optical injection. , 2013, , .		0
399	Impact of four-wave mixing phase noise transfer on wavelength converted QPSK signals. , 2013, , .		0
400	Theoretical study on linewidth characteristics of SGDBR lasers for coherent optical communications. , 2013, , .		0
401	60 GHz SSB SCM QPSK radio over fibre system based on a gain switched distributed feedback laser. , 2014, , .		0
402	Low linewidth discrete mode lasers for coherent communications applications. , 2014, , .		0
403	A technique to measure the correlation of optical frequencies using four-wave mixing. , 2014, , .		0
404	Performance investigation of 112 Gb/s PDM-QPSK long-haul systems employing discrete mode lasers. , 2014, , .		0
405	Low cost 60 GHz radio over fiber system based on gain-switched laser. , 2014, , .		0
406	A novel chirp compensation scheme for directly modulated DBR lasers in TWDM-PON system. , 2015, , .		0
407	Phase noise tolerant wavelength conversion of Nyquist-WDM superchannels using FWM in SOAs. , 2015, , .		0
408	Tbit/s transmission based on mode locked laser frequency comb sources. , 2015, , .		0
409	Monolithic optical frequency comb based on quantum dashed mode locked lasers for Tb/s data transmission. , 2015, , .		0
410	Demonstration of a 30 Gbps intensity modulation direct detection OFDM-based passive optical network. , 2015, , .		0
411	Noise investigation of single section InAs/ InP quantum-dash lasers in active and passive mode-locking. , 2016, , .		0
412	Silicon-organic hybrid (SOH) devices and their use in comb-based communication systems. , 2016, , .		0
413	A compact and broadly tunable terahertz source based on a bimodal laser and plasmonic photomixer. , 2016, , .		0
414	Multi-terabit/s transmission using chip-scale frequency comb sources. , 2016, , .		0

#	ARTICLE	IF	CITATIONS
415	Frequency combs from InAs/InP quantum dash based mode-locked lasers for multi-terabit/s data transmission. , 2016, , .		0
416	Pump linewidth requirements for processing dispersion-altered DQPSK signals using FWM. Optics Communications, 2016, 366, 179-184.	1.0	0
417	Chip-scale frequency comb generators for high-speed communications and optical metrology. , 2017, , .		0
418	Fast reconfigurable SOA-based wavelength conversion of pol-mux QPSK data employing switching tuneable pump lasers. , 2017, , .		0
419	Reduction of Relative Intensity Noise of Optical Multicarrier Sources Using External Injection Based Optical Demultiplexer. , 2017, , .		0
420	Polarization dependent loss due to four-wave mixing. , 2017, , .		0
421	Numerical investigation of a feed-forward linewidth reduction scheme using a mode-locked laser model of reduced complexity. Applied Optics, 2018, 57, E89.	0.9	0
422	Identifying the Contribution of Carrier Shot Noise and Random Carrier Recombination to Excess Frequency Noise in Tunable Lasers. Photonics, 2019, 6, 4.	0.9	0
423	Applicability of small-signal laser and fiber models for passive optical networks operating at the 1550Ånm window. Optical Fiber Technology, 2020, 56, 102203.	1.4	0
424	Optical Frequency Comb and Active Demultiplexer-enabled 60 GHz mmW ARoF Transmission using Directly Modulated 64-QAM UF-OFDM signals. , 2021, , .		0
425	Direct Modulation of a Tuneable Slotted Fabryâ€“PÃ©rot Laser with Adaptive Modulation OFDM. , 2012, , .		0
426	Gain Switched Multi-Carrier Transmitter and Pilot Tone Based Receiver for Long Reach Access Networks. , 2012, , .		0
427	Improved Laser Phase Noise Tolerance for 2.5 Gbaud DPSK Transmission Using Trellis-Coded Modulation. , 2014, , .		0
428	Impact of Laser Resonance Phase Noise on the Wavelength Conversion of DQPSK Signals. , 2014, , .		0
429	Coherent Terabit Communications Using Chip-Scale Frequency Comb Sources. , 2015, , .		0
430	Novel Implementation of SOA-Based All-Optical Wavelength Conversion of DQPSK Signals Using Fast Switching Tuneable Lasers. , 2016, , .		0
431	Optically switched 56 GBd PAM-4 using a hybrid InP-TriPleX integrated tuneable laser based on silicon nitride micro-ring resonators. , 2018, , .		0
432	Pump correlation requirements for four wave mixing-based phase quantization schemes. , 2018, , .		0

#	ARTICLE	IF	CITATIONS
433	Performance analysis of multi-band Analog IF over Fibre Fronthaul Link for high capacity wireless networks. , 2019, , .		0
434	Investigation into the phase noise of wavelength-tunable semiconductor lasers for coherent systems. , 2019, , .		0
435	European network for high performance integrated microwave photonics. , 2019, , .		0
436	Intra-Data Centre Flexible PAM Transmission System Using an Integrated InP-Si ₃ N ₄ Dual Laser Module. IEEE Photonics Journal, 2022, 14, 1-6.	1.0	0
437	Pilot-free Bayesian Filter for Phase Noise Correction of 64QAM CO-OFDM Superchannel. , 2021, , .		0
438	DROAD: Demand-aware reconfigurable optically-switched agile data center network. Optical Switching and Networking, 2022, , 100683.	1.2	0