

Ramin Hashemi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1614085/publications.pdf>

Version: 2024-02-01

109
papers

2,413
citations

172207

29
h-index

276539

41
g-index

110
all docs

110
docs citations

110
times ranked

862
citing authors

#	ARTICLE	IF	CITATIONS
1	Experimental investigation of mechanical properties, formability and forming limit diagrams for tailor-welded blanks produced by friction stir welding. <i>Journal of Manufacturing Processes</i> , 2018, 31, 310-323.	2.8	149
2	Enhancing the Mechanical Properties and Formability of Low Carbon Steel with Dual-Phase Microstructures. <i>Journal of Materials Engineering and Performance</i> , 2016, 25, 382-389.	1.2	98
3	Forming limit diagrams with the existence of through-thickness normal stress. <i>Computational Materials Science</i> , 2010, 48, 504-508.	1.4	75
4	Prediction of FLD for sheet metal by considering through-thickness shear stresses. <i>Mechanics Based Design of Structures and Machines</i> , 2020, 48, 755-772.	3.4	71
5	A methodology for prediction of forming limit stress diagrams considering the strain path effect. <i>Computational Materials Science</i> , 2009, 45, 195-204.	1.4	67
6	Finite element and experimental method for analyzing the effects of martensite morphologies on the formability of DP steels. <i>Mechanics Based Design of Structures and Machines</i> , 2020, 48, 525-541.	3.4	64
7	Severe plastic deformation (SPD) of biodegradable magnesium alloys and composites: A review of developments and prospects. <i>Journal of Magnesium and Alloys</i> , 2022, 10, 938-955.	5.5	64
8	Review of selective laser melting of magnesium alloys: advantages, microstructure and mechanical characterizations, defects, challenges, and applications. <i>Journal of Materials Research and Technology</i> , 2022, 19, 1537-1562.	2.6	64
9	Microstructure and mechanical properties of Al/Cu/Mg laminated composite sheets produced by the ARB proces. <i>International Journal of Minerals, Metallurgy and Materials</i> , 2018, 25, 564-572.	2.4	61
10	Experimental evaluation of the plane stress fracture toughness for ultra-fine grained aluminum specimens prepared by accumulative roll bonding process. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2017, 708, 301-310.	2.6	58
11	Implementation of the forming limit stress diagram to obtain suitable load path in tube hydroforming considering Mâ€™K model. <i>Materials & Design</i> , 2009, 30, 3545-3553.	5.1	55
12	Characterizing the elastic and plastic properties of the multilayered Al/Brass composite produced by ARB using DIC. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2019, 753, 70-78.	2.6	46
13	Forming limit diagrams by including the Mâ€™K model in finite element simulation considering the effect of bending. <i>Proceedings of the Institution of Mechanical Engineers, Part L: Journal of Materials: Design and Applications</i> , 2018, 232, 625-636.	0.7	45
14	Fracture toughness investigation of Al1050/Cu/MgAZ31ZB multi-layered composite produced by accumulative roll bonding process. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2018, 734, 427-436.	2.6	45
15	Experimental evaluation of forming limit diagram and mechanical properties of nano/ultra-fine grained aluminum strips fabricated by accumulative roll bonding. <i>International Journal of Materials Research</i> , 2017, 108, 1036-1044.	0.1	41
16	Effects of strain accumulation and annealing on interfacial microstructure and grain structure (Mg) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 <i>Materials Research and Technology</i> , 2021, 14, 392-406.	2.6	39
17	An Experimental Study of Fracture Toughness for Nano/Ultrafine Grained Al5052/Cu Multilayered Composite Processed by Accumulative Roll Bonding. <i>Journal of Manufacturing Science and Engineering, Transactions of the ASME</i> , 2018, 140, .	1.3	38
18	Influence of ARB technique on the microstructural, mechanical and fracture properties of the multilayered Al1050/Al5052 composite reinforced by SiC particles. <i>Journal of Materials Research and Technology</i> , 2019, 8, 4287-4301.	2.6	37

#	ARTICLE	IF	CITATIONS
19	Production of Al/Mg-Li composite by the accumulative roll bonding process. Journal of Materials Research and Technology, 2020, 9, 7880-7886.	2.6	37
20	Forming limit curves analysis of aluminum alloy considering the through-thickness normal stress, anisotropic yield functions and strain rate. International Journal of Mechanical Sciences, 2016, 117, 93-101.	3.6	36
21	A comprehensive study on the effect of heat treatment on the fracture behaviors and structural properties of Mg-Li alloys using RSM. Materials Research Express, 2019, 6, 076554.	0.8	36
22	Analysis of the extended stress-based forming limit curve considering the effects of strain path and through-thickness normal stress. Materials & Design, 2014, 54, 670-677.	5.1	35
23	Investigation of annealing treatment on the interfacial and mechanical properties of Al5052/Cu multilayered composites subjected to ARB process. Journal of Alloys and Compounds, 2021, 871, 159513.	2.8	34
24	Mixed mode fracture in an inclined center crack repaired by composite patching. Composite Structures, 2007, 81, 264-273.	3.1	33
25	Application of the hydroforming strain- and stress-limit diagrams to predict necking in metal bellows forming process. International Journal of Advanced Manufacturing Technology, 2010, 46, 551-561.	1.5	33
26	Hydroforming Limits in Metal Bellows Forming Process. Materials and Manufacturing Processes, 2010, 25, 1413-1417.	2.7	33
27	Forming limit diagram of aluminum-copper two-layer sheets: numerical simulations and experimental verifications. International Journal of Advanced Manufacturing Technology, 2017, 90, 2713-2722.	1.5	33
28	Computation of stress intensity factors (KI, KII) and T-stress for cracks reinforced by composite patching. Composite Structures, 2007, 78, 602-609.	3.1	32
29	Numerical and experimental study of formability in deep drawing of two-layer metallic sheets. International Journal of Advanced Manufacturing Technology, 2015, 80, 113-121.	1.5	32
30	An Experimental, Analytical, and Numerical Investigation of Hydraulic Bulge Test in Two-Layer Al-Cu Sheets. Journal of Manufacturing Science and Engineering, Transactions of the ASME, 2017, 139, .	1.3	32
31	The influence of post-annealing and ultrasonic vibration on the formability of multilayered Al5052/MgAZ31B composite. Materials Science and Technology, 2021, 37, 78-85.	0.8	31
32	The strain gradient approach to predict necking in tube hydroforming. Journal of Manufacturing Processes, 2013, 15, 51-55.	2.8	28
33	Evaluation of Microstructure and Mechanical Properties of Multilayer Al5052-Cu Composite Produced by Accumulative Roll Bonding. Powder Metallurgy and Metal Ceramics, 2018, 57, 144-153.	0.4	27
34	A Novel Approach to the Determination of Forming Limit Diagrams for Tailor-Welded Blanks. Journal of Materials Engineering and Performance, 2013, 22, 3210-3221.	1.2	26
35	Evaluation of fracture toughness and rupture energy absorption capacity of as-rolled LZ91 Mg alloy sheet. Materials Research Express, 2019, 6, 036517.	0.8	26
36	The effect of temperature on the mechanical properties and forming limit diagram of aluminum strips fabricated by accumulative roll bonding process. Journal of Materials Research and Technology, 2020, 9, 1831-1846.	2.6	26

#	ARTICLE	IF	CITATIONS
37	Investigation of mechanical properties, formability, and anisotropy of dual phase Mg-7Li-Zn. <i>Materials Research Express</i> , 2019, 6, 096543.	0.8	24
38	DIC-based experimental study of fracture toughness through R-curve tests in a multi-layered Al-Mg (LZ91) composite fabricated by ARB. <i>Journal of Alloys and Compounds</i> , 2021, 883, 160843.	2.8	24
39	The strain gradient approach for determination of forming limit stress and strain diagrams. <i>Proceedings of the Institution of Mechanical Engineers, Part B: Journal of Engineering Manufacture</i> , 2008, 222, 467-483.	1.5	23
40	Some numerical aspects of necking solution in prediction of sheet metal forming limits by strain gradient plasticity. <i>Materials & Design</i> , 2009, 30, 727-740.	5.1	23
41	Experimental and theoretical investigation of strain path change effect on forming limit diagram of AA5083. <i>International Journal of Advanced Manufacturing Technology</i> , 2015, 76, 1343-1352.	1.5	23
42	Forming Limit Diagrams of Ground St14 Steel Sheets with Different Thicknesses. <i>SAE International Journal of Materials and Manufacturing</i> , 0, 5, 60-64.	0.3	22
43	Using digital image correlation for characterizing the elastic and plastic parameters of ultrafine-grained Al 1050 strips fabricated via accumulative roll bonding process. <i>Materials Research Express</i> , 2019, 6, 086542.	0.8	21
44	An Incrementally Coupled Thermo-Electro-Mechanical Model for Resistance Spot Welding. <i>Materials and Manufacturing Processes</i> , 2012, 27, 1442-1449.	2.7	20
45	Evaluation of the microstructure and mechanical properties of the ultrafine grained thin-walled tubes processed by severe plastic deformation. <i>Metals and Materials International</i> , 2015, 21, 1068-1073.	1.8	20
46	Effects of normal and through-thickness shear stresses on the forming limit curves of AA3104-H19 using advanced yield criteria. <i>International Journal of Mechanical Sciences</i> , 2018, 137, 15-23.	3.6	20
47	A simulation-based approach to the determination of forming limit diagrams. <i>Proceedings of the Institution of Mechanical Engineers, Part B: Journal of Engineering Manufacture</i> , 2014, 228, 1582-1591.	1.5	19
48	Investigation of forming limit curves and mechanical properties of 316 stainless steel/St37 steel tailor-welded blanks produced by tungsten inert gas and friction stir welding method. <i>CIRP Journal of Manufacturing Science and Technology</i> , 2021, 32, 437-446.	2.3	19
49	An improved strain gradient approach for determination of deformation localization and forming limit diagrams. <i>Journal of Materials Processing Technology</i> , 2009, 209, 1758-1769.	3.1	18
50	Forming limit diagram of Al-Cu two-layer metallic sheets considering the Marciniak and Kuczynski theory. <i>Proceedings of the Institution of Mechanical Engineers, Part B: Journal of Engineering Manufacture</i> , 2018, 232, 848-854.	1.5	18
51	Using the finite element method for achieving an extra high limiting drawing ratio (LDR) of 9 for cylindrical components. <i>CIRP Journal of Manufacturing Science and Technology</i> , 2010, 3, 262-267.	2.3	17
52	Manufacturing of high-strength multilayered composite by accumulative roll bonding. <i>Materials Research Express</i> , 2019, 6, 1265e6.	0.8	17
53	Study of mechanical properties and wear resistance of Al 1050/Brass (70/30)/Al 1050 composite sheets fabricated by the accumulative roll bonding process. <i>Journal of Manufacturing Processes</i> , 2021, 71, 407-416.	2.8	17
54	Mechanical anisotropy in ultra-fine grained aluminium tubes processed by parallel-tubular-channel angular pressing. <i>Materials Science and Technology</i> , 2017, 33, 2265-2273.	0.8	16

#	ARTICLE	IF	CITATIONS
55	Comparison between Explosive Welding and Roll-Bonding Processes of AA1050/Mg AZ31B Bilayer Composite Sheets Considering Microstructure and Mechanical Properties. <i>Journal of Materials Engineering and Performance</i> , 2020, 29, 6322-6332.	1.2	16
56	Measurement of directional anisotropy coefficients for AA7020-T6 tubes and prediction of forming limit curve. <i>International Journal of Advanced Manufacturing Technology</i> , 2018, 96, 1015-1023.	1.5	15
57	Flexible bending of rectangular profiles: numerical and experimental investigations. <i>Journal of Manufacturing Processes</i> , 2020, 56, 390-399.	2.8	15
58	The Effect of the Imposed Boundary Rate on the Formability of Strain Rate Sensitive Sheets Using the M-K Method. <i>Journal of Materials Engineering and Performance</i> , 2013, 22, 2522-2527.	1.2	14
59	Prediction of forming limit diagrams using the modified M-K method in hydroforming of aluminum tubes. <i>International Journal of Material Forming</i> , 2016, 9, 297-303.	0.9	14
60	The role of thickness on the fracture behavior of Al/Mg-Li/Al composite processed by cold roll bonding. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2021, 824, 141851.	2.6	14
61	Experimental studying of the effect of active area on the performance of passive direct methanol fuel cell. <i>Ionics</i> , 2015, 21, 2851-2862.	1.2	12
62	Numerical and experimental study of bursting prediction in tube hydroforming of Al 7020-T6. <i>Mechanics and Industry</i> , 2017, 18, 411.	0.5	12
63	A comparative study of the extended forming limit diagrams considering strain path, through-thickness normal and shear stress. <i>International Journal of Mechanical Sciences</i> , 2018, 148, 316-326.	3.6	12
64	Effect of annealing on formability and mechanical properties of AA1050/Mg-AZ31B bilayer sheets fabricated by explosive welding method. <i>International Journal of Advanced Manufacturing Technology</i> , 2022, 118, 775-784.	1.5	12
65	Strain measurement and determining coefficient of plastic anisotropy using digital image correlation (DIC). <i>Mechanics and Industry</i> , 2017, 18, 311.	0.5	11
66	Forming limit diagrams of fine-grained Al 5083 produced by equal channel angular rolling process. <i>Proceedings of the Institution of Mechanical Engineers, Part L: Journal of Materials: Design and Applications</i> , 2018, 232, 922-930.	0.7	11
67	Experimental and FE analysis on spring-back of copper/aluminum layers sheet for a L-die bending process. <i>Materials Research Express</i> , 2019, 6, 1165h4.	0.8	11
68	The effect of temperature on the mechanical properties and forming limit diagram of Al 5083 produced by equal channel angular rolling. <i>International Journal of Advanced Manufacturing Technology</i> , 2019, 105, 4389-4400.	1.5	10
69	On the impacts of cutting parameters on surface roughness, tool wear mode and size in slot milling of A356 metal matrix composites reinforced with silicon carbide elements. <i>Proceedings of the Institution of Mechanical Engineers, Part B: Journal of Engineering Manufacture</i> , 2021, 235, 1655-1667.	1.5	10
70	Manufacturing of three-layered sandwich composite of AA1050/LZ91/AA1050 using cold roll bonding process. <i>Proceedings of the Institution of Mechanical Engineers, Part B: Journal of Engineering Manufacture</i> , 2021, 235, 1363-1372.	1.5	10
71	A method and apparatus for determination of the ultrasonic-assisted forming limit diagram. <i>Proceedings of the Institution of Mechanical Engineers, Part C: Journal of Mechanical Engineering Science</i> , 2021, 235, 7062-7073.	1.1	10
72	A methodology for determination of extended strain-based forming limit curve considering the effects of strain path and normal stress. <i>Proceedings of the Institution of Mechanical Engineers, Part C: Journal of Mechanical Engineering Science</i> , 2015, 229, 1537-1547.	1.1	9

#	ARTICLE	IF	CITATIONS
73	Determination of forming limit curve in two-layer metallic sheets using the finite element simulation. Proceedings of the Institution of Mechanical Engineers, Part L: Journal of Materials: Design and Applications, 2016, 230, 1018-1029.	0.7	9
74	Influences of the constrained groove pressing on microstructural, mechanical, and fracture properties of brass sheets. Materials Research Express, 2020, 7, 116526.	0.8	9
75	An Exhaustive Evaluation of Fracture Toughness, Microstructure, and Mechanical Characteristics of Friction Stir Welded Al6061 Alloy and Parameter Model Fitting Using Response Surface Methodology. Journal of Materials Engineering and Performance, 2022, 31, 3418-3436.	1.2	9
76	Formability and fractography of AA5754/polyethylene/AA5754 sandwich composites. Mechanics Based Design of Structures and Machines, 2022, 50, 1253-1267.	3.4	8
77	Experimental study of forming limit diagram and mechanical properties of aluminum foils processed by the accumulative roll bonding. Materials Research Express, 2020, 7, 126511.	0.8	8
78	Some Practical Aspects of Digital Image Correlation Technique to Evaluate Anisotropy Coefficient and Its Comparison with Traditional Method. Journal of Testing and Evaluation, 2020, 48, 4719-4734.	0.4	8
79	Investigation of forming limit diagram and mechanical properties of the bimetallic Al/Cu composite sheet at different temperatures which fabricated by explosive welding. Proceedings of the Institution of Mechanical Engineers, Part B: Journal of Engineering Manufacture, 2021, 235, 73-84.	1.5	7
80	Analysis and Simulation of Parallel Tubular Channel Angular Pressing of Al 5083 Tube. Transactions of the Indian Institute of Metals, 2017, 70, 2547-2553.	0.7	6
81	Analysis of constrained groove pressing and constrained groove pressing-cross route process on AA5052 sheet for automotive body structure applications. Proceedings of the Institution of Mechanical Engineers, Part D: Journal of Automobile Engineering, 2019, 233, 1436-1452.	1.1	6
82	Experimental and numerical assessment of energy absorption capacity of thin-walled Al 5083 tube produced by PTCAP process. Transactions of Nonferrous Metals Society of China, 2020, 30, 1238-1248.	1.7	6
83	Study of forming limit curves and mechanical properties of three-layered brass (CuZn10)/ low carbon steel (St14) /brass (CuZn10) composite considering the effect of annealing temperature. Journal of Materials Research and Technology, 2022, 18, 4672-4682.	2.6	6
84	Forming limit diagram of tubular hydroformed parts considering the through-thickness compressive normal stress. Proceedings of the Institution of Mechanical Engineers, Part L: Journal of Materials: Design and Applications, 2016, 230, 332-343.	0.7	5
85	Experimental investigation of spring-back phenomenon through an L-die bending process for multilayered sheets produced by the accumulative press bonding technique. Proceedings of the Institution of Mechanical Engineers, Part L: Journal of Materials: Design and Applications, 2020, 234, 1550-1559.	0.7	5
86	Experimental study of the defects, mechanical and microstructural characteristics of friction-stir-welded Al 6061 sheets. Surface Topography: Metrology and Properties, 2021, 9, 035012.	0.9	5
87	A novel experimental approach in determining forming limit diagrams by considering the effect of normal pressure. International Journal of Material Forming, 2022, 15, 1.	0.9	5
88	Analysis of necking in tube hydroforming by means of extended forming limit stress diagram. Engineering Solid Mechanics, 2014, 2, 73-82.	0.6	4
89	A different approach to estimate the process parameters in tube hydroforming. International Journal of Material Forming, 2015, 8, 355-366.	0.9	4
90	Lubrication performance of rapeseed oil-based nano-lubricants in parallel tubular channel angular pressing process. Journal of Central South University, 2019, 26, 1042-1049.	1.2	4

#	ARTICLE	IF	CITATIONS
91	Finite Element Simulation of the Parallel Tubular Channel Angular Pressing Process for Al-Cu Bimetallic Tube with Experimental Verification. Transactions of the Indian Institute of Metals, 2022, 75, 91-100.	0.7	4
92	Analytical and numerical investigation of wrinkling limit diagram in deep drawing of two-layer sheets with experimental verification. Proceedings of the Institution of Mechanical Engineers, Part L: Journal of Materials: Design and Applications, 2021, 235, 974-990.	0.7	4
93	High cycle fatigue behavior of bimetallic Al 7025/CP-Mg rods produced by rotary swaging. Journal of Materials Research and Technology, 2022, 19, 3321-3336.	2.6	4
94	Finite element simulations and experimental verifications for forming limit curve determination of two-layer aluminum/brass sheets considering the incremental forming process. Proceedings of the Institution of Mechanical Engineers, Part L: Journal of Materials: Design and Applications, 2022, 236, 361-373.	0.7	3
95	Evaluation of Temperature Effects on Forming Limit Diagrams of AA6061-T6 Considering the Marciniak and Kuczynski Model. Journal of Testing and Evaluation, 2021, 49, 20190011.	0.4	3
96	Ultrafine and fine particle emission in turning titanium metal matrix composite (Ti-MMC). Journal of Central South University, 2019, 26, 1563-1572.	1.2	2
97	The role of applied strain and volume percentage of components on mechanical properties and fracture toughness in multilayered Al/Mg composite fabricated by the accumulative roll bonding process. Materials Research Express, 2021, 8, 026508.	0.8	2
98	Formability of Tri-layered IF240/AZ31/IF240 Composite with Strong Bonding: Experimental and Finite Element Modeling. Journal of Materials Engineering and Performance, 2021, 30, 8402-8411.	1.2	2
99	New formulation for vibration analysis of Timoshenko beam with double-sided cracks. Structural Engineering and Mechanics, 2010, 34, 475-490.	1.0	2
100	Anisotropic Behavior of Al1050 through Accumulative Roll Bonding. Materials, 2021, 14, 6910.	1.3	2
101	Insight into the Influence of Punch Velocity and Thickness on Forming Limit Diagrams of AA 6061 Sheets—Numerical and Experimental Analyses. Metals, 2021, 11, 2010.	1.0	2
102	An experimental investigation of mechanical properties, forming limit curves, and bending behavior of aluminum-polymer sandwich composites. Materials Research Express, 2021, 8, 086516.	0.8	1
103	Investigation of Mechanical Properties, Formability, and Anisotropy of Dual Phase Mg-7Li-1Zn. SSRN Electronic Journal, 0, , .	0.4	1
104	Forming limit diagrams and mechanical properties of AA1050/Ti CP2 multilayered composite produced by the accumulative roll bonding technique. Proceedings of the Institution of Mechanical Engineers, Part B: Journal of Engineering Manufacture, 2023, 237, 643-653.	1.5	1
105	The Effect of Hygrothermal Composite Patch on the Fracture of Reinforced Crack under Mixed-Mode Loading. Applied Mechanics and Materials, 2006, 5-6, 189-196.	0.2	0
106	An Analytical Approach in Prediction of Necking and Suitable Load Path in Tube Hydroforming by Using the Strain Gradient. , 0, , .		0
107	Finding the optimum Hill index in the determination of the forming limit diagram. Proceedings of the Institution of Mechanical Engineers, Part B: Journal of Engineering Manufacture, 2009, 223, 943-944.	1.5	0
108	Evaluation of forming limit diagrams using Nakazima out-of-plane test and incremental forming process for two-phase magnesium-lithium alloy sheet. Journal of the Brazilian Society of Mechanical Sciences and Engineering, 2021, 43, 1.	0.8	0

#	ARTICLE	IF	CITATIONS
109	Asymmetric accumulative roll bonding of aluminum/copper composite sheets. Proceedings of the Institution of Mechanical Engineers, Part L: Journal of Materials: Design and Applications, 2021, 235, 842-852.	0.7	0