

Susanne Schmidt

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1614124/publications.pdf>

Version: 2024-02-01

104
papers

4,928
citations

94381

37
h-index

106281

65
g-index

109
all docs

109
docs citations

109
times ranked

7388
citing authors

#	ARTICLE	IF	CITATIONS
1	The influence of sucrose on soil nitrogen availability – A root exudate simulation using microdialysis. <i>Geoderma</i> , 2022, 409, 115645.	2.3	7
2	Resting Subtropical Grasslands from Grazing in the Wet Season Boosts Biocrust Hotspots to Improve Soil Health. <i>Agronomy</i> , 2022, 12, 62.	1.3	4
3	Editorial: Nitrogen Use Efficiency and Sustainable Nitrogen Management in Crop Plants. <i>Frontiers in Plant Science</i> , 2022, 13, 862091.	1.7	6
4	Biofertilizers can enhance nitrogen use efficiency of sugarcane. <i>Environmental Microbiology</i> , 2022, 24, 3655-3671.	1.8	6
5	A Research Road Map for Responsible Use of Agricultural Nitrogen. <i>Frontiers in Sustainable Food Systems</i> , 2021, 5, .	1.8	48
6	Organic Wastes Amended with Sorbents Reduce N ₂ O Emissions from Sugarcane Cropping. <i>Environments - MDPI</i> , 2021, 8, 78.	1.5	3
7	AusTraits, a curated plant trait database for the Australian flora. <i>Scientific Data</i> , 2021, 8, 254.	2.4	73
8	Isotopic fractionation from deep roots to tall shoots: A forensic analysis of xylem water isotope composition in mature tropical savanna trees. <i>Science of the Total Environment</i> , 2021, 795, 148675.	3.9	16
9	Algae biofertilisers promote sustainable food production and a circular nutrient economy – An integrated empirical-modelling study. <i>Science of the Total Environment</i> , 2021, 796, 148913.	3.9	15
10	Tropical Rainforest Restoration Plantations Are Slow to Restore the Soil Biological and Organic Carbon Characteristics of Old Growth Rainforest. <i>Microbial Ecology</i> , 2020, 79, 432-442.	1.4	11
11	Effects of commercial microbial biostimulants on soil and root microbial communities and sugarcane yield. <i>Biology and Fertility of Soils</i> , 2020, 56, 565-580.	2.3	20
12	Towards the circular nitrogen economy – A global meta-analysis of composting technologies reveals much potential for mitigating nitrogen losses. <i>Science of the Total Environment</i> , 2020, 704, 135401.	3.9	54
13	Microdialysis in soil environments: Current practice and future perspectives. <i>Soil Biology and Biochemistry</i> , 2020, 143, 107743.	4.2	32
14	Safeguarding human and planetary health demands a fertilizer sector transformation. <i>Plants People Planet</i> , 2020, 2, 302-309.	1.6	31
15	Structural elements that modulate the substrate specificity of plant purple acid phosphatases: Avenues for improved phosphorus acquisition in crops. <i>Plant Science</i> , 2020, 294, 110445.	1.7	37
16	Soil organic carbon recovery in tropical tree plantations may depend on restoration of soil microbial composition and function. <i>Geoderma</i> , 2019, 353, 70-80.	2.3	17
17	Soil Phosphorus Modeling for Modern Agriculture Requires Balance of Science and Practicality: A Perspective. <i>Journal of Environmental Quality</i> , 2019, 48, 1281-1294.	1.0	20
18	Microdialysis as an in situ technique for sampling soil enzymes. <i>Soil Biology and Biochemistry</i> , 2019, 135, 20-27.	4.2	21

#	ARTICLE	IF	CITATIONS
19	Without management interventions, endemic wet sclerophyll forest is transitioning to rainforest in World Heritage listed K–gari (Fraser Island), Australia. <i>Ecology and Evolution</i> , 2019, 9, 1378-1393.	0.8	6
20	Responses to competition for nitrogen between subtropical native tree seedlings and exotic grasses are species-specific and mediated by soil N availability. <i>Tree Physiology</i> , 2019, 39, 404-416.	1.4	14
21	Drivers of Phosphorus Efficiency in Tropical and Subtropical Cropping Systems. <i>Proceedings (mdpi)</i> , 2019, 36, .	0.2	0
22	Relationship between microbial composition and substrate use efficiency in a tropical soil. <i>Geoderma</i> , 2018, 315, 96-103.	2.3	41
23	Climate and soils together regulate photosynthetic carbon isotope discrimination within C ₃ plants worldwide. <i>Global Ecology and Biogeography</i> , 2018, 27, 1056-1067.	2.7	85
24	Effects of the growth environment on the yield and material properties of nanocellulose derived from the Australian desert grass <i>Triodia</i> . <i>Industrial Crops and Products</i> , 2018, 126, 238-249.	2.5	7
25	Optimising methods for the recovery and quantification of di- and tripeptides in soil. <i>Soil Research</i> , 2018, 56, 404.	0.6	8
26	The effect of heterogeneous soil bulk density on root growth of field-grown mangrove species. <i>Plant and Soil</i> , 2018, 432, 91-105.	1.8	30
27	Post-anthesis nitrate uptake is critical to yield and grain protein content in <i>Sorghum bicolor</i> . <i>Journal of Plant Physiology</i> , 2017, 216, 118-124.	1.6	20
28	A comparative study on student perceptions of their learning outcomes in undergraduate science degree programmes with differing curriculum models. <i>International Journal of Science Education</i> , 2017, 39, 742-760.	1.0	8
29	Amino acid transporter mutants of <i>Arabidopsis</i> provides evidence that a non-mycorrhizal plant acquires organic nitrogen from agricultural soil. <i>Plant, Cell and Environment</i> , 2017, 40, 413-423.	2.8	63
30	The vegetative nitrogen response of sorghum lines containing different alleles for nitrate reductase and glutamate synthase. <i>Molecular Breeding</i> , 2017, 37, 1.	1.0	3
31	Evolutionary conservation of a core root microbiome across plant phyla along a tropical soil chronosequence. <i>Nature Communications</i> , 2017, 8, 215.	5.8	244
32	Improving in situ recovery of soil nitrogen using the microdialysis technique. <i>Soil Biology and Biochemistry</i> , 2017, 114, 93-103.	4.2	24
33	The core root microbiome of sugarcane cultivated under varying nitrogen fertilizer application. <i>Environmental Microbiology</i> , 2016, 18, 1338-1351.	1.8	149
34	Introducing BASE: the Biomes of Australian Soil Environments soil microbial diversity database. <i>GigaScience</i> , 2016, 5, 21.	3.3	204
35	Crosstalk between sugarcane and a plant-growth promoting <i>Burkholderia</i> species. <i>Scientific Reports</i> , 2016, 6, 37389.	1.6	92
36	Nitrogen fluxes at the root-soil interface show a mismatch of nitrogen fertilizer supply and sugarcane root uptake capacity. <i>Scientific Reports</i> , 2015, 5, 15727.	1.6	76

#	ARTICLE	IF	CITATIONS
37	Species turnover of corticolous bryophyte assemblages over 15 years in an Australian subtropical cloud forest. <i>Austral Ecology</i> , 2015, 40, 877-885.	0.7	1
38	Easily deconstructed, high aspect ratio cellulose nanofibres from <i>Triodia pungens</i> ; an abundant grass of Australia's arid zone. <i>RSC Advances</i> , 2015, 5, 32124-32132.	1.7	60
39	Nitrogen fertilizer dose alters fungal communities in sugarcane soil and rhizosphere. <i>Scientific Reports</i> , 2015, 5, 8678.	1.6	155
40	Natural abundance ($\delta^{15}\text{N}$) indicates shifts in nitrogen relations of woody taxa along a savanna-woodland continental rainfall gradient. <i>Oecologia</i> , 2015, 178, 297-308.	0.9	21
41	Subtropical giant podzol chronosequence reveals that soil carbon stabilisation is not governed by litter quality. <i>Biogeochemistry</i> , 2015, 124, 205-217.	1.7	13
42	Yeast as a Biofertilizer Alters Plant Growth and Morphology. <i>Crop Science</i> , 2014, 54, 785-790.	0.8	35
43	Early Response of Soil Properties and Function to Riparian Rainforest Restoration. <i>PLoS ONE</i> , 2014, 9, e104198.	1.1	27
44	Harvesting as an Alternative to Burning for Managing Spinifex Grasslands in Australia. <i>Advances in Ecology</i> , 2014, 2014, 1-11.	0.5	6
45	Soil microbial responses to labile carbon input differ in adjacent sugarcane and forest soils. <i>Soil Research</i> , 2014, 52, 307.	0.6	5
46	The effect of protein supplied in the growth medium on plant pathogen resistance. <i>Plant Signaling and Behavior</i> , 2014, 9, e976159.	1.2	5
47	A new species of <i>Bacteroides</i> isolated from sugarcane roots promotes plant growth. <i>Microbial Biotechnology</i> , 2014, 7, 142-154.	2.0	91
48	Assessing refrigerating and freezing effects on the biological/chemical composition of two livestock manures. <i>Agriculture, Ecosystems and Environment</i> , 2014, 197, 288-292.	2.5	10
49	Patterns of rain forest plant endemism in subtropical Australia relate to stable mesic refugia and species dispersal limitations. <i>Journal of Biogeography</i> , 2014, 41, 222-238.	1.4	67
50	Moving beyond the conceptual: specificity in regional climate change adaptation actions for biodiversity in South East Queensland, Australia. <i>Regional Environmental Change</i> , 2014, 14, 435-447.	1.4	26
51	Organic nitrogen. <i>New Phytologist</i> , 2014, 203, 29-31.	3.5	15
52	Effects of externally supplied protein on root morphology and biomass allocation in <i>Arabidopsis</i> . <i>Scientific Reports</i> , 2014, 4, 5055.	1.6	29
53	A meta-analytical global comparison of aboveground biomass accumulation between tropical secondary forests and monoculture plantations. <i>Forest Ecology and Management</i> , 2013, 291, 73-86.	1.4	111
54	The mixotrophic nature of photosynthetic plants. <i>Functional Plant Biology</i> , 2013, 40, 425.	1.1	33

#	ARTICLE	IF	CITATIONS
55	Microbial function in adjacent subtropical forest and agricultural soil. <i>Soil Biology and Biochemistry</i> , 2013, 57, 68-77.	4.2	38
56	Assessing the vulnerability of an assemblage of subtropical rainforest vertebrate species to climate change in south-east Queensland. <i>Austral Ecology</i> , 2013, 38, 465-475.	0.7	15
57	Reclaiming Degraded Rainforest: A Spatial Evaluation of Gains and Losses in Subtropical Eastern Australia to Inform Future Investment in Restoration. <i>Restoration Ecology</i> , 2013, 21, 481-489.	1.4	3
58	Species-site matching in mixed species plantations of native trees in tropical Australia. <i>Agroforestry Systems</i> , 2013, 87, 233-250.	0.9	25
59	Carbon sequestration and soil fertility of tropical tree plantations and secondary forest established on degraded land. <i>Plant and Soil</i> , 2013, 362, 187-200.	1.8	56
60	Indigenous and modern biomaterials derived from <i>Triodia (Spinifex)</i> grasslands in Australia. <i>Australian Journal of Botany</i> , 2012, 60, 114.	0.3	25
61	Past, present and future of organic nutrients. <i>Plant and Soil</i> , 2012, 359, 1-18.	1.8	104
62	Amino acids are a nitrogen source for sugarcane. <i>Functional Plant Biology</i> , 2012, 39, 503.	1.1	22
63	Soluble inorganic and organic nitrogen in two Australian soils under sugarcane cultivation. <i>Agriculture, Ecosystems and Environment</i> , 2012, 155, 16-26.	2.5	29
64	Effect of fire and tree-grass patches on soil nitrogen in Australian tropical savannas. <i>Austral Ecology</i> , 2012, 37, 668-677.	0.7	15
65	<i>Arabidopsis</i> and <i>Lobelia anceps</i> access small peptides as a nitrogen source for growth. <i>Functional Plant Biology</i> , 2011, 38, 788.	1.1	39
66	Nitrate Paradigm Does Not Hold Up for Sugarcane. <i>PLoS ONE</i> , 2011, 6, e19045.	1.1	148
67	Early emergence and resource availability can competitively favour natives over a functionally similar invader. <i>Oecologia</i> , 2010, 163, 775-784.	0.9	43
68	Effect of woody vegetation clearing on nutrient and carbon relations of semi-arid dystrophic savanna. <i>Plant and Soil</i> , 2010, 331, 79-90.	1.8	5
69	Turning the Table: Plants Consume Microbes as a Source of Nutrients. <i>PLoS ONE</i> , 2010, 5, e11915.	1.1	136
70	Perennial lifestyle—an adaptation to nutrient limitation?. <i>Tree Physiology</i> , 2010, 30, 1047-1049.	1.4	65
71	Nitrogen partitioning in orchard-grown <i>Macadamia integrifolia</i> . <i>Tree Physiology</i> , 2010, 30, 244-256.	1.4	11
72	Development of an Environmental Functional Gene Microarray for Soil Microbial Communities. <i>Applied and Environmental Microbiology</i> , 2010, 76, 7161-7170.	1.4	37

#	ARTICLE	IF	CITATIONS
73	DNA Is Taken Up by Root Hairs and Pollen, and Stimulates Root and Pollen Tube Growth. <i>Plant Physiology</i> , 2010, 153, 799-805.	2.3	60
74	Uptake of non-pathogenic <i>E. coli</i> by <i>Arabidopsis</i> induces down-regulation of heat shock proteins. <i>Plant Signaling and Behavior</i> , 2010, 5, 1626-1628.	1.2	6
75	Nitrogen and phosphorus additions negatively affect tree species diversity in tropical forest regrowth trajectories. <i>Ecology</i> , 2010, 91, 2121-2131.	1.5	63
76	DNA uptake by <i>Arabidopsis</i> induces changes in the expression of CLE peptides which control root morphology. <i>Plant Signaling and Behavior</i> , 2010, 5, 1112-1114.	1.2	11
77	A quantitative genetics approach to nitrogen use efficiency in sugarcane. <i>Functional Plant Biology</i> , 2010, 37, 448.	1.1	12
78	Atmospheric concentrations of ammonia and nitrogen dioxide at a tropical coral cay with high seabird density. <i>Journal of Environmental Monitoring</i> , 2010, 12, 460-465.	2.1	15
79	Complementary resource use by tree species in a rain forest tree plantation. <i>Ecological Applications</i> , 2010, 20, 1237-1254.	1.8	31
80	Nitrogen affects cluster root formation and expression of putative peptide transporters. <i>Journal of Experimental Botany</i> , 2009, 60, 2665-2676.	2.4	55
81	Carbon storage in a Ferrisol under subtropical rainforest, tree plantations, and pasture is linked to soil aggregation. <i>Soil Research</i> , 2009, 47, 341.	0.6	16
82	Dominance of legume trees alters nutrient relations in mixed species forest restoration plantings within seven years. <i>Biogeochemistry</i> , 2008, 88, 89-101.	1.7	86
83	Nitrification and denitrification as sources of sediment nitrous oxide production: A microsensor approach. <i>Marine Chemistry</i> , 2008, 110, 68-76.	0.9	83
84	Isolation and analysis of mRNA from environmental microbial communities. <i>Journal of Microbiological Methods</i> , 2008, 75, 172-176.	0.7	95
85	Plants can use protein as a nitrogen source without assistance from other organisms. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 4524-4529.	3.3	296
86	Impacts of the biocontrol agent <i>Malacorhinus irregularis</i> (Coleoptera, Chrysomelidae) on <i>Mimosa pigra</i> seedlings and the importance of root nodules. <i>Biocontrol Science and Technology</i> , 2007, 17, 365-374.	0.5	2
87	Sugarcane genotypes differ in internal nitrogen use efficiency. <i>Functional Plant Biology</i> , 2007, 34, 1122.	1.1	40
88	Transporters for uptake and allocation of organic nitrogen compounds in plants. <i>FEBS Letters</i> , 2007, 581, 2281-2289.	1.3	323
89	Soil carbon turnover and sequestration in native subtropical tree plantations. <i>Soil Biology and Biochemistry</i> , 2007, 39, 2078-2090.	4.2	69
90	The OJIP fast fluorescence rise characterizes <i>Graptophyllum</i> species and their stress responses. <i>Photosynthesis Research</i> , 2007, 94, 423-436.	1.6	69

#	ARTICLE	IF	CITATIONS
91	Modelling predicts positive and negative interactions between three Australian tropical tree species in monoculture and binary mixture. <i>Forest Ecology and Management</i> , 2006, 233, 315-323.	1.4	17
92	Effects of nitrogen source and ectomycorrhizal association on growth and $\delta^{15}\text{N}$ of two subtropical Eucalyptus species from contrasting ecosystems. <i>Functional Plant Biology</i> , 2006, 33, 367.	1.1	12
93	Adaptations of strangler figs to life in the rainforest canopy. <i>Functional Plant Biology</i> , 2006, 33, 465.	1.1	13
94	Nitrogen ecophysiology of Heron Island, a subtropical coral cay of the Great Barrier Reef, Australia. <i>Functional Plant Biology</i> , 2004, 31, 517.	1.1	46
95	Nutrient dynamics in Queensland savannas: implications for the sustainability of land clearing for pasture production. <i>Rangeland Journal</i> , 2002, 24, 96.	0.4	22
96	Growth of subtropical ECM fungi with different nitrogen sources using a new floating culture technique. <i>Mycological Research</i> , 2002, 106, 74-85.	2.5	20
97	Impact of point source pollution on nitrogen isotope signatures ($\delta^{15}\text{N}$) of vegetation in SE Brazil. <i>Oecologia</i> , 2002, 131, 468-472.	0.9	67
98	^{15}N natural abundance of fossil peat reflects the influence of animal-derived nitrogen on vegetation. <i>Oecologia</i> , 2002, 130, 309-314.	0.9	24
99	Research note: Rapid isolation of total RNA and genomic DNA from <i>Hakea</i> actities. <i>Functional Plant Biology</i> , 2002, 29, 1015.	1.1	9
100	Natural abundance of stable carbon and nitrogen isotopes in <i>Cannabis sativa</i> reflects growth conditions. <i>Functional Plant Biology</i> , 2001, 28, 1005.	1.1	11
101	Title is missing!. <i>Plant and Soil</i> , 1999, 215, 73-84.	1.8	10
102	Subantarctic Macquarie Island - a model ecosystem for studying animal-derived nitrogen sources using ^{15}N natural abundance. <i>Oecologia</i> , 1998, 117, 187-193.	0.9	167
103	Transport, storage and mobilization of nitrogen by trees and shrubs in the wet/dry tropics of northern Australia. <i>Tree Physiology</i> , 1998, 18, 403-410.	1.4	47
104	Root adaptation and nitrogen source acquisition in natural ecosystems. <i>Tree Physiology</i> , 1996, 16, 941-948.	1.4	78