

Miguel Beruete

List of Publications by Citations

Source: <https://exaly.com/author-pdf/1614536/miguel-beruete-publications-by-citations.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

169
papers

3,716
citations

32
h-index

53
g-index

267
ext. papers

4,771
ext. citations

3.1
avg, IF

5.55
L-index

#	Paper	IF	Citations
169	Babinet principle applied to the design of metasurfaces and metamaterials. <i>Physical Review Letters</i> , 2004 , 93, 197401	7.4	596
168	Enhanced millimeter-wave transmission through subwavelength hole arrays. <i>Optics Letters</i> , 2004 , 29, 2500-2	3	126
167	Broadband spoof plasmons and subwavelength electromagnetic energy confinement on ultrathin metafilms. <i>Optics Express</i> , 2009 , 17, 18184-95	3.3	114
166	Left-handed extraordinary optical transmission through a photonic crystal of subwavelength hole arrays. <i>Optics Express</i> , 2006 , 14, 5445-55	3.3	99
165	Terahertz carpet cloak based on a ring resonator metasurface. <i>Physical Review B</i> , 2015 , 91,	3.3	86
164	Terahertz Sensing Based on Metasurfaces. <i>Advanced Optical Materials</i> , 2020 , 8, 1900721	8.1	68
163	Electroinductive waves in chains of complementary metamaterial elements. <i>Applied Physics Letters</i> , 2006 , 88, 083503	3.4	67
162	Terajets produced by dielectric cuboids. <i>Applied Physics Letters</i> , 2014 , 105, 084102	3.4	66
161	Enhanced millimeter wave transmission through quasioptical subwavelength perforated plates. <i>IEEE Transactions on Antennas and Propagation</i> , 2005 , 53, 1897-1903	4.9	64
160	Very low-profile "Bull's Eye" feeder antenna. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2005 , 4, 365-368	3.8	62
159	Experimental Demonstration of Metasurface-Based Ultrathin Carpet Cloaks for Millimeter Waves. <i>Advanced Optical Materials</i> , 2017 , 5, 1600606	8.1	61
158	Plasmonic Nanoantennas for Multispectral Surface-Enhanced Spectroscopies. <i>Journal of Physical Chemistry C</i> , 2013 , 117, 18620-18626	3.8	56
157	Extraordinary transmission and left-handed propagation in miniaturized stacks of doubly periodic subwavelength hole arrays. <i>Optics Express</i> , 2007 , 15, 1107-14	3.3	54
156	Molding Left- or Right-Handed Metamaterials by Stacked Cutoff Metallic Hole Arrays. <i>IEEE Transactions on Antennas and Propagation</i> , 2007 , 55, 1514-1521	4.9	53
155	Planar holographic metasurfaces for terahertz focusing. <i>Scientific Reports</i> , 2015 , 5, 7738	4.9	50
154	Terahertz epsilon-near-zero graded-index lens. <i>Optics Express</i> , 2013 , 21, 9156-66	3.3	46
153	Negative refraction in a prism made of stacked subwavelength hole arrays. <i>Optics Express</i> , 2008 , 16, 560-563	3.3	45

152	Dual-band low-profile corrugated feeder antenna. <i>IEEE Transactions on Antennas and Propagation</i> , 2006 , 54, 340-350	4.9	45
151	Regular and anomalous extraordinary optical transmission at the THz-gap. <i>Optics Express</i> , 2009 , 17, 11730-38	3.8	44
150	Experimental Realization of an Epsilon-Near-Zero Graded-Index Metalens at Terahertz Frequencies. <i>Physical Review Applied</i> , 2017 , 8,	4.3	42
149	Polarization selection with stacked hole array metamaterial. <i>Journal of Applied Physics</i> , 2008 , 103, 053102.5	2.5	42
148	Localized photonic jets from flat, three-dimensional dielectric cuboids in the reflection mode. <i>Optics Letters</i> , 2015 , 40, 2329-32	3	40
147	Multifrequency focusing and wide angular scanning of terajets. <i>Optics Letters</i> , 2015 , 40, 245-8	3	38
146	Enhanced lens by epsilon near-zero metamaterial boosted by extraordinary optical transmission. <i>Physical Review B</i> , 2011 , 83,	3.3	37
145	Experimental demonstration of phase resonances in metallic compound gratings with subwavelength slits in the millimeter wave regime. <i>Applied Physics Letters</i> , 2009 , 94, 091107	3.4	37
144	Enhanced microwave transmission and beaming using a subwavelength slot in corrugated plate. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2004 , 3, 328-331	3.8	37
143	Ab initio analysis of frequency selective surfaces based on conventional and complementary split ring resonators. <i>Journal of Optics</i> , 2005 , 7, S38-S43		37
142	Mechanical 144 GHz beam steering with all-metallic epsilon-near-zero lens antenna. <i>Applied Physics Letters</i> , 2014 , 105, 243503	3.4	36
141	Planoconcave lens by negative refraction of stacked subwavelength hole arrays. <i>Optics Express</i> , 2008 , 16, 9677-83	3.3	35
140	Experimental Demonstration of a Millimeter-Wave Metallic ENZ Lens Based on the Energy Squeezing Principle. <i>IEEE Transactions on Antennas and Propagation</i> , 2015 , 63, 231-239	4.9	34
139	Understanding Anomalous Extraordinary Transmission From Equivalent Circuit and Grounded Slab Concepts. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2011 , 59, 2180-2188	4.1	33
138	Impact of high power interference sources in planning and deployment of wireless sensor networks and devices in the 2.4 GHz frequency band in heterogeneous environments. <i>Sensors</i> , 2012 , 12, 15689-708	3.8	33
137	Increase of the transmission in cut-off metallic hole arrays. <i>IEEE Microwave and Wireless Components Letters</i> , 2005 , 15, 116-118	2.6	32
136	77-GHz High-Gain Bullseye Antenna With Sinusoidal Profile. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2015 , 14, 205-208	3.8	30
135	All-dielectric periodic terajet waveguide using an array of coupled cuboids. <i>Applied Physics Letters</i> , 2015 , 106, 254102	3.4	29

134	Terahertz Corrugated and Bull's-Eye Antennas. <i>IEEE Transactions on Terahertz Science and Technology</i> , 2013 , 3, 740-747	3-4	29
133	Lensing system and Fourier transformation using epsilon-near-zero metamaterials. <i>Physical Review B</i> , 2012 , 86,	3-3	29
132	Complementary split-ring resonator for compact waveguide filter design. <i>Microwave and Optical Technology Letters</i> , 2005 , 46, 88-92	1.2	29
131	Route for Bulk Millimeter Wave and Terahertz Metamaterial Design. <i>IEEE Journal of Quantum Electronics</i> , 2011 , 47, 375-385	2	26
130	Polypropylene-substrate-based SRR- and CSRR- metasurfaces for submillimeter waves. <i>Optics Express</i> , 2008 , 16, 18312-9	3-3	26
129	Experimental demonstration of lossy mode and surface plasmon resonance generation with Kretschmann configuration. <i>Optics Letters</i> , 2015 , 40, 4739-42	3	25
128	3-D-Printed 96 GHz Bull's-Eye Antenna With Off-Axis Beaming. <i>IEEE Transactions on Antennas and Propagation</i> , 2017 , 65, 17-25	4-9	24
127	Ultra-compact planoconcave zoned metallic lens based on the fishnet metamaterial. <i>Applied Physics Letters</i> , 2013 , 103, 183507	3-4	24
126	Circuit approach to the minimal configuration of terahertz anomalous extraordinary transmission. <i>Applied Physics Letters</i> , 2011 , 98, 014106	3-4	24
125	Development and Characterization of Quasi-Optical Mesh Filters and Metastructures for Subterahertz and Terahertz Applications. <i>Key Engineering Materials</i> , 2010 , 437, 276-280	0-4	24
124	Resonance and Cross-Polarization Effects in Conventional and Complementary Split Ring Resonator Periodic Screens. <i>Electromagnetics</i> , 2006 , 26, 247-260	0-8	24
123	Subwavelength, standing-wave optical trap based on photonic jets. <i>Quantum Electronics</i> , 2016 , 46, 555-558		23
122	Negative refraction through an extraordinary transmission left-handed metamaterial slab. <i>Physical Review B</i> , 2009 , 79,	3-3	23
121	Mid-Infrared Spectroscopy (MIR) for Simultaneous Determination of Fat and Protein Content in Meat of Several Animal Species. <i>Food Analytical Methods</i> , 2017 , 10, 3462-3470	3-4	22
120	On the performance of an ENZ-based sensor using transmission line theory and effective medium approach. <i>New Journal of Physics</i> , 2019 , 21, 043056	2-9	22
119	Beamforming by Left-Handed Extraordinary Transmission Metamaterial Bi- and Plano-Concave Lens at Millimeter-Waves. <i>IEEE Transactions on Antennas and Propagation</i> , 2011 , 59, 2141-2151	4-9	22
118	Comprehensive analysis of photonic nanojets in 3D dielectric cuboids excited by surface plasmons. <i>Annalen Der Physik</i> , 2016 , 528, 684-692	2-6	22
117	Exploiting the dispersion of the double-negative-index fishnet metamaterial to create a broadband low-profile metallic lens. <i>Optics Express</i> , 2015 , 23, 8555-64	3-3	21

116	Description of Bow-Tie Nanoantennas Excited by Localized Emitters Using Conformal Transformation. <i>ACS Photonics</i> , 2016 , 3, 1223-1232	6.3	21
115	?-near-zero (ENZ) graded index quasi-optical devices: steering and splitting millimeter waves. <i>Journal of Optics (United Kingdom)</i> , 2014 , 16, 094009	1.7	21
114	Very Low Profile and Dielectric Loaded Feeder Antenna. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2007 , 6, 544-548	3.8	21
113	Increasing Surface Plasmons Propagation via Photonic Nanojets with Periodically Spaced 3D Dielectric Cuboids. <i>Photonics</i> , 2016 , 3, 10	2.2	21
112	Wideband unidirectional transmission with tunable sign-switchable refraction and deflection in nonsymmetric structures. <i>Physical Review B</i> , 2013 , 88,	3.3	20
111	Zoned near-zero refractive index fishnet lens antenna: Steering millimeter waves. <i>Journal of Applied Physics</i> , 2014 , 115, 124902	2.5	20
110	Polarized left-handed extraordinary optical transmission of subterahertz waves. <i>Optics Express</i> , 2007 , 15, 8125-34	3.3	20
109	Low-profile corrugated feeder antenna. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2005 , 4, 378-380,8	3.8	20
108	Wide angle terahertz sensing with a cross-dipole frequency selective surface. <i>Applied Physics Letters</i> , 2016 , 108, 111104	3.4	19
107	Tunable beam steering enabled by graphene metamaterials. <i>Optics Express</i> , 2016 , 24, 8848-61	3.3	19
106	Quasioptical Polarizer Based on Self-Complementary Sub-Wavelength Hole Arrays. <i>IEEE Microwave and Wireless Components Letters</i> , 2007 , 17, 834-836	2.6	18
105	Photonic nanojets with mesoscale high-index dielectric particles. <i>Journal of Applied Physics</i> , 2019 , 125, 084104	2.5	17
104	Accurate Circuit Modeling of Fishnet Structures for Negative-Index-Medium Applications. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2016 , 64, 15-26	4.1	17
103	Fishnet metamaterial from an equivalent circuit perspective. <i>Applied Physics Letters</i> , 2012 , 101, 244101	3.4	17
102	Strong lateral displacement in polarization anisotropic extraordinary transmission metamaterial. <i>New Journal of Physics</i> , 2010 , 12, 063037	2.9	17
101	Converging biconcave metallic lens by double-negative extraordinary transmission metamaterial. <i>Applied Physics Letters</i> , 2009 , 94, 144107	3.4	17
100	Indium tin oxide refractometer in the visible and near infrared via lossy mode and surface plasmon resonances with Kretschmann configuration. <i>Applied Physics Letters</i> , 2016 , 108, 043507	3.4	17
99	THz Sensing With Anomalous Extraordinary Optical Transmission Hole Arrays. <i>Sensors</i> , 2018 , 18,	3.8	17

98	Compact Dual-Band Terahertz Quarter-Wave Plate Metasurface. <i>IEEE Photonics Technology Letters</i> , 2014 , 26, 1679-1682	2.2	16
97	Enhanced Gain by Double-Periodic Stacked Subwavelength Hole Array. <i>IEEE Microwave and Wireless Components Letters</i> , 2007 , 17, 831-833	2.6	16
96	Multiband one-way polarization conversion in complementary split-ring resonator based structures by combining chirality and tunneling. <i>Optics Express</i> , 2015 , 23, 13517-29	3.3	15
95	Extraordinary THz Transmission with a Small Beam Spot: The Leaky Wave Mechanism. <i>Advanced Optical Materials</i> , 2018 , 6, 1701312	8.1	15
94	[INVITED] Epsilon-near-zero metalenses operating in the visible: Invited paper for the section : Hot topics in Metamaterials and Structures. <i>Optics and Laser Technology</i> , 2016 , 80, 162-168	4.2	15
93	Novel microstrip backward coupler with metamaterial cells for fully planar fabrication techniques. <i>Microwave and Optical Technology Letters</i> , 2006 , 48, 1205-1209	1.2	15
92	Stacked complementary metasurfaces for ultraslow microwave metamaterials. <i>Applied Physics Letters</i> , 2010 , 96, 164103	3.4	14
91	Electroinductive waves role in left-handed stacked complementary split rings resonators. <i>Optics Express</i> , 2009 , 17, 1274-81	3.3	14
90	One-way quasiplanar terahertz absorbers using nonstructured polar dielectric layers. <i>Physical Review B</i> , 2017 , 96,	3.3	13
89	Annular Apertures in Metallic Screens as Extraordinary Transmission and Frequency Selective Surface Structures. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2017 , 65, 4933-4946	4.1	13
88	Subwavelength slotted corrugated plate with enhanced quasioptical millimeter wave transmission. <i>IEEE Microwave and Wireless Components Letters</i> , 2005 , 15, 286-288	2.6	13
87	Labyrinth Metasurface Absorber for Ultra-High-Sensitivity Terahertz Thin Film Sensing. <i>Physica Status Solidi - Rapid Research Letters</i> , 2018 , 12, 1800375	2.5	13
86	Quarter-Wave Plate Based on Dielectric-Enabled Extraordinary Resonant Transmission. <i>IEEE Photonics Technology Letters</i> , 2012 , 24, 945-947	2.2	12
85	High Aperture Efficiency Wide Corrugations Bull-Eye Antenna Working at 60 GHz. <i>IEEE Transactions on Antennas and Propagation</i> , 2017 , 65, 3226-3230	4.9	11
84	Soret fishnet metalens antenna. <i>Scientific Reports</i> , 2015 , 5, 9988	4.9	11
83	Redshifting extraordinary transmission by simple inductance addition. <i>Physical Review B</i> , 2011 , 84,	3.3	11
82	Single negative birefringence in stacked spoof plasmon metasurfaces by prism experiment. <i>Optics Letters</i> , 2010 , 35, 643-5	3	11
81	Far-Field and Near-Field Physics of Extraordinary THz Transmitting Hole-Array Antennas. <i>IEEE Transactions on Antennas and Propagation</i> , 2019 , 67, 6029-6038	4.9	10

80	Toward compact millimeter-wave diode in thin stacked-hole array assisted by a dielectric grating. <i>Applied Physics Letters</i> , 2011 , 99, 154101	3.4	10
79	Frozen mode from hybridized extraordinary transmission and Fabry-Perot resonances. <i>Physical Review B</i> , 2013 , 87,	3.3	9
78	Mid-infrared plasmonic inductors: enhancing inductance with meandering lines. <i>Scientific Reports</i> , 2014 , 4, 3592	4.9	9
77	Experimental demonstration of deflection angle tuning in unidirectional fishnet metamaterials at millimeter-waves. <i>Applied Physics Letters</i> , 2015 , 106, 061109	3.4	9
76	Enhancing the Dual-Band Guiding Capabilities of Coaxial Spoof Plasmons via use of Transmission Line Concepts. <i>Plasmonics</i> , 2011 , 6, 295-299	2.4	9
75	Tunable deflection and asymmetric transmission of THz waves using a thin slab of graphene-dielectric metamaterial, with and without ENZ components. <i>Optical Materials Express</i> , 2018 , 8, 3887	2.6	9
74	Labyrinth Metasurface for Biosensing Applications: Numerical Study on the New Paradigm of Metageometries. <i>Sensors</i> , 2019 , 19,	3.8	9
73	Zoned Fishnet Lens Antenna With Reference Phase for Side-Lobe Reduction. <i>IEEE Transactions on Antennas and Propagation</i> , 2015 , 63, 3710-3714	4.9	8
72	A SLOW LIGHT FISHNET-LIKE ABSORBER IN THE MILLIMETER-WAVE RANGE. <i>Progress in Electromagnetics Research</i> , 2011 , 118, 287-301	3.8	8
71	Millimeter-wave phase resonances in compound reflection gratings with subwavelength grooves. <i>Optics Express</i> , 2010 , 18, 23957-64	3.3	8
70	ULTRA-WIDEBAND METAMATERIAL FILTER BASED ON ELECTROINDUCTIVE-WAVE COUPLING BETWEEN MICROSTRIPS. <i>Progress in Electromagnetics Research Letters</i> , 2009 , 12, 141-150	0.5	8
69	Millimeter-Wave Left-Handed Extraordinary Transmission Metamaterial Demultiplexer. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2009 , 8, 212-215	3.8	8
68	Diffusive-light invisibility cloak for transient illumination. <i>Physical Review A</i> , 2016 , 94,	2.6	8
67	Revealing the underlying mechanisms behind TE extraordinary THz transmission. <i>Photonics Research</i> , 2020 , 8, 430	6	7
66	Super-Oscillatory Metalens at Terahertz for Enhanced Focusing with Reduced Side Lobes. <i>Photonics</i> , 2018 , 5, 56	2.2	7
65	On the Performance of the Zoned Fishnet Metamaterial Lens With Positive and Negative Reference Phase. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2017 , 16, 1460-1463	3.8	6
64	Focus on terahertz plasmonics. <i>New Journal of Physics</i> , 2015 , 17, 100201	2.9	6
63	. <i>IEEE Transactions on Antennas and Propagation</i> , 2020 , 68, 5778-5783	4.9	6

62	Aluminum Nanotripods for Light-Matter Coupling Robust to Nanoemitter Orientation. <i>Laser and Photonics Reviews</i> , 2017 , 11, 1700051	8.3	6
61	Wood zone plate fishnet metalens. <i>EPJ Applied Metamaterials</i> , 2015 , 2, 8	0.8	6
60	Mastering the Propagation Through Stacked Perforated Plates: Subwavelength Holes vs. Propagating Holes. <i>IEEE Transactions on Antennas and Propagation</i> , 2011 , 59, 2980-2988	4.9	6
59	Negative group delay through subwavelength hole arrays. <i>Physical Review B</i> , 2011 , 84,	3.3	6
58	POLARIZATION-TUNABLE NEGATIVE OR POSITIVE REFRACTION IN SELF-COMPLEMENTARINESS-BASED EXTRAORDINARY TRANSMISSION PRISM. <i>Progress in Electromagnetics Research</i> , 2010 , 103, 101-114	3.8	6
57	Connection between extraordinary transmission and negative refraction in a prism of stacked sub-wavelength hole arrays. <i>Journal Physics D: Applied Physics</i> , 2009 , 42, 165504	3	6
56	Broadband frequency and angular response of a sinusoidal bullseye antenna. <i>Journal Physics D: Applied Physics</i> , 2016 , 49, 265103	3	6
55	Experimental demonstration of metamaterials application for mitigating scan blindness in phased array antennas. <i>EPJ Applied Metamaterials</i> , 2016 , 3, 9	0.8	6
54	Ultrathin Subterahertz Half-Wave Plate With High Conversion Efficiency Based on Zigzag Metasurface. <i>IEEE Transactions on Antennas and Propagation</i> , 2020 , 68, 7700-7704	4.9	5
53	High numerical aperture and low-loss negative refraction based on the fishnet rich anisotropy. <i>Photonics and Nanostructures - Fundamentals and Applications</i> , 2012 , 10, 263-270	2.6	5
52	Principles of THz Generation 2015 , 3-68		5
51	Left-handed behavior in a microstrip line loaded with squared split-ring resonators and an EBG pattern. <i>Microwave and Optical Technology Letters</i> , 2007 , 49, 2689-2692	1.2	5
50	Metamaterial multiresonances in waveguide and metasurfaces. <i>Microwave and Optical Technology Letters</i> , 2008 , 50, 2825-2827	1.2	5
49	Steering surface plasmons with a graded index dielectric medium. <i>Journal Physics D: Applied Physics</i> , 2018 , 51, 485101	3	5
48	Application of MIR Spectroscopy to the Evaluation of Chemical Composition and Quality Parameters of Foal Meat: A Preliminary Study. <i>Foods</i> , 2020 , 9,	4.9	4
47	Flat Corrugated and Bullseye Antennas. <i>Signals and Communication Technology</i> , 2018 , 111-141	0.5	4
46	Sensing at Terahertz Frequencies. <i>Smart Sensors, Measurement and Instrumentation</i> , 2017 , 301-327	0.3	4
45	Metaradome for blind spot mitigation in phased-array antennas 2014 ,		4

44	Hedgehog subwavelength hole arrays: control over the THz enhanced transmission. <i>New Journal of Physics</i> , 2013 , 15, 013003	2.9	4
43	Viability of focusing effect by left-handed stacked subwavelength hole arrays. <i>Physica B: Condensed Matter</i> , 2010 , 405, 2950-2954	2.8	4
42	Comment on Λ waveguide slit array antenna fabricated with subwavelength periodic grooves <i>Appl. Phys. Lett.</i> 91, 143512 (2007) <i>Applied Physics Letters</i> , 2008 , 93, 156101	3.4	4
41	Inhibiting Left-Handed Wave Propagation by a Band Gap of Stacked Cut-Off Metallic Hole Arrays. <i>IEEE Microwave and Wireless Components Letters</i> , 2007 , 17, 16-18	2.6	4
40	Parametrical study of left-handed or right-handed propagation by stacking hole arrays. <i>Optical and Quantum Electronics</i> , 2007 , 39, 285-293	2.4	4
39	All-metallic epsilon-near-zero graded-index converging lens at terahertz frequencies 2018 ,		4
38	Nonbianisotropic complementary split ring resonators as angular selective metasurfaces. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2017 , 34, D56	1.7	3
37	Wideband backscattering reduction at terahertz using compound reflection grating. <i>Optics Express</i> , 2017 , 25, 22905-22910	3.3	3
36	Numerical and experimental parametric analysis of anomalous enhanced transmission through subwavelength apertures. <i>Metamaterials</i> , 2011 , 5, 125-134		3
35	Dual-band double-negative-index fishnet metamaterial at millimeter-waves. <i>Optics Letters</i> , 2011 , 36, 4245-7	3	3
34	DUPLEXERS AND MULTIPLEXERS BASED ON MICROSTRIP LINE LOADED WITH COMPLEMENTARY SPLIT RING RESONATORS. <i>Progress in Electromagnetics Research Letters</i> , 2011 , 27, 9-16	0.5	3
33	Extraordinary Transmission surfaces as superstrate 2009 ,		3
32	Fresh metamaterials ideas for metallic lenses. <i>Metamaterials</i> , 2010 , 4, 119-126		3
31	Resonance and cross-polarization effects in conventional and complementary split ring resonators periodic screens		3
30	Silicon carbide as a material-based high-impedance surface for enhanced absorption within ultra-thin metallic films. <i>Optics Express</i> , 2020 , 28, 31624-31636	3.3	3
29	Beam compressed system concept based on dielectric cluster of self-similar three-dimensional dielectric cuboids 2016 ,		3
28	Phase Reversal Technique Applied to Fishnet Metalenses. <i>International Journal of Antennas and Propagation</i> , 2018 , 2018, 1-8	1.2	3
27	Ku-Band Low-Profile Asymmetric Bull's-Eye Antenna With Reduced Sidelobes and Monopole Feeding. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2018 , 17, 401-404	3.8	2

26	Blind spot mitigation in phased array antenna using metamaterials 2014 ,		2
25	Interaction effects between electromagnetic bandgap structures and split ring resonators in microstrip technology		2
24	Enhanced microwave transmission using a subwavelength slot in corrugated plate		2
23	Tripod-Loop Metasurfaces for Terahertz-Sensing Applications: A Comparison. <i>Applied Sciences (Switzerland)</i> , 2020 , 10, 6504	2.6	2
22	2016 ,		2
21	Angle-Susceptible Narrowband Terahertz Metasurface for Thin-Film Sensing 2018 ,		2
20	Improving the performance of the zoned fishnet metalens using the reference phase technique 2016 ,		1
19	Mid-infrared Plasmonic Inductors 2014 ,		1
18	Comments on \square High-Gain Antenna Consisting of Two Slot Elements With a Space Larger Than a Wavelength \square <i>IEEE Antennas and Wireless Propagation Letters</i> , 2010 , 9, 1279-1280	3.8	1
17	Wireless channel modeling for campus sensor networks 2010 ,		1
16	Wave propagation properties in stacked SRR/CSRR metasurfaces at microwave frequencies 2009 ,		1
15	Transmission in cut-off hole arrays 2004 ,		1
14	Metamaterial microstrip backward couplers for fully planar fabrication techniques		1
13	Strong microwave second order rejection band in opal-like structures. <i>Microwave and Optical Technology Letters</i> , 2005 , 47, 472-475	1.2	1
12	Lipid and Protein Oxidation Marker Compounds in Horse Meat Determined by MIR Spectroscopy. <i>Foods</i> , 2020 , 9,	4.9	1
11	Highly Efficient Focusing of Terahertz Waves with an Ultrathin Superoscillatory Metalens: Experimental Demonstration. <i>Advanced Photonics Research</i> , 2021 , 2, 2000165	1.9	1
10	High-Q series coupled microstrip split-ring resonator device. <i>Waves in Random and Complex Media</i> , 2014 , 24, 218-226	1.9	0
9	TRANSMISSION PROPERTIES OF STACKED SRR METASURFACES IN FREE SPACE. <i>Progress in Electromagnetics Research M</i> , 2011 , 20, 1-11	0.6	0

8	Ultrathin and high-efficiency Pancharatnam-Berry phase metasurfaces for millimeter waves. <i>Applied Physics Letters</i> , 2021 , 118, 221105	3.4	○
7	Experimental demonstration of deeply subwavelength dielectric sensing with epsilon-near-zero (ENZ) waveguides. <i>Applied Physics Letters</i> , 2022 , 120, 081106	3.4	○
6	Response of complementary split ring resonators in composite stratified substrate integrated waveguide. <i>Journal of Applied Physics</i> , 2017 , 121, 194902	2.5	
5	Selective dual-band subwavelength-hole-arrays-based polariser. <i>IET Microwaves, Antennas and Propagation</i> , 2010 , 4, 1092	1.6	
4	Metageometries for Polycyclic Aromatic Hydrocarbon Detection at THz Range in Food Systems 2021 , 5, 1-4		
3	Hybrid equivalent source FDTD ray-launching simulation technique for deterministic estimation of radiated emissions of electrical appliances. <i>Journal of Electromagnetic Waves and Applications</i> , 2016 , 30, 415-430	1.3	
2	Bullseye Antenna With Circular Polarization at Millimeter Waves Based on Ridge Gap Waveguide Technology. <i>IEEE Transactions on Antennas and Propagation</i> , 2021 , 69, 2376-2379	4.9	
1	Angle-Susceptible Sensing Metasurface in Terahertz Regime. <i>EPJ Web of Conferences</i> , 2018 , 195, 06010	0.3	