

Tremblay Leon

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1614855/publications.pdf>

Version: 2024-02-01

81
papers

9,108
citations

71102

41
h-index

60623

81
g-index

88
all docs

88
docs citations

88
times ranked

8273
citing authors

#	ARTICLE	IF	CITATIONS
1	Relative reward preference in primate orbitofrontal cortex. <i>Nature</i> , 1999, 398, 704-708.	27.8	1,198
2	Reward Processing in Primate Orbitofrontal Cortex and Basal Ganglia. <i>Cerebral Cortex</i> , 2000, 10, 272-283.	2.9	802
3	The cerebellum communicates with the basal ganglia. <i>Nature Neuroscience</i> , 2005, 8, 1491-1493.	14.8	727
4	Non-motor dopamine withdrawal syndrome after surgery for Parkinson's disease: predictors and underlying mesolimbic denervation. <i>Brain</i> , 2010, 133, 1111-1127.	7.6	453
5	Abnormal influences of passive limb movement on the activity of globus pallidus neurons in parkinsonian monkeys. <i>Brain Research</i> , 1988, 444, 165-176.	2.2	351
6	Influence of Reward Expectation on Behavior-Related Neuronal Activity in Primate Striatum. <i>Journal of Neurophysiology</i> , 1998, 80, 947-963.	1.8	345
7	Reward prediction in primate basal ganglia and frontal cortex. <i>Neuropharmacology</i> , 1998, 37, 421-429.	4.1	273
8	Modifications of Reward Expectation-Related Neuronal Activity During Learning in Primate Striatum. <i>Journal of Neurophysiology</i> , 1998, 80, 964-977.	1.8	253
9	Reward-Related Neuronal Activity During Go-Nogo Task Performance in Primate Orbitofrontal Cortex. <i>Journal of Neurophysiology</i> , 2000, 83, 1864-1876.	1.8	245
10	Motor control in basal ganglia circuits using fMRI and brain atlas approaches. <i>Cerebral Cortex</i> , 2006, 16, 149-161.	2.9	227
11	Changes in behavior-related neuronal activity in the striatum during learning. <i>Trends in Neurosciences</i> , 2003, 26, 321-328.	8.6	210
12	Behavioural disorders induced by external globus pallidus dysfunction in primates: I. Behavioural study. <i>Brain</i> , 2004, 127, 2039-2054.	7.6	210
13	Involvement of basal ganglia and orbitofrontal cortex in goal-directed behavior. <i>Progress in Brain Research</i> , 2000, 126, 193-215.	1.4	195
14	The prominent role of serotonergic degeneration in apathy, anxiety and depression in <i>de novo</i> Parkinson's disease. <i>Brain</i> , 2016, 139, 2486-2502.	7.6	188
15	Behavioural disorders induced by external globus pallidus dysfunction in primates II. Anatomical study. <i>Brain</i> , 2004, 127, 2055-2070.	7.6	171
16	Selective dysfunction of basal ganglia subterritories: From movement to behavioral disorders. <i>Movement Disorders</i> , 2015, 30, 1155-1170.	3.9	168
17	Thalamic Neuronal Activity in Dopamine-Depleted Primates: Evidence for a Loss of Functional Segregation within Basal Ganglia Circuits. <i>Journal of Neuroscience</i> , 2005, 25, 1523-1531.	3.6	153
18	Distinct structural changes underpin clinical phenotypes in patients with Gilles de la Tourette syndrome. <i>Brain</i> , 2010, 133, 3649-3660.	7.6	149

#	ARTICLE	IF	CITATIONS
19	Modifications of Reward Expectation-Related Neuronal Activity During Learning in Primate Orbitofrontal Cortex. <i>Journal of Neurophysiology</i> , 2000, 83, 1877-1885.	1.8	144
20	Behavioral and Movement Disorders Induced by Local Inhibitory Dysfunction in Primate Striatum. <i>Cerebral Cortex</i> , 2009, 19, 1844-1856.	2.9	139
21	Activity of pallidal neurons in the monkey during dyskinesia induced by injection of bicuculline in the external pallidum. <i>Neuroscience</i> , 1995, 65, 59-70.	2.3	124
22	A new model to study compensatory mechanisms in MPTP-treated monkeys exhibiting recovery. <i>Brain</i> , 2007, 130, 2898-2914.	7.6	124
23	Responses of pallidal neurons to striatal stimulation in monkeys with MPTP-induced parkinsonism. <i>Brain Research</i> , 1989, 498, 17-33.	2.2	123
24	The pallidosubthalamic projection: An anatomical substrate for nonmotor functions of the subthalamic nucleus in primates. <i>Movement Disorders</i> , 2005, 20, 172-180.	3.9	116
25	Role of serotonergic 1A receptor dysfunction in depression associated with Parkinson's disease. <i>Movement Disorders</i> , 2012, 27, 84-89.	3.9	112
26	Behavioral reactions reflecting differential reward expectations in monkeys. <i>Experimental Brain Research</i> , 2001, 140, 511-518.	1.5	108
27	Behavioral changes are not directly related to striatal monoamine levels, number of nigral neurons, or dose of parkinsonian toxin MPTP in mice. <i>Neurobiology of Disease</i> , 2003, 14, 218-228.	4.4	90
28	Behavioral Recovery in MPTP-Treated Monkeys: Neurochemical Mechanisms Studied by Intrastratial Microdialysis. <i>Journal of Neuroscience</i> , 2008, 28, 9575-9584.	3.6	84
29	Distinct striatal regions support movement selection, preparation and execution. <i>NeuroReport</i> , 2004, 15, 2327-2331.	1.2	82
30	Imaging the Etiology of Apathy, Anxiety, and Depression in Parkinson's Disease: Implication for Treatment. <i>Current Neurology and Neuroscience Reports</i> , 2017, 17, 76.	4.2	79
31	Towards a primate model of Gilles de la Tourette syndrome: Anatomico-behavioural correlation of disorders induced by striatal dysfunction. <i>Cortex</i> , 2013, 49, 1126-1140.	2.4	77
32	Responses of pallidal neurons to striatal stimulation in intact waking monkeys. <i>Brain Research</i> , 1989, 498, 1-16.	2.2	76
33	Behavioral Consequences of Bicuculline Injection in the Subthalamic Nucleus and the Zona Incerta in Rat. <i>Journal of Neuroscience</i> , 2002, 22, 8711-8719.	3.6	74
34	High-Frequency Stimulation of the Anterior Subthalamic Nucleus Reduces Stereotyped Behaviors in Primates. <i>Journal of Neuroscience</i> , 2008, 28, 8785-8788.	3.6	74
35	Tremor-related activity of neurons in the "motor" thalamus: changes in firing rate and pattern in the MPTP vervet model of parkinsonism. <i>European Journal of Neuroscience</i> , 2003, 17, 2388-2400.	2.6	69
36	Distinct presynaptic control of dopamine release in striosomal- and matrix-enriched areas of the rat striatum by selective agonists of NK1, NK2, and NK3 tachykinin receptors.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1992, 89, 11214-11218.	7.1	66

#	ARTICLE	IF	CITATIONS
37	Behavioural impact of a double dopaminergic and serotonergic lesion in the non-human primate. <i>Brain</i> , 2015, 138, 2632-2647.	7.6	54
38	Ventral Pallidum Encodes Contextual Information and Controls Aversive Behaviors. <i>Cerebral Cortex</i> , 2017, 27, bhw107.	2.9	53
39	Roles of Multiple Globus Pallidus Territories of Monkeys and Humans in Motivation, Cognition and Action: An Anatomical, Physiological and Pathophysiological Review. <i>Frontiers in Neuroanatomy</i> , 2017, 11, 30.	1.7	53
40	Early limbic microstructural alterations in apathy and depression in de novo Parkinson's disease. <i>Movement Disorders</i> , 2019, 34, 1644-1654.	3.9	52
41	Neurons With Object-Centered Spatial Selectivity in Macaque SEF: Do They Represent Locations or Rules?. <i>Journal of Neurophysiology</i> , 2002, 87, 333-350.	1.8	45
42	A multi-atlas based method for automated anatomical <i>Macaca fascicularis</i> brain MRI segmentation and PET kinetic extraction. <i>NeuroImage</i> , 2013, 77, 26-43.	4.2	45
43	Antisaccade Deficit after Inactivation of the Principal Sulcus in Monkeys. <i>Cerebral Cortex</i> , 2006, 17, 221-229.	2.9	44
44	Macaque Supplementary Eye Field Neurons Encode Object-Centered Locations Relative to Both Continuous and Discontinuous Objects. <i>Journal of Neurophysiology</i> , 2000, 83, 2392-2411.	1.8	42
45	Imaging Dopamine and Serotonin Systems on MPTP Monkeys: A Longitudinal PET Investigation of Compensatory Mechanisms. <i>Journal of Neuroscience</i> , 2016, 36, 1577-1589.	3.6	42
46	Quantitative analysis of dopaminergic loss in relation to functional territories in MPTP-treated monkeys. <i>European Journal of Neuroscience</i> , 2003, 18, 2082-2086.	2.6	41
47	Impairment of contextâ€adapted movement selection in a primate model of presymptomatic Parkinsonâ€™s disease. <i>Brain</i> , 2003, 126, 1392-1408.	7.6	37
48	An Effect of Dopamine Depletion on Decision-making: The Temporal Coupling of Deliberation and Execution. <i>Journal of Cognitive Neuroscience</i> , 2005, 17, 1886-1896.	2.3	37
49	Serotonergic and Dopaminergic Lesions Underlying Parkinsonian Neuropsychiatric Signs. <i>Movement Disorders</i> , 2021, 36, 2888-2900.	3.9	37
50	Dopaminergic innervation of the pallidum in the normal state, in MPTPâ€treated monkeys and in parkinsonian patients. <i>European Journal of Neuroscience</i> , 2000, 12, 4525-4535.	2.6	29
51	Disruption of self-organized actions in monkeys with progressive MPTP-induced parkinsonism: II. Effects of reward preference. <i>European Journal of Neuroscience</i> , 2004, 19, 437-446.	2.6	27
52	Cortico-basal ganglia circuits involved in different motivation disorders in non-human primates. <i>Brain Structure and Function</i> , 2016, 221, 345-364.	2.3	27
53	Effects of dopamine and serotonin antagonist injections into the striatopallidal complex of asymptomatic MPTP-treated monkeys. <i>Neurobiology of Disease</i> , 2012, 48, 27-39.	4.4	26
54	Disruption of self-organized actions in monkeys with progressive MPTP-induced parkinsonism. I. Effects of task complexity. <i>European Journal of Neuroscience</i> , 2004, 19, 426-436.	2.6	25

#	ARTICLE	IF	CITATIONS
55	Disturbance of approach-avoidance behaviors in non-human primates by stimulation of the limbic territories of basal ganglia and anterior insula. <i>European Journal of Neuroscience</i> , 2019, 49, 687-700.	2.6	25
56	Distinct presynaptic control of dopamine release in striosomal- and matrix-enriched areas of the rat striatum by selective agonists of NK1, NK2 and NK3 tachykinin receptors. <i>Regulatory Peptides</i> , 1993, 46, 124-128.	1.9	23
57	Ventral striatum supports Methylphenidate therapeutic effects on impulsive choices expressed in temporal discounting task. <i>Scientific Reports</i> , 2020, 10, 716.	3.3	20
58	The ventral striatum. , 2009, , 51-77.		17
59	Social behavioral changes in MPTP-treated monkey model of Parkinson's disease. <i>Frontiers in Behavioral Neuroscience</i> , 2015, 9, 42.	2.0	17
60	Preclinical evaluation of [18F]2FNQ1P as the first fluorinated serotonin 5-HT6 radioligand for PET imaging. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2015, 42, 495-502.	6.4	17
61	Pathophysiology of levodopa-induced dyskinesia: Insights from multimodal imaging and immunohistochemistry in non-human primates. <i>NeuroImage</i> , 2018, 183, 132-141.	4.2	17
62	Neural encoding of choice during a delayed response task in primate striatum and orbitofrontal cortex. <i>Experimental Brain Research</i> , 2018, 236, 1679-1688.	1.5	16
63	Discontinuous Long-Train Stimulation in the Anterior Striatum in Monkeys Induces Abnormal Behavioral States. <i>Cerebral Cortex</i> , 2011, 21, 2733-2741.	2.9	15
64	Dopamine and serotonin modulation of motor and non-motor functions of the non-human primate striato-pallidal circuits in normal and pathological states. <i>Journal of Neural Transmission</i> , 2018, 125, 485-500.	2.8	15
65	Cortical areas involved in behavioral expression of external pallidum dysfunctions: A PET imaging study in non-human primates. <i>NeuroImage</i> , 2017, 146, 1025-1037.	4.2	14
66	Limbic Serotonergic Plasticity Contributes to the Compensation of Apathy in Early Parkinson's Disease. <i>Movement Disorders</i> , 2022, 37, 1211-1221.	3.9	14
67	Representation of Spatial- and Object-Specific Behavioral Goals in the Dorsal Globus Pallidus of Monkeys during Reaching Movement. <i>Journal of Neuroscience</i> , 2013, 33, 16360-16371.	3.6	13
68	Pathophysiology of dyskinesia and behavioral disorders in non-human primates: the role of serotonergic fibers. <i>Journal of Neural Transmission</i> , 2018, 125, 1145-1156.	2.8	11
69	Characterization and Reliability of [18F]2FNQ1P in Cynomolgus Monkeys as a PET Radiotracer for Serotonin 5-HT6 Receptors. <i>Frontiers in Pharmacology</i> , 2017, 8, 471.	3.5	10
70	The Anterior Caudate Nucleus Supports Impulsive Choices Triggered by Pramipexole. <i>Movement Disorders</i> , 2020, 35, 296-305.	3.9	10
71	Dopaminergic innervation of the pallidum in the normal state, in MPTP-treated monkeys and in parkinsonian patients. <i>European Journal of Neuroscience</i> , 2000, 12, 4525-4535.	2.6	10
72	Diffusion tensor imaging marks dopaminergic and serotonergic lesions in the Parkinsonian monkey. <i>Movement Disorders</i> , 2018, 33, 298-309.	3.9	9

#	ARTICLE	IF	CITATIONS
73	Pain behavior without pain sensation: an epileptic syndrome of â€œsymbolism for painâ€?. Pain, 2020, 161, 502-508.	4.2	9
74	Historical crossroads in the conceptual delineation of apathy in Parkinsonâ€™s disease. Brain, 2018, 141, 613-619.	7.6	8
75	Selective serotonin reuptake inhibitor treatment retunes emotional valence in primate ventral striatum. Neuropsychopharmacology, 2021, 46, 2073-2082.	5.4	6
76	Local Field Potentials Reflect Dopaminergic and Non-Dopaminergic Activities within the Primate Midbrain. Neuroscience, 2019, 399, 167-183.	2.3	5
77	Visuomotor signals for reaching movements in the rostroâ€dorsal sector of the monkey thalamic reticular nucleus. European Journal of Neuroscience, 2017, 45, 1186-1199.	2.6	4
78	Complementarity of the Two Pallidal Segments in the Primate. Advances in Behavioral Biology, 1991, , 73-79.	0.2	2
79	Primate brain template image and reference atlas creation for voxel-based functional analysis of PET in Macaca fascicularis. NeuroImage, 2010, 52, S174-S175.	4.2	0
80	Involvement of the lateral prefrontal cortex (LPFC), dorsal premotor cortex (PMd), and primary motor cortex (MI) of macaques in action selection based on self-determined virtual action plan. Neuroscience Research, 2011, 71, e345.	1.9	0
81	Effects of dopamine depletion on reward-seeking behavior. , 2009, , 271-289.		0