

Kenneth G Andersen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1615096/publications.pdf>

Version: 2024-02-01

31
papers

1,354
citations

430874

18
h-index

477307

29
g-index

31
all docs

31
docs citations

31
times ranked

1463
citing authors

#	ARTICLE	IF	CITATIONS
1	Persistent Pain After Breast Cancer Treatment: A Critical Review of Risk Factors and Strategies for Prevention. <i>Journal of Pain</i> , 2011, 12, 725-746.	1.4	408
2	Persistent pain and sensory disturbances after treatment for breast cancer: six year nationwide follow-up study. <i>BMJ, The</i> , 2013, 346, f1865-f1865.	6.0	178
3	Predictive factors for the development of persistent pain after breast cancer surgery. <i>Pain</i> , 2015, 156, 2413-2422.	4.2	158
4	Clinical Prediction Model and Tool for Assessing Risk of Persistent Pain After Breast Cancer Surgery. <i>Journal of Clinical Oncology</i> , 2017, 35, 1660-1667.	1.6	80
5	Intercostobrachial nerve handling and pain after axillary lymph node dissection for breast cancer. <i>Acta Anaesthesiologica Scandinavica</i> , 2014, 58, 1240-1248.	1.6	46
6	The effects of individually tailored nurse navigation for patients with newly diagnosed breast cancer: a randomized pilot study. <i>Acta Oncologica</i> , 2017, 56, 1682-1689.	1.8	40
7	Persistent pain, sensory disturbances and functional impairment after adjuvant chemotherapy for breast cancer: Cyclophosphamide, epirubicin and fluorouracil compared with docetaxel + epirubicin and cyclophosphamide. <i>Acta Oncologica</i> , 2012, 51, 1036-1044.	1.8	39
8	Neural Blockade for Persistent Pain After Breast Cancer Surgery. <i>Regional Anesthesia and Pain Medicine</i> , 2014, 39, 272-278.	2.3	37
9	Preoperative Distress Predicts Persistent Pain After Breast Cancer Treatment: A Prospective Cohort Study. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2015, 13, 995-1003.	4.9	37
10	Persistent pain after targeted intraoperative radiotherapy (TARGIT) or external breast radiotherapy for breast cancer: A randomized trial. <i>Breast</i> , 2012, 21, 46-49.	2.2	33
11	Ultrasound Guided Intercostobrachial Nerve Blockade in Patients with Persistent Pain after Breast Cancer Surgery: A Pilot Study. <i>Pain Physician</i> , 2016, 19, E309-18.	0.4	31
12	The Relationship Between Sensory Loss and Persistent Pain 1 Year After Breast Cancer Surgery. <i>Journal of Pain</i> , 2017, 18, 1129-1138.	1.4	27
13	Pain following the repair of an abdominal hernia. <i>Surgery Today</i> , 2010, 40, 8-21.	1.5	25
14	The Effect of Pain on Physical Functioning After Breast Cancer Treatment. <i>Clinical Journal of Pain</i> , 2015, 31, 794-802.	1.9	25
15	Breast reconstruction with an expander prosthesis following mastectomy does not cause additional persistent pain: A nationwide cross-sectional study. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2013, 66, 1652-1658.	1.0	24
16	Development in self-reported arm-lymphedema in Danish women treated for early-stage breast cancer in 2005 and 2006 – A nationwide follow-up study. <i>Breast</i> , 2014, 23, 445-452.	2.2	24
17	Persistent pain, sensory disturbances and functional impairment after immediate or delayed axillary lymph node dissection. <i>European Journal of Surgical Oncology</i> , 2013, 39, 31-35.	1.0	20
18	Effect of progressive resistance training on persistent pain after axillary dissection in breast cancer: a randomized controlled trial. <i>Breast Cancer Research and Treatment</i> , 2020, 179, 173-183.	2.5	20

#	ARTICLE	IF	CITATIONS
19	Pain, sensory disturbances and psychological distress are common sequelae after treatment of ductal carcinoma <i>in situ</i> : a cross-sectional study. <i>Acta Oncologica</i> , 2017, 56, 724-729.	1.8	19
20	Test-retest Agreement and Reliability of Quantitative Sensory Testing 1 Year After Breast Cancer Surgery. <i>Clinical Journal of Pain</i> , 2015, 31, 393-403.	1.9	17
21	Association between sensory dysfunction and pain 1 week after breast cancer surgery: a psychophysical study. <i>Acta Anaesthesiologica Scandinavica</i> , 2016, 60, 259-269.	1.6	17
22	Analgesic and Sensory Effects of the Pecs Local Anesthetic Block in Patients with Persistent Pain after Breast Cancer Surgery: A Pilot Study. <i>Pain Practice</i> , 2017, 17, 185-191.	1.9	17
23	Pain, Sensory Disturbances, and Psychological Distress among Danish Women Treated for Ductal Carcinoma In Situ: An Exploratory Study. <i>Pain Management Nursing</i> , 2017, 18, 309-317.	0.9	7
24	Long-term results of a standardized enhanced recovery protocol in unilateral, secondary autologous breast reconstructions using an abdominal free flap. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2022, 75, 1117-1122.	1.0	7
25	Development and Validation of a Screening Tool for Surgery-Specific Neuropathic Pain: Neuropathic Pain Scale for Postsurgical Patients. <i>Pain Physician</i> , 2019, 22, E81-E90.	0.4	6
26	Use of Medication at the Roskilde (Denmark) Music Festival 2015 – A Prospective Observational Study of 15,133 Treated Attendees. <i>Prehospital and Disaster Medicine</i> , 2019, 34, 407-414.	1.3	4
27	Development and Validation of a Screening Tool for Surgery-Specific Neuropathic Pain: Neuropathic Pain Scale for Postsurgical Patients. <i>Pain Physician</i> , 2019, 2, E81-E90.	0.4	4
28	Reply. <i>Pain</i> , 2016, 157, 1174.	4.2	2
29	Use of Medical Supplies at the Roskilde Festival 2016: A Prospective Observational Study. <i>Prehospital and Disaster Medicine</i> , 2021, 36, 306-312.	1.3	2
30	Persistent pain, sensory disturbances and functional impairment after adjuvant chemotherapy for breast cancer. <i>Scandinavian Journal of Pain</i> , 2012, 3, 189-189.	1.3	0
31	Targeted Intraoperative Radiotherapy and Persistent Pain After Treatment. , 2014, , 85-91.		0