## Ana Mara Ares Sacristn

## List of Publications by Citations

 $\textbf{Source:} \ \text{https://exaly.com/author-pdf/1615171/ana-maria-ares-sacristan-publications-by-citations.pdf}$ 

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
41	Hydrophilic interaction liquid chromatography in food analysis. <i>Journal of Chromatography A</i> , <b>2011</b> , 1218, 7438-52	4.5	96
40	Extraction and determination of bioactive compounds from bee pollen. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2018</b> , 147, 110-124	3.5	89
39	Extraction, chemical characterization and biological activity determination of broccoli health promoting compounds. <i>Journal of Chromatography A</i> , <b>2013</b> , 1313, 78-95	4.5	69
38	Optimized extraction, separation and quantification of twelve intact glucosinolates in broccoli leaves. <i>Food Chemistry</i> , <b>2014</b> , 152, 66-74	8.5	36
37	Simultaneous determination of tryptophan, kynurenine, kynurenic and xanthurenic acids in honey by liquid chromatography with diode array, fluorescence and tandem mass spectrometry detection. <i>Journal of Chromatography A</i> , <b>2011</b> , 1218, 7592-600	4.5	24
36	Optimized Formation, Extraction, and Determination of Sulforaphane in Broccoli by Liquid Chromatography with Diode Array Detection. <i>Food Analytical Methods</i> , <b>2014</b> , 7, 730-740	3.4	22
35	Fast determination of intact glucosinolates in broccoli leaf by pressurized liquid extraction and ultra high performance liquid chromatography coupled to quadrupole time-of-flight mass spectrometry. <i>Food Research International</i> , <b>2015</b> , 76, 498-505	7	19
34	Fast determination of neonicotinoid insecticides in beeswax by ultra-high performance liquid chromatography-tandem mass spectrometry using an enhanced matrix removal-lipid sorbent for clean-up. <i>Microchemical Journal</i> , <b>2018</b> , 142, 70-77	4.8	19
33	Liquid chromatography coupled to ion trap-tandem mass spectrometry to evaluate juvenile hormone III levels in bee hemolymph from Nosema spp. infected colonies. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , <b>2012</b> , 899, 146-53	3.2	17
32	Determination of flubendiamide in honey at trace levels by using solid phase extraction and liquid chromatography coupled to quadrupole time-of-flight mass spectrometry. <i>Food Chemistry</i> , <b>2017</b> , 232, 169-176	8.5	16
31	Development and validation of UHPLCIMS/MS methods for determination of neonicotinoid insecticides in royal jelly-based products. <i>Journal of Food Composition and Analysis</i> , <b>2018</b> , 70, 105-113	4.1	16
30	Determination of Free Amino Acids in Stingless Bee (Meliponinae) Honey. <i>Food Analytical Methods</i> , <b>2019</b> , 12, 902-907	3.4	14
29	Development and validation of a LC-MS/MS method to determine sulforaphane in honey. <i>Food Chemistry</i> , <b>2015</b> , 181, 263-9	8.5	12
28	Development and validation of a liquid chromatography-tandem mass spectrometry method to determine intact glucosinolates in bee pollen. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , <b>2015</b> , 1000, 49-56	3.2	12
27	Determination of Resveratrol and Piceid Isomers in Bee Pollen by Liquid Chromatography Coupled to Electrospray Ionization-Mass Spectrometry. <i>Food Analytical Methods</i> , <b>2015</b> , 8, 1565-1575	3.4	11
26	Trace analysis of flubendiamide in bee pollen using enhanced matrix removal-lipid sorbent clean-up and liquid chromatography-electrospray ionization mass spectrometry. <i>Microchemical Journal</i> , <b>2019</b> , 148, 541-547	4.8	10
25	Simultaneous determination of carvacrol and thymol in bee pollen by using a simple and efficient solvent extraction method and gas chromatography-mass spectrometry. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2020</b> , 181, 113124	3.5	9

24	Results of the use of Kahoot! gamification tool in a course of Chemistry		9
23	Development and validation of a liquid chromatography with mass spectrometry method to determine resveratrol and piceid isomers in beeswax. <i>Journal of Separation Science</i> , <b>2015</b> , 38, 197-204	3.4	8
22	Development and validation of a specific method to quantify intact glucosinolates in honey by LCMS/MS. <i>Journal of Food Composition and Analysis</i> , <b>2016</b> , 46, 114-122	4.1	8
21	Simultaneous determination of thiamethoxam, clothianidin, and metazachlor residues in soil by ultrahigh performance liquid chromatography coupled to quadrupole time-of-flight mass spectrometry. <i>Journal of Separation Science</i> , <b>2017</b> , 40, 1083-1090	3.4	7
20	Improved Separation of Intact Glucosinolates in Bee Pollen by Using Ultra-High-Performance Liquid Chromatography Coupled to Quadrupole Time-of-Flight Mass Spectrometry. <i>Food Analytical Methods</i> , <b>2019</b> , 12, 1170-1178	3.4	7
19	Effect of Temperature and Light Exposure on the Detection of Total Intact Glucosinolate Content by LC-ESI-MS in Broccoli Leaves. <i>Food Analytical Methods</i> , <b>2014</b> , 7, 1687-1692	3.4	7
18	Hydrophilic interaction chromatography in drug analysis. <i>Open Chemistry</i> , <b>2012</b> , 10, 534-553	1.6	7
17	Trace analysis of sulforaphane in bee pollen and royal jelly by liquid chromatography-tandem mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , <b>2016</b> , 1012-1013, 130-6	3.2	5
16	Polymeric stationary phases based on poly(butylene terephthalate) and poly(4-vinylpirydine) in the analysis of polyphenols using supercritical fluid chromatography. Application to bee pollen. <i>Journal of Chromatography A</i> , <b>2018</b> , 1572, 128-136	4.5	5
15	Simultaneous determination of spinetoram J and L in bee pollen by liquid chromatography-mass spectrometry. <i>Microchemical Journal</i> , <b>2020</b> , 154, 104546	4.8	4
14	Determination of Carvacrol and Thymol in Honey by Using a Simple and Efficient Headspace-Gas Chromatography-Mass Spectrometry Method. <i>Food Analytical Methods</i> , <b>2020</b> , 13, 2138-2146	3.4	4
13	Recent trends in the analysis of honey constituents <i>Food Chemistry</i> , <b>2022</b> , 387, 132920	8.5	4
12	Differentiation of bee pollen samples according to their intact-glucosinolate content using canonical discriminant analysis. <i>LWT - Food Science and Technology</i> , <b>2020</b> , 129, 109559	5.4	3
11	Effect of the Storage Conditions (Light and Temperature) on the Detection of Thiamethoxam and Clothianidin Content in Rapeseeds by LC-DAD. <i>Food Analytical Methods</i> , <b>2018</b> , 11, 161-169	3.4	3
10	Development and validation of a new method for the simultaneous determination of spinetoram J and L in honey from different botanical origins employing solid-phase extraction with a polymeric sorbent and liquid chromatography coupled to quadrupole time-of-flight mass spectrometry. <i>Food</i>	7	3
9	Simultaneous determination of betaines and other quaternary ammonium related compounds in bee pollen by hydrophilic interaction liquid chromatography-mass spectrometry. <i>Microchemical Journal</i> , <b>2020</b> , 157, 105000	4.8	3
8	Applications to Food Analysis <b>2017</b> , 495-514		2
7	Analysis of Intact Glucosinolates in Beeswax by Liquid Chromatography Tandem Mass Spectrometry. <i>Food Analytical Methods</i> , <b>2016</b> , 9, 795-804	3.4	2

6	Supercritical fluid chromatography coupled to mass spectrometry: A valuable tool in food analysis. <i>TrAC - Trends in Analytical Chemistry</i> , <b>2021</b> , 143, 116350	14.6	2
5	Determination of Neonicotinoid Insecticides in Bee Products by Using Ultra-High-Performance Liquid Chromatography I and Endougy, 2022, 27-52	1.1	1
4	Analysis of herbal bioactives <b>2021</b> , 201-232		1
3	Determination of Free Amino Acids in Bee Pollen by Liquid Chromatography with Fluorescence Detection. <i>Food Analytical Methods</i> ,1	3.4	Ο
2		3·4 4·9	0