

Ana Mara Ares Sacristn

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1615171/ana-maria-ares-sacristan-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

41
papers

586
citations

12
h-index

23
g-index

42
ext. papers

706
ext. citations

4.5
avg, IF

4.06
L-index

#	Paper	IF	Citations
41	Analytical Methodologies for Neonicotinoid Determination in Bee Products. <i>Methods in Pharmacology and Toxicology</i> , 2022 , 65-90	1.1	
40	Determination of Neonicotinoid Insecticides in Bee Products by Using Ultra-High-Performance Liquid Chromatography Tandem Mass Spectrometry. <i>Methods in Pharmacology and Toxicology</i> , 2022 , 27-52	1.1	1
39	Recent trends in the analysis of honey constituents.. <i>Food Chemistry</i> , 2022 , 387, 132920	8.5	4
38	Glucosinolates as Markers of the Origin and Harvesting Period for Discrimination of Bee Pollen by UPLC-MS/MS. <i>Foods</i> , 2022 , 11, 1446	4.9	0
37	Supercritical fluid chromatography coupled to mass spectrometry: A valuable tool in food analysis. <i>TrAC - Trends in Analytical Chemistry</i> , 2021 , 143, 116350	14.6	2
36	Analysis of herbal bioactives 2021 , 201-232		1
35	Differentiation of bee pollen samples according to their intact-glucosinolate content using canonical discriminant analysis. <i>LWT - Food Science and Technology</i> , 2020 , 129, 109559	5.4	3
34	Simultaneous determination of carvacrol and thymol in bee pollen by using a simple and efficient solvent extraction method and gas chromatography-mass spectrometry. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2020 , 181, 113124	3.5	9
33	Development and validation of a new method for the simultaneous determination of spinetoram J and L in honey from different botanical origins employing solid-phase extraction with a polymeric sorbent and liquid chromatography coupled to quadrupole time-of-flight mass spectrometry. <i>Food Chemistry</i> , 2020 , 120, 108884	7	3
32	Simultaneous determination of spinetoram J and L in bee pollen by liquid chromatography-mass spectrometry. <i>Microchemical Journal</i> , 2020 , 154, 104546	4.8	4
31	Simultaneous determination of betaines and other quaternary ammonium related compounds in bee pollen by hydrophilic interaction liquid chromatography-mass spectrometry. <i>Microchemical Journal</i> , 2020 , 157, 105000	4.8	3
30	Determination of Carvacrol and Thymol in Honey by Using a Simple and Efficient Headspace-Gas Chromatography-Mass Spectrometry Method. <i>Food Analytical Methods</i> , 2020 , 13, 2138-2146	3.4	4
29	Improved Separation of Intact Glucosinolates in Bee Pollen by Using Ultra-High-Performance Liquid Chromatography Coupled to Quadrupole Time-of-Flight Mass Spectrometry. <i>Food Analytical Methods</i> , 2019 , 12, 1170-1178	3.4	7
28	Trace analysis of flubendiamide in bee pollen using enhanced matrix removal-lipid sorbent clean-up and liquid chromatography-electrospray ionization mass spectrometry. <i>Microchemical Journal</i> , 2019 , 148, 541-547	4.8	10
27	Determination of Free Amino Acids in Stingless Bee (Meliponinae) Honey. <i>Food Analytical Methods</i> , 2019 , 12, 902-907	3.4	14
26	Effect of the Storage Conditions (Light and Temperature) on the Detection of Thiamethoxam and Clothianidin Content in Rapeseeds by LC-DAD. <i>Food Analytical Methods</i> , 2018 , 11, 161-169	3.4	3
25	Polymeric stationary phases based on poly(butylene terephthalate) and poly(4-vinylpyridine) in the analysis of polyphenols using supercritical fluid chromatography. Application to bee pollen. <i>Journal of Chromatography A</i> , 2018 , 1572, 128-136	4.5	5

24	Fast determination of neonicotinoid insecticides in beeswax by ultra-high performance liquid chromatography-tandem mass spectrometry using an enhanced matrix removal-lipid sorbent for clean-up. <i>Microchemical Journal</i> , 2018 , 142, 70-77	4.8	19
23	Extraction and determination of bioactive compounds from bee pollen. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2018 , 147, 110-124	3.5	89
22	Development and validation of UHPLC/MS/MS methods for determination of neonicotinoid insecticides in royal jelly-based products. <i>Journal of Food Composition and Analysis</i> , 2018 , 70, 105-113	4.1	16
21	Determination of flubendiamide in honey at trace levels by using solid phase extraction and liquid chromatography coupled to quadrupole time-of-flight mass spectrometry. <i>Food Chemistry</i> , 2017 , 232, 169-176	8.5	16
20	Simultaneous determination of thiamethoxam, clothianidin, and metazachlor residues in soil by ultrahigh performance liquid chromatography coupled to quadrupole time-of-flight mass spectrometry. <i>Journal of Separation Science</i> , 2017 , 40, 1083-1090	3.4	7
19	Applications to Food Analysis 2017 , 495-514		2
18	Analysis of Intact Glucosinolates in Beeswax by Liquid Chromatography Tandem Mass Spectrometry. <i>Food Analytical Methods</i> , 2016 , 9, 795-804	3.4	2
17	Development and validation of a specific method to quantify intact glucosinolates in honey by LC/MS/MS. <i>Journal of Food Composition and Analysis</i> , 2016 , 46, 114-122	4.1	8
16	Trace analysis of sulforaphane in bee pollen and royal jelly by liquid chromatography-tandem mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2016 , 1012-1013, 130-6	3.2	5
15	Determination of Resveratrol and Piceid Isomers in Bee Pollen by Liquid Chromatography Coupled to Electrospray Ionization-Mass Spectrometry. <i>Food Analytical Methods</i> , 2015 , 8, 1565-1575	3.4	11
14	Development and validation of a LC-MS/MS method to determine sulforaphane in honey. <i>Food Chemistry</i> , 2015 , 181, 263-9	8.5	12
13	Development and validation of a liquid chromatography-tandem mass spectrometry method to determine intact glucosinolates in bee pollen. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2015 , 1000, 49-56	3.2	12
12	Fast determination of intact glucosinolates in broccoli leaf by pressurized liquid extraction and ultra high performance liquid chromatography coupled to quadrupole time-of-flight mass spectrometry. <i>Food Research International</i> , 2015 , 76, 498-505	7	19
11	Development and validation of a liquid chromatography with mass spectrometry method to determine resveratrol and piceid isomers in beeswax. <i>Journal of Separation Science</i> , 2015 , 38, 197-204	3.4	8
10	Effect of Temperature and Light Exposure on the Detection of Total Intact Glucosinolate Content by LC-ESI-MS in Broccoli Leaves. <i>Food Analytical Methods</i> , 2014 , 7, 1687-1692	3.4	7
9	Optimized Formation, Extraction, and Determination of Sulforaphane in Broccoli by Liquid Chromatography with Diode Array Detection. <i>Food Analytical Methods</i> , 2014 , 7, 730-740	3.4	22
8	Optimized extraction, separation and quantification of twelve intact glucosinolates in broccoli leaves. <i>Food Chemistry</i> , 2014 , 152, 66-74	8.5	36
7	Extraction, chemical characterization and biological activity determination of broccoli health promoting compounds. <i>Journal of Chromatography A</i> , 2013 , 1313, 78-95	4.5	69

6	Hydrophilic interaction chromatography in drug analysis. <i>Open Chemistry</i> , 2012 , 10, 534-553	1.6	7
5	Liquid chromatography coupled to ion trap-tandem mass spectrometry to evaluate juvenile hormone III levels in bee hemolymph from <i>Nosema</i> spp. infected colonies. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2012 , 899, 146-53	3.2	17
4	Hydrophilic interaction liquid chromatography in food analysis. <i>Journal of Chromatography A</i> , 2011 , 1218, 7438-52	4.5	96
3	Simultaneous determination of tryptophan, kynurenine, kynurenic and xanthurenic acids in honey by liquid chromatography with diode array, fluorescence and tandem mass spectrometry detection. <i>Journal of Chromatography A</i> , 2011 , 1218, 7592-600	4.5	24
2	Results of the use of Kahoot! gamification tool in a course of Chemistry		9
1	Determination of Free Amino Acids in Bee Pollen by Liquid Chromatography with Fluorescence Detection. <i>Food Analytical Methods</i> ,1	3.4	0