

James W White

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1615376/publications.pdf>

Version: 2024-02-01

65
papers

1,439
citations

377584

21
h-index

406436

35
g-index

68
all docs

68
docs citations

68
times ranked

2935
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Moving on trial: protocol for a pilot randomised controlled trial of models of housing and support to reduce risks of COVID-19 infection and homelessness. Pilot and Feasibility Studies, 2022, 8, 23. | 0.5 | 0 |
| 2 | Preconception exposures and adverse pregnancy, birth and postpartum outcomes: Umbrella review of systematic reviews. Paediatric and Perinatal Epidemiology, 2022, 36, 288-299. | 0.8 | 18 |
| 3 | Mortality among rough sleepers, squatters, residents of homeless shelters or hotels and sofa-surfers: a pooled analysis of UK birth cohorts. International Journal of Epidemiology, 2022, 51, 839-846. | 0.9 | 9 |
| 4 | Cohort Profile: The Green and Blue Spaces (GBS) and mental health in Wales e-cohort. International Journal of Epidemiology, 2022, 51, e285-e294. | 0.9 | 3 |
| 5 | Associations between illicit drug use in early adulthood and mortality: Findings from a National Birth Cohort. Preventive Medicine, 2022, 159, 107058. | 1.6 | 0 |
| 6 | The SWIS trial: Protocol of a pragmatic cluster randomised controlled trial of school based social work. PLoS ONE, 2022, 17, e0265354. | 1.1 | 0 |
| 7 | Effects of gender-transformative relationships and sexuality education to reduce adolescent pregnancy (the JACK trial): a cluster-randomised trial. Lancet Public Health, The, 2022, 7, e626-e637. | 4.7 | 7 |
| 8 | Associations Between Systolic Interarm Differences in Blood Pressure and Cardiovascular Disease Outcomes and Mortality. Hypertension, 2021, 77, 650-661. | 1.3 | 34 |
| 9 | Homelessness in early adulthood and biomedical risk factors by middle-age: the 1970 British Cohort Study. Journal of Epidemiology and Community Health, 2021, , jech-2021-217457. | 2.0 | 0 |
| 10 | Diffusion of effects of the ASSIST school-based smoking prevention intervention to non-participating family members: a secondary analysis of a randomized controlled trial. Addiction, 2020, 115, 986-991. | 1.7 | 4 |
| 11 | Improving mental health through neighbourhood regeneration: the role of cohesion, belonging, quality and disorder. European Journal of Public Health, 2020, 30, 964-966. | 0.1 | 10 |
| 12 | Does the social context of early alcohol use affect alcohol-related harms in adulthood? Findings from a national birth cohort. Preventive Medicine, 2020, 130, 105947. | 1.6 | 2 |
| 13 | Metabolic Surgery to Treat Obesity in Diabetic Kidney Disease, Chronic Kidney Disease, and End-Stage Kidney Disease; What Are the Unanswered Questions?. Frontiers in Endocrinology, 2020, 11, 289. | 1.5 | 28 |
| 14 | Association of illicit drug use in adolescence with socioeconomic and criminal justice outcomes in adulthood: prospective findings from a UK national birth cohort. Journal of Epidemiology and Community Health, 2020, 74, jech-2019-213282. | 2.0 | 1 |
| 15 | A physical activity, nutrition and oral health intervention in nursery settings: process evaluation of the NAP SACC UK feasibility cluster RCT. BMC Public Health, 2019, 19, 865. | 1.2 | 19 |
| 16 | Cross-sectional analysis of physical activity in 2-4-year-olds in England with paediatric quality of life and family expenditure on physical activity. BMC Public Health, 2019, 19, 846. | 1.2 | 5 |
| 17 | The relative importance of perceived substance misuse use by different peers on smoking, alcohol and illicit drug use in adolescence. Drug and Alcohol Dependence, 2019, 204, 107464. | 1.6 | 4 |
| 18 | Implementation of a peer-led school based smoking prevention programme: a mixed methods process evaluation. BMC Public Health, 2019, 19, 742. | 1.2 | 21 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | International Comparison of the Levels and Potential Correlates of Objectively Measured Sedentary Time and Physical Activity among Three-to-Four-Year-Old Children. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 1929. | 1.2 | 23 |
| 20 | Longitudinal access and exposure to green-blue spaces and individual-level mental health and well-being: protocol for a longitudinal, population-wide record-linked natural experiment. <i>BMJ Open</i> , 2019, 9, e027289. | 0.8 | 17 |
| 21 | Acceptability, internal consistency and test-retest reliability of scales to assess parental and nursery staff's self-efficacy, motivation and knowledge in relation to pre-school children's nutrition, oral health and physical activity. <i>Public Health Nutrition</i> , 2019, 22, 967-975. | 1.1 | 8 |
| 22 | Formative mixed-method multicase study research to inform the development of a safer sex and healthy relationships intervention in further education (FE) settings: the SaFE Project. <i>BMJ Open</i> , 2019, 9, e024692. | 0.8 | 3 |
| 23 | Child-care self-assessment to improve physical activity, oral health and nutrition for 2- to 4-year-olds: a feasibility cluster RCT. <i>Public Health Research</i> , 2019, 7, 1-164. | 0.5 | 10 |
| 24 | Association between changes in lifestyle and all-cause mortality: the Health and Lifestyle Survey. <i>Journal of Epidemiology and Community Health</i> , 2018, 72, 711-714. | 2.0 | 14 |
| 25 | Changes in Health Behaviors and Longevity. <i>Epidemiology</i> , 2018, 29, e26-e27. | 1.2 | 2 |
| 26 | Dating and relationship violence among 16-19 year olds in England and Wales: a cross-sectional study of victimization. <i>Journal of Public Health</i> , 2018, 40, 738-746. | 1.0 | 30 |
| 27 | Association of diet in nurseries and physical activity with zBMI in 2-4-year olds in England: a cross-sectional study. <i>BMC Public Health</i> , 2018, 18, 1262. | 1.2 | 6 |
| 28 | JACK trial protocol: a phase III multicentre cluster randomised controlled trial of a school-based relationship and sexuality education intervention focusing on young male perspectives. <i>BMJ Open</i> , 2018, 8, e022128. | 0.8 | 11 |
| 29 | Multilevel population-based cross-sectional study examining school substance-misuse policy and the use of cannabis, mephedrone and novel psychoactive substances among students aged 11-16 years in schools in Wales. <i>BMJ Open</i> , 2018, 8, e020737. | 0.8 | 3 |
| 30 | Socioeconomic inequality in medication persistence in primary and secondary prevention of coronary heart disease - A population-wide electronic cohort study. <i>PLoS ONE</i> , 2018, 13, e0194081. | 1.1 | 13 |
| 31 | Individual-, family-, and school-level interventions targeting multiple risk behaviours in young people. <i>The Cochrane Library</i> , 2018, 2018, CD009927. | 1.5 | 67 |
| 32 | Association between blue and green space availability with mental health and wellbeing. <i>International Journal of Population Data Science</i> , 2018, 3, . | 0.1 | 3 |
| 33 | Evaluating the Family Nurse Partnership Programme in Scotland: a natural experiment approach. <i>International Journal of Population Data Science</i> , 2018, 3, . | 0.1 | 0 |
| 34 | Comparison of suicidal ideation, suicide attempt and suicide in children and young people in care and non-care populations: Systematic review and meta-analysis of prevalence. <i>Children and Youth Services Review</i> , 2017, 82, 122-129. | 1.0 | 103 |
| 35 | Improving Mental Health Through the Regeneration of Deprived Neighborhoods: A Natural Experiment. <i>American Journal of Epidemiology</i> , 2017, 186, 473-480. | 1.6 | 34 |
| 36 | Association of inflammation with specific symptoms of depression in a general population of older people: The English Longitudinal Study of Ageing. <i>Brain, Behavior, and Immunity</i> , 2017, 61, 27-30. | 2.0 | 69 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Development of a framework for the co-production and prototyping of public health interventions. BMC Public Health, 2017, 17, 689. | 1.2 | 156 |
| 38 | Equity in healthcare for coronary heart disease, Wales (UK) 2004–2010: A population-based electronic cohort study. PLoS ONE, 2017, 12, e0172618. | 1.1 | 6 |
| 39 | Adapting the ASSIST model of informal peer-led intervention delivery to the Talk to FRANK drug prevention programme in UK secondary schools (ASSIST+FRANK): intervention development, refinement and a pilot cluster randomised controlled trial. Public Health Research, 2017, 5, 1-98. | 0.5 | 10 |
| 40 | Pilot trial and process evaluation of a multilevel smoking prevention intervention in further education settings. Public Health Research, 2017, 5, 1-82. | 0.5 | 2 |
| 41 | Alcohol outlet density and hospital admissions for alcohol-related injury: an electronic record-linked cohort study. Injury Prevention, 2016, 22, A110.2-A110. | 1.2 | 0 |
| 42 | Duration of depressive symptoms and mortality risk: The English Longitudinal Study of Ageing (ELSA). British Journal of Psychiatry, 2016, 208, 337-342. | 1.7 | 59 |
| 43 | Authors' reply. British Journal of Psychiatry, 2016, 208, 593-594. | 1.7 | 0 |
| 44 | Relative deprivation and risk factors for obesity in Canadian adolescents. Social Science and Medicine, 2016, 152, 111-118. | 1.8 | 40 |
| 45 | Trends in Socioeconomic Inequalities in Body Mass Index, Underweight and Obesity among English Children, 2007–2008 to 2011–2012. PLoS ONE, 2016, 11, e0147614. | 1.1 | 30 |
| 46 | Change in alcohol outlet density and alcohol-related harm to population health (CHALICE): a comprehensive record-linked database study in Wales. Public Health Research, 2016, 4, 1-184. | 0.5 | 29 |
| 47 | The Communities First (ComFi) study: protocol for a prospective controlled quasi-experimental study to evaluate the impact of area-wide regeneration on mental health and social cohesion in deprived communities. BMJ Open, 2014, 4, e006530. | 0.8 | 7 |
| 48 | Interarm differences in systolic blood pressure and mortality among US army veterans: aetiological associations and risk prediction in the Vietnam experience study. European Journal of Preventive Cardiology, 2014, 21, 1394-1400. | 0.8 | 26 |
| 49 | Dietary risk factors for the development of insulin resistance in adolescent girls: a 3-year prospective study. Public Health Nutrition, 2014, 17, 361-368. | 1.1 | 18 |
| 50 | Prospective Associations Between the Family Environment, Family Cohesion, and Psychiatric Symptoms Among Adolescent Girls. Child Psychiatry and Human Development, 2014, 45, 544-554. | 1.1 | 27 |
| 51 | Fat distribution, physical activity and cardiovascular risk among adolescent girls. Nutrition, Metabolism and Cardiovascular Diseases, 2013, 23, 189-195. | 1.1 | 6 |
| 52 | Socioeconomic patterning of excess alcohol consumption and binge drinking: a cross-sectional study of multilevel associations with neighbourhood deprivation. BMJ Open, 2013, 3, e002337. | 0.8 | 96 |
| 53 | Cohort Profile: The Caerphilly Health and Social Needs Electronic Cohort Study (E-CATALyST). International Journal of Epidemiology, 2013, 42, 1620-1628. | 0.9 | 17 |
| 54 | Common mental disorders, neighbourhood income inequality and income deprivation: small-area multilevel analysis. British Journal of Psychiatry, 2013, 202, 286-293. | 1.7 | 35 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Intelligence across childhood in relation to illegal drug use in adulthood: 1970 British Cohort Study. <i>Journal of Epidemiology and Community Health</i> , 2012, 66, 767-774. | 2.0 | 35 |
| 56 | The contribution of parent-child interactions to smoking experimentation in adolescence: implications for prevention. <i>Health Education Research</i> , 2012, 27, 46-56. | 1.0 | 17 |
| 57 | Prospective Associations Between Physical Activity and Obesity Among Adolescent Girls. <i>JAMA Pediatrics</i> , 2012, 166, 522-7. | 3.6 | 37 |
| 58 | Change in alcohol outlet density and alcohol-related harm to population health (CHALICE). <i>BMC Public Health</i> , 2012, 12, 428. | 1.2 | 45 |
| 59 | Intelligence quotient in childhood and the risk of illegal drug use in middle-age: the 1958 National Child Development Survey. <i>Annals of Epidemiology</i> , 2012, 22, 654-657. | 0.9 | 17 |
| 60 | Cognitive ability in early adulthood as a predictor of habitual drug use during later military service and civilian life: The Vietnam Experience Study. <i>Drug and Alcohol Dependence</i> , 2012, 125, 164-168. | 1.6 | 7 |
| 61 | Family Meal Frequency and Alcohol and Tobacco Use in Adolescence. <i>Journal of Early Adolescence</i> , 2011, 31, 735-749. | 1.1 | 11 |
| 62 | Alcohol and Tobacco Use during Adolescence. <i>Journal of Health Psychology</i> , 2010, 15, 526-532. | 1.3 | 36 |
| 63 | Examination of a sociocultural model of excessive exercise among male and female adolescents. <i>Body Image</i> , 2010, 7, 227-233. | 1.9 | 56 |
| 64 | Excess Glucose Intake Induces Accelerated \hat{I}^2 -Cell Polyploidization in Normal Mice: A Possible Deleterious Effect. <i>Journal of Nutrition</i> , 1985, 115, 271-278. | 1.3 | 11 |
| 65 | Individual-, family-, and school-level interventions for preventing multiple risk behaviours relating to alcohol, tobacco and drug use in individuals aged 8 to 25 years. <i>The Cochrane Library</i> , 0, , . | 1.5 | 9 |