

Chenghui Liu

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1616910/chenghui-liu-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

105
papers

3,488
citations

33
h-index

57
g-index

111
ext. papers

3,999
ext. citations

6.9
avg, IF

5.53
L-index

#	Paper	IF	Citations
105	Chemically Enhanced Live Probiotic for In Vivo Tumor Targeting and Inhibition. <i>ACS Applied Polymer Materials</i> , 2022 , 4, 1368-1376	4.3	0
104	Recent advances in exosome analysis assisted by functional nucleic acid-based signal amplification technologies. <i>TrAC - Trends in Analytical Chemistry</i> , 2022 , 149, 116549	14.6	0
103	Quantification of Site-Specific 5-Formylcytosine by Integrating Peptide Nucleic Acid-Clamped Ligation with Loop-Mediated Isothermal Amplification. <i>Springer Protocols</i> , 2022 , 77-91	0.3	
102	All on size-coded single bead set: a modular enrich-amplify-amplify strategy for attomolar level multi-immunoassay.. <i>Chemical Science</i> , 2022 , 13, 3501-3506	9.4	2
101	Programming the -cleavage Activity of CRISPR-Cas13a by Single-Strand DNA Blocker and Its Biosensing Application.. <i>Analytical Chemistry</i> , 2022 , 94, 3987-3996	7.8	0
100	Precise quantification of N1-Methyladenosine with a site-specific RNase H cleavage-assisted isothermal amplification strategy. <i>Sensors and Actuators B: Chemical</i> , 2021 , 354, 131200	8.5	0
99	Microchamber-Free Digital Flow Cytometric Analysis of T4 Polynucleotide Kinase Phosphatase Based on Single-Enzyme-to-Single-Bead Space-Confined Reaction. <i>Analytical Chemistry</i> , 2021 , 93, 14828-14836	7.8	0
98	Click Chemistry-Actuated Digital DNA Walker Confined on a Single Particle toward Absolute MicroRNA Quantification. <i>Analytical Chemistry</i> , 2021 , 93, 1620-1626	7.8	5
97	Target Extension-Activated DNA Walker on Nanoparticles for Digital Counting-Based Analysis of MicroRNA. <i>Chinese Journal of Chemistry</i> , 2021 , 39, 1471-1476	4.9	0
96	Colorimetric and fluorometric dual-readout protein kinase assay by tuning the active surface of nanoceria. <i>Chemical Communications</i> , 2021 , 57, 8154-8157	5.8	2
95	Amplification-Free and Mix-and-Read Analysis of Multiplexed MicroRNAs on a Single Plasmonic Microbead. <i>Nano Letters</i> , 2021 , 21, 6718-6724	11.5	5
94	An emulsion-free digital flow cytometric platform for the precise quantification of microRNA based on single molecule extension-illuminated microbeads (dFlowSeim). <i>Chemical Communications</i> , 2020 , 56, 7179-7182	5.8	3
93	High-sensitive sensing of plant microRNA by integrating click chemistry with an unusual on-bead poly(T)-promoted transcription amplification. <i>Analytica Chimica Acta</i> , 2020 , 1111, 16-22	6.6	3
92	Effect of atmospheric cold plasma treatment on antioxidant activities and reactive oxygen species production in postharvest blueberries during storage. <i>Journal of the Science of Food and Agriculture</i> , 2020 , 100, 5586-5595	4.3	10
91	Nanoparticle Tracking Analysis-Based In Vitro Detection of Critical Biomarkers. <i>ACS Applied Nano Materials</i> , 2020 , 3, 2881-2888	5.6	2
90	Integrated Single Microbead-Arrayed Fluidic Platform for the Automated Detection of Multiplexed Biomarkers. <i>ACS Sensors</i> , 2020 , 5, 798-806	9.2	4
89	Facile Clamp-Assisted Ligation Strategy for Direct Discrimination and Background-Free Quantification of Site-Specific 5-Formylcytosine. <i>Analytical Chemistry</i> , 2020 , 92, 3477-3482	7.8	5

88	On-bead enzyme-catalyzed signal amplification for the high-sensitive detection of disease biomarkers. <i>Methods in Enzymology</i> , 2020 , 630, 179-197	1.7	
87	Highly specific quantification of mRNA mutation in single cells based on RNase H cleavage-assisted reverse transcription (RT)-PCR. <i>Chinese Chemical Letters</i> , 2020 , 31, 1095-1098	8.1	5
86	A terminal extension-actuated isothermal exponential amplification strategy toward the ultrasensitive and versatile detection of enzyme activity in a single cell. <i>Talanta</i> , 2020 , 211, 120704	6.2	2
85	A hyperbranched transcription-activated CRISPR-Cas12a signal amplification strategy for sensitive microRNA sensing. <i>Chemical Communications</i> , 2020 , 56, 13445-13448	5.8	12
84	miRNA and Degradome Sequencing Identify miRNAs and Their Target Genes Involved in the Browning Inhibition of Fresh-Cut Apples by Hydrogen Sulfide. <i>Journal of Agricultural and Food Chemistry</i> , 2020 , 68, 8462-8470	5.7	5
83	Plasmon-Enhanced Surface-Enhanced Raman Scattering Mapping Concentrated on a Single Bead for Ultrasensitive and Multiplexed Immunoassay. <i>Analytical Chemistry</i> , 2020 , 92, 12387-12393	7.8	9
82	Trends of Bead Counting-Based Technologies Toward the Detection of Disease-Related Biomarkers. <i>Frontiers in Chemistry</i> , 2020 , 8, 600317	5	1
81	Effects of Ozonated Water on Microbial Growth, Quality Retention and Pesticide Residue Removal of Fresh-cut Onions. <i>Ozone: Science and Engineering</i> , 2020 , 42, 399-407	2.4	9
80	New CRISPR-Derived microRNA Sensing Mechanism Based on Cas12a Self-Powered and Rolling Circle Transcription-Unleashed Real-Time crRNA Recruiting. <i>Analytical Chemistry</i> , 2020 , 92, 6702-6708	7.8	36
79	The Effects of Cold Plasma-Activated Water Treatment on the Microbial Growth and Antioxidant Properties of Fresh-Cut Pears. <i>Food and Bioprocess Technology</i> , 2019 , 12, 1842-1851	5.1	32
78	A Versatile Photoinduced Electron Transfer-Based Upconversion Fluorescent Biosensing Platform for the Detection of Disease Biomarkers and Nerve Agent. <i>Advanced Functional Materials</i> , 2019 , 29, 1903191	15.6	22
77	Specific detection of RNA mutation at single-base resolution by coupling the isothermal exponential amplification reaction (EXPAR) with chimeric DNA probe-aided precise RNA disconnection at the mutation site. <i>Chemical Communications</i> , 2019 , 55, 6934-6937	5.8	3
76	Boosting Luminance Energy Transfer Efficiency in Upconversion Nanoparticles with an Energy-Concentrating Zone. <i>Angewandte Chemie</i> , 2019 , 131, 12245-12250	3.6	9
75	Boosting Luminance Energy Transfer Efficiency in Upconversion Nanoparticles with an Energy-Concentrating Zone. <i>Angewandte Chemie - International Edition</i> , 2019 , 58, 12117-12122	16.4	31
74	One bead three targets: An enzyme-free platform enabling simultaneous detection of multiplex MicroRNAs on a single microbead. <i>Sensors and Actuators B: Chemical</i> , 2019 , 301, 127119	8.5	4
73	Rolling circle extension-actuated loop-mediated isothermal amplification (RCA-LAMP) for ultrasensitive detection of microRNAs. <i>Biosensors and Bioelectronics</i> , 2019 , 128, 17-22	11.8	50
72	Sensitive detection of uracil-DNA glycosylase (UDG) activity based on terminal deoxynucleotidyl transferase-assisted formation of fluorescent copper nanoclusters (CuNCs). <i>Talanta</i> , 2019 , 195, 320-326	6.2	11
71	A Versatile Dynamic Light Scattering Strategy for the Sensitive Detection of Plant MicroRNAs Based on Click-Chemistry-Amplified Aggregation of Gold Nanoparticles. <i>Chemistry - A European Journal</i> , 2019 , 25, 1701-1705	4.8	3

70	Identification of a selective DNA ligase for accurate recognition and ultrasensitive quantification of -methyladenosine in RNA at one-nucleotide resolution. <i>Chemical Science</i> , 2018 , 9, 3354-3359	9.4	35
69	Click Chemical Ligation-Initiated On-Bead DNA Polymerization for the Sensitive Flow Cytometric Detection of 3' Terminal 2' O-Methylated Plant MicroRNA. <i>Analytical Chemistry</i> , 2018 , 90, 5390-5397	7.8	14
68	Effects of hydrogen sulfide on the surface whitening and physiological responses of fresh-cut carrots. <i>Journal of the Science of Food and Agriculture</i> , 2018 , 98, 4726-4732	4.3	5
67	An ultrasensitive flow cytometric immunoassay based on bead surface-initiated template-free DNA extension. <i>Chemical Science</i> , 2018 , 9, 6605-6613	9.4	27
66	A Clamp-Based One-Step Droplet Digital Reverse Transcription PCR (ddRT-PCR) for Precise Quantitation of Messenger RNA Mutation in Single Cells. <i>ACS Sensors</i> , 2018 , 3, 1795-1801	9.2	7
65	Label-free detection of histone based on cationic conjugated polymer-mediated fluorescence resonance energy transfer. <i>Talanta</i> , 2018 , 180, 150-155	6.2	6
64	A novel restriction endonuclease <i>GlaI</i> for rapid and highly sensitive detection of DNA methylation coupled with isothermal exponential amplification reaction. <i>Chemical Science</i> , 2018 , 9, 1344-1351	9.4	37
63	An Enzyme-Free MicroRNA Assay Based On Fluorescence Counting of Click Chemical Ligation-Illuminated Magnetic Nanoparticles with Total Internal Reflection Fluorescence Microscopy. <i>ACS Sensors</i> , 2018 , 3, 2667-2674	9.2	19
62	A General Fluorescence Turn-On Sulfotransferase Assay through the Detection of Free Phosphate Ions by Using A Calcein/Ce ³⁺ System. <i>ChemistrySelect</i> , 2018 , 3, 9753-9758	1.8	
61	A versatile size-coded flow cytometric bead assay for simultaneous detection of multiple microRNAs coupled with a two-step cascading signal amplification. <i>Chemical Communications</i> , 2017 , 53, 2926-2929	5.8	20
60	Digital quantitative analysis of microRNA in single cell based on ligation-dependent polymerase colony (Polony). <i>Biosensors and Bioelectronics</i> , 2017 , 95, 146-151	11.8	13
59	A three-way junction structure-based isothermal exponential amplification strategy for sensitive detection of 3' terminal 2' O-methylated plant microRNA. <i>Chemical Communications</i> , 2017 , 53, 1124-1127	5.8	25
58	Target-Regulated Ce ³⁺ /Ce ⁴⁺ Redox Switch for Fluorescence Turn-on Detection of H ₂ O ₂ and Glucose. <i>ChemistrySelect</i> , 2017 , 2, 9181-9185	1.8	2
57	One-step detection of microRNA with high sensitivity and specificity via target-triggered loop-mediated isothermal amplification (TT-LAMP). <i>Chemical Communications</i> , 2017 , 53, 11040-11043	5.8	40
56	Single Microbead-Anchored Fluorescent Immunoassay (SMFIA): A Facile and Versatile Platform Allowing Simultaneous Detection of Multiple Antigens. <i>Chemistry - an Asian Journal</i> , 2017 , 12, 2894-2898	4.5	3
55	An enzyme-free flow cytometric bead assay for the sensitive detection of microRNAs based on click nucleic acid ligation-mediated signal amplification. <i>Analyst</i> , 2017 , 142, 2967-2973	5	14
54	NIR-Mediated Nanohybrids of Upconversion Nanophosphors and Fluorescent Conjugated Polymers for High-Efficiency Antibacterial Performance Based on Fluorescence Resonance Energy Transfer. <i>Advanced Healthcare Materials</i> , 2016 , 5, 2967-2971	10.1	35
53	Precise Quantitation of MicroRNA in a Single Cell with Droplet Digital PCR Based on Ligation Reaction. <i>Analytical Chemistry</i> , 2016 , 88, 11384-11389	7.8	61

52	A Versatile Dual-Emission Fluorescent Microhybrid Enabling Visual Detection of Glucose and Other Oxidases-Based Biocatalytic Systems. <i>Advanced Materials Technologies</i> , 2016 , 1,	6.8	1
51	Ultrasensitive detection of telomerase activity in a single cell using stem-loop primer-mediated exponential amplification (SPEA) with near zero nonspecific signal. <i>Chemical Science</i> , 2016 , 7, 4945-4950	9.4	45
50	Enzyme-free and multiplexed microRNA detection using microRNA-initiated DNA molecular motor. <i>Science China Chemistry</i> , 2016 , 59, 83-88	7.9	8
49	A general and versatile fluorescence turn-on assay for detecting the activity of protein tyrosine kinases based on phosphorylation-inhibited tyrosyl oxidation. <i>Chemical Communications</i> , 2016 , 52, 12570-12573	5.8	10
48	Highly sensitive and multiplexed analysis of CpG methylation at single-base resolution with ligation-based exponential amplification. <i>Chemical Science</i> , 2015 , 6, 1866-1872	9.4	24
47	Highly sensitive detection of CpG methylation in genomic DNA by AuNP-based colorimetric assay with ligase chain reaction. <i>Chemical Communications</i> , 2015 , 51, 3371-4	5.8	46
46	Portable and sensitive detection of protein kinase activity by using commercial personal glucose meter. <i>Sensors and Actuators B: Chemical</i> , 2015 , 210, 508-512	8.5	23
45	Phosphorylation-regulated crosslinking of gold nanoparticles: a new strategy for colorimetric detection of protein kinase activity. <i>Analyst, The</i> , 2015 , 140, 5685-91	5	17
44	Light-Triggered Disruption of PAG-Based Amphiphilic Random Copolymer Micelles. <i>Langmuir</i> , 2015 , 31, 7758-63	4	13
43	Ultrasensitive genotyping with target-specifically generated circular DNA templates and RNA FRET probes. <i>Chemical Communications</i> , 2015 , 51, 11556-9	5.8	7
42	Copper ion-induced fluorescence band shift of CdTe quantum dots: a highly specific strategy for visual detection of Cu(2+) with a portable UV lamp. <i>Analyst, The</i> , 2015 , 140, 7859-63	5	10
41	Real-time fluorescence ligase chain reaction for sensitive detection of single nucleotide polymorphism based on fluorescence resonance energy transfer. <i>Biosensors and Bioelectronics</i> , 2015 , 74, 705-10	11.8	26
40	Lab on a single microbead: an ultrasensitive detection strategy enabling microRNA analysis at the single-molecule level. <i>Chemical Science</i> , 2015 , 6, 6213-6218	9.4	57
39	Detection of T4 polynucleotide kinase activity based on cationic conjugated polymer-mediated fluorescence resonance energy transfer. <i>Biosensors and Bioelectronics</i> , 2015 , 66, 316-20	11.8	29
38	Rare Earth Ion Mediated Fluorescence Accumulation on a Single Microbead: An Ultrasensitive Strategy for the Detection of Protein Kinase Activity at the Single-Cell Level. <i>Angewandte Chemie - International Edition</i> , 2015 , 54, 15186-90	16.4	34
37	Rare Earth Ion Mediated Fluorescence Accumulation on a Single Microbead: An Ultrasensitive Strategy for the Detection of Protein Kinase Activity at the Single-Cell Level. <i>Angewandte Chemie</i> , 2015 , 127, 15401-15405	3.6	2
36	Phosphorylation-induced hybridization chain reaction on beads: an ultrasensitive flow cytometric assay for the detection of T4 polynucleotide kinase activity. <i>Chemical Communications</i> , 2015 , 51, 5832-5	5.8	33
35	Highly sensitive and specific multiplexed microRNA quantification using size-coded ligation chain reaction. <i>Analytical Chemistry</i> , 2014 , 86, 1076-82	7.8	74

34	Highly sensitive detection of protein kinase activity using upconversion luminescent nanoparticles. <i>RSC Advances</i> , 2014 , 4, 14546	3.7	10
33	A versatile fluorescence turn-on assay for highly sensitive detection of tyrosine phosphatase activity. <i>Chemical Communications</i> , 2014 , 50, 13983-6	5.8	10
32	Sensitive detection of hexokinase activity by use of Zr(4+)-coated magnetic beads coupled with phenylboronic acid-functionalized upconversion nanophosphors. <i>Analyst, The</i> , 2014 , 139, 5582-6	5	2
31	Robust detection of tyrosine phosphatase activity by coupling chymotrypsin-assisted selective peptide cleavage and a graphene oxide-based fluorescent platform. <i>Chemical Communications</i> , 2014 , 50, 8161-3	5.8	17
30	Upconversion nanophosphor: an efficient phosphopeptides-recognizing matrix and luminescence resonance energy transfer donor for robust detection of protein kinase activity. <i>Analytical Chemistry</i> , 2014 , 86, 6095-102	7.8	53
29	An enzyme-free signal amplification strategy for sensitive detection of microRNA via catalyzed hairpin assembly. <i>Analytical Methods</i> , 2014 , 6, 9477-9482	3.2	21
28	Double Strand-Specific Nuclease-Assisted Sensitive Detection of MicroRNA. <i>Acta Chimica Sinica</i> , 2014 , 72, 395	3.3	6
27	Dual-readout fluorescent assay of protein kinase activity by use of TiO ₂ -coated magnetic microspheres. <i>Analytical Chemistry</i> , 2013 , 85, 4813-21	7.8	68
26	Multiplex ligation-dependent probe amplification (MLPA) for ultrasensitive multiplexed microRNA detection using ribonucleotide-modified DNA probes. <i>Chemical Communications</i> , 2013 , 49, 10013-5	5.8	30
25	A versatile platform for highly sensitive detection of kinase activity based on metal ion-mediated FRET using an anionic conjugated polymer. <i>Chemical Communications</i> , 2013 , 49, 3887-9	5.8	33
24	A cytometric bead assay for sensitive DNA detection based on enzyme-free signal amplification of hybridization chain reaction. <i>Biosensors and Bioelectronics</i> , 2013 , 49, 380-6	11.8	48
23	Flow cytometry-assisted mix-and-read assay for ultrasensitive detection of protein kinase activity by use of Zr(4+)-functionalized mesoporous SiO ₂ microspheres. <i>Analytical Chemistry</i> , 2013 , 85, 10956-61	7.8	29
22	Graphene surface-anchored fluorescence sensor for sensitive detection of microRNA coupled with enzyme-free signal amplification of hybridization chain reaction. <i>ACS Applied Materials & Interfaces</i> , 2012 , 4, 6450-3	9.5	187
21	One-pot synthesis of water-soluble and carboxyl-functionalized NaYF ₄ :Yb,Er(Tm) upconversion nanocrystals and their application for bioimaging. <i>Journal of Materials Chemistry</i> , 2012 , 22, 12186		35
20	Fluorescent water-soluble probes based on dendritic PEG substituted perylene bisimides: synthesis, photophysical properties, and live cell images. <i>Journal of Materials Chemistry</i> , 2012 , 22, 6176		39
19	Efficient fluorescence resonance energy transfer between upconversion nanophosphors and graphene oxide: a highly sensitive biosensing platform. <i>Chemical Communications</i> , 2011 , 47, 4661-3	5.8	184
18	Solvent-assisted selective synthesis of NaLaF ₄ and LaF ₃ fluorescent nanocrystals via a facile solvothermal approach. <i>Journal of Alloys and Compounds</i> , 2011 , 509, 1964-1968	5.7	9
17	Surface modification of hydrophobic NaYF ₄ :Yb,Er upconversion nanophosphors and their applications for immunoassay. <i>Science China Chemistry</i> , 2011 , 54, 1292-1297	7.9	35

16	Detection of reverse transcription-PCR products by a simple and rapid light scattering technique. <i>Analyst, The</i> , 2011 , 136, 4467-71	5	1
15	Simple and sensitive detection of microRNAs with ligase chain reaction. <i>Chemical Communications</i> , 2010 , 46, 2432-4	5.8	53
14	Self-aggregation of oligonucleotide-functionalized gold nanoparticles and its applications for highly sensitive detection of DNA. <i>Chemical Communications</i> , 2010 , 46, 5548-50	5.8	44
13	Ultrasensitive Detection of microRNAs by Exponential Isothermal Amplification. <i>Angewandte Chemie</i> , 2010 , 122, 5630-5633	3.6	20
12	Ultrasensitive detection of microRNAs by exponential isothermal amplification. <i>Angewandte Chemie - International Edition</i> , 2010 , 49, 5498-501	16.4	398
11	CE immunoassay with enhanced chemiluminescence detection of erythropoietin using silica dioxide nanoparticles as pseudostationary phase. <i>Electrophoresis</i> , 2009 , 30, 3092-3098	3.6	16
10	Morphology- and phase-controlled synthesis of monodisperse lanthanide-doped NaGdF ₄ nanocrystals with multicolor photoluminescence. <i>Journal of Materials Chemistry</i> , 2009 , 19, 489-496		149
9	Monodisperse, size-tunable and highly efficient NaYF ₄ :Yb,Er(Tm) up-conversion luminescent nanospheres: controllable synthesis and their surface modifications. <i>Journal of Materials Chemistry</i> , 2009 , 19, 3546		203
8	Size and morphology controllable synthesis of oil-dispersible LaF ₃ :Yb,Er upconversion fluorescent nanocrystals via a solid-liquid two-phase approach. <i>Scripta Materialia</i> , 2008 , 58, 89-92	5.6	24
7	Controlled synthesis of hexagon shaped lanthanide-doped LaF ₃ nanoplates with multicolor upconversion fluorescence. <i>Journal of Materials Chemistry</i> , 2007 , 17, 3875		105
6	Chemiluminescent detection of DNA hybridization using gold nanoparticles as labels. <i>Analytical and Bioanalytical Chemistry</i> , 2007 , 387, 613-8	4.4	24
5	One-step homogeneous detection of DNA hybridization with gold nanoparticle probes by using a linear light-scattering technique. <i>Angewandte Chemie - International Edition</i> , 2006 , 45, 8022-5	16.4	153
4	Selective determination of cysteine by resonance light scattering technique based on self-assembly of gold nanoparticles. <i>Analytical Biochemistry</i> , 2006 , 351, 18-25	3.1	150
3	A chemiluminescent metalloimmunoassay based on silver deposition on colloidal gold labels. <i>Analytical Biochemistry</i> , 2006 , 359, 247-52	3.1	48
2	Silver nanoparticle-based ultrasensitive chemiluminescent detection of DNA hybridization and single-nucleotide polymorphisms. <i>Analytical Chemistry</i> , 2006 , 78, 3738-44	7.8	112
1	Development of chemiluminescence detection of gold nanoparticles in biological conjugates for immunoassay. <i>Analytica Chimica Acta</i> , 2005 , 551, 85-91	6.6	62