

Kyung Ran Kim

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1616978/publications.pdf>

Version: 2024-02-01

41
papers

1,467
citations

279778

23
h-index

330122

37
g-index

43
all docs

43
docs citations

43
times ranked

2724
citing authors

#	ARTICLE	IF	CITATIONS
1	Structural and functional brain alterations associated with cancer-associated cognitive decline in gastric cancer patients: A preliminary longitudinal neuroimaging study. <i>Brain and Behavior</i> , 2022, 12, e2437.	2.2	2
2	Factors Associated With Psychosocial Functioning and Outcome of Individuals With Recent-Onset Schizophrenia and at Ultra-High Risk for Psychosis. <i>Frontiers in Psychiatry</i> , 2019, 10, 459.	2.6	14
3	Reduced DNA Methylation of the Oxytocin Receptor Gene Is Associated With Anhedonia-Asociality in Women With Recent-Onset Schizophrenia and Ultra-high Risk for Psychosis. <i>Schizophrenia Bulletin</i> , 2019, 45, 1279-1290.	4.3	27
4	Psychotic conversion of individuals at ultra-high risk for psychosis: The potential roles of schizotypy and basic symptoms. <i>Microbial Biotechnology</i> , 2019, 13, 546-554.	1.7	22
5	Suicidal ideation in individuals at ultra-high risk for psychosis and its association with suspiciousness independent of depression. <i>Microbial Biotechnology</i> , 2019, 13, 539-545.	1.7	13
6	T187. ALTERED DNA METHYLATION OF THE OXYTOCIN RECEPTOR GENE IS ASSOCIATED WITH SUSCEPTIBILITY TO PSYCHOSIS AND ANHEDONIA-ASOCIALITY IN FEMALES: EPIGENETIC EVIDENCE IN RECENT-ONSET SCHIZOPHRENIA AND ULTRA-HIGH RISK FOR PSYCHOSIS. <i>Schizophrenia Bulletin</i> , 2018, 44, S188-S188.	4.3	0
7	Fragile Self and Malevolent Others: Biased Attribution Styles in Individuals at Ultra-High Risk for Psychosis. <i>Psychiatry Investigation</i> , 2018, 15, 796-804.	1.6	7
8	Prevalence and prognostic implications of psychological distress in patients with gastric cancer. <i>BMC Cancer</i> , 2017, 17, 283.	2.6	93
9	Altered intrinsic brain activity after chemotherapy in patients with gastric cancer: A preliminary study. <i>European Radiology</i> , 2017, 27, 2679-2688.	4.5	23
10	Impaired Social and Role Function in Ultra-High Risk for Psychosis and First-Episode Schizophrenia: Its Relations with Negative Symptoms. <i>Psychiatry Investigation</i> , 2017, 14, 186.	1.6	25
11	Impaired Social and Role Function in Ultra-High Risk for Psychosis and First-Episode Schizophrenia: Its Relations with Negative Symptoms. <i>Psychiatry Investigation</i> , 2017, 14, 539.	1.6	31
12	Frontostriatal Connectivity Changes in Major Depressive Disorder After Repetitive Transcranial Magnetic Stimulation. <i>Journal of Clinical Psychiatry</i> , 2016, 77, e1137-e1143.	2.2	54
13	Neurocognitive impairments in individuals at ultra-high risk for psychosis: Who will really convert?. <i>Australian and New Zealand Journal of Psychiatry</i> , 2015, 49, 462-470.	2.3	54
14	Impaired facial emotion recognition in individuals at ultra-high risk for psychosis and with first-episode schizophrenia, and their associations with neurocognitive deficits and self-reported schizotypy. <i>Schizophrenia Research</i> , 2015, 165, 60-65.	2.0	45
15	Resting-state synchrony between anterior cingulate cortex and precuneus relates to body shape concern in anorexia nervosa and bulimia nervosa. <i>Psychiatry Research - Neuroimaging</i> , 2014, 221, 43-48.	1.8	83
16	Reduced Binding Potential of GABA-A/Benzodiazepine Receptors in Individuals at Ultra-high Risk for Psychosis: An [18F]-Fluoroflumazenil Positron Emission Tomography Study. <i>Schizophrenia Bulletin</i> , 2014, 40, 548-557.	4.3	33
17	Distinct functional connectivity of limbic network in the washing type obsessive-compulsive disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2014, 53, 149-155.	4.8	19
18	Small-world networks in individuals at ultra-high risk for psychosis and first-episode schizophrenia during a working memory task. <i>Neuroscience Letters</i> , 2013, 535, 35-39.	2.1	25

#	ARTICLE	IF	CITATIONS
19	Reevaluation of Patients With Bipolar Disorder on Manic Episode. <i>Journal of Nervous and Mental Disease</i> , 2013, 201, 686-690.	1.0	3
20	Neural Evidence for Emotional Involvement in Pathological Alcohol Craving. <i>Alcohol and Alcoholism</i> , 2013, 48, 288-294.	1.6	18
21	The relationship between psychosocial functioning and resilience and negative symptoms in individuals at ultra-high risk for psychosis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2013, 47, 762-771.	2.3	74
22	Attributional Style in Healthy Persons: Its Association with 'Theory of Mind' Skills. <i>Psychiatry Investigation</i> , 2013, 10, 34.	1.6	17
23	rTMS over bilateral inferior parietal cortex induces decrement of spatial sustained attention. <i>Frontiers in Human Neuroscience</i> , 2013, 7, 26.	2.0	21
24	Comparison of double pants with single pants on satisfaction with colonoscopy. <i>World Journal of Gastroenterology</i> , 2013, 19, 4177.	3.3	6
25	The Association between Sleep Duration and Self-Rated Health in the Korean General Population. <i>Journal of Clinical Sleep Medicine</i> , 2013, 09, 1057-1064.	2.6	52
26	Progressive Muscle Relaxation Therapy for Atopic Dermatitis: Objective Assessment of Efficacy. <i>Acta Dermato-Venereologica</i> , 2012, 92, 57-61.	1.3	65
27	Body image, sexual function and depression in Korean patients with breast cancer: modification by 5-HTT polymorphism. <i>Supportive Care in Cancer</i> , 2012, 20, 2177-2182.	2.2	18
28	Functional and effective connectivity of anterior insula in anorexia nervosa and bulimia nervosa. <i>Neuroscience Letters</i> , 2012, 521, 152-157.	2.1	88
29	Validation of the Korean Version of the Eating Disorder Inventory-2: Psychometric Properties and Cross-Cultural Comparison. <i>Yonsei Medical Journal</i> , 2012, 53, 1099.	2.2	9
30	Neurocognitive performance in subjects at ultrahigh risk for schizophrenia: a comparison with first-episode schizophrenia. <i>Comprehensive Psychiatry</i> , 2011, 52, 33-40.	3.1	31
31	Coping Strategies and Their Relationship to Psychopathologies in People at Ultra High-Risk for Psychosis and With Schizophrenia. <i>Journal of Nervous and Mental Disease</i> , 2011, 199, 106-110.	1.0	32
32	Clinical efficacy of individual cognitive therapy in reducing psychiatric symptoms in people at ultra-high risk for psychosis. <i>Microbial Biotechnology</i> , 2011, 5, 174-178.	1.7	21
33	Prevalence and associated factors of psychological distress among Korean cancer patients. <i>General Hospital Psychiatry</i> , 2011, 33, 246-252.	2.4	37
34	Associated Factors of Quality of Life in First-Episode Schizophrenia Patients. <i>Psychiatry Investigation</i> , 2011, 8, 201.	1.6	25
35	Psychotic Features as the First Manifestation of 22q11.2 Deletion Syndrome. <i>Psychiatry Investigation</i> , 2010, 7, 72.	1.6	8
36	Attribution bias in ultra-high risk for psychosis and first-episode schizophrenia. <i>Schizophrenia Research</i> , 2010, 118, 54-61.	2.0	115

#	ARTICLE	IF	CITATIONS
37	Caregiver's Burden and Quality of Life in Mitochondrial Disease. <i>Pediatric Neurology</i> , 2010, 42, 271-276.	2.1	50
38	Sleep disturbance in women with eating disorder: Prevalence and clinical characteristics. <i>Psychiatry Research</i> , 2010, 176, 88-90.	3.3	67
39	Characteristic Profiles of Instrumental Activities of Daily Living in Different Subtypes of Mild Cognitive Impairment. <i>Dementia and Geriatric Cognitive Disorders</i> , 2009, 27, 278-285.	1.5	77
40	Nutritional risk and cognitive impairment in the elderly. <i>Archives of Gerontology and Geriatrics</i> , 2009, 48, 95-99.	3.0	44
41	The Effect of the ApoE Genotype on the Association Between Head Circumference and Cognition. <i>American Journal of Geriatric Psychiatry</i> , 2008, 16, 819-825.	1.2	19