List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/16174/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Differences in the prospective association between individual plasma phospholipid saturated fatty acids and incident type 2 diabetes: the EPIC-InterAct case-cohort study. Lancet Diabetes and Endocrinology,the, 2014, 2, 810-818.	11.4	431
2	Dietary polyphenol intake in Europe: the European Prospective Investigation into Cancer and Nutrition (EPIC) study. European Journal of Nutrition, 2016, 55, 1359-1375.	3.9	313
3	ls concordance with World Cancer Research Fund/American Institute for Cancer Research guidelines for cancer prevention related to subsequent risk of cancer? Results from the EPIC study. American Journal of Clinical Nutrition, 2012, 96, 150-163.	4.7	285
4	Digital Health Strategies to Fight COVID-19 Worldwide: Challenges, Recommendations, and a Call for Papers. Journal of Medical Internet Research, 2020, 22, e19284.	4.3	285
5	Physical activity and all-cause mortality across levels of overall and abdominal adiposity in European men and women: the European Prospective Investigation into Cancer and Nutrition Study (EPIC). American Journal of Clinical Nutrition, 2015, 101, 613-621.	4.7	284
6	Fruit and vegetable intake and type 2 diabetes: EPIC-InterAct prospective study and meta-analysis. European Journal of Clinical Nutrition, 2012, 66, 1082-1092.	2.9	228
7	Physical Activity and Mortality in Individuals With Diabetes Mellitus. Archives of Internal Medicine, 2012, 172, 1285.	3.8	226
8	The link between family history and risk of type 2 diabetes is not explained by anthropometric, lifestyle or genetic risk factors: the EPIC-InterAct study. Diabetologia, 2013, 56, 60-69.	6.3	224
9	Consumption of sweet beverages and type 2 diabetes incidence in European adults: results from EPIC-InterAct. Diabetologia, 2013, 56, 1520-1530.	6.3	212
10	Consumption of artificially and sugar-sweetened beverages and incident type 2 diabetes in the Etude Epidémiologique auprÃ's des femmes de la Mutuelle Générale de l'Education Nationale–European Prospective Investigation into Cancer and Nutrition cohort. American Journal of Clinical Nutrition, 2013, 97, 517-523.	4.7	212
11	Age at Menopause, Reproductive Life Span, and Type 2 Diabetes Risk. Diabetes Care, 2013, 36, 1012-1019.	8.6	186
12	Gene-Lifestyle Interaction and Type 2 Diabetes: The EPIC InterAct Case-Cohort Study. PLoS Medicine, 2014, 11, e1001647.	8.4	180
13	Association Between Soft Drink Consumption and Mortality in 10 European Countries. JAMA Internal Medicine, 2019, 179, 1479.	5.1	169
14	Coffee Drinking and Mortality in 10 European Countries. Annals of Internal Medicine, 2017, 167, 236-247.	3.9	168
15	Smoking as a major risk factor for cervical cancer and pre-cancer: Results from the EPIC cohort. International Journal of Cancer, 2014, 135, 453-466.	5.1	161
16	Abdominal obesity, weight gain during adulthood and risk of liver and biliary tract cancer in a European cohort. International Journal of Cancer, 2013, 132, 645-657.	5.1	158
17	Common Genetic Variants Highlight the Role of Insulin Resistance and Body Fat Distribution in Type 2 Diabetes, Independent of Obesity. Diabetes, 2014, 63, 4378-4387.	0.6	153
18	Adherence to the World Cancer Research Fund/American Institute for Cancer Research guidelines and risk of death in Europe: results from the European Prospective Investigation into Nutrition and Cancer cohort study. American Journal of Clinical Nutrition, 2013, 97, 1107-1120.	4.7	150

#	Article	IF	CITATIONS
19	Association of Plasma Phospholipid n-3 and n-6 Polyunsaturated Fatty Acids with Type 2 Diabetes: The EPIC-InterAct Case-Cohort Study. PLoS Medicine, 2016, 13, e1002094.	8.4	150
20	Serum B Vitamin Levels and Risk of Lung Cancer. JAMA - Journal of the American Medical Association, 2010, 303, 2377.	7.4	147
21	Dietary Protein Intake and Incidence of Type 2 Diabetes in Europe: The EPIC-InterAct Case-Cohort Study. Diabetes Care, 2014, 37, 1854-1862.	8.6	141
22	Socioeconomic position, lifestyle habits and biomarkers of epigenetic aging: a multi-cohort analysis. Aging, 2019, 11, 2045-2070.	3.1	137
23	Non-invasive risk scores for prediction of type 2 diabetes (EPIC-InterAct): a validation of existing models. Lancet Diabetes and Endocrinology,the, 2014, 2, 19-29.	11.4	132
24	Association between dietary meat consumption and incident type 2 diabetes: the EPIC-InterAct study. Diabetologia, 2013, 56, 47-59.	6.3	129
25	Dietary acid load and risk of type 2 diabetes: the E3N-EPIC cohort study. Diabetologia, 2014, 57, 313-320.	6.3	119
26	Polyphenol metabolome in human urine and its association with intake of polyphenol-rich foods across European countries. American Journal of Clinical Nutrition, 2015, 102, 905-913.	4.7	118
27	Genome-wide Association Analysis in Humans Links Nucleotide Metabolism to Leukocyte Telomere Length. American Journal of Human Genetics, 2020, 106, 389-404.	6.2	118
28	The association of pattern of lifetime alcohol use and cause of death in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. International Journal of Epidemiology, 2013, 42, 1772-1790.	1.9	117
29	Dietary Intakes of Individual Flavanols and Flavonols Are Inversely Associated with Incident Type 2 Diabetes in European Populations. Journal of Nutrition, 2014, 144, 335-343.	2.9	115
30	Serum 25(OH) Vitamin D and Risk of Breast Cancer: A Nested Case-Control Study from the French E3N Cohort. Cancer Epidemiology Biomarkers and Prevention, 2010, 19, 2341-2350.	2.5	114
31	Differences in dietary intakes, food sources and determinants of total flavonoids between Mediterranean and non-Mediterranean countries participating in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. British Journal of Nutrition, 2013, 109, 1498-1507.	2.3	114
32	Diabetes mellitus, insulin treatment, diabetes duration, and risk of biliary tract cancer and hepatocellular carcinoma in a European cohort. Annals of Oncology, 2013, 24, 2449-2455.	1.2	114
33	Dietary intakes and food sources of phytoestrogens in the European Prospective Investigation into Cancer and Nutrition (EPIC) 24-hour dietary recall cohort. European Journal of Clinical Nutrition, 2012, 66, 932-941.	2.9	113
34	Digital diabetes: Perspectives for diabetes prevention, management and research. Diabetes and Metabolism, 2019, 45, 322-329.	2.9	109
35	Estimation of the intake of anthocyanidins and their food sources in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. British Journal of Nutrition, 2011, 106, 1090-1099.	2.3	108
36	The Association Between Dietary Flavonoid and Lignan Intakes and Incident Type 2 Diabetes in European Populations. Diabetes Care, 2013, 36, 3961-3970.	8.6	108

#	Article	IF	CITATIONS
37	Healthy lifestyle index and risk of gastric adenocarcinoma in the EPIC cohort study. International Journal of Cancer, 2015, 137, 598-606.	5.1	104
38	Consumption of Meat, Fish, Dairy Products, and Eggs and Risk of Ischemic Heart Disease. Circulation, 2019, 139, 2835-2845.	1.6	103
39	Glycemic index, glycemic load, dietary carbohydrate, and dietary fiber intake and risk of liver and biliary tract cancers in Western Europeans. Annals of Oncology, 2013, 24, 543-553.	1.2	98
40	A Mendelian Randomization Study of Circulating Uric Acid and Type 2 Diabetes. Diabetes, 2015, 64, 3028-3036.	0.6	98
41	Adiposity, hormone replacement therapy use and breast cancer risk by age and hormone receptor status: a large prospective cohort study. Breast Cancer Research, 2012, 14, R76.	5.0	94
42	Dietary intakes and food sources of phenolic acids in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. British Journal of Nutrition, 2013, 110, 1500-1511.	2.3	92
43	Dietary Fat Intake and Development of Specific Breast Cancer Subtypes. Journal of the National Cancer Institute, 2014, 106, .	6.3	92
44	Intake estimation of total and individual flavan-3-ols, proanthocyanidins and theaflavins, their food sources and determinants in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. British Journal of Nutrition, 2012, 108, 1095-1108.	2.3	90
45	Diabetes mellitus, glycated haemoglobin and C-peptide levels in relation to pancreatic cancer risk: a study within the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. Diabetologia, 2011, 54, 3037-3046.	6.3	85
46	Dietary flavonoid and lignan intake and gastric adenocarcinoma risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. American Journal of Clinical Nutrition, 2012, 96, 1398-1408.	4.7	81
47	Lifetime alcohol use and overall and cause-specific mortality in the European Prospective Investigation into Cancer and nutrition (EPIC) study. BMJ Open, 2014, 4, e005245-e005245.	1.9	81
48	Diet and risk of diabetic retinopathy: a systematic review. European Journal of Epidemiology, 2018, 33, 141-156.	5.7	81
49	General and abdominal obesity and risk of esophageal and gastric adenocarcinoma in the European Prospective Investigation into Cancer and Nutrition. International Journal of Cancer, 2015, 137, 646-657.	5.1	79
50	Dietary fiber intake and risk of hormonal receptor–defined breast cancer in the European Prospective Investigation into Cancer and Nutrition study. American Journal of Clinical Nutrition, 2013, 97, 344-353.	4.7	76
51	Body Mass Index, Diabetes, and Mortality in French Women. Epidemiology, 2014, 25, 10-14.	2.7	76
52	Adherence to predefined dietary patterns and incident type 2 diabetes in European populations: EPIC-InterAct Study. Diabetologia, 2014, 57, 321-333.	6.3	75
53	ABO and Rhesus blood groups and risk of type 2 diabetes: evidence from the large E3N cohort study. Diabetologia, 2015, 58, 519-522.	6.3	75
54	Coffee, tea and decaffeinated coffee in relation to hepatocellular carcinoma in a <scp>E</scp> uropean population: Multicentre, prospective cohort study. International Journal of Cancer, 2015, 136, 1899-1908.	5.1	75

#	Article	IF	CITATIONS
55	Association of plasma biomarkers of fruit and vegetable intake with incident type 2 diabetes: EPIC-InterAct case-cohort study in eight European countries. BMJ, The, 2020, 370, m2194.	6.0	75
56	Diet Quality Scores and Prediction of All-Cause, Cardiovascular and Cancer Mortality in a Pan-European Cohort Study. PLoS ONE, 2016, 11, e0159025.	2.5	75
57	The association of education with body mass index and waist circumference in the EPIC-PANACEA study. BMC Public Health, 2011, 11, 169.	2.9	72
58	Consumption of fish and meats and risk of hepatocellular carcinoma: the European Prospective Investigation into Cancer and Nutrition (EPIC). Annals of Oncology, 2013, 24, 2166-2173.	1.2	72
59	Differential effects of coffee on the risk of type 2 diabetes according to meal consumption in a French cohort of women: the E3N/EPIC cohort study. American Journal of Clinical Nutrition, 2010, 91, 1002-1012.	4.7	71
60	The prospective association between total and type of fish intake and type 2 diabetes in 8 European countries: EPIC-InterAct Study. American Journal of Clinical Nutrition, 2012, 95, 1445-1453.	4.7	71
61	Voice for Health: The Use of Vocal Biomarkers from Research to Clinical Practice. Digital Biomarkers, 2021, 5, 78-88.	4.4	71
62	Prediagnostic selenium status and hepatobiliary cancer risk in the European Prospective Investigation into Cancer and Nutrition cohort. American Journal of Clinical Nutrition, 2016, 104, 406-414.	4.7	70
63	Urinary excretions of 34 dietary polyphenols and their associations with lifestyle factors in the EPIC cohort study. Scientific Reports, 2016, 6, 26905.	3.3	69
64	Physical activity reduces the risk of incident type 2 diabetes in general and in abdominally lean and obese men and women: the EPIC–InterAct Study. Diabetologia, 2012, 55, 1944-1952.	6.3	68
65	Socioeconomic inequalities and type 2 diabetes complications: A systematic review. Diabetes and Metabolism, 2020, 46, 89-99.	2.9	68
66	Plasma Vitamin C and Type 2 Diabetes: Genome-Wide Association Study and Mendelian Randomization Analysis in European Populations. Diabetes Care, 2021, 44, 98-106.	8.6	68
67	Plasma Alkylresorcinols, Biomarkers of Whole-Grain Wheat and Rye Intake, and Incidence of Colorectal Cancer. Journal of the National Cancer Institute, 2014, 106, djt352.	6.3	67
68	Circulating Biomarkers of Tryptophan and the Kynurenine Pathway and Lung Cancer Risk. Cancer Epidemiology Biomarkers and Prevention, 2014, 23, 461-468.	2.5	66
69	Dietary flavonoid, lignan and antioxidant capacity and risk of hepatocellular carcinoma in the European prospective investigation into cancer and nutrition study. International Journal of Cancer, 2013, 133, 2429-2443.	5.1	65
70	Association of Multiple Biomarkers of Iron Metabolism and Type 2 Diabetes: The EPIC-InterAct Study. Diabetes Care, 2016, 39, 572-581.	8.6	65
71	Dietary antioxidant capacity and risk of type 2 diabetes in the large prospective E3N-EPIC cohort. Diabetologia, 2018, 61, 308-316.	6.3	65
72	Flavonoid intake and incident hypertension in women. American Journal of Clinical Nutrition, 2016, 103, 1091-1098.	4.7	63

#	Article	lF	CITATIONS
73	Height, age at menarche and risk of hormone receptorâ€positive and â€negative breast cancer: A cohort study. International Journal of Cancer, 2013, 132, 2619-2629.	5.1	62
74	Processed and unprocessed red meat consumption and hypertension in women , ,. American Journal of Clinical Nutrition, 2014, 100, 948-952.	4.7	61
75	A combination of plasma phospholipid fatty acids and its association with incidence of type 2 diabetes: The EPIC-InterAct case-cohort study. PLoS Medicine, 2017, 14, e1002409.	8.4	61
76	Joint Effects of Dietary Vitamin D and Sun Exposure on Breast Cancer Risk: Results from the French E3N Cohort. Cancer Epidemiology Biomarkers and Prevention, 2011, 20, 187-198.	2.5	60
77	Weight change in middle adulthood and breast cancer risk in the EPIC-PANACEA study. International Journal of Cancer, 2014, 135, 2887-2899.	5.1	60
78	Genetic Polymorphisms in 15q25 and 19q13 Loci, Cotinine Levels, and Risk of Lung Cancer in EPIC. Cancer Epidemiology Biomarkers and Prevention, 2011, 20, 2250-2261.	2.5	59
79	Tea Consumption and Incidence of Type 2 Diabetes in Europe: The EPIC-InterAct Case-Cohort Study. PLoS ONE, 2012, 7, e36910.	2.5	59
80	Diabetes and onset of natural menopause: results from the European Prospective Investigation into Cancer and Nutrition. Human Reproduction, 2015, 30, 1491-1498.	0.9	59
81	Dietary inflammatory index and type 2 diabetes risk in a prospective cohort of 70,991 women followed for 20Âyears: the mediating role of BMI. Diabetologia, 2019, 62, 2222-2232.	6.3	59
82	Meal patterns across ten European countries – results from the European Prospective Investigation into Cancer and Nutrition (EPIC) calibration study. Public Health Nutrition, 2016, 19, 2769-2780.	2.2	58
83	Nut intake and 5-year changes in body weight and obesity risk in adults: results from the EPIC-PANACEA study. European Journal of Nutrition, 2018, 57, 2399-2408.	3.9	58
84	Smoking and Long-Term Risk of Type 2 Diabetes: The EPIC-InterAct Study in European Populations. Diabetes Care, 2014, 37, 3164-3171.	8.6	57
85	Coffee and tea consumption and the risk of ovarian cancer: a prospective cohort study and updated meta-analysis. American Journal of Clinical Nutrition, 2012, 95, 1172-1181.	4.7	56
86	C-reactive protein and postmenopausal breast cancer risk: results from the E3N cohort study. Cancer Causes and Control, 2014, 25, 533-539.	1.8	54
87	Deep Digital Phenotyping and Digital Twins for Precision Health: Time to Dig Deeper. Journal of Medical Internet Research, 2020, 22, e16770.	4.3	53
88	Dietary flavonoid and lignan intake and breast cancer risk according to menopause and hormone receptor status in the European Prospective Investigation into Cancer and Nutrition (EPIC) Study. Breast Cancer Research and Treatment, 2013, 139, 163-176.	2.5	52
89	Eating out, weight and weight gain. A cross-sectional and prospective analysis in the context of the EPIC-PANACEA study. International Journal of Obesity, 2011, 35, 416-426.	3.4	51
90	Body shape throughout life and the risk for breast cancer at adulthood in the French E3N cohort. European Journal of Cancer Prevention, 2013, 22, 29-37.	1.3	50

#	Article	IF	CITATIONS
91	Flavonoid and lignan intake in relation to bladder cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. British Journal of Cancer, 2014, 111, 1870-1880.	6.4	50
92	Inflammatory potential of the diet and risk of gastric cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. American Journal of Clinical Nutrition, 2018, 107, 607-616.	4.7	50
93	Processed and Unprocessed Red Meat Consumption and Incident Type 2 Diabetes Among French Women. Diabetes Care, 2012, 35, 128-130.	8.6	49
94	Ethanol intake and the risk of pancreatic cancer in the European prospective investigation into cancer and nutrition (EPIC). Cancer Causes and Control, 2009, 20, 785-794.	1.8	48
95	Hip circumference is associated with the risk of premenopausal ERâ^'/PRâ^' breast cancer. International Journal of Obesity, 2012, 36, 431-439.	3.4	48
96	Consumption of soft drinks and juices and risk of liver and biliary tract cancers in a European cohort. European Journal of Nutrition, 2016, 55, 7-20.	3.9	48
97	Association between Five Lifestyle Habits and Cancer Risk: Results from the E3N Cohort. Cancer Prevention Research, 2014, 7, 516-525.	1.5	47
98	Association between plasma phospholipid saturated fatty acids and metabolic markers of lipid, hepatic, inflammation and glycaemic pathways in eight European countries: a cross-sectional analysis in the EPIC-InterAct study. BMC Medicine, 2017, 15, 203.	5.5	47
99	Interaction between genes and macronutrient intake on the risk of developing type 2 diabetes: systematic review and findings from European Prospective Investigation into Cancer (EPIC)-InterAct. American Journal of Clinical Nutrition, 2017, 106, 263-275.	4.7	46
100	Nonlinear associations between dietary exposures to perfluorooctanoic acid (PFOA) or perfluorooctane sulfonate (PFOS) and type 2 diabetes risk in women: Findings from the E3N cohort study. International Journal of Hygiene and Environmental Health, 2018, 221, 1054-1060.	4.3	46
101	Subtypes of fruit and vegetables, variety in consumption and risk of colon and rectal cancer in the <scp>E</scp> uropean <scp>P</scp> rospective <scp>I</scp> nvestigation into <scp>C</scp> ancer and <scp>N</scp> utrition. International Journal of Cancer, 2015, 137, 2705-2714.	5.1	45
102	Coffee and tea consumption and risk of pre- and postmenopausal breast cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort study. Breast Cancer Research, 2015, 17, 15.	5.0	45
103	Dietary antioxidant capacity and all-cause and cause-specific mortality in the E3N/EPIC cohort study. European Journal of Nutrition, 2017, 56, 1233-1243.	3.9	45
104	The association between circulating 25-hydroxyvitamin D metabolites and type 2 diabetes in European populations: AÂmeta-analysis and Mendelian randomisation analysis. PLoS Medicine, 2020, 17, e1003394.	8.4	45
105	Prospective seroepidemiologic study on the role of Human Papillomavirus and other infections in cervical carcinogenesis: Evidence from the EPIC cohort. International Journal of Cancer, 2014, 135, 440-452.	5.1	44
106	An epidemiological model for prediction of endometrial cancer risk in Europe. European Journal of Epidemiology, 2016, 31, 51-60.	5.7	43
107	Investigation of Dietary Factors and Endometrial Cancer Risk Using a Nutrient-wide Association Study Approach in the EPIC and Nurses' Health Study (NHS) and NHSII. Cancer Epidemiology Biomarkers and Prevention, 2015, 24, 466-471.	2.5	42
108	No association between coffee, tea or caffeine consumption and breast cancer risk in a prospective cohort study. Public Health Nutrition, 2011, 14, 1315-1320.	2.2	40

#	Article	IF	CITATIONS
109	Associations Between Migraine and Type 2 Diabetes in Women. JAMA Neurology, 2019, 76, 257.	9.0	39
110	Detection of COVID-19 from voice, cough and breathing patterns: Dataset and preliminary results. Computers in Biology and Medicine, 2021, 138, 104944.	7.0	39
111	Tea and coffee consumption and risk of esophageal cancer: The European prospective investigation into cancer and nutrition study. International Journal of Cancer, 2014, 135, 1470-1479.	5.1	38
112	Dietary fat, fat subtypes and hepatocellular carcinoma in a large <scp>E</scp> uropean cohort. International Journal of Cancer, 2015, 137, 2715-2728.	5.1	38
113	Prospective association of liver function biomarkers with development of hepatobiliary cancers. Cancer Epidemiology, 2016, 40, 179-187.	1.9	38
114	Alcohol Consumption and Survival after a Breast Cancer Diagnosis: A Literature-Based Meta-analysis and Collaborative Analysis of Data for 29,239 Cases. Cancer Epidemiology Biomarkers and Prevention, 2014, 23, 934-945.	2.5	37
115	Proportion of premenopausal and postmenopausal breast cancers attributable to known risk factors: Estimates from the <scp>E3Nâ€EPIC</scp> cohort. International Journal of Cancer, 2016, 138, 2415-2427.	5.1	37
116	Adherence to the Mediterranean diet and risk of bladder cancer in the EPIC cohort study. International Journal of Cancer, 2014, 134, 2504-2511.	5.1	36
117	Childhood and Adult Secondhand Smoke and Type 2 Diabetes in Women. Diabetes Care, 2013, 36, 2720-2725.	8.6	35
118	Coffee and tea consumption, genotype-based <i>CYP1A2</i> and <i>NAT2</i> activity and colorectal cancer risk-Results from the EPIC cohort study. International Journal of Cancer, 2014, 135, 401-412.	5.1	35
119	High dietary total antioxidant capacity is associated with a reduced risk of hypertension in French women. Nutrition Journal, 2019, 18, 31.	3.4	35
120	Replacement of Red and Processed Meat With Other Food Sources of Protein and the Risk of Type 2 Diabetes in European Populations: The EPIC-InterAct Study. Diabetes Care, 2020, 43, 2660-2667.	8.6	35
121	Anthropometry, Silhouette Trajectory, and Risk of Breast Cancer in Mexican Women. American Journal of Preventive Medicine, 2014, 46, S52-S64.	3.0	34
122	Associations between serum lipids and breast cancer incidence and survival in the E3N prospective cohort study. Cancer Causes and Control, 2017, 28, 77-88.	1.8	34
123	Weight change later in life and colon and rectal cancer risk in participants in the EPIC-PANACEA study. American Journal of Clinical Nutrition, 2014, 99, 139-147.	4.7	33
124	Consumption of fatty foods and incident type 2 diabetes in populations from eight European countries. European Journal of Clinical Nutrition, 2015, 69, 455-461.	2.9	33
125	Dietary intake of advanced glycation end products (AGEs) and changes in body weight in European adults. European Journal of Nutrition, 2020, 59, 2893-2904.	3.9	33
126	Egg and cholesterol intake and incident type 2 diabetes among French women. British Journal of Nutrition, 2015, 114, 1667-1673.	2.3	32

#	Article	IF	CITATIONS
127	Alcohol consumption and the risk of renal cancers in the <scp>E</scp> uropean prospective investigation into cancer and nutrition (EPIC). International Journal of Cancer, 2015, 137, 1953-1966.	5.1	32
128	Activation of hepatic estrogen receptor-α increases energy expenditure by stimulating the production of fibroblast growth factor 21 in female mice. Molecular Metabolism, 2019, 22, 62-70.	6.5	32
129	Serum cholesterol level, use of a cholesterol-lowering drug, and breast cancer: results from the prospective E3N cohort. European Journal of Cancer Prevention, 2010, 19, 120-125.	1.3	31
130	Alcohol consumption and breast cancer risk subtypes in the E3N-EPIC cohort. European Journal of Cancer Prevention, 2015, 24, 209-214.	1.3	31
131	Sweet-beverage consumption and risk of pancreatic cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). American Journal of Clinical Nutrition, 2016, 104, 760-768.	4.7	31
132	Comparison of prognostic models to predict the occurrence of colorectal cancer in asymptomatic individuals: a systematic literature review and external validation in the EPIC and UK Biobank prospective cohort studies. Gut, 2019, 68, 672-683.	12.1	31
133	Smoking, Secondhand Smoke, and Cotinine Levels in a Subset of EPIC Cohort. Cancer Epidemiology Biomarkers and Prevention, 2011, 20, 869-875.	2.5	30
134	Dietary Intake of Vitamin D and Calcium and Breast Cancer Risk in the European Prospective Investigation into Cancer and Nutrition. Nutrition and Cancer, 2013, 65, 178-187.	2.0	30
135	Chronic Consumption of Artificial Sweetener in Packets or Tablets and Type 2 Diabetes Risk: Evidence from the E3N-European Prospective Investigation into Cancer and Nutrition Study. Annals of Nutrition and Metabolism, 2017, 70, 51-58.	1.9	30
136	Dietary exposure to brominated flame retardants and risk of type 2 diabetes in the French E3N cohort. Environment International, 2019, 123, 54-60.	10.0	30
137	Predicted basal metabolic rate and cancer risk in the European Prospective Investigation into Cancer and Nutrition. International Journal of Cancer, 2020, 147, 648-661.	5.1	30
138	Nutrient-wide association study of 92 foods and nutrients and breast cancer risk. Breast Cancer Research, 2020, 22, 5.	5.0	30
139	The Use of Social Media for Health Research Purposes: Scoping Review. Journal of Medical Internet Research, 2021, 23, e25736.	4.3	30
140	Dietary Flavonoid Intake and Esophageal Cancer Risk in the European Prospective Investigation into Cancer and Nutrition Cohort. American Journal of Epidemiology, 2013, 178, 570-581.	3.4	29
141	Plasma alkylresorcinol concentrations, biomarkers of whole-grain wheat and rye intake, in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. British Journal of Nutrition, 2014, 111, 1881-1890.	2.3	29
142	Dietary Folate Intake and Breast Cancer Risk: European Prospective Investigation Into Cancer and Nutrition. Journal of the National Cancer Institute, 2014, 107, dju367-dju367.	6.3	29
143	Dairy Product Intake and Risk of Type 2 Diabetes in EPIC-InterAct: A Mendelian Randomization Study. Diabetes Care, 2019, 42, 568-575.	8.6	29
144	Rethinking the Use of Mobile Apps for Dietary Assessment in Medical Research. Journal of Medical Internet Research, 2020, 22, e15619.	4.3	29

#	Article	IF	CITATIONS
145	Body iron status and gastric cancer risk in the <scp>EURGAST</scp> study. International Journal of Cancer, 2015, 137, 2904-2914.	5.1	28
146	Combined Impact of Lifestyle Factors on Prospective Change in Body Weight and Waist Circumference in Participants of the EPIC-PANACEA Study. PLoS ONE, 2012, 7, e50712.	2.5	27
147	Plasma Elaidic Acid Level as Biomarker of Industrial Trans Fatty Acids and Risk of Weight Change: Report from the EPIC Study. PLoS ONE, 2015, 10, e0118206.	2.5	27
148	High dietary phosphorus intake is associated with an increased risk of type 2 diabetes in the large prospective E3N cohort study. Clinical Nutrition, 2018, 37, 1625-1630.	5.0	27
149	Coffee and Tea Consumption and the Contribution of Their Added Ingredients to Total Energy and Nutrient Intakes in 10 European Countries: Benchmark Data from the Late 1990s. Nutrients, 2018, 10, 725.	4.1	27
150	Anthropometric measures and bladder cancer risk: A prospective study in the EPIC cohort. International Journal of Cancer, 2014, 135, 2918-2929.	5.1	26
151	Association of Plasma Vitamin D Metabolites With Incident Type 2 Diabetes: EPIC-InterAct Case-Cohort Study. Journal of Clinical Endocrinology and Metabolism, 2019, 104, 1293-1303.	3.6	25
152	An International Study on the Determinants of Poor Sleep Amongst 15,000 Users of Connected Devices. Journal of Medical Internet Research, 2017, 19, e363.	4.3	25
153	Dietary Intakes and Risk of Lymphoid and Myeloid Leukemia in the European Prospective Investigation into Cancer and Nutrition (EPIC). Nutrition and Cancer, 2014, 66, 14-28.	2.0	24
154	Estimated Substitution of Tea or Coffee for Sugar-Sweetened Beverages Was Associated with Lower Type 2 Diabetes Incidence in Case–Cohort Analysis across 8 European Countries in the EPIC-InterAct Study. Journal of Nutrition, 2019, 149, 1985-1993.	2.9	24
155	Circulating Biomarkers of One-Carbon Metabolism in Relation to Renal Cell Carcinoma Incidence and Survival. Journal of the National Cancer Institute, 2014, 106, .	6.3	23
156	Wine consumption throughout life is inversely associated with type 2 diabetes risk, but only in overweight individuals: results from a large female French cohort study. European Journal of Epidemiology, 2014, 29, 831-839.	5.7	23
157	Anthropometry and the Risk of Lung Cancer in EPIC. American Journal of Epidemiology, 2016, 184, 129-139.	3.4	23
158	Protocol for a prospective, longitudinal cohort of people with COVID-19 and their household members to study factors associated with disease severity: the Predi-COVID study. BMJ Open, 2020, 10, e041834.	1.9	22
159	Intake of Coffee, Decaffeinated Coffee, or Tea Does Not Affect Risk for Pancreatic Cancer: Results From the European Prospective Investigation into Nutrition and Cancer Study. Clinical Gastroenterology and Hepatology, 2013, 11, 1486-1492.	4.4	21
160	Isocaloric substitution of carbohydrates with protein: the association with weight change and mortality among patients with type 2 diabetes. Cardiovascular Diabetology, 2015, 14, 39.	6.8	21
161	Anthropometric characteristics and risk of lymphoid and myeloid leukemia in the European Prospective Investigation into Cancer and Nutrition (EPIC). Cancer Causes and Control, 2013, 24, 427-438.	1.8	20
162	Crossâ€sectional associations of objectively measured physical activity, cardiorespiratory fitness and anthropometry in European adults. Obesity, 2014, 22, E127-34.	3.0	20

#	Article	IF	CITATIONS
163	Interplay between genetic predisposition, macronutrient intake and type 2 diabetes incidence: analysis within EPIC-InterAct across eight European countries. Diabetologia, 2018, 61, 1325-1332.	6.3	20
164	Validity and reproducibility of a short food frequency questionnaire among patients with chronic kidney disease. BMC Nephrology, 2017, 18, 297.	1.8	19
165	Strong adherence to dietary and lifestyle recommendations is associated with decreased type 2 diabetes risk in the AusDiab cohort study. Preventive Medicine, 2019, 123, 208-216.	3.4	19
166	High iodine dietary intake is associated with type 2 diabetes among women of the E3N-EPIC cohort study. Clinical Nutrition, 2019, 38, 1651-1656.	5.0	19
167	Genome-wide association analysis of type 2 diabetes in the EPIC-InterAct study. Scientific Data, 2020, 7, 393.	5.3	19
168	Glycemic index, glycemic load, and risk of coronary heart disease: a pan-European cohort study. American Journal of Clinical Nutrition, 2020, 112, 631-643.	4.7	19
169	Vitamin C supplement intake and postmenopausal breast cancer risk: interaction with dietary vitamin C. American Journal of Clinical Nutrition, 2016, 104, 228-234.	4.7	18
170	Relative Validity and Reproducibility of a New 44-Item Diet and Food Frequency Questionnaire Among Adults: Online Assessment. Journal of Medical Internet Research, 2018, 20, e227.	4.3	18
171	Height, Sitting Height, and Leg Length in Relation with Breast Cancer Risk in the E3N Cohort. Cancer Epidemiology Biomarkers and Prevention, 2012, 21, 1171-1175.	2.5	17
172	Fish consumption and subsequent change in body weight in European women and men. British Journal of Nutrition, 2013, 109, 353-362.	2.3	17
173	Development and Validation of a Risk Score Predicting Substantial Weight Gain over 5 Years in Middle-Aged European Men and Women. PLoS ONE, 2013, 8, e67429.	2.5	17
174	Total, caffeinated and decaffeinated coffee and tea intake and gastric cancer risk: Results from the EPIC cohort study. International Journal of Cancer, 2015, 136, E720-30.	5.1	17
175	The association of body shape trajectories over the life course with type 2 diabetes risk in adulthood: a group-based modeling approach. Annals of Epidemiology, 2015, 25, 785-787.	1.9	17
176	Dietary and lifestyle determinants of acrylamide and glycidamide hemoglobin adducts in non-smoking postmenopausal women from the EPIC cohort. European Journal of Nutrition, 2017, 56, 1157-1168.	3.9	17
177	Circulating Fetuin-A and Risk of Type 2 Diabetes: A Mendelian Randomization Analysis. Diabetes, 2018, 67, 1200-1205.	0.6	17
178	Maternal educational inequalities in measured body mass index trajectories in three European countries. Paediatric and Perinatal Epidemiology, 2019, 33, 226-237.	1.7	17
179	Dietary fat intake and risk of epithelial ovarian cancer in the European Prospective Investigation into Cancer and Nutrition. Cancer Epidemiology, 2014, 38, 528-537.	1.9	16
180	The association of education with long-term weight change in the EPIC-PANACEA cohort. European Journal of Clinical Nutrition, 2012, 66, 957-963.	2.9	15

#	Article	IF	CITATIONS
181	A structural equation modelling approach to explore the role of B vitamins and immune markers in lung cancer risk. European Journal of Epidemiology, 2013, 28, 677-688.	5.7	15
182	The Association between Dietary Energy Density and Type 2 Diabetes in Europe: Results from the EPIC-InterAct Study. PLoS ONE, 2013, 8, e59947.	2.5	15
183	Dietary vitamin D intake and risk of type 2 diabetes in the European Prospective Investigation into Cancer and Nutrition: the EPIC-InterAct study. European Journal of Clinical Nutrition, 2014, 68, 196-202.	2.9	15
184	Fatty acid consumption and incident type 2 diabetes: an 18-year follow-up in the female E3N (Etude) Tj ETQq0 C cohort study. British Journal of Nutrition, 2016, 116, 1807-1815.	0 rgBT /0 2.3	verlock 10 Tf 15
185	Main nutrient patterns are associated with prospective weight change in adults from 10 European countries. European Journal of Nutrition, 2016, 55, 2093-2104.	3.9	15
186	Soda Intake Is Directly Associated with Serum C-Reactive Protein Concentration in Mexican Women. Journal of Nutrition, 2018, 148, 117-124.	2.9	15
187	Interaction of Dietary and Genetic Factors Influencing Body Iron Status and Risk of Type 2 Diabetes Within the EPIC-InterAct Study. Diabetes Care, 2018, 41, 277-285.	8.6	15
188	Population attributable fractions of the main type 2 diabetes mellitus risk factors in women: Findings from the French E3N cohort. Journal of Diabetes, 2019, 11, 242-253.	1.8	15
189	Autoimmunity plays a role in the onset of diabetes after 40 years of age. Diabetologia, 2020, 63, 266-277.	6.3	15
190	Insulin pricing and other major diabetes-related concerns in the USA: a study of 46 407 tweets between 2017 and 2019. BMJ Open Diabetes Research and Care, 2020, 8, e001190.	2.8	15
191	Unraveling the concepts of distress, burnout, and depression in type 1 diabetes: A scoping review. EClinicalMedicine, 2021, 40, 101118.	7.1	14
192	Use of Bisphosphonates and Risk of Breast Cancer in a French Cohort of Postmenopausal Women. Journal of Clinical Oncology, 2017, 35, 3230-3239.	1.6	13
193	Determinants of folate and vitamin B12 plasma levels in the French E3N-EPIC cohort. European Journal of Nutrition, 2018, 57, 751-760.	3.9	13
194	Mapping and Modeling of Discussions Related to Gastrointestinal Discomfort in French-Speaking Online Forums: Results of a 15-Year Retrospective Infodemiology Study. Journal of Medical Internet Research, 2020, 22, e17247.	4.3	13
195	Association of neighbourhood disadvantage and individual socioeconomic position with all-cause mortality: a longitudinal multicohort analysis. Lancet Public Health, The, 2022, 7, e447-e457.	10.0	13
196	Postmenopausal breast cancer risk and interactions between body mass index, menopausal hormone therapy use, and vitamin D supplementation: Evidence from the E3N cohort. International Journal of Cancer, 2016, 139, 2193-2200.	5.1	12
197	Interaction between current vitamin D supplementation and menopausal hormone therapy use on breast cancer risk: evidence from the E3N cohort. American Journal of Clinical Nutrition, 2015, 102, 966-973.	4.7	11
198	Measured Adiposity in Relation to Head and Neck Cancer Risk in the European Prospective Investigation into Cancer and Nutrition. Cancer Epidemiology Biomarkers and Prevention, 2017, 26, 895-904.	2.5	11

#	Article	IF	CITATIONS
199	Sepsis risk factors in infants with congenital diaphragmatic hernia. Annals of Intensive Care, 2017, 7, 32.	4.6	11
200	Micronutrient dietary patterns associated with type 2 diabetes mellitus among women of the E3Nâ€EPIC (Etude Epidémiologique auprès de femmes de l'Education Nationale) cohort study. Journal of Diabetes, 2018, 10, 665-674.	1.8	11
201	Cholesterol and Egg Intakes, and Risk of Hypertension in a Large Prospective Cohort of French Women. Nutrients, 2020, 12, 1350.	4.1	11
202	Dairy product consumption and hypertension risk in a prospective French cohort of women. Nutrition Journal, 2020, 19, 12.	3.4	11
203	Associations between early-life food deprivation during World War II and risk of hypertension and type 2 diabetes at adulthood. Scientific Reports, 2020, 10, 5741.	3.3	11
204	The associations of the Palaeolithic diet alone and in combination with lifestyle factors with type 2 diabetes and hypertension risks in women in the E3N prospective cohort. European Journal of Nutrition, 2021, 60, 3935-3945.	3.9	11
205	BMI in the Associations of Plant-Based Diets with Type 2 Diabetes and Hypertension Risks in Women: The E3N Prospective Cohort Study. Journal of Nutrition, 2021, 151, 2731-2740.	2.9	11
206	The INSIG2 rs7566605 polymorphism is not associated with body mass index and breast cancer risk. BMC Cancer, 2010, 10, 563.	2.6	10
207	Bodyâ€size throughout life and risk of depression in postmenopausal women: Findings from the E3N cohort. Obesity, 2014, 22, 1926-1934.	3.0	10
208	A comparison between different prediction models for invasive breast cancer occurrence in the French E3N cohort. Breast Cancer Research and Treatment, 2015, 150, 415-426.	2.5	10
209	Longitudinal association of antidepressant medication use with metabolic syndrome: Results of a 9-year follow-up of the D.E.S.I.R. cohort study. Psychoneuroendocrinology, 2016, 74, 34-45.	2.7	10
210	Profiles of Polyphenol Intake and Type 2 Diabetes Risk in 60,586 Women Followed for 20 Years: Results from the E3N Cohort Study. Nutrients, 2020, 12, 1934.	4.1	10
211	Association of Migraine With Incident Hypertension After Menopause. Neurology, 2021, 97, e34-e41.	1.1	10
212	Is the Consensual Threshold for Defining High Glucose Variability Implementable in Clinical Practice?. Diabetes Care, 2021, 44, 1722-1725.	8.6	10
213	Advanced analytical methods to assess physical activity behavior using accelerometer time series: A scoping review. Scandinavian Journal of Medicine and Science in Sports, 2022, 32, 18-44.	2.9	10
214	Combinatorial analysis reveals highly coordinated early-stage immune reactions that predict later antiviral immunity in mild COVID-19 patients. Cell Reports Medicine, 2022, 3, 100600.	6.5	10
215	Cellular immune activity biomarker neopterin is associated hyperlipidemia: results from a large population-based study. Immunity and Ageing, 2016, 13, 5.	4.2	9
216	Comparison of abdominal adiposity and overall obesity in relation to risk of small intestinal cancer in a European Prospective Cohort. Cancer Causes and Control, 2016, 27, 919-927.	1.8	9

#	Article	IF	CITATIONS
217	Functional gastrointestinal disorders and incidence of type 2 diabetes: Evidence from the E3N–EPIC cohort study. Diabetes and Metabolism, 2016, 42, 178-183.	2.9	9
218	Socio-economic factors associated with a healthy diet: results from the E3N study. Public Health Nutrition, 2017, 20, 1574-1583.	2.2	9
219	Influence of a cancer diagnosis on changes in fruit and vegetable consumption according to cancer site, stage at diagnosis and socioeconomic factors: Results from the large E3Nâ€EPIC study. International Journal of Cancer, 2018, 143, 1678-1687.	5.1	9
220	Socio-economic factors associated with an increase in fruit and vegetable consumption: a 12-year study in women from the E3N-EPIC study. Public Health Nutrition, 2018, 21, 740-755.	2.2	9
221	Associations Between Physical Activity and Incident Hypertension Across Strata of Body Mass Index: A Prospective Investigation in a Large Cohort of French Women. Journal of the American Heart Association, 2020, 9, e015121.	3.7	9
222	Dietary Copper/Zinc Ratio and Type 2 Diabetes Risk in Women: The E3N Cohort Study. Nutrients, 2021, 13, 2502.	4.1	9
223	Identification of chemical mixtures to which women are exposed through the diet: Results from the French E3N cohort. Environment International, 2021, 152, 106467.	10.0	9
224	Associations between physical activity prior to infection and COVID-19 disease severity and symptoms: results from the prospective Predi-COVID cohort study. BMJ Open, 2022, 12, e057863.	1.9	9
225	Anthropometrics, body shape over 12 years and risk of cancer events in pre―and postâ€menopausal women. International Journal of Cancer, 2013, 133, 740-748.	5.1	8
226	Association Between Handedness and Type 2 Diabetes: The E3N Study: Table 1. Diabetes Care, 2015, 38, e199-e199.	8.6	8
227	Towards precision cardiometabolic prevention: results from a machine learning, semi-supervised clustering approach in the nationwide population-based ORISCAV-LUX 2 study. Scientific Reports, 2021, 11, 16056.	3.3	8
228	Methods to Generate Innovative Research Ideas and Improve Patient and Public Involvement in Modern Epidemiological Research: Review, Patient Viewpoint, and Guidelines for Implementation of a Digital Cohort Study. Journal of Medical Internet Research, 2021, 23, e25743.	4.3	8
229	Prediagnostic body size and breast cancer survival in the E3N cohort study. International Journal of Cancer, 2016, 139, 1053-1064.	5.1	7
230	Prediagnostic circulating concentrations of plasma insulinâ€like growth factorâ€ <scp>I</scp> and risk of lymphoma in the <scp>E</scp> uropean <scp>P</scp> rospective <scp>I</scp> nvestigation into <scp>C</scp> ancer and <scp>N</scp> utrition. International Journal of Cancer, 2017, 140, 1111-1118.	5.1	7
231	The long-run effects of war on health: Evidence from World War II in France. Social Science and Medicine, 2021, 276, 113812.	3.8	7
232	Home and Work Physical Activity Environments: Associations with Cardiorespiratory Fitness and Physical Activity Level in French Women. International Journal of Environmental Research and Public Health, 2016, 13, 824.	2.6	6
233	Crossâ€sectional association of coffee and caffeine consumption with sex hormoneâ€binding globulin in healthy nondiabetic women. Clinical Endocrinology, 2017, 87, 475-483.	2.4	6
234	Life course evolution of body size and breast cancer survival in the E3N cohort. International Journal of Cancer, 2018, 142, 1542-1553.	5.1	6

#	Article	IF	CITATIONS
235	Generalizability of a Diabetes-Associated Country-Specific Exploratory Dietary Pattern Is Feasible Across European Populations. Journal of Nutrition, 2019, 149, 1047-1055.	2.9	6
236	Socioeconomic Effect of Education on Pancreatic Cancer Risk in Western Europe: An Update on the EPIC Cohorts Study. Cancer Epidemiology Biomarkers and Prevention, 2019, 28, 1089-1092.	2.5	6
237	Musculoskeletal disorders in patients with type 1 diabetes: An understudied group of diabetes complications that deserves further investigation. Diabetes and Metabolism, 2020, 46, 177-178.	2.9	6
238	Identifying hotspots of cardiometabolic outcomes based on a Bayesian approach: The example of Chile. PLoS ONE, 2020, 15, e0235009.	2.5	6
239	Gonadal hormonal factors before menopause and incident type 2 diabetes in women: A 22â€year followâ€up of 83 799 women from the <scp>E3N</scp> cohort study. Journal of Diabetes, 2021, 13, 330-338	3 <sup>1.8</sup>	6
240	Scoping review protocol on the use of social media for health research purposes. BMJ Open, 2021, 11, e040671.	1.9	6
241	Type 2 diabetes and its characteristics are associated with poor oral health: findings from 60,590 senior women from the E3N study. BMC Oral Health, 2021, 21, 315.	2.3	6
242	Distribution of Highly Prevalent Musculoskeletal Disorders and Their Association With Diabetes Complications in a Population of 140 Individuals With Type 1 Diabetes: A Retrospective Study in a French Diabetes Center. Clinical Diabetes, 2020, 38, 181-187.	2.2	6
243	Attitudes and Expectations of Clinical Research Participants Toward Digital Health and Mobile Dietary Assessment Tools: Cross-Sectional Survey Study. Frontiers in Digital Health, 2022, 4, 794908.	2.8	6
244	Plasma Phospholipid Long-Chain n-3 Polyunsaturated Fatty Acids and Body Weight Change. Obesity Facts, 2011, 4, 312-318.	3.4	5
245	Transmission of Type 2 diabetes to sons and daughters: the D.E.S.I.R. cohort. Diabetic Medicine, 2017, 34, 1615-1622.	2.3	5
246	Associations of Physical Activity Level and Variability With 6-Month Weight Change Among 26,935 Users of Connected Devices: Observational Real-Life Study. JMIR MHealth and UHealth, 2021, 9, e25385.	3.7	5
247	Educational level and family structure influence the dietary changes after the diagnosis of type 2 diabetes: evidence from the E3N study. Nutrition Research, 2017, 44, 9-17.	2.9	4
248	Intricate relationships between frailty and diabetes: where do we go from here?. The Lancet Healthy Longevity, 2020, 1, e92-e93.	4.6	4
249	Increased risk of type 2 diabetes in antidepressant users: evidence from a 6â€year longitudinal study in the E3N cohort. Diabetic Medicine, 2020, 37, 1866-1873.	2.3	4
250	Consumption of cocoa-containing foods and risk of hypertension in French women. European Journal of Epidemiology, 2020, 35, 465-469.	5.7	4
251	Patterns of Sequelae in Women with a History of Localized Breast Cancer: Results from the French VICAN Survey. Cancers, 2021, 13, 1161.	3.7	4
252	Mentally tiring work and type 2 diabetes in women: a 22-year follow-up study. European Journal of Endocrinology, 2019, 180, 257-263.	3.7	4

#	Article	IF	CITATIONS
253	Associations Between Device-Measured Physical Activity and Glycemic Control and Variability Indices Under Free-Living Conditions. Diabetes Technology and Therapeutics, 2022, 24, 167-177.	4.4	4
254	Advanced analytical methods to assess physical activity behaviour using accelerometer raw time series data: a protocol for a scoping review. Systematic Reviews, 2020, 9, 259.	5.3	3
255	Challenges and perspectives for the future of diabetes epidemiology in the era of digital health and artificial intelligence. Diabetes Epidemiology and Management, 2021, 1, 100004.	0.8	2
256	Improving Diabetes-Related Biomedical Literature Exploration in the Clinical Decision-making Process via Interactive Classification and Topic Discovery: Methodology Development Study. Journal of Medical Internet Research, 2022, 24, e27434.	4.3	2
257	Determinants of 20â€year nonâ€progression to Type 2 diabetes in women at very high risk: the E3N cohort study. Diabetic Medicine, 2018, 35, 1716-1721.	2.3	1
258	Emulating a virtual digital cohort study based on social media data as a complementary approach to traditional epidemiology: When, what for, and how?. Diabetes Epidemiology and Management, 2022, 7, 100085.	0.8	1
259	Associations entre les mesures anthropométriques et le risque de dépression chez la femme post-ménopausée. European Psychiatry, 2013, 28, 30-30.	0.2	0
260	Corpulence au cours de la vie et risque de dépression chez la femme post-ménopauséeÂ: résultats de la cohorte E3N. European Psychiatry, 2013, 28, 29-30.	0.2	0
261	Reply to HC Stevens and C La Vecchia. American Journal of Clinical Nutrition, 2013, 98, 246-258.	4.7	0
262	Diabetes and Onset of Natural Menopause. Obstetrical and Gynecological Survey, 2015, 70, 507-508.	0.4	0
263	CO-15: Antioxydant capacity of diet and risk of incident hypertension among the E3N cohort. Annales De Cardiologie Et D'Angeiologie, 2015, 64, S9.	0.6	0
264	Response to Comment on Bonnet et al. Association Between Handedness and Type 2 Diabetes: The E3N Study. Diabetes Care 2015;38:e199. Diabetes Care, 2016, 39, e47-e47.	8.6	0
265	RELATION BETWEEN BENIGN GYNECOLOGICAL DISEASES AND INCIDENT HYPERTENSION IN THE E3N COHORT. Journal of Hypertension, 2019, 37, e45.	0.5	0
266	PIN133 A GEOSTATISTICAL ALGORITHM TO BETTER IDENTIFY CONTEXTUAL AND CLINICAL FACTORS ASSOCIATED TO HPV VACCINE COVERAGE IN FRANCE. Value in Health, 2019, 22, S660.	0.3	0
267	What are the determinants of a concerned vision of the future when living with type 2 diabetes? Results from the E3N-AfterDiab study. Chronic Illness, 2019, 15, 236-241.	1.5	0
268	Effets potentiels de l'alarme optionnelle FreeStyle® Libre™ 2 sur l'allégement de la charge mentale des patients diabétiques. Medecine Des Maladies Metaboliques, 2020, 14, 600-607.	0.1	0
269	Abstract P389: Flavonoid intake and incident hypertension in French women. Circulation, 2014, 129, .	1.6	0